

Straight Line Diagram

(Including Drain Pipes)

**Forest
27**

January 2024

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.



December 30, 2023

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2024 Pennsylvania Straight Line Diagrams (SLDs) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLDs are a graphical representation of State Routes (SRs) that PennDOT maintains. The information shown on the SLD is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SRs found on the list are linked to the actual pages that show the individual SLDs. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Ty Reed, Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2023 by the Commonwealth of Pennsylvania. All rights reserved.



Asset Management Division

Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a “grade” from “A” (excellent) to “E” (fail).

A **B** **C** **D** **E**

If your rating is not an “A,” please let us know what we could do better.

Name and Organization (optional)

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line)

Bureau of Operations
Asset Management Division – PennDOT Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Ty Reed

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

- | | |
|--|-----------|
| 1. Traffic Routes: Routes designated as Interstates, US or PA Routes | 0001-0999 |
| 2. Quadrant Routes (Non-Traffic Routes) | 1001-4999 |
| 3. Relocated Traffic Routes | 6000-6999 |
| 4. Turned Back, Abandoned, or Null Routes | 7000-7999 |
| 5. Interchanges | 8001-8999 |
| 6. WYE's | 9101-9199 |
| 7. Rest Areas | 9201-9299 |
| 8. Truck Escape Ramps | 9301-9399 |
| 9. Others | 9401-9499 |
| 10. Park and Rides | 9501-9599 |

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes




FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




FIGURE 2




FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

Undivided Roadways




FIGURE 4

Divided Roadways




FIGURE 5

Interstate Roadways




FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coinciding State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).




FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.



Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.









































Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 1 OF 2

 SEGMENT MARKER	 AHEAD LEFT INTER STATE OWNED	 RAILROAD CROSSING	 INTERSTATE MILEPOST
 TURNBACK	 AHEAD LEFT INTER NON-STATE	 RAILROAD OVER-PASS	 MFC BEGIN
 NULL	 AHEAD RIGHT INTE STATE OWNED	 OVER-PASS	 MUNICIPAL BOUNDARY
 UNDIVIDED HIGHWAY	 AHEAD RIGHT INTE NON-STATE	 BRIDGE END	 VILLAGE BEGIN
 PHYSICALLY DIVIDED	 BACK LEFT INTER STATE OWNED	 BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACKWARD TO PREVIOUS SEGMENT BEGIN
 PAINT DIVIDED	 BACK LEFT INTER NON-STATE	 TUNNEL	
 INTERSECTION AHEAD	 BACK RIGHT INTER STATE OWNED	 SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
 INTERSECTION BACK	 BACK RIGHT INTER NON-STATE	 P3 BRIDGE	
 REFERENCE AHEAD/BACK	 T-LEFT INTERSEC STATE OWNED	 RETAINING WALL	
 DIVIDED CONNECTOR	 T-LEFT INTERSEC NON-STATE	 BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT'S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
 CROSS INTERSEC STATE OWNED	 T-RIGHT INTERSEC STATE OWNED	 PIPE (STAMPP)	
 CROSS INTERSEC NON-STATE	 T-RIGHT INTERSEC NON-STATE	 ROTARY INTERSEC	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 158
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 4014
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

000100 FT



000100 FT BK-FOREST (27)
7010/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 157
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: 1.630 MI. DIST: 01-3 SR: 4012
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

008604 FT




008604 FT
INTER-AHD TRUNKEYVILLE RD
0030/3072 (T340)

DIR: B TOTAL LEN: 1.630 MI. DIST: 01-3 SR: 4012
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

VEACH RD
 (PRDR)

0030/2856



0030/2965 072 " DIA CIRC ALUMIN
 LEN=0047 INSTALLED 2000

0030/2372 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2000

0030/1994 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2008

0030/1600 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2008

0030/1247 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2008

0030/0948 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2008

0030/0655 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2000

0030/0259 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2008

005532 FT 2 0 27022 0 00 0055+62

0030/0000 LENGTH(AH 3072 BK 2998)
 018 " DIA CIR PLASTIC

0020/2809 LEN=0040 INSTALLED 2000

0020/2187 018 " DIA CIR PLASTIC
 LEN=0030 INSTALLED 2000

0020/1820 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2000

0020/0377 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2008

002534 FT 2 0 27022 0 00 0025+67

0020/0000 LENGTH(AH 2998 BK 2534)
 018 " DIA CIR PLASTIC

0010/2097 LEN=0040 INSTALLED UNKN

0010/1056 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2008

0010/0017 018 " DIA CIRC METAL
 LEN=0070 INSTALLED 2000

000000 FT 2 0 27022 0 00 0000+00

FLEMING HILL RD
 (SR0127 SEG 0090/2448)

NC TRUNKEYVILLE RD
 MFC BEGIN = E

0010/0000 LENGTH(AH 2534 BK 0000)

FLEMING HILL RD
 (SR0127 SEG 0090/2448) 0010/0000

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 155
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 4010
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T


000000 FT
000000 FT



000000 FT
7020/0000 LENGTH(AH 0485 BK 1795)
000000 FT
7010/0000 LENGTH(AH 1795 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 153
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 3.265 MI. DIST: 01-3 SR: 4006
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

DAVID ZEISBURGER HW 017241 FT
 (SR0666 SEG 0110/0000) 0070/2261



017241 FT DAVID ZEISBURGER HW
 0070/2261 (SR0666 SEG 0110/0000)
 0070/2199 018 "DIA CIR PLASTIC
 0070/1654 LEN=0045 INSTALLED 1998
 018 "DIA CIR PLASTIC
 LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 152
COUNTY: FOREST

DIR: B TOTAL LEN: 3.265 MI.
LEFT MUN: HICKORY T

DIST: 01-3 SR: 4006
RIGHT MUN: HICKORY T

Stationing	Material	Length	Year
0070/1424	015" DIA CIRC ALUMIN	LEN=0035	INSTALLED 1998
0070/1179	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
0070/0674	018" DIA CIR PLASTIC	LEN=0032	INSTALLED UNKN
0070/0489	018" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
014980 FT	2 0 27028	0 00 0142+58	
0070/0000	LENGTH(AH 2261 BK 2500)		
0060/2100	024" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
0060/1792	024" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
0060/1701	018" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
0060/1494	018" DIA CIRC METAL	LEN=0035	INSTALLED 1998
0060/1047	018" DIA CIR PLASTIC	LEN=0030	INSTALLED 1998
0060/0660	018" DIA CIR PLASTIC	LEN=0025	INSTALLED 1998
012480 FT	2 0 27028	0 00 0117+43	
0060/0360	LENGTH(AH 2500 BK 2461)		
0050/2305	018" DIA CIR PLASTIC	LEN=0050	INSTALLED 1998
0050/1986	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 1998
0050/1599	018" DIA CIRC METAL	LEN=0030	INSTALLED 1998
0050/1137	018" DIA CIR PLASTIC	LEN=0056	INSTALLED UNKN
0050/1019	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 1998
0050/0745	015" DIA CIRC ALUMIN	LEN=0030	INSTALLED UNKN
0050/0400	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 1998
010019 FT	2 0 27028	0 00 0092+50	
0050/0000	LENGTH(AH 2461 BK 2508)		
0040/2435	018" DIA CIRC METAL	LEN=0040	INSTALLED UNKN
0040/1871	NC YELLOW HAMMER RD		
0040/1562	018" DIA CIR PLASTIC	LEN=0090	INSTALLED 2022
0040/1411	042" DIA CIR PLASTIC	LEN=0060	INSTALLED 2022

DIR: B TOTAL LEN: 3.265 MI. DIST: 01-3 SR: 4006
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

	0040/1235	018 "DIA LEN=0035	CIR PLASTIC INSTALLED UNKN
007511 FT	007511 FT 5 0040/0000	2 0 27028 LENGTH(AH 2508 BK 2511)	0 00 0067+07 018 "DIA CIR PLASTIC
	0030/2443	LEN=0040	INSTALLED 1998
	0030/1634	018 "DIA LEN=0035	CIR PLASTIC INSTALLED 1998
005000 FT	005000 FT 5 0030/0000	2 0 27028 LENGTH(AH 2511 BK 2551)	0 00 0042+17
	0020/1545	018 "DIA LEN=0045	CIR PLASTIC INSTALLED UNKN
	0020/0475	018 "DIA LEN=0050	CIR PLASTIC INSTALLED 2004
002449 FT	0020/0245 002449 FT 5 0020/0000	018 "DIA LEN=0045 2 0 27028 LENGTH(AH 2551 BK 2449)	CIR PLASTIC INSTALLED 1998 0 00 0017+18 018 "DIA CIR PLASTIC
	0010/2393	LEN=0045	INSTALLED UNKN
	0010/2000	015 "DIA LEN=0045	CIR PLASTIC INSTALLED 1998
	0010/1750	018 "DIA LEN=0034	CIR PLASTIC INSTALLED UNKN
	0010/1246	018 "DIA LEN=0042	CIR PLASTIC INSTALLED 2005
	0010/0680	015 "DIA LEN=0050	CIR PLASTIC INSTALLED 1998
	0010/0438	018 "DIA LEN=0030	CIRC METAL INSTALLED 1998
000000 FT	0010/0204 000000 FT	018 "DIA LEN=0045 2 0 27028	CIRC METAL INSTALLED 2005 0 00 0000+00
	NC KI	FFER HILL RD DAVID ZEISBURGER HW (SR0666 SEG 0100/0000)	
	5 0010/0000	MFC BEGIN = E LENGTH(AH 2449 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 150
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 4005
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T


000000 FT



000000 FT
7010/0000 LENGTH(AH 2033 BK 0000)

059898 FT

059898 FT
 INTER-AHD BALLTOWN RD
 (TWP)
 WHIG HILL CORNERS RD
 0230/3003 (SR0666 SEG 0150/0000)
 0230/2908 024 "DIA CIR PLASTIC
 LEN=0060 INSTALLED 1997




056895 FT

0230/1221 HOLLYWOOD AND VINE ST
 (PRDR)
 015 "DIA CIRC CONCR
 0230/0557 LEN=0030 INSTALLED 1997
 056895 FT 2 0 27007 0 00 0569+89
 0230/0000 LENGTH(AH 3003 BK 2996)
 018 "DIA CIR PLASTIC
 0220/2965 LEN=0040 INSTALLED 2022
 0220/1890 015 "DIA CIRC CONCR
 LEN=0050 INSTALLED 1997
 018 "DIA CIR PLASTIC
 0220/1472 LEN=0040 INSTALLED 2022

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

053899 FT




0220/0246 018 " DIA CIR PLASTIC
 LEN=0050 INSTALLED 2000
 053899 FT 2 0 27007 0 00 0539+89
 0220/0000 LENGTH(AH 2996 BK 3069)
 018 " DIA CIR PLASTIC
 0210/2783 LEN=0050 INSTALLED 1997
 018 " DIA CIR PLASTIC
 0210/2442 LEN=0050 INSTALLED 1997
 015 " DIA CIRC METAL
 0210/1970 LEN=0050 INSTALLED 1997

ROSS RUN BR.
 STRUCTURE LENGTH 12 FT
 BMSID 27/4004/0210/1307

0210/1307


050830 FT



0210/0036 BMSID 27/4004/0210/0000
 050830 FT 2 0 27007 0 00 0509+20
 ROSS RUN BRANCH
 BMSBG 27/4004/0210/0000
 0210/0000 LENGTH(AH 3069 BK 2661)

0200/1616 018 " DIA CIR PLASTIC
 LEN=0045 INSTALLED 1997
 018 " DIA CIR PLASTIC
 0200/1206 LEN=0040 INSTALLED 2015

048169 FT



0200/0427 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2015
 0200/0021 BMSID 27/4004/0200/0000
 048169 FT 2 0 27007 0 00 0482+37
 ROSS RUN
 BMSBG 27/4004/0200/0000
 0200/0000 LENGTH(AH 2661 BK 3203)
 CRYSTAL SPRINGS RD
 (TWP)
 TO CRYSTAL SPRINGS R
 (CONN)

0190/3097 024 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 1997
 0190/2976 018 " DIA CIR PLASTIC
 LEN=0045 INSTALLED 1997
 024 " DIA CIR PLASTIC
 0190/2884 LEN=0060 INSTALLED 1997
 018 " DIA CIR PLASTIC

0190/2236 018 " DIA CIR PLASTIC
 LEN=0045 INSTALLED 1997
 024 " DIA CIR PLASTIC
 0190/1940 LEN=0060 INSTALLED 1997
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

	0190/1650	LEN=0050	INSTALLED	2000
		024 " DIA	CIR PLASTIC	
	0190/1377	LEN=0060	INSTALLED	2000
		018 " DIA	CIR PLASTIC	
	0190/0840	LEN=0040	INSTALLED	2000
		018 " DIA	CIR PLASTIC	
	0190/0520	LEN=0045	INSTALLED	2000
		018 " DIA	CIR PLASTIC	
	0190/0215	LEN=0050	INSTALLED	2000
044966 FT	044966 FT	2 0 27007	0 00	0449+51
	0190/0000	LENGTH(AH	3203 BK	3105)
		015 " DIA	CIRC METAL	
	0180/2345	LEN=0040	INSTALLED	1997
		CRYSTAL	SPRINGS RD	
	0180/1980	(PRDR)		
		018 " DIA	CIRC CONCR	
	0180/0320	LEN=0040	INSTALLED	1997
		018 " DIA	CIR PLASTIC	
	0180/0035	LEN=0050	INSTALLED	1997
041861 FT	041861 FT	2 0 27007	0 00	0418+46
		ROSS RUN RD		
		(T338)		
	0180/0000	LENGTH(AH	3105 BK	3624)
		024 " DIA	CIRC CONCR	
	0170/2283	LEN=0040	INSTALLED	1997
2 0 27007 0 00	0382+22	038237 FT		
CHURCH HILL RD				
(T357)	0170/0000	LENGTH(AH	3624 BK	2227)
		024 " DIA	CIR PLASTIC	
	0160/2127	LEN=0045	INSTALLED	1997
		048 " DIA	CIRC METAL	
	0160/0850	LEN=0045	INSTALLED	1997
		018 " DIA	CIR PLASTIC	

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

Stationing	Segment	Length	Material	Installation
036010	FT	0160/0465	LEN=0030	INSTALLED 1997
		036010	2 0 27007 0 00 0359+91	
		0160/0000	LENGTH(AH 2227 BK 1991)	
			018 "DIA CIRC CONCR	
		0150/1830	LEN=0040	INSTALLED 1997
			018 "DIA CIRC METAL	
		0150/1609	LEN=0045	INSTALLED 1997
			015 "DIA CIRC METAL	
		0150/1220	LEN=0045	INSTALLED 1997
			HEATH LN	
		0150/0729	(PRDR)	
2 0 27007 0 00 0340+00	034019 FT	034019	FT	
GRANGE HALL RD				
(SR4008 SEG 0040/3153)	0150/0000			
		0150/0000	LENGTH(AH 1991 BK 2611)	
			018 "DIA CIR PLASTIC	
		0140/2233	LEN=0045	INSTALLED 1997
			015 "DIA CIRC CONCR	
		0140/1685	LEN=0035	INSTALLED 2019
			015 "DIA CIRC CONCR	
		0140/0490	LEN=0040	INSTALLED 1997
031408	FT	031408	2 0 27007 0 00 0313+47	
		0140/0000	LENGTH(AH 2611 BK 2493)	
			015 "DIA CIRC CONCR	
		0130/2428	LEN=0040	INSTALLED 2019
			015 "DIA CIRC CONCR	
		0130/1852	LEN=0035	INSTALLED 2019
			018 "DIA CIRC CONCR	
		0130/0902	LEN=0030	INSTALLED 1997
			018 "DIA CIRC CONCR	
		0130/0090	LEN=0035	INSTALLED 1997
028915	FT	028915	2 0 27007 0 00 0288+54	
		0130/0000	LENGTH(AH 2493 BK 1829)	
			015 "DIA CIRC CONCR	
		0120/0724	LEN=0030	INSTALLED 1997
WHIMPY LN				
(PRDR)	0120/0694			
			015 "DIA CIRC CONCR	
		0120/0440	LEN=0030	INSTALLED 2019
			015 "DIA CIRC METAL	
		0120/0067	LEN=0040	INSTALLED 1997
027086	FT	027086	2 0 27007 0 00 0270+25	
			JUGHANDLE RD	

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

Stationing	Description	Material	Length	Notes
024941 FT	0120/0000	015" DIA CIRC CONCR	1829	(T394) BK 2145
	0110/2115	018" DIA CIRC PLASTIC	0035	INSTALLED 1997
	0110/1687	018" DIA CIRC METAL	0055	INSTALLED 2019
	0110/1685	018" DIA CIRC PLASTIC	0040	INSTALLED 1997
	0110/1092	018" DIA CIRC PLASTIC	0040	INSTALLED 2019
	0110/0685	018" DIA CIRC PLASTIC	0040	INSTALLED 2019
024941 FT	0110/0000	018" DIA CIRC PLASTIC	27007	0249+94 BK 3196
	0100/2645	018" DIA CIRC PLASTIC	0040	INSTALLED 2019
	0100/2377	018" DIA CIRC PLASTIC	0040	INSTALLED 2019
	0100/2332	015" DIA CIRC METAL	0035	INSTALLED 1997
	0100/1784	018" DIA CIRC PLASTIC	0034	INSTALLED 2022
021745 FT	0100/0000	018" DIA CIRC PLASTIC	3196	NEBRASKA RD (SR3004 SEG 0100/0000) BK 1858
	0090/1621	018" DIA CIRC METAL	0040	INSTALLED 1997
019887 FT	0090/0000	018" DIA CIRC METAL	1858	0199+51 BK 2484
017403 FT	0080/0576	018" DIA CIRC METAL	0040	INSTALLED 1997
	017403 FT	018" DIA CIRC METAL	27007	0174+67
	0080/0000	018" DIA CIRC METAL	2484	BK 3670


DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

Distance (FT)	Segment ID	Material	Length (FT)	Notes
	0070/2384	015 " DIA CIRC METAL	LEN=0030	INSTALLED UNKN
	0070/1452	015 " DIA CIRC METAL	LEN=0040	INSTALLED UNKN
	0070/1160	015 " DIA CIRC METAL	LEN=0035	INSTALLED UNKN
013733 FT	0070/0354	018 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
	013733 FT	2 0 27007 0 00 0137+75		GREEN TIONESTA T
	0070/0000	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2018
	0060/1723	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2004
012008 FT	012008 FT	2 0 27007 0 00 0120+24		LENGTH(AH 1725 BK 2050)
	0060/0000	#493 FORESTRY RD		(FRST)
	0050/1487	015 " DIA CIRC METAL	LEN=0040	INSTALLED UNKN
	0050/1455	015 " DIA CIRC METAL	LEN=0030	INSTALLED 1997
009958 FT	009958 FT	2 0 27007 0 00 0099+74		LENGTH(AH 2050 BK 2488)
	0050/0000	018 " DIA CIR PLASTIC	LEN=0050	INSTALLED 1998
	0040/1306	018 " DIA CIRC METAL	LEN=0040	INSTALLED UNKN
	0040/0893	WRIGHT LN		(PRDR)
007470 FT	007470 FT	2 0 27007 0 00 0074+86		LENGTH(AH 2488 BK 2351)
	0040/0396	015 " DIA CAST IRON	LEN=0030	INSTALLED UNKN
	0040/0000	015 " DIA CAST IRON	LEN=0030	INSTALLED UNKN
	0030/2051	015 " DIA CAST IRON	LEN=0030	INSTALLED UNKN

Stationing	Description	Material	Length	Notes
005119 FT	2 0 27007 0 00 0051+15			
0030/0000	LENGTH(AH 2351 BK 2611)			
0020/2591	TIONESTA			
0020/2293	018" DIA B	CIR PLASTIC		INSTALLED 2006
0020/1949	018" DIA	CIR PLASTIC		INSTALLED 2001
0020/1725	018" DIA	CIR PLASTIC		INSTALLED UNKN
0020/1424	018" DIA	CIR PLASTIC		INSTALLED 2001
0020/1144	018" DIA	CIR PLASTIC		INSTALLED UNKN
0020/0648	018" DIA	CIR PLASTIC		INSTALLED 2001
0020/0333	018" DIA	CIR PLASTIC		INSTALLED UNKN
0020/0037	018" DIA	CIR PLASTIC		INSTALLED 2001
002508 FT	2 0 27007 0 00 0025+08			
0020/0000	LENGTH(AH 2611 BK 2508)			
0010/2155	018" DIA	CIRC METAL		INSTALLED UNKN
0010/1820	018" DIA	CIR PLASTIC		INSTALLED UNKN
0010/1375	018" DIA	CIR PLASTIC		INSTALLED UNKN
0010/1180	018" DIA	CIR PLASTIC		INSTALLED 2001
0010/0975	018" DIA	CIR PLASTIC		INSTALLED UNKN
0010/0785	018" DIA	CIR PLASTIC		INSTALLED UNKN
0010/0405	015" DIA	CIRC METAL		INSTALLED UNKN
VINE ST (BORO)	0010/0368			
ELM ST (SR0036 SEG 0150/0000)	0010/0000			
000000 FT	0010/0083	FROM 0036/0140 SH		
0010/0000	000000 FT	(CONN)		
		ELM ST		
		(SR0036 SEG 0150/0000)		
		NC GERMAN HILL RD		
		MFC BEGIN = D		
	0010/0000	LENGTH(AH 2508 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 142
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: 1.485 MI. DIST: 01-3 SR: 4003
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

TIONESTA NEILLTOWN RD 007842 FT
(SR4001 SEG 0060/0000)
GREEN HILL RD
(T351) 0040/1425



007842 FT
0040/1425 TIONESTA NEILLTOWN RD
(SR4001 SEG 0060/0000)
018 " DIA CIR PLASTIC


DIR: B TOTAL LEN: 1.485 MI. DIST: 01-3 SR: 4003
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

SHIELDS HILL RD
 (T349)

	0040/0988	LEN=0050	INSTALLED	2000
		024 "DIA	CIR PLASTIC	
	0040/0700	LEN=0050	INSTALLED	2000
		018 "DIA	CIR PLASTIC	
006417 FT	0040/0425	LEN=0030	INSTALLED	2000
	006417 FT	2 0 27024	0 00 0064+37	
	0040/0000	LENGTH(AH	1425 BK 1867)	
		018 "DIA	CIRC METAL	
	0030/1397	LEN=0045	INSTALLED	2000
		036 "DIA	CIR PLASTIC	
	0030/0960	LEN=0040	INSTALLED	2000
		018 "DIA	CIRC METAL	
	0030/0535	LEN=0060	INSTALLED	2000
0030/0047				
	0030/0025	LEN=0040	INSTALLED	2000
004550 FT	004550 FT	2 0 27024	0 00 0045+70	
		SHIELDS HILL RD		
		(T349)		
	0030/0000	LENGTH(AH	1867 BK 2069)	
		018 "DIA	CIR PLASTIC	
	0020/1775	LEN=0035	INSTALLED	2000
		024 "DIA	CIR PLASTIC	
	0020/1373	LEN=0042	INSTALLED	2000
	0020/0738	LEN=0036	INSTALLED	2000
		018 "DIA	CIRC METAL	
002481 FT	002481 FT	2 0 27024	0 00 0025+02	
	0020/0000	LENGTH(AH	2069 BK 2481)	
		018 "DIA	CIR PLASTIC	
	0010/2171	LEN=0040	INSTALLED	UNKN
		018 "DIA	CIRC METAL	
	0010/1670	LEN=0040	INSTALLED	2004
		018 "DIA	CIRC METAL	
	0010/1533	LEN=0045	INSTALLED	2000
	0010/0640	LEN=0040	INSTALLED	2000
		DORY CARSON RD		
		(T300)		
	0010/0584	LEN=0035	INSTALLED	2000
		018 "DIA	CIR PLASTIC	
000000 FT	000000 FT	2 0 27024	0 00 0000+00	
		NC ST EWARTS RUN RD		
		COL DRAKE RD		
		(SR0036 SEG 0260/0000)		
		MFC BEGIN = E		
	0010/0000	LENGTH(AH	2481 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 140
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 8.518 MI. DIST: 01-3 SR: 4002
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T


	044973 FT		044973 FT	
FLEMING HILL RD (SR0127 SEG 0020/0000)	0150/3438	==	INTER-AHD	FLEMING HILL RD (SR0127 SEG 0020/0000)
WALNUT ST (T384)	0150/3090	==		DEPOT ST (T382)
CENTER CIRCLE ST (T383)	0150/2810	==		DEPOT ST (T382)
HOLLOW RD (T378)	0150/1316	==		0150/1470 BMS EN 27/4002/0150/1459 2 0 27025 0 00 0241+94
				SIGGINS RUN
				0150/1459 BMSBG 27/4002/0150/1459
2 0 27025 0 00 0227+09	041535 FT			0150/0742 01B"H 24"W ELLIP CONC LEN=0035 INSTALLED 1998
				0150/0148 01B "DIA CIRC METAL LEN=0060 INSTALLED 1998
				041535 FT



DIR: B TOTAL LEN: 8.518 MI. DIST: 01-3 SR: 4002
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

MCARTHUR RUN RD
 (T353)


0150/0000



0150/0000 LENGTH(AH 3438 BK 1494)
 018 " DIA CIRC METAL
 0140/1432 LEN=0035 INSTALLED 1998
 018 " DIA CIR PLASTIC
 0140/1033 LEN=0050 INSTALLED 1998
 0140/0376 BMS EN 27/4002/0140/0272
 2 0 27025 0 00 0215+11
 WEST HICKORY
 0140/0315 BMSBG 27/4002/0140/0272
 040041 FT

2 0 27025 0 00 0212+10 040041 FT
 TANK HILL RD
 (T357)

0140/0000



0140/0000 LENGTH(AH 1494 BK 3883)
 018 " DIA CIRC METAL
 0130/3232 LEN=0030 INSTALLED 1998
 018 " DIA CIRC METAL
 0130/2954 LEN=0035 INSTALLED UNKN
 018 " DIA CIRC METAL
 0130/2420 LEN=0040 INSTALLED UNKN
 018 " DIA CIRC METAL
 0130/2065 LEN=0040 INSTALLED 1998
 018 " DIA CIRC METAL
 0130/1618 LEN=0040 INSTALLED 1998
 018 " DIA CIRC METAL
 0130/1179 LEN=0040 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0130/0673 LEN=0040 INSTALLED 1998
 036 " DIA CIRC CONCR
 0130/0214 LEN=0042 INSTALLED 1998
 036158 FT
 2 0 27025 0 00 0172+88
 0130/0000 LENGTH(AH 3883 BK 2352)
 018 " DIA CIR PLASTIC
 0120/2216 LEN=0030 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0120/1872 LEN=0030 INSTALLED 1998
 018 " DIA CIR PLASTIC
 0120/1740 LEN=0035 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0120/1624 LEN=0030 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0120/1332 LEN=0040 INSTALLED UNKN
 036 " DIA CIRC METAL
 0120/1138 LEN=0045 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0120/0637 LEN=0035 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0120/0574 LEN=0040 INSTALLED 2015
 033806 FT
 2 0 27025 0 00 0149+36

036158 FT

033806 FT

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 138
COUNTY: FOREST

DIR: B TOTAL LEN: 8.518 MI.
LEFT MUN: HARMONY T

DIST: 01-3 SR: 4002
RIGHT MUN: HARMONY T

031252 FT

027780 FT

5	0120/0000	LENGTH(AH	2352	BK	2554)
		018 "DIA	CIR	PLASTIC	
	0110/2447	LEN=0035	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC	
	0110/2156	LEN=0035	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0110/1760	LEN=0035	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0110/1360	LEN=0035	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC	
	0110/1072	LEN=0038	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0110/0557	LEN=0035	INSTALLED	1996	
		018 "DIA	CIR	PLASTIC	
	0110/0202	LEN=0030	INSTALLED	1998	
	031252 FT	2 0 27025	0 00	0124+32	
	5	0110/0000	LENGTH(AH	2554	BK 3472)
		018 "DIA	CIR	PLASTIC	
	0100/3081	LEN=0040	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0100/2765	LEN=0030	INSTALLED	UNKN	
		015 "DIA	CIR	PLASTIC	
	0100/2640	LEN=0030	INSTALLED	UNKN	
		015 "DIA	CIR	PLASTIC	
	0100/2173	LEN=0030	INSTALLED	1998	
		015 "DIA	CIR	PLASTIC	
	0100/2071	LEN=0040	INSTALLED	1998	
		015 "DIA	CIRC	METAL	
	0100/1280	LEN=0038	INSTALLED	1998	
	0100/0819	BMSSEN 27/4002/0100/0791			
		2 0 27025	0 00	0097+52	
		DAWSON RUN			
	0100/0791	BMSBG 27/4002/0100/0791			
		048 "DIA	CIR	PLASTIC	
	0100/0068	LEN=0060	INSTALLED	1997	
	027780 FT	2 0 27025	0 00	0089+61	
	5	0100/0000	LENGTH(AH	3472	BK 3623)
		018 "DIA	CIR	PLASTIC	
	0090/3293	LEN=0050	INSTALLED	2007	
		018 "DIA	CIR	PLASTIC	
	0090/2475	LEN=0040	INSTALLED	1997	
		018 "DIA	CIR	PLASTIC	
	0090/1723	LEN=0035	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC	
	0090/1209	LEN=0035	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC	

DIR: B TOTAL LEN: 8.518 MI. DIST: 01-3 SR: 4002
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

024157 FT

0090/1013	LEN=0035	INSTALLED 1998
	018 "DIA	CIR PLASTIC
0090/0646	LEN=0040	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0090/0270	LEN=0035	INSTALLED 1998
024157 FT	2 0 27025	0 00 0053+17
	NC DAWSON RUN RD	
5 0090/0000	LENGTH(AH 3623 BK 2887)	
	HARMONY T	
0080/2874	TIONESTA T	
	045 "DIA	CIR PLASTIC
0080/2633	LEN=0060	INSTALLED 1998

021270 FT

0080/1706	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1997
0080/1480	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0080/1061	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0080/0830	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0080/0671	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0080/0082	024 "DIA	CIR PLASTIC
021270 FT	LEN=0040	INSTALLED 1998
	2 0 27025	0 00 0024+26
5 0080/0000	LENGTH(AH 2887 BK 2475)	
	018 "DIA	CIR PLASTIC
0070/2150	LEN=0035	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0070/1582	LEN=0035	INSTALLED 1998
	018 "DIA	CIR PLASTIC
0070/1372	LEN=0035	INSTALLED 1998

018795 FT

0070/0506	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0070/0041	018 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED UNKN
018795 FT	2 0 27025	0 00 0000+00
5 0070/0000	LENGTH(AH 2475 BK 2500)	

0060/1582	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 2017
0060/1460	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2017
0060/0855	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2016

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 136
COUNTY: FOREST

DIR: B TOTAL LEN: 8.518 MI.
LEFT MUN: TIONESTA T

DIST: 01-3 SR: 4002
RIGHT MUN: TIONESTA T

Distance (FT)	Segment	Material	Length (FT)	Notes
016295 FT	0060/0636	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
	0060/0162	018" DIA CIR PLASTIC	LEN=0025	INSTALLED 2017
	016295 FT	2 0 27034	0 00 0025+43	
	0060/0000	LENGTH(AH 2500 BK 3167)		
	0050/2992	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
	0050/2546	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2012
013128 FT	0050/1968	048"H 00"W MULT PLSTIC	LEN=0030	INSTALLED 2016
	0050/0860	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
	0050/0790	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 1998
	0050/0525	024"H 48"W ELLIP METAL	LEN=0040	INSTALLED UNKN
	0050/0100	036"H 00"W MULT PLSTIC	LEN=0030	INSTALLED 2016
	013128 FT	2 0 27034	0 00 0057+52	
	0050/0000	JAMISON RUN RD (T341)	LENGTH(AH 3167 BK 3254)	
	0040/3234	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2007
	0040/2793	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2007
	0040/2357	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
009874 FT	0040/1540	018" DIA CIRC METAL	LEN=0030	INSTALLED UNKN
	0040/1107	018" DIA CIR PLASTIC	LEN=0025	INSTALLED 1998
	0040/0563	018" DIA CIR PLASTIC	LEN=0050	INSTALLED 2007
	009874 FT	2 0 27034	0 00 0090+50	
	0040/0000	TIONESTA HARMONY T	LENGTH(AH 3254 BK 3458)	
	0030/3413	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
	0030/3058	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
	0030/2750	015" DIA CIRC METAL	LEN=0036	INSTALLED UNKN
	015" DIA CIRC METAL			


DIR: B TOTAL LEN: 8.518 MI. DIST: 01-3 SR: 4002
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

---	0030/2377	LEN=0040	015 "DIA	CIRC METAL	INSTALLED UNKN
---	0030/1965	LEN=0030	015 "DIA	CIRC METAL	INSTALLED UNKN
---	0030/1532	LEN=0040	015 "DIA	CIRC METAL	INSTALLED 1998
---	0030/0420	LEN=0036	015 "DIA	CIRC METAL	INSTALLED 1998
---	0030/0129	LEN=0030	015 "DIA	CIRC METAL	INSTALLED 1998
006416 FT	006416 FT	2 0 27034	0 00 0125+85		
5	0030/0000	LENGTH(AH	3458 BK 2972)	015 "DIA	CIRC METAL
---	0020/2725	LEN=0030	015 "DIA	CIRC METAL	INSTALLED UNKN
---	0020/1716	LEN=0030	015 "DIA	CIRC METAL	INSTALLED 1998
---	0020/1401	LEN=0035	015 "DIA	CIRC METAL	INSTALLED UNKN
---	0020/0981	LEN=0040	018 "DIA	CIRC METAL	INSTALLED UNKN
---	0020/0661	LEN=0040	018 "DIA	CIRC METAL	INSTALLED 1998
003444 FT	003444 FT	2 0 27034	0 00 0155+84		
5	0020/0000	LENGTH(AH	2972 BK 3444)	015 "DIA	CIRC METAL
---	0010/3308	LEN=0040	015 "DIA	CIRC METAL	INSTALLED 1998
---	0010/1730	LEN=0040	015 "DIA	CIRC METAL	INSTALLED UNKN
---	0010/1045	LEN=0042	015 "DIA	CIRC METAL	INSTALLED UNKN
---	0010/0247	LEN=0044	015 "DIA	CIR PLASTIC	INSTALLED 1998
---	0010/0031	LEN=0056	018 "DIA	CIR PLASTIC	INSTALLED 1998
000000 FT	000000 FT	2 0 27034	0 00 0189+32		
		TIONESTA NEILLTOWN RD			
		(SR4001 SEG 0050/0000)			
		NC JAMISON RUN RD			
		MFC BEGIN = D			
5	0010/0000	LENGTH(AH	3444 BK 0000)		

TIONESTA NEILLTOWN RD
 (SR4001 SEG 0050/0000) 0010/0000

DIR: B TOTAL LEN: 7.462 MI. DIST: 01-3 SR: 4001
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

039399 FT



039399 FT AH-WARREN (61)
 INTER-AHD PINEVILLE RD
 0160/2104 (SR3003 SEG 0010/0000)
 0160/1953 020 "DIA CIR PLASTIC
 0160/1377 018 "DIA CIR PLASTIC
 0160/0973 020 "DIA CIR PLASTIC
 0160/0973 LEN=0038 INSTALLED 2014
 0160/0973 LEN=0012 INSTALLED 2014
 0160/0973 020 "DIA CIR PLASTIC
 0160/0973 LEN=0035 INSTALLED 2014

037295 FT MCFATE RD
 (T365)
 0160/0000 LENGTH(AH 2104 BK 3399)

0150/2461 018 "DIA CIR PLASTIC
 LEN=0038 INSTALLED UNKN
 0150/2275 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN

0150/1103 018 "DIA CIRC METAL
 LEN=0030 INSTALLED UNKN

018 "DIA CIR PLASTIC

2 0 27005 0 00 0050+51 037295 FT
 CARSONVILLE RD
 (T366) 0160/0000

DIR: B TOTAL LEN: 7.462 MI. DIST: 01-3 SR: 4001
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

Stationing	Length	Material	Notes
033896 FT	0150/0182	LEN=0040	INSTALLED UNKN
	033896 FT	2 0 27005 0 00 0016+63	
	0150/0000	LENGTH(AH 3399 BK 1642)	CHAPMAN RD
	0140/1572	(T302)	
032254 FT	032254 FT	2 0 27005 0 00 0000+00	BUTCHER KNIFE HILL RD
		(SRO227 SEG 0020/0000)	
	0140/0000	LENGTH(AH 1642 BK 2742)	MFC BEGIN = E
	0130/2478	LEN=0030	INSTALLED UNKN
	0130/1720	018 "DIA CIRC METAL	LEN=0035 INSTALLED UNKN
029512 FT	0130/0075	018 "DIA CIRC METAL	LEN=0010 INSTALLED UNKN
029512 FT	029512 FT		
0130/0000	0130/0000	LENGTH(AH 2742 BK 2633)	
026879 FT	0120/1188	018 "DIA CIRC METAL	LEN=0036 INSTALLED UNKN
	0120/0533	026 "DIA CIRC METAL	LEN=0040 INSTALLED UNKN
	0120/0011	018 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2019
	026879 FT	1 0 00511 0 02 0411+15	MCARTHUR RUN RD
	0120/0000	(T353)	LENGTH(AH 2633 BK 1935)
	0110/1377	018 "DIA CIRC METAL	LEN=0038 INSTALLED UNKN
024944 FT	0110/0083	BMSN 27/4001/0110/0000	
	024944 FT	1 0 00511 0 02 0392+13	PITHOLE CREEK

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 132
COUNTY: FOREST

DIR: B TOTAL LEN: 7.462 MI.
LEFT MUN: HARMONY T


DIST: 01-3 SR: 4001
RIGHT MUN: HARMONY T

1 0 00511 0 02 0376+36 023288 FT
HARMONY
JENKS T 0100/0000

1 0 00511 0 02 0351+29 020781 FT
JENKS
HARMONY T 0090/0000

018280 FT

015552 FT



0110/0000 BMSBG 27/4001/0110/0000
LENGTH(AH 1935 BK 1656)
0100/0845 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2014
0100/0435 018 "DIA CIR PLASTIC
LEN=0058 INSTALLED 2001
023288 FT
0100/0000 LENGTH(AH 1656 BK 2507)
0090/2233 018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN
0090/1271 018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN
0090/1052 018 "DIA CIRC METAL
LEN=0028 INSTALLED UNKN
0090/0558 018 "DIA CIRC METAL
LEN=0048 INSTALLED 2003
020781 FT
0090/0000 LENGTH(AH 2507 BK 2501)
0080/2236 030 "DIA CIRC METAL
LEN=0018 INSTALLED UNKN
0080/1594 018 "DIA CIRC METAL
LEN=0046 INSTALLED UNKN
018280 FT 1 0 00511 0 02 0326+28
0080/0000 LENGTH(AH 2501 BK 2728)
0070/2495 018 "DIA CIRC METAL
LEN=0034 INSTALLED UNKN
0070/2166 018 "DIA CIRC METAL
LEN=0035 INSTALLED UNKN
0070/1918 018 "DIA CIRC METAL
LEN=0035 INSTALLED UNKN
0070/1592 022 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014
015552 FT 1 0 00511 0 02 0298+50
FOGLE FARM RD
(T304)
0070/0000 LENGTH(AH 2728 BK 2948)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 131
COUNTY: FOREST

DIR: B TOTAL LEN: 7.462 MI.
LEFT MUN: HARMONY T

DIST: 01-3 SR: 4001
RIGHT MUN: HARMONY T

1 0 00511 0 02 0268+58 012604 FT
GREEN HILL RD
(T351)
STEWART RUN RD
(SR4003 SEG 0040/1425) 0060/0000

SHIELDS HILL RD
(T349)

0040/0932

007780 FT

==	0060/2370	FOGLE FARM RD (T304)
---	0060/2320	018 "DIA CIRC METAL LEN=0040 INSTALLED 2014
---	0060/2010	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2014
---	0060/1260	015 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
---	0060/0875	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2014
==	0060/0473	LC FOR TANK HILL RD (CONN)
---	0060/0453	015 "DIA CIRC CONCR LEN=0016 INSTALLED 2006
==	0060/0401	TANK HILL RD (T357)
---	0060/0237	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2006
---	0060/0075	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	012604 FT	
==	5 0060/0000	LENGTH(AH 2948 BK 1573) 024 "DIA CIRC METAL
---	0050/1155	LEN=0040 INSTALLED 1998
---	0050/0850	024 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
---	0050/0500	018 "DIA CIR PLASTIC LEN=0038 INSTALLED UNKN
011031 FT	011031 FT	1 0 00511 0 02 0253+00 JAMISON RUN RD (SR4002 SEG 0010/0000)
==	5 0050/0000	LENGTH(AH 1573 BK 3251) 024 "DIA CIR PLASTIC
---	0040/3170	LEN=0038 INSTALLED 2014
---	0040/1285	018 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
==		
	007780 FT	1 0 00511 0 02 0220+04

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 130
COUNTY: FOREST

DIR: B TOTAL LEN: 7.462 MI.
LEFT MUN: HARMONY T

DIST: 01-3 SR: 4001
RIGHT MUN: HARMONY T

004718 FT

001328 FT

000000 FT


5	0040/0000	LENGTH(AH 3251 BK 3062)
	018 "DIA	CIRC METAL
	0030/2577	LEN=0040 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0030/1900	LEN=0040 INSTALLED 2014
	018 "DIA	CIRC METAL
	0030/1686	LEN=0040 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0030/1464	LEN=0040 INSTALLED UNKN
	020 "DIA	CIRC METAL
	0030/1104	LEN=0040 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0030/0911	LEN=0030 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0030/0613	LEN=0030 INSTALLED UNKN
	004718 FT	1 0 00511 0 02 0190+04
		HARMONY TIONESTA T
5	0030/0000	LENGTH(AH 3062 BK 3390)
	036 "DIA	CIR PLASTIC
	0020/2985	LEN=0050 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0020/2510	LEN=0030 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0020/2256	LEN=0030 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0020/1418	LEN=0040 INSTALLED UNKN
	018 "DIA	CIRC METAL
	0020/0416	LEN=0030 INSTALLED UNKN
	001328 FT	1 0 00511 0 02 0159+09
5	0020/0000	LENGTH(AH 3390 BK 1328)
	018 "DIA	CIR PLASTIC
	0010/1270	LEN=0030 INSTALLED 2004
	018 "DIA	CIR PLASTIC
	0010/0751	LEN=0058 INSTALLED 2014
	018 "DIA	CIRC METAL
	0010/0366	LEN=0040 INSTALLED UNKN
		FROM 0036/0210 SH
	0010/0063	(CONN)
	000000 FT	1 0 00511 0 01 0141+00
		NC NE ILLTOWN RD
		COL DRAKE HW
		(SR0036 SEG 0220/0000)
		MFC BEGIN = D
5	0010/0000	LENGTH(AH 1328 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 129
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST

DIR: B TOTAL LEN: .354 MI. DIST: 01-3 SR: 3006
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

COL DRAKE HW 001869 FT
 (SR0036 SEG 0100/0000) 0010/1869
 FOR SR 0036 AND 3006
 (CONN) 0010/1490

SMOKY HILL RD
 (SR3001 SEG 0150/0000) 0010/0000



001869 FT COL DRAKE HW
 0010/1869 (SR0036 SEG 0100/0000)

0010/1448 018 "DIA CIRC CONCR
 LEN=0075 INSTALLED 2000


0010/0660 018 "DIA CIRC METAL
 LEN=0040 INSTALLED 2000

000000 FT 2 0 27019 0 00 0000+00
 RED BRUSH RD
 (SR3001 SEG 0150/0000)
 NC SR 3006 SH
 MFC BEGIN = E
 0010/0000 LENGTH(AH 1869 BK 0000)

NEBRASKA RD 012109 FT
 (SR3004 SEG 0170/0000) 0050/1095

011014 FT

008724 FT



012109 FT	GOLINZA RD
0050/1095	(SR3004 SEG 0170/0000)
	PINEY CREEK
	STRUCTURE LENGTH 12 FT
0050/0943	BMSID 27/3005/0050/0943
	018 " DIA CIR PLASTIC
0050/0711	LEN=0040 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0050/0460	LEN=0045 INSTALLED 1997
	018 " DIA CIR PLASTIC
0050/0200	LEN=0040 INSTALLED UNKN
011014 FT	2 0 27019 0 00 0099+21
5 0050/0000	LENGTH(AH 1095 BK 2290)
	018 " DIA CIR PLASTIC
0040/2260	LEN=0040 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0040/2200	LEN=0040 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0040/2005	LEN=0040 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0040/1620	LEN=0045 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0040/1207	LEN=0050 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0040/0865	LEN=0050 INSTALLED UNKN
	018 " DIA CIR PLASTIC
0040/0520	LEN=0060 INSTALLED UNKN
008724 FT	2 0 27019 0 00 0075+82
5 0040/0000	LENGTH(AH 2290 BK 2640)
	TAYLOR RD
0030/2421	(T322)
	018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.293 MI. DIST: 01-3 SR: 3005
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

EVANS DR
 (PRDR)
 GREEN
 TIONESTA T
 LACKEY FLATS RD
 (TWP)

0030/1551

0030/0690

0030/0671

006084 FT

003143 FT


000000 FT

---	0030/1985	LEN=0040	INSTALLED UNKN
---	0030/1885	018 "DIA CIR PLASTIC	LEN=0030 INSTALLED UNKN
==	0030/1551		
---	0030/0690		
==	0030/0671		
---	006084 FT	2 0 27019 0 00 0049+58	
---	0030/0000	LENGTH(AH 2640 BK 2941)	
---	0020/2904	048 "DIA CIRC METAL	LEN=0040 INSTALLED 1997
---	0020/1278	036 "DIA CIRC METAL	LEN=0040 INSTALLED 1997
---	003143 FT	2 0 27019 0 00 0020+17	
---	0020/0000	COL DRAKE HW	(SR0036 SEG 0040/0000)
---	0020/0000	MFC BEGIN = D	LENGTH(AH 2941 BK 3143)
---	0010/1350	018 "DIA CIR PLASTIC	LEN=0045 INSTALLED 1997
---	0010/0778	012"H 18"W ELLIP METAL	LEN=0040 INSTALLED 2019
---	0010/0618	018 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2019
---	0010/0130	024 "DIA CIR PLASTIC	LEN=0060 INSTALLED 2019
---	0010/0025	018 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2019
---	000000 FT	2 0 27030 0 00 0000+00	
---	NC SAGE RD		
---	INTER-BK	SR 4019 SH	(SR4019 SEG 0030/2575)
---	0010/0000	MFC BEGIN = E	BK-CLARION (16)
---	0010/0000	LENGTH(AH 3143 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 126
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: JENKS T RIGHT MUN: JENKS T

SR 0066 SH 118936 FT
(SR0066 SEG 0080/0706) 0450/2029



118936 FT SR 0066 SH
0450/2029 (SR0066 SEG 0080/0706)

018 "DIA CIRC METAL

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Stationing	Segment	Length	Material	Notes
116907 FT	0450/1049	LEN=0040	018 " DIA CIRC PLASTIC	INSTALLED UNKN
	0450/0599	LEN=0040	024 " DIA CIRC METAL	INSTALLED UNKN
	0450/0558	LEN=0060	018 " DIA CIRC METAL	INSTALLED UNKN
	116907 FT	2 0 27010	0 00 0724+77	
	0450/0000	LENGTH(AH	2029 BK 1620)	
115287 FT	115287 FT	2 0 27010	0 00 0708+00	SCHRECENGOST RD (T352)
	0440/0000	LENGTH(AH	1620 BK 1655)	
113632 FT	0430/1222	LEN=0060	024 " DIA CIRC METAL	INSTALLED UNKN
	0430/0821	LEN=0080	018 " DIA CIRC METAL	INSTALLED UNKN
	0430/0085	LEN=0050	018 " DIA CIRC METAL	INSTALLED UNKN
	113632 FT	2 0 27010	0 00 0689+71	
	0430/0000	LENGTH(AH	1655 BK 2592)	
111040 FT	0420/1090	LEN=0040	018 " DIA CIRC METAL	INSTALLED UNKN
	0420/0300	LEN=0040	018 " DIA CIRC METAL	INSTALLED UNKN
	111040 FT	2 0 27010	0 00 0665+07	
	0420/0000	LENGTH(AH	2592 BK 2602)	
SALMON CREEK RD (FRST)	0410/2290	LEN=0040	018 " DIA CIRC METAL	INSTALLED UNKN
	0410/1858			
108438 FT	0410/1035	LEN=0040	018 " DIA CIRC METAL	INSTALLED UNKN
	0410/0825	LEN=0040	018 " DIA CIRC METAL	INSTALLED UNKN
	0410/0123	LEN=0038	016 " DIA CIRC METAL	INSTALLED UNKN
	108438 FT	2 0 27010	0 00 0639+89	
	0410/0000	LENGTH(AH	2602 BK 1984)	
			016 " DIA CIRC METAL	

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Stationing	Length	Material	Status
0400/1610	LEN=0030	INSTALLED	UNKN
0400/0577	018 " DIA CIRC METAL LEN=0040	INSTALLED	UNKN
0400/0113	018 " DIA CIRC METAL LEN=0040	INSTALLED	UNKN
106454 FT	2 0 27010 0 00 0620+05		
0400/0000	LENGTH(AH 1984 BK 3194) #540 FORESTRY RD. (FRST)		
0390/2792			
0390/2627			
0390/2413	021 " DIA CIR PLASTIC LEN=0040	INSTALLED	UNKN
0390/1880	021 " DIA CIR PLASTIC LEN=0050	INSTALLED	UNKN
0390/1440	016 " DIA CIRC METAL LEN=0040	INSTALLED	UNKN
103260 FT	2 0 27010 0 00 0588+11		
0390/0000	JENKS KINGSLEY T LENGTH(AH 3194 BK 2798)		
0380/2690	018 " DIA CIRC METAL LEN=0040	INSTALLED	UNKN
0380/2290	018 " DIA CIRC METAL LEN=0040	INSTALLED	UNKN
0380/1075	016 " DIA CIRC METAL LEN=0040	INSTALLED	UNKN
100462 FT	2 0 27010 0 00 0560+13		
0380/0000	LENGTH(AH 2798 BK 2788)		
0370/1841	018 " DIA CIR PLASTIC LEN=0012	INSTALLED	2003
0370/1065	018 " DIA CIR PLASTIC LEN=0050	INSTALLED	UNKN
0370/0650	018 " DIA CIR PLASTIC LEN=0050	INSTALLED	2003
0370/0430	018 " DIA CIRC METAL LEN=0042	INSTALLED	UNKN

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 123
COUNTY: FOREST

DIR: B TOTAL LEN: 22.526 MI.
LEFT MUN: KINGSLEY T

DIST: 01-3 SR: 3004
RIGHT MUN: KINGSLEY T

097674 FT

097674 FT 2 0 27010 0 00 0532+25
WARDS RANCH RD
(SR2007 SEG 0060/1961)
0370/0000 LENGTH(AH 2788 BK 2938)
0360/2617 036 "DIA CIRC METAL
LEN=0060 INSTALLED UNKN

0360/1135 015 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0360/0611 018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0360/0139 015 "DIA CIRC METAL
LEN=0045 INSTALLED UNKN
094736 FT 2 0 27010 0 00 0502+87
0360/0000 LENGTH(AH 2938 BK 2926)
0350/2631 024 "DIA CIRC METAL
LEN=0050 INSTALLED UNKN
0350/2387 018 "DIA CIRC METAL
LEN=0041 INSTALLED UNKN

094736 FT

LEWIS RD
(FRST)

0350/2059

0350/1638 024 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0350/1295 018 "DIA CIRC METAL
LEN=0042 INSTALLED UNKN
0350/0955 018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0350/0875 #577 FORESTRY RD
(FRST)
0350/0794 036 "DIA CIRC METAL
LEN=0050 INSTALLED UNKN
0350/0437 018 "H 00 "W MULT PLSTIC
LEN=0040 INSTALLED UNKN
0350/0044 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1999
091810 FT 2 0 27010 0 00 0473+32
0350/0000 LENGTH(AH 2926 BK 3254)
KINGSLEY
GREEN T
0340/2879 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN
0340/2878
0340/1656 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2013
018 "DIA CIR PLASTIC

091810 FT

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

WHITTON LN
 (PRDR)

0340/0302
 088556 FT

2 0 27010 0 00 0415+20 085979 FT
 JONES FARM RD
 (T321)

0330/0000

084446 FT

---	0340/0925	LEN=0036	INSTALLED 2003
---	0340/0555	018 "DIA	CIR PLASTIC
---	0340/0427	LEN=0040	INSTALLED 1999
---		018 "DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2013
==		024 "DIA	CIR PLASTIC
---	0340/0155	LEN=0040	INSTALLED 2013
---	088556 FT	2 0 27010 0 00	0440+78
5	0340/0000	LENGTH(AH	3254 BK 2577)
---	0330/0603	BMS EN 27/3004/0330/0579	0 0 00000 0 00 0000+00
---	0330/0595	LT. COON CK.	BMSBG 27/3004/0330/0579
---	0330/0548	060"H 84"W	ELLIP METAL
---	0330/0341	LEN=0042	INSTALLED UNKN
---	085979 FT	018 "DIA	CIR PLASTIC
---	085979 FT	LEN=0042	INSTALLED UNKN
==	5	0330/0000	LENGTH(AH 2577 BK 1533)
---	0320/1508	018 "DIA	CIR PLASTIC
---	0320/1244	LEN=0041	INSTALLED UNKN
---	0320/0963	018 "DIA	CIRC METAL
---		LEN=0041	INSTALLED 1999
---		018 "DIA	CIR PLASTIC
---		LEN=0050	INSTALLED UNKN
---	0320/0016	018 "DIA	CIR PLASTIC
---	084446 FT	LEN=0040	INSTALLED UNKN
5	0320/0000	2 0 27010 0 00	0399+49
---		LENGTH(AH	1533 BK 2526)
---	0310/2370	024 "DIA	CIR PLASTIC
---	0310/2298	LEN=0043	INSTALLED UNKN
---	0310/1914	018 "DIA	CIR PLASTIC
---		LEN=0040	INSTALLED UNKN
---		018 "DIA	CIR PLASTIC
---		LEN=0050	INSTALLED 1999
---	0310/0877	018 "DIA	CIR PLASTIC
---		LEN=0050	INSTALLED 1999

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

Stationing	Material	Length	Year
081920 FT	018" DIA CIR PLASTIC	27010	2000
	LEN=0050		INSTALLED 1999
0310/0000	018" DIA CIR PLASTIC	2526 BK 2462	
	LEN=0052		INSTALLED 1999
0300/1967	018" DIA CIR PLASTIC		
	LEN=0048		INSTALLED 1999
0300/1450	018" DIA CIR PLASTIC		
	LEN=0050		INSTALLED 1999
0300/0824	018" DIA CIR PLASTIC		
	LEN=0012		INSTALLED UNKN
0300/0303	018" DIA CIRC CONCR		
	LEN=0050		INSTALLED UNKN
0300/0300	018" DIA CIR PLASTIC	27010	2000
079458 FT	LEN=0050		INSTALLED UNKN
0300/0000	050" DIA CIR PLASTIC	2462 BK 2507	
	LEN=0100		INSTALLED 2021
0290/2493	018" DIA CIR PLASTIC		
	LEN=0060		INSTALLED UNKN
0290/1903	018" DIA CIR PLASTIC		
	LEN=0051		INSTALLED UNKN
0290/1662	018" DIA CIR PLASTIC		
	LEN=0054		INSTALLED 1999
0290/1363	018" DIA CIR PLASTIC		
	LEN=0012		INSTALLED UNKN
0290/0948			
076951 FT	018" DIA CIR PLASTIC	27010	2000
0290/0000	LEN=0052		INSTALLED 1999
0280/2403	018" DIA CIR PLASTIC		
	LEN=0057		INSTALLED UNKN
0280/1934	015" DIA CIRC METAL		
	LEN=0050		INSTALLED UNKN
0280/1092			
074478 FT	018" DIA CIR PLASTIC	27010	2000
0280/0000	LEN=0012		INSTALLED UNKN
0270/2156			
	018" DIA CIRC METAL		
	LEN=0040		INSTALLED UNKN
0270/0558			

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

072181 FT

072181 FT 2 0 27010 0 00 0276+78
 S 0270/0000 LENGTH(AH 2297 BK 2725)
 036 " DIA CIR PLASTIC
 0260/2285 LEN=0065 INSTALLED UNKN
 018 " DIA CIR METAL
 0260/1980 LEN=0052 INSTALLED UNKN

069456 FT

0260/0538 018 " DIA CIR METAL
 069456 FT 2 0 27010 0 00 0249+74
 018 " DIA CIR METAL
 LEN=0041 INSTALLED UNKN
 S 0260/0000 LENGTH(AH 2725 BK 2467)
 020 " DIA CIR PLASTIC
 0250/2104 LEN=0039 INSTALLED 201B
 018 " DIA CIR PLASTIC
 0250/1707 LEN=0045 INSTALLED 201B
 018 " DIA CIR METAL
 0250/1255 LEN=0050 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0250/1023 LEN=0040 INSTALLED UNKN
 018 " DIA CIR METAL
 0250/0680 LEN=0040 INSTALLED UNKN
 018 " DIA CIR PLASTIC

066989 FT

0250/0305 LEN=0050 INSTALLED 2003
 066989 FT 2 0 27010 0 00 0225+68
 S 0250/0000 LENGTH(AH 2467 BK 2486)
 018 " DIA CIR PLASTIC
 0240/2253 LEN=0014 INSTALLED UNKN
 018 " DIA CIR METAL
 0240/2203 LEN=0042 INSTALLED UNKN
 018 " DIA CIR METAL
 0240/1888 LEN=0050 INSTALLED UNKN
 013 " DIA CIR METAL
 0240/1420 LEN=0051 INSTALLED UNKN
 015 " DIA CIR METAL
 0240/0962 LEN=0014 INSTALLED UNKN
 015 " DIA CIR METAL
 0240/0673 LEN=0051 INSTALLED UNKN
 018 " DIA CIR METAL

064503 FT

0240/0166 LEN=0050 INSTALLED UNKN
 064503 FT 2 0 27010 0 00 0200+18
 020 " DIA CIR PLASTIC
 LEN=0034 INSTALLED 2007
 S 0240/0000 LENGTH(AH 2486 BK 1478)
 018 " DIA CIR UNKNOWN
 0230/0890 LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

063025 FT

059529 FT

056253 FT

054297 FT

	0230/0121	BMS EN 27/3004/0230/0045 2 0 27010 0 00 0185+62 COON CREEK
	0230/0045	BMSBG 27/3004/0230/0045
	063025 FT	2 0 27010 0 00 0185+20 VILLAGE: GOLINZA GOLINZA MILL RD (T334)
	5 0230/0000	LENGTH(AH 1478 BK 3496) 067"H 95"W ELLIP METAL
	0220/3294	LEN=0082 INSTALLED 2018 018 "DIA CIR PLASTIC
	0220/2710	LEN=0014 INSTALLED 1999 015 "DIA CIR PLASTIC
	0220/2329	LEN=0014 INSTALLED 1999 018 "DIA CIR PLASTIC
	0220/2090	LEN=0016 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0220/1700	LEN=0050 INSTALLED 1999 018 "DIA CIR PLASTIC
	0220/1350	LEN=0016 INSTALLED 1999 018 "DIA CIR PLASTIC
	0220/0949	LEN=0050 INSTALLED 1999 018 "DIA CIR PLASTIC
	0220/0450	LEN=0050 INSTALLED UNKN
	5 0220/0000	059529 FT 2 0 27010 0 00 0149+88 LENGTH(AH 3496 BK 3276) 018 "DIA CIR PLASTIC
	0210/3100	LEN=0046 INSTALLED 2007 018 "DIA CIR PLASTIC
	0210/2493	LEN=0050 INSTALLED UNKN 024 "DIA CIR PLASTIC
	0210/1368	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
	0210/0978	LEN=0048 INSTALLED UNKN
	056253 FT	056253 FT 2 0 27010 0 00 0117+12 ALLIO RD (T332)
	5 0210/0000	LENGTH(AH 3276 BK 1956) 024 "DIA CIR PLASTIC
	0200/0582	LEN=0054 INSTALLED 2018
	054297 FT	2 0 27010 0 00 0099+52

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 118
COUNTY: FOREST

DIR: B TOTAL LEN: 22.526 MI.
LEFT MUN: GREEN T

DIST: 01-3 SR: 3004
RIGHT MUN: GREEN T

STRUCTURE	LENGTH	10 FT
0200/0000	0200/0000	0000
0190/2527	0190/2527	0000
0190/1950	0190/1950	0000
0190/1491	0190/1491	0000
0190/0269	051154 FT	0000
0190/0000	0190/0000	0000
0180/3362	0180/3362	0000
0180/3352	0180/3352	0000
0180/3036	0180/3036	0000
0180/2691	0180/2691	0000
0180/2362	0180/2362	0000
0180/2020	0180/2020	0000
0180/1573	0180/1573	0000
0180/1261	0180/1261	0000
0180/0921	0180/0921	0000
0180/0502	0180/0502	0000
0180/0192	047780 FT	0000
0180/0000	0180/0000	0000

COON CK. BR.
STRUCTURE LENGTH 10 FT
BMSID 27/3004/0200/0000
LENGTH(AH 1956 BK 3143)
018 " DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
018 " DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
CHERRY LN
(PRDR)
027 " DIA CIR PLASTIC
LEN=0042 INSTALLED 2016
2 0 27010 0 00 0066+06
NEBRASKA RD
(T392)
0190/0000 NC GU ITONVILLE RD
LENGTH(AH 3143 BK 3374)
018 " DIA CIR PLASTIC
LEN=0055 INSTALLED 2018
PINEY RD
(PRDR)
018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
018 " DIA CIR PLASTIC
LEN=0042 INSTALLED 2018
027 " DIA CIR PLASTIC
LEN=0044 INSTALLED 2018
018 " DIA CIR PLASTIC
LEN=0042 INSTALLED 2018
024 " DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
018 " DIA CIR PLASTIC
LEN=0014 INSTALLED 2017
018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
018 " DIA CIR PLASTIC
LEN=0042 INSTALLED 2017
018 " DIA CIR PLASTIC
LEN=0042 INSTALLED 2017
2 0 27010 0 00 0032+19
048"H 60"W CON BOX CUL
LEN=0040 INSTALLED UNKN
LENGTH(AH 3374 BK 3243)
015 " DIA CIRC METAL

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

044537 FT

0170/3039	LEN=0016	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0170/2933	LEN=0042	INSTALLED	2018
018 "DIA		CIR PLASTIC	
0170/2645	LEN=0032	INSTALLED	2016
018 "DIA		CIR PLASTIC	
0170/2313	LEN=0041	INSTALLED	2016
018 "DIA		CIR PLASTIC	
0170/1879	LEN=0041	INSTALLED	2017
018 "DIA		CIR PLASTIC	
0170/1594	LEN=0043	INSTALLED	2017
018 "DIA		CIR PLASTIC	
0170/1317	LEN=0034	INSTALLED	2017
024 "DIA		CIRC CONCR	
0170/0762	LEN=0050	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0170/0442	LEN=0032	INSTALLED	2017
018 "DIA		CIR PLASTIC	
0170/0139	LEN=0042	INSTALLED	2018
044537 FT	2 0 27010	0 00 0000+00	
	SR 3005	SAGE RD	
	(SR3005	SEG 0050 / 1095)	
	LENGTH(AH	3243 BK 3614)	
0170/0000	015 "DIA	CIRC CONCR	
0160/3558	LEN=0016	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0160/3410	LEN=0040	INSTALLED	2018
018 "DIA		CIR PLASTIC	
0160/3177	LEN=0040	INSTALLED	2018
018 "DIA		CIRC CONCR	
0160/2851	LEN=0040	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0160/2547	LEN=0045	INSTALLED	2018
018 "DIA		CIRC CONCR	
0160/2330	LEN=0040	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0160/2130	LEN=0018	INSTALLED	2018
015 "DIA		CIRC CONCR	
0160/1975	LEN=0040	INSTALLED	UNKN
015 "DIA		CIRC CONCR	
0160/1666	LEN=0035	INSTALLED	UNKN
015 "DIA		CIRC CONCR	
0160/1431	LEN=0040	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0160/1170	LEN=0037	INSTALLED	2018
018 "DIA		CIR PLASTIC	
0160/0862	LEN=0040	INSTALLED	UNKN
018 "DIA		CIR PLASTIC	
0160/0507	LEN=0040	INSTALLED	UNKN
0160/0028	BMS EN 27	/ 3004 / 0160 / 0000	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023


ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 116
COUNTY: FOREST

DIR: B TOTAL LEN: 22.526 MI.
LEFT MUN: GREEN T

DIST: 01-3 SR: 3004
RIGHT MUN: GREEN T

040923 FT



040923 FT 2 0 27008 0 00 0036+14
PINEY CREEK
BMSBG 27/3004/0160/0000
[S] 0160/0000 LENGTH(AH 3614 BK 2169)
0150/2062 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2018
0150/1735 015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
0150/1412 015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
0150/0699 015 "DIA CIRC CONCR
LEN=0040 INSTALLED 2021
0150/0503 015 "DIA CIRC CONCR
LEN=0040 INSTALLED 2021
0150/0187 BMSSEN 27/3004/0150/0000
BRIDGE POSTED (TONS)
038754 FT 2 0 27008 0 00 0057+43
SGL TIONESTA CK.
15 COMB
BMSBG 27/3004/0150/0000
[S] 0150/0000 LENGTH(AH 2169 BK 2161)
0140/1291 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2020
0140/0750 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2020
0140/0426 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2020
0140/0162 018 "DIA CIR PLASTIC
LEN=0052 INSTALLED 2020
036593 FT 2 0 27008 0 00 0080+24
[S] 0140/0000 LENGTH(AH 2161 BK 2760)
0130/2432 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2020
0130/1759 018 "DIA CIR PLASTIC
LEN=0055 INSTALLED 2000
0130/1371 018 "DIA CIR PLASTIC
LEN=0055 INSTALLED UNKN
0130/0788 018 "DIA CIR PLASTIC
LEN=0042 INSTALLED 2003
0130/0520 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2000
033833 FT 2 0 27008 0 00 0107+84
0130/0000 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2000
[S] 0130/0000 LENGTH(AH 2760 BK 3252)

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

	0120/1327	015 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2000
	0120/1040	018 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED UNKN
030581 FT	030581 FT	2 0 27008	0 00 0140+36
	0120/0000	LENGTH(AH	3252 BK 3562)
		018 " DIA	CIR PLASTIC
	0110/3411	LEN=0040	INSTALLED 2000
	0110/1904	015 " DIA	CIRC METAL
		LEN=0035	INSTALLED UNKN
	0110/1337	015 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2000
027019 FT	027019 FT	2 0 27008	0 00 0175+98
	0110/0000	LENGTH(AH	3562 BK 1461)
		018 " DIA	CIRC METAL
	0100/1461	LEN=0030	INSTALLED UNKN
		024 " DIA	CIRC METAL
	0100/1025	LEN=0014	INSTALLED UNKN
025558 FT	025558 FT	2 0 27008	0 00 0190+59
		VILLAGE: KISER CORNERS	
		NC NEBRASKA RD	
		GERMAN HILL RD	
		(SR4004 SEG 0100/0000)	
	0100/0000	LENGTH(AH	1461 BK 2571)
	0094/1875	018 " DIA	CIRC METAL
		LEN=0045	INSTALLED UNKN
	0094/0920	018 " DIA	CIR PLASTIC
		LEN=0042	INSTALLED 2015
	0094/0574	015 " DIA	CIR PLASTIC
		LEN=0045	INSTALLED UNKN
		052 "H 72 "W	UNKN CONC
	0094/0001	LEN=0050	INSTALLED UNKN
022987 FT	022987 FT	2 0 27008	0 00 0216+34

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

2 0 27008 0 00 0250+81 019540 FT
 GRANGE HALL RD
 (SR4008 SEG 0010/0000) 0090/0000

Stationing	Segment	Material	Length	Notes
019540 FT	0094/0000	055" DIA CIRC OTHER	LEN=0050	INSTALLED 2003
	0090/2963	036" DIA CIR PLASTIC	LEN=0040	INSTALLED 2003
019540 FT	0090/0000	018" DIA CIR PLASTIC	LEN=0042	INSTALLED 2015
	0080/2411	MCGREGOR LN (PRDR)		
	0080/1693	015" DIA CIRC METAL	LEN=0035	INSTALLED UNKN
016767 FT	0080/0000	015" DIA CIRC CONCR	LEN=0025	INSTALLED UNKN
	0070/1858	018" DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
014422 FT	0070/0000	020" DIA CIR PLASTIC	LEN=0035	INSTALLED 2009
	0060/2021	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2015
	0060/1640	018" DIA CIR PLASTIC	LEN=0041	INSTALLED 2015
	0060/1426	015" DIA CIRC METAL	LEN=0040	INSTALLED UNKN
	0060/1421	015" DIA CIRC METAL	LEN=0040	INSTALLED UNKN

2 0 27008 0 00 0278+45
 PIGEON HILL RD
 (T337)

2 0 27008 0 00 0301+90
 GREEN
 HICKORY T

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T


Stationing	Distance	Notes	Material	Status
0060/1174		HI ROCK RD (PRDR)		
0060/0498		FIFTH AVE (PRDR)		
0060/0299	012191 FT	015" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
012191 FT		2 0 27008 0 00 0324+28		
0060/0000		015" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
		LENGTH(AH 2231 BK 3128)		
0050/2657		FOURTH AV (PRDR)		
0050/2515		015" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
0050/1875		018" DIA CIRC METAL	LEN=0050	INSTALLED UNKN
0050/0267		048" DIA CIR PLASTIC	LEN=0060	INSTALLED UNKN
0050/0026	009063 FT	015" DIA CIR PLASTIC	LEN=0006	INSTALLED UNKN
009063 FT		2 0 27008 0 00 0355+63		
0050/0000		VILLAGE: LITTLE HICKORY		
		LENGTH(AH 3128 BK 2951)		
0040/2940		020" DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
0040/2810		018" DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
0040/2442		024" DIA CIR PLASTIC	LEN=0042	INSTALLED UNKN
0040/1613		018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2007
0040/1292		018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0040/0922		018" DIA CIR PLASTIC	LEN=0050	INSTALLED 2015
0040/0679		018" DIA CIR PLASTIC	LEN=0050	INSTALLED 2015
0040/0653		015" DIA CIR PLASTIC	LEN=0015	INSTALLED UNKN
0040/0457		018" DIA CIRC METAL	LEN=0050	INSTALLED UNKN
0040/0016		BMS EN 27 / 3004 / 0040 / 0000		

ALBAUGH HILL RD (T347)

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

Stationing	Description	Material	Length	Status
006112 FT				
0040/0000	5	036" DIA CIR PLASTIC	0040	INSTALLED UNKN
0030/0990		018" DIA CIRC METAL	0030	INSTALLED UNKN
0030/0955		018" DIA CIRC METAL	0030	INSTALLED UNKN
0030/0451		018" DIA CIRC METAL	0038	INSTALLED UNKN
0030/0092		018" DIA CIRC METAL	0012	INSTALLED UNKN
004390 FT				
0030/0000	5	036" DIA CIR PLASTIC	0040	INSTALLED UNKN
0020/2790		018" DIA CIRC METAL	0040	INSTALLED UNKN
0020/2137		018" DIA CIRC METAL	0040	INSTALLED UNKN
0020/1936		018" DIA CIRC METAL	0035	INSTALLED UNKN
0020/1740		018" DIA CIRC METAL	0038	INSTALLED UNKN
0020/1360		018" DIA CIRC METAL	0040	INSTALLED UNKN
0020/1075		018" DIA CIRC METAL	0035	INSTALLED UNKN
0020/0918		018" DIA CIRC METAL	0040	INSTALLED UNKN
0020/0710		015" DIA CIRC METAL	0040	INSTALLED UNKN
0020/0031		BMSSEN 27/3004	0020	0000
001353 FT				
0020/0000	5	024" DIA CIRC CONCR	0040	INSTALLED UNKN
0010/0468		018" DIA CIRC CONCR	0050	INSTALLED UNKN
000000 FT				
000000 FT				
0010/0000	5	024" DIA CIRC CONCR	0040	INSTALLED UNKN


2 0 27008 0 00 0403+21 004390 FT
 CONNELLY HILL RD
 (T326) 0030/0000



006112 FT 2 0 27008 0 00 0385+21
 LT. HICKORY
 BMSBG 27/3004/0040/0000
 LENGTH(AH 2951 BK 1722)
 0030/0990 BMSSEN 27/3004/0030/0955
 0 0 00000 0 00 0000+00
 LT. HICK. CK.
 BMSBG 27/3004/0030/0955
 018" DIA CIRC METAL
 LEN=0038 INSTALLED UNKN
 018" DIA CIRC METAL
 LEN=0012 INSTALLED UNKN
 004390 FT
 5 0030/0000 LENGTH(AH 1722 BK 3037)
 036" DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 0020/2790 018" DIA CIRC METAL
 LEN=0040 INSTALLED UNKN
 0020/2137 018" DIA CIRC METAL
 LEN=0035 INSTALLED UNKN
 0020/1936 018" DIA CIRC METAL
 LEN=0038 INSTALLED UNKN
 0020/1740 018" DIA CIRC METAL
 LEN=0040 INSTALLED UNKN
 0020/1360 018" DIA CIRC METAL
 LEN=0035 INSTALLED UNKN
 0020/1075 018" DIA CIRC METAL
 LEN=0040 INSTALLED UNKN
 0020/0918 015" DIA CIRC METAL
 LEN=0040 INSTALLED UNKN
 0020/0710 BMSSEN 27/3004/0020/0000
 2 0 27008 0 00 0433+48
 LT. HICK. CK.
 BMSBG 27/3004/0020/0000
 5 0020/0000 LENGTH(AH 3037 BK 1353)
 024" DIA CIRC CONCR
 LEN=0040 INSTALLED UNKN
 018" DIA CIRC CONCR
 LEN=0050 INSTALLED UNKN
 000000 FT 2 0 27008 0 00 0447+15
 NC LI TTLE HICKORY RD
 SR 0062 SH
 (SR0062 SEG 0230/0000)
 MFC BEGIN = D
 5 0010/0000 LENGTH(AH 1353 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 111
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 1.926 MI. DIST: 01-3 SR: 3003
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

COL DRAKE HW 010169 FT
 (SR0036 SEG 0050/0000) 0040/2174



007995 FT

010169 FT COL DRAKE HW
 0040/2174 (SR0036 SEG 0050/0000)
 018 " DIA CIR PLASTIC
 0040/1825 LEN=0040 INSTALLED 2016
 PENNDOT STOCKPILE YD #8
 0040/1624 (GOVT)

018 " DIA CIR PLASTIC
 0040/0476 LEN=0050 INSTALLED 1999
 007995 FT 2 0 27026 0 00 0079+91

DIR: B TOTAL LEN: 1.926 MI. DIST: 01-3 SR: 3003
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T


005852 FT

002495 FT

000000 FT

0040/0000	LENGTH(AH 2174 BK 2143)
018 "DIA	CIR PLASTIC
0030/1970	LEN=0060 INSTALLED 1997
015 "DIA	CIRC METAL
0030/1498	LEN=0040 INSTALLED 1997
018 "DIA	CIR PLASTIC
0030/1225	LEN=0045 INSTALLED 2020
018 "DIA	CIR PLASTIC
0030/0828	LEN=0045 INSTALLED 1997
018 "DIA	CIR PLASTIC
0030/0675	LEN=0045 INSTALLED 1999
005852 FT	2 0 27026 0 00 0058+48
	LT. TIONESTA
	STRUCTURE LENGTH 15 FT
	BMSID 27/3003/0030/0000
0030/0000	LENGTH(AH 2143 BK 3357)
018 "DIA	CIR PLASTIC
0020/2740	LEN=0050 INSTALLED 1999
018 "DIA	CIR PLASTIC
0020/2054	LEN=0050 INSTALLED 1999
018 "DIA	CIR PLASTIC
0020/1330	LEN=0045 INSTALLED 1999
024 "DIA	CIR PLASTIC
0020/1110	LEN=0055 INSTALLED 1999
018 "DIA	CIR PLASTIC
0020/0540	LEN=0048 INSTALLED 2023
018 "DIA	CIR PLASTIC
0020/0208	LEN=0045 INSTALLED 1997
002495 FT	2 0 27026 0 00 0024+95
	NC WA ALTONBAUGH RD
0020/0000	LENGTH(AH 3357 BK 2495)
030 "DIA	CIR PLASTIC
0010/0400	LEN=0040 INSTALLED 2023
000000 FT	2 0 27026 0 00 0000+00
	NC SH RIVER RD
	RED BRUSH RD
	(SR3001 SEG 0020/0000)
INTER-BK	STITZINGER RD
	(T318)
	MFC BEGIN = E
0010/0000	LENGTH(AH 2495 BK 0000)

DIR: B TOTAL LEN: .800 MI. DIST: 01-3 SR: 3002
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T



DIR: B TOTAL LEN: 8.055 MI. DIST: 01-3 SR: 3001
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

COL DRAKE HW 042530 FT
 (SR0036 SEG 0130/0000) 0170/2594


039936 FT

MAYOR LN
 (PRDR)

0160/0527

037403 FT

FAWN LN



042530 FT	COL DRAKE HW
0170/2594	(SR0036 SEG 0130/0000)
0170/2200	018 " DIA CIR PLASTIC
0170/2000	LEN=0045 INSTALLED UNKN
0170/1880	018 " DIA CIR PLASTIC
0170/1575	LEN=0050 INSTALLED 1997
0170/1200	018 " DIA CIR PLASTIC
0170/0780	LEN=0045 INSTALLED 1997
0170/0470	018 " DIA CIR PLASTIC
0170/0182	LEN=0045 INSTALLED 2001
039936 FT	015 " DIA CIRC METAL
0170/0000	LEN=0040 INSTALLED UNKN
0160/2435	2 0 27001 0 00 0402+08
0160/2030	LENGTH(AH 2594 BK 2533)
0160/1823	018 " DIA CIR PLASTIC
0160/1687	LEN=0050 INSTALLED 1997
0160/1045	015 " DIA CIRC METAL
0160/0882	LEN=0050 INSTALLED 1997
0160/0560	018 " DIA CIR PLASTIC
0160/0215	LEN=0040 INSTALLED 1997
037403 FT	018 " DIA CIR PLASTIC
0160/0000	LEN=0040 INSTALLED 1997
0150/1722	018 " DIA CIR PLASTIC
0150/0960	LEN=0040 INSTALLED 2022
	015 " DIA CIR PLASTIC
	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 8.055 MI. DIST: 01-3 SR: 3001
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

(PRDR)

0150/0918

035075 FT

032399 FT

029828 FT

==									
---	0150/0615	018 "DIA	CIR PLASTIC						
		LEN=0031	INSTALLED	2006					
		2 0 27001	0 00	0353+82					
		NC SM	SMOKEY HILL RD						
			SMOKEY HILL RD						
		(SR3006	SEG 0010/0000)						
5	0150/0000	LENGTH(AH	2328 BK 2676)						
		015 "DIA	CIRC METAL						
---	0140/2430	LEN=0040	INSTALLED	UNKN					
---		018 "DIA	CIR PLASTIC						
---	0140/2048	LEN=0040	INSTALLED	1999					
---		018 "DIA	CIR PLASTIC						
---	0140/1664	LEN=0040	INSTALLED	2022					
---		018 "DIA	CIRC METAL						
---	0140/1239	LEN=0040	INSTALLED	1997					
---		024 "DIA	CIRC METAL						
---	0140/0690	LEN=0050	INSTALLED	2007					
---		018 "DIA	CIR PLASTIC						
---	0140/0342	LEN=0050	INSTALLED	UNKN					
---		018 "DIA	CIR PLASTIC						
---	0140/0038	LEN=0060	INSTALLED	2010					
		2 0 27001	0 00	0326+21					
5	0140/0000	LENGTH(AH	2676 BK 2571)						
		018 "DIA	CIR PLASTIC						
---	0130/2341	LEN=0050	INSTALLED	1997					
---		018 "DIA	CIR PLASTIC						
---	0130/2120	LEN=0040	INSTALLED	UNKN					
---		018 "DIA	CIR PLASTIC						
---	0130/1850	LEN=0050	INSTALLED	UNKN					
---		018 "DIA	CIR PLASTIC						
---	0130/1590	LEN=0045	INSTALLED	UNKN					
---		018 "DIA	CIR PLASTIC						
---	0130/1200	LEN=0040	INSTALLED	UNKN					
---		018 "DIA	CIR PLASTIC						
---	0130/0960	LEN=0050	INSTALLED	UNKN					
---		036 "DIA	CIRC CONCR						
---	0130/0520	LEN=0035	INSTALLED	UNKN					
---		015 "DIA	CIRC CONCR						
---	0130/0318	LEN=0040	INSTALLED	1997					
		BMSSEN 27/3001	0130/0017						
		2 0 27001	0 00	0299+75					
		LT. TIONESTA							
		BMSBG 27/3001	0130/0017						
5	0130/0000	LENGTH(AH	2571 BK 2332)						
		ALLIO RD							
		(T314)							
		BMSSEN 27/3001	0120/2013						
		2 0 27001	0 00	0276+59					


DIR: B TOTAL LEN: 8.055 MI. DIST: 01-3 SR: 3001
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

Stationing	Description	Material	Length	Year
020011 FT	020011 FT	2 0 27001 0 00	0201+02	
	0090/0000	LENGTH(AH 1629 BK 2512)		
	0080/2339	018 " DIA CIR PLASTIC		
	0080/1857	LEN=0040 INSTALLED 2023		
	0080/1590	018 " DIA CIR PLASTIC		
	0080/1125	LEN=0040 INSTALLED 2023		
	0080/1039	018 " DIA CIR PLASTIC		
	0080/0284	LEN=0040 INSTALLED 1997		
017499 FT	017499 FT	2 0 27001 0 00	0176+13	
	0080/0000	LENGTH(AH 2512 BK 2625)		
	0070/1349	024 " DIA CIR PLASTIC		
		LEN=0040 INSTALLED 2005		
014874 FT	014874 FT	2 0 27001 0 00	0149+88	
		ALL IO RD (T314)		
	0070/0000	LENGTH(AH 2625 BK 2690)		
	0060/1730	024 " DIA CIR PLASTIC		
		LEN=0042 INSTALLED 1997		
	0060/0923	015 " DIA CIRC METAL		
		LEN=0050 INSTALLED 1997		
	0060/0103	ELK LN (PRDR)		
2 0 27001 0 00 0122+77 012184 FT	012184 FT			
HEMLOCK RD (T316)	0060/0000	LENGTH(AH 2690 BK 2078)		
	0050/1300	018 " DIA CIR PLASTIC		
		LEN=0040 INSTALLED UNKN		
010106 FT	010106 FT	2 0 27001 0 00	0101+87	
	0050/0000	LENGTH(AH 2078 BK 2584)		

DIR: B TOTAL LEN: 8.055 MI. DIST: 01-3 SR: 3001
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

		0040/2076	018 "DIA CIR PLASTIC LEN=0060	INSTALLED 2010
		0040/0786	015 "DIA CIRC METAL LEN=0035	INSTALLED 1997
007522 FT		007522 FT	2 0 27001 0 00 0076+03	
		0040/0000	LENGTH(AH 2584 BK 2507)	
		0030/2275	015 "DIA CIR PLASTIC LEN=0035	INSTALLED 1997
		0030/1382	015 "DIA CIR PLASTIC LEN=0045	INSTALLED 1997
		0030/0370	015 "DIA CIRC METAL LEN=0035	INSTALLED 1997
		0030/0088	018 "DIA CIR PLASTIC LEN=0040	INSTALLED 1997
005015 FT		005015 FT	2 0 27001 0 00 0050+96	
		0030/0000	LENGTH(AH 2507 BK 2098)	
		0020/1275	018 "DIA CIR PLASTIC LEN=0035	INSTALLED 1997
2 0 27001 0 00 0029+98	002917 FT	002917 FT	SHRIVER RD	
STITZINGER RD			(SR3003 SEG 0010/0000)	
(T318)	0020/0000	0020/0000	LENGTH(AH 2098 BK 2917)	
		0010/2195	018 "DIA CIR PLASTIC LEN=0035	INSTALLED 2015
		0010/1830	015 "DIA CIRC METAL LEN=0035	INSTALLED 1997
		0010/1254	018 "DIA CIR PLASTIC LEN=0040	INSTALLED 1997
		0010/0340	MCWILLIAMS LN	
000000 FT		000000 FT	(PRDR)	
			2 0 27001 0 00 0000+00	
			NC RE BRUSH RD	
		INTER-BK	SR 4017 SH	
			(SR4017 SEG 0060/3121)	
			MFC BEGIN = D	
			BK-CLARION (16)	
		0010/0000	LENGTH(AH 2917 BK 0000)	

016149 FT



016149 FT SR 0899 SH
 0060/2718 (SR0899 SEG 0100/0000)
 027 "DIA CIRC METAL
 0060/2410 LEN=0040 INSTALLED UNKN

013431 FT

5

0060/0313 018 "DIA CIR PLASTIC
 LEN=0035 INSTALLED UNKN
 013431 FT 2 0 27033 0 00 0134+67
 0060/0000 LENGTH(AH 2718 BK 2468)
 0050/1981 018 "DIA CIR PLASTIC
 LEN=0055 INSTALLED 2007
 0050/1635 018 "DIA CIR PLASTIC
 LEN=0045 INSTALLED 2007
 0050/1429 018 "DIA CIR PLASTIC
 LEN=0058 INSTALLED 2007

010963 FT

5


0050/0744 024 "DIA CIR PLASTIC
 LEN=0060 INSTALLED UNKN
 060 "DIA CIR PLASTIC
 0050/0599 LEN=0050 INSTALLED 2019
 010963 FT 2 0 27033 0 00 0109+99
 0050/0000 LENGTH(AH 2468 BK 2528)
 0040/2047 018 "DIA CIR PLASTIC
 LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 3.059 MI. DIST: 01-3 SR: 2008
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

Stationing	Notes	Material/Specs	Installation
008435 FT	0040/0140	060 " DIA CIRC CONCR	LEN=0040 INSTALLED 2007
	008435 FT	2 0 27033 0 00 0084+71	
	0040/0000	LENGTH(AH 2528 BK 2596)	
	0030/2532	018 " DIA CIR PLASTIC	LEN=0035 INSTALLED 2007
	0030/2274	018 " DIA CIRC METAL	LEN=0035 INSTALLED UNKN
	0030/1821	018 " DIA CIR PLASTIC	LEN=0035 INSTALLED 1997
	0030/1038	018 " DIA CIR PLASTIC	LEN=0048 INSTALLED 2007
005839 FT	0030/0062	BMS EN 27/2008/0030/0000	
	005839 FT	2 0 27033 0 00 0058+99	
	0030/0000	MAPLE CREEK BMSBG 27/2008/0030/0000	LENGTH(AH 2596 BK 3349)
	0020/2513	018 " DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
	0020/1995	018 " DIA CIR PLASTIC	LEN=0062 INSTALLED UNKN
	0020/1175	018 " DIA CIRC METAL	LEN=0046 INSTALLED UNKN
002490 FT	0020/0499	018 " DIA CIR PLASTIC	LEN=0039 INSTALLED UNKN
	002490 FT	2 0 27033 0 00 0025+82	
	0020/0000	LENGTH(AH 3349 BK 2490)	
	0010/1362	018 " DIA CIR PLASTIC	LEN=0045 INSTALLED UNKN
000000 FT	0010/0555	018 " DIA CIR PLASTIC	LEN=0042 INSTALLED 2007
	000000 FT	2 0 27033 0 00 0000+00	
		024"H 00"W MULT PLSTIC	LEN=0015 INSTALLED UNKN
		NC BEAR RUN RD GREENWOOD RD	(SR2001 SEG 0090/0000)
		MFC BEGIN = E	
	0010/0000	LENGTH(AH 2490 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 101
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 3.200 MI. DIST: 01-3 SR: 2007
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

016894 FT



016894 FT GUITONVILLE RD
 0060/1961 (SR3004 SEG 0370/0000)
 018 "DIA CIR PLASTIC
 0060/1555 LEN=0024 INSTALLED 1997

014933 FT

014933 FT 2 0 27035 0 00 0149+88
 018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.200 MI. DIST: 01-3 SR: 2007
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

012997 FT

009921 FT

---	---	5	0060/0000	LEN=0040 LENGTH(AH	INSTALLED 2005 1961 BK 1936)
---	---		0050/1319	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 2001
---	---		0050/1023	018 "DIA LEN=0025	CIRC METAL INSTALLED 1997
---	---		0050/0737	036 "DIA LEN=0040	CIR PLASTIC INSTALLED 2004
---	---		0050/0318	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 2001
---	---		0050/0150	024 "DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
			012997 FT	2 0 27035	0 00 0130+60
				KINGSLEY GREEN T	
---	---	5	0050/0000	LENGTH(AH	1936 BK 3076)
---	---		0040/3068	024 "DIA LEN=0032	CIR PLASTIC INSTALLED 1997
---	---		0040/2854	018 "DIA LEN=0043	CIR PLASTIC INSTALLED 1997
---	---		0040/2441	024 "DIA LEN=0040	CIR PLASTIC INSTALLED 2001
---	---		0040/2070	015 "DIA LEN=0030	CIRC METAL INSTALLED 1997
---	---		0040/1535	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 1997
---	---		0040/0915	018 "DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
---	---		0040/0486	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 2005
---	---		0040/0203	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 1997
			009921 FT	2 0 27035	0 00 0099+26
				KINGSLEY GREEN T	
---	---	5	0040/0000	LENGTH(AH	3076 BK 3445)
---	---		0030/3210	024 "DIA LEN=0040	CIR PLASTIC INSTALLED 2001
---	---		0030/2545	018 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
---	---		0030/2430	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 2005
---	---		0030/1911	015 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
---	---		0030/1485	018 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
---	---			018 "DIA	CIR PLASTIC

DIR: B TOTAL LEN: 3.200 MI. DIST: 01-3 SR: 2007
 LEFT MUN: GREEN T RIGHT MUN: GREEN T











006476 FT

002962 FT

000000 FT

0030/1193	LEN=0040	INSTALLED	2001
	024" DIA	CIR PLASTIC	
0030/1011	LEN=0040	INSTALLED	2001
	018" DIA	CIR PLASTIC	
0030/0795	LEN=0040	INSTALLED	2001
	018" DIA	CIR PLASTIC	
0030/0546	LEN=0040	INSTALLED	2001
	018" DIA	CIR PLASTIC	
0030/0145	LEN=0030	INSTALLED	1997
0030/0029	BMSSEN 27/2007/0030/0000		
006476 FT	2 0 27035 0 00 0065+00		
	COON CREEK		
0030/0000	BMSBG 27/2007/0030/0000		
	LENGTH(AH 3445 BK 3514)		
0020/2778	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1997
0020/2507	018" DIA	CIRC METAL	
	LEN=0040	INSTALLED	1997
0020/2237	018" DIA	CIRC METAL	
	LEN=0040	INSTALLED	1997
0020/1986	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1997
0020/1638	015" DIA	CIRC METAL	
	LEN=0040	INSTALLED	1997
0020/1462	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	2001
0020/1188	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1997
0020/0623	018" DIA	CIRC METAL	
	LEN=0040	INSTALLED	1997
002962 FT	2 0 27035 0 00 0029+62		
0020/0000	LENGTH(AH 3514 BK 2962)		
0010/2080	018" DIA	CIRC METAL	
	LEN=0040	INSTALLED	2001
0010/1568	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1997
0010/1093	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	2001
0010/0745	018" DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1997
000000 FT	2 0 27035 0 00 0000+00		
	NC WARDS RANCH RD		
	INTER-BK MCDONALD RD		
	(T640)		
	MFC BEGIN = E		
0010/0000	LENGTH(AH 2962 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 98
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 2006
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

000000 FT		000000 FT	
000000 FT		7060/0000	LENGTH(AH 1623 BK 2643)
000000 FT		000000 FT	
000000 FT		7050/0000	LENGTH(AH 2643 BK 2693)
000000 FT		000000 FT	
000000 FT		7040/0000	LENGTH(AH 2693 BK 2605)
000000 FT		000000 FT	
000000 FT		7030/0000	LENGTH(AH 2605 BK 2511)
000000 FT		000000 FT	
000000 FT		7020/0000	LENGTH(AH 2511 BK 2873)
		000000 FT	
		7010/0000	LENGTH(AH 2873 BK 0000)

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

	==	0100/0510	(TWP)
	---	0100/0448	012 " DIA CIRC METAL LEN=0051 INSTALLED UNKN
	==	0100/0101	LOCUST ST (T375)
022194 FT		022194 FT	1 1 06380 0 00 0000+00
	---	0100/0000	LENGTH(AH 1337 BK 1276) NC FO CYPRESS ST
	==	0090/0925	(T373)
	---	0090/0750	024 " DIA CIRC METAL LEN=0044 INSTALLED UNKN
020918 FT		020918 FT	2 0 27027 0 00 0209+78
	---	0090/0000	LENGTH(AH 1276 BK 2285) 015 " DIA CIRC CONCR
	---	0080/1962	LEN=0042 INSTALLED UNKN
	---	0080/1590	018 " DIA CIRC CONCR
	---	0080/1330	018 " DIA CIR PLASTIC
	---	0080/1062	LEN=0037 INSTALLED UNKN
	---	0080/0789	018 " DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	---	0080/0076	015 " DIA CIRC CONCR LEN=0037 INSTALLED UNKN
018633 FT		018633 FT	BMS EN 27/2005/0080/0000 2 0 27027 0 00 0186+90
	---	0080/0000	WEST BRANCH MILLSTONE C BMSBG 27/2005/0080/0000 LENGTH(AH 2285 BK 3183)
	---	0070/2896	015 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	---	0070/2601	015 " DIA CIRC CONCR LEN=0037 INSTALLED UNKN
	---	0070/2220	018 " DIA CIRC CONCR
	---	0070/1964	LEN=0047 INSTALLED UNKN
	---	0070/1645	015 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	---	0070/1354	015 " DIA CIRC CONCR LEN=0037 INSTALLED UNKN
	---	0070/1197	015 " DIA CIRC CONCR LEN=0041 INSTALLED UNKN
	==	0070/1008	BUZZARD SWAMP ROAD (TWP)
	---	0070/0887	015 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			015 " DIA CIRC CONCR

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

015450 FT

0070/0529	LEN=0041	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0070/0346	LEN=0041	INSTALLED	UNKN
015450 FT	2 0 27027	0 00	0155+07
5 0070/0000	LENGTH(AH	3183 BK	2474)
	015 "DIA	CIRC CONCR	
0060/2428	LEN=0041	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0060/2130	LEN=0040	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0060/1937	LEN=0037	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0060/1613	LEN=0041	INSTALLED	UNKN

012976 FT

0060/0507	015 "DIA	CIRC CONCR	
012976 FT	LEN=0039	INSTALLED	UNKN
	2 0 27027	0 00	0129+95
	015 "DIA	CIRC CONCR	
5 0060/0000	LEN=0012	INSTALLED	UNKN
	LENGTH(AH	2474 BK	2497)

010479 FT

0050/0530	015 "DIA	CIRC CONCR	
	LEN=0034	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0050/0080	LEN=0040	INSTALLED	UNKN
010479 FT	2 0 27027	0 00	0104+98
5 0050/0000	LENGTH(AH	2497 BK	2431)
	018 "DIA	CIRC CONCR	
0040/2364	LEN=0046	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0040/2052	LEN=0046	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0040/1753	LEN=0046	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0040/1225	LEN=0046	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0040/0808	LEN=0047	INSTALLED	UNKN

008048 FT






0040/0021	BMS EN 27/2005/0040/0000		
008048 FT	2 0 27027	0 00	0080+69
	BUSH CREEK		
	BMSBG 27/2005/0040/0000		
5 0040/0000	LENGTH(AH	2431 BK	3044)
	018 "DIA	CIRC CONCR	
0030/2862	LEN=0037	INSTALLED	2003

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

0030/2481	018 " DIA	CIRC CONCR
	LEN=0039	INSTALLED UNKN
0030/2182	018 " DIA	CIRC CONCR
	LEN=0047	INSTALLED UNKN
0030/1935	018 " DIA	CIRC CONCR
	LEN=0054	INSTALLED UNKN
0030/0915	018 " DIA	CIRC CONCR
	LEN=0015	INSTALLED UNKN
0030/0513	018 " DIA	CIRC CONCR
	LEN=0032	INSTALLED UNKN
005004 FT	2 0 27027	0 00 0050+24
0030/0000	LENGTH(AH	3044 BK 2523)
	018 "H 18" W	CON BOX CUL
0020/2033	LEN=0040	INSTALLED UNKN
0020/1768	018 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0020/1285	018 " DIA	CIRC CONCR
	LEN=0035	INSTALLED UNKN
0020/0909	018 " DIA	CIRC CONCR
	LEN=0038	INSTALLED UNKN
0020/0505	024 " DIA	CIRC CONCR
	LEN=0038	INSTALLED UNKN
0020/0148	024 " DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
002481 FT	2 0 27027	0 00 0025+01
0020/0000	LENGTH(AH	2523 BK 2481)
0010/2403	015 " DIA	CIRC CONCR
	LEN=0037	INSTALLED UNKN
0010/1925	015 " DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
0010/1200		
0010/1157	018 " DIA	CIRC CONCR
	LEN=0038	INSTALLED UNKN
0010/0806	018 " DIA	CIRC CONCR
	LEN=0038	INSTALLED UNKN
0010/0551	027 " DIA	CIRC CONCR
	LEN=0065	INSTALLED UNKN
0010/0202	018 " DIA	CIR PLASTIC
	LEN=0050	INSTALLED UNKN
000000 FT	2 0 27027	0 00 0000+00
	NC LO	OLETA RD
INTER-BK	SR 3002	SH
	(SR3002	SEG 0010/0000)
	MFC BEGIN = D	
	BK-ELK	(24)
0010/0000	LENGTH(AH	2481 BK 0000)

JENKS
 BARNETT T

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 93
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 2004
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

000000 FT		000000 FT	
000000 FT		7040/0000	LENGTH(AH 3685 BK 2387)
000000 FT		000000 FT	
000000 FT		7030/0000	LENGTH(AH 2387 BK 2989)
000000 FT		000000 FT	
		7020/0000	LENGTH(AH 2989 BK 3519)
		000000 FT	
		7010/0000	LENGTH(AH 3519 BK 0000)


WINKLE LN
(PRDR)

008211 FT

0030/0450
004967 FT

002477 FT

000000 FT



008211 FT SR 0066 SH
0030/3244 (SR0066 SEG 0040/0000)

0030/2053 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

0030/1440 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

0030/0582 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

004967 FT 2 0 27029 0 00 0049+44
S 0030/0000 LENGTH(AH 3244 BK 2490)

0020/2058 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2007

0020/0997 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2007

002477 FT 2 0 27029 0 00 0025+41
NC SR 2003 SH
S 0020/0000 LENGTH(AH 2490 BK 2477)

0010/0800 018 "DIA CIRC METAL
LEN=0040 INSTALLED 2007


0010/0121 015 "DIA CIR PLASTIC
LEN=0060 INSTALLED UNKN

0010/0018 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN

000000 FT 2 0 27029 0 00 0000+00
NC BLOOD RD
SR 0066 SH
(SR0066 SEG 0010/0000)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2477 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 91
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

GREENWOOD RD 042735 FT
 (SR2001 SEG 0010/1134) 0160/2575



042735 FT GREENWOOD RD
 0160/2575 (SR2001 SEG 0010/1134)
 024 " DIA CIRC CONCR
 0160/2568 LEN=0072 INSTALLED 1998

015 " DIA CIRC CONCR
 0160/1235 LEN=0032 INSTALLED 1998
 015 " DIA CIRC METAL
 0160/1100 LEN=0036 INSTALLED 1998
 018 " DIA CIRC CONCR
 0160/0790 LEN=0035 INSTALLED 1998

018 " DIA CIRC CONCR
 0160/0160 LEN=0040 INSTALLED 1998
 040160 FT 2 0 27003 0 00 0125+05
 5 0160/0000 LENGTH(AH 2575 BK 2502)
 015 " DIA CIRC CONCR
 0150/2390 LEN=0036 INSTALLED 1998

018 " DIA CIR PLASTIC
 0150/1680 LEN=0040 INSTALLED 1998
 036 " DIA CIR PLASTIC

040160 FT

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

	0150/1412	LEN=0060	INSTALLED	2004
		015 "DIA	CIRC CONCR	
	0150/0896	LEN=0035	INSTALLED	UNKN
		015 "DIA	CIRC CONCR	
037658 FT	0150/0349	LEN=0034	INSTALLED	1998
	037658 FT	2 0 27003	0 00 0100+03	
	0150/0000	LENGTH(AH	2502 BK 2497)	
		018 "DIA	CIR PLASTIC	
	0140/2465	LEN=0040	INSTALLED	1998
		015 "DIA	CIRC METAL	
	0140/1766	LEN=0035	INSTALLED	1998
		018 "DIA	CIR PLASTIC	
	0140/1294	LEN=0040	INSTALLED	2005
		018 "DIA	CIRC METAL	
035161 FT	0140/0543	LEN=0040	INSTALLED	1998
	035161 FT	2 0 27003	0 00 0075+06	
	0140/0000	LENGTH(AH	2497 BK 2506)	
		018 "DIA	CIR PLASTIC	
	0130/2190	LEN=0050	INSTALLED	UNKN
		018 "DIA	CIR PLASTIC	
	0130/1828	LEN=0040	INSTALLED	1998
		018 "DIA	CIRC METAL	
	0130/1085	LEN=0030	INSTALLED	1998
		018 "DIA	CIR PLASTIC	
032655 FT	0130/0148	LEN=0040	INSTALLED	1998
	032655 FT	2 0 27003	0 00 0049+96	
	0130/0000	LENGTH(AH	2506 BK 2497)	
		018 "DIA	CIR PLASTIC	
	0120/1270	LEN=0032	INSTALLED	1998
		015 "DIA	CIRC METAL	
	0120/0824	LEN=0032	INSTALLED	1998
		018 "DIA	CIR PLASTIC	
	0120/0690	LEN=0040	INSTALLED	2002
		015 "DIA	CIRC CONCR	
	0120/0450	LEN=0030	INSTALLED	1998
		018 "DIA	CIR PLASTIC	
030158 FT	0120/0310	LEN=0030	INSTALLED	UNKN
	030158 FT	2 0 27003	0 00 0024+99	
		015 "DIA	CIRC METAL	
		LEN=0030	INSTALLED	1998
	0120/0000	LENGTH(AH	2497 BK 2501)	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 89
COUNTY: FOREST

DIR: B TOTAL LEN: 8.094 MI.
LEFT MUN: BARNETT T

DIST: 01-3 SR: 2002
RIGHT MUN: BARNETT T

2 0 27003 0 00 0000+00 027657 FT
COLEMAN RUN RD
(T305) 0110/0000

025095 FT

0110/1874	015 " DIA	CIR PLASTIC
0110/1745	LEN=0030	INSTALLED 1998
0110/1568	018 " DIA	CIR PLASTIC
0110/1224	LEN=0042	INSTALLED 2018
0110/0866	018 " DIA	CIR PLASTIC
0110/0493	LEN=0035	INSTALLED UNKN
0110/0333	018 " DIA	CIR PLASTIC
0110/0143	LEN=0040	INSTALLED 2014
0110/0121	015 " DIA	CIRC METAL
027657 FT	LEN=0032	INSTALLED 1998
0110/0000	012 " DIA	CAST IRON
0100/2514	LEN=0032	INSTALLED 1998
0100/2036	015 " DIA	CIRC METAL
0100/1540	LEN=0030	INSTALLED 2005
0100/1170	BMS 27/2002/0110/0121	BRIDGE POSTED (TONS)
0100/0540	2 0 27003 0 00 0001+22	SGL 19 COMB
025095 FT	COLEMAN RUN	
0100/0000	BMSBG 27/2002/0110/0121	
0090/3573	LENGTH(AH 2501 BK 2562)	
0090/3364	018 " DIA	CIRC METAL
0090/2963	LEN=0042	INSTALLED 1998
0090/2460	018 " DIA	CIR PLASTIC
0090/2369	LEN=0030	INSTALLED 1998
0090/2042	018 " DIA	CIR PLASTIC
0090/1680	LEN=0045	INSTALLED 1998
	018 " DIA	CIR PLASTIC
	LEN=0037	INSTALLED 1998
	015 " DIA	CIRC METAL
	LEN=0035	INSTALLED 1998
	2 0 27018 0 00 0251+21	
	LENGTH(AH 2562 BK 3578)	
	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 1998
	018 " DIA	CIRC METAL
	LEN=0030	INSTALLED UNKN
	018 " DIA	CIRC METAL
	LEN=0037	INSTALLED UNKN
	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2014
	018 " DIA	CIRC METAL
	LEN=0030	INSTALLED 1998
	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
	024 " DIA	CIRC METAL
	LEN=0032	INSTALLED 1998

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

Stationing	Material	Length	Year
0090/1365	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2014
0090/1035	018" DIA CIRC METAL	LEN=0034	INSTALLED 1998
0090/0647	015" DIA CIRC METAL	LEN=0030	INSTALLED 1998
021517 FT			
021517 FT	2 0 27018 0 00 0215+43		
0090/0000	015" DIA CIRC METAL	LEN=0028	INSTALLED 1998
0080/2950	LENGTH(AH 3578 BK 3263) 018" DIA CIRC METAL	LEN=0028	INSTALLED 1998
0080/2360	018" DIA CIRC METAL	LEN=0030	INSTALLED 1998
0080/1170	018" DIA CIRC METAL	LEN=0040	INSTALLED 1998
0080/0517	024" DIA CIRC METAL	LEN=0040	INSTALLED UNKN
0080/0461			
018254 FT	2 0 27018 0 00 0182+80		
0080/0000	LENGTH(AH 3263 BK 3736) 018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2014
0070/3736	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2014
0070/2894	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2014
0070/2445	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2014
0070/2034	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
0070/1630	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
0070/1340	015" DIA CIRC METAL	LEN=0034	INSTALLED 1998
0070/0735	015" DIA CIRC METAL	LEN=0034	INSTALLED 1998
0070/0454	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
0070/0170	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
014518 FT	2 0 27018 0 00 0145+44		
0070/0000	LENGTH(AH 3736 BK 2534) 018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
0060/2270	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016

COOK FOREST PARK RD
(FRST)

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

2 0 27018 0 00 0120+10 011984 FT
 JACKS HOLLOW RD
 (T346)

---	0060/2093	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2016
---	0060/1974	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2016
---	0060/1761	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2016
---	0060/1220	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2016
---	0060/0320	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2016
---	0060/0065	060 " DIA	CIRC METAL
---	011984 FT	LEN=0046	INSTALLED 1998
==	0060/0000	LENGTH(AH 2534 BK 1984)	
---	0050/1312	018 " DIA	CIR PLASTIC
---		LEN=0036	INSTALLED 2016
---	0050/0128	018 " DIA	CIR PLASTIC
---		LEN=0037	INSTALLED 2016
010000 FT	010000 FT	2 0 27018 0 00 0100+38	
---	0050/0000	LENGTH(AH 1984 BK 2494)	
---	0040/2185	018 " DIA	CIR PLASTIC
---		LEN=0035	INSTALLED 2016
---	0040/1697	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2016
---	0040/1050	018 " DIA	CIR PLASTIC
---		LEN=0035	INSTALLED 2016
---	0040/0894	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 1998
---	0040/0752	018 " DIA	CIR PLASTIC
---		LEN=0045	INSTALLED 1998
---	0040/0586	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 2002
007506 FT	007506 FT	2 0 27018 0 00 0075+44	
---	0040/0000	LENGTH(AH 2494 BK 2501)	
---	0030/2425	018 " DIA	CIR PLASTIC
---		LEN=0052	INSTALLED UNKN
---	0030/2210	018 " DIA	CIR PLASTIC
---		LEN=0040	INSTALLED 1998
---	0030/2001	018 " DIA	CIR PLASTIC
---		LEN=0042	INSTALLED UNKN
---	0030/1689	018 " DIA	CIR PLASTIC
---		LEN=0052	INSTALLED 1998
---		018 " DIA	CIR PLASTIC

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 85
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: 5.447 MI. DIST: 01-3 SR: 2001
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

028761 FT



028761 FT AH-CLARION (16)
INTER-AHD SR 1012 SH
0100/1977 (SR1012 SEG 0010/3265)
015 "DIA CIRC METAL
0100/1747 LEN=0032 INSTALLED 1996

DIR: B TOTAL LEN: 5.447 MI. DIST: 01-3 SR: 2001
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

JACKS HOLLOW RD
 (T346)


0100/0839

026784 FT

024976 FT

021286 FT

018652 FT



0100/0839

0100/0576

026784 FT

S 0100/0000

0090/0572

024976 FT

S 0090/0000

0080/3595

0080/2562

0080/2172

0080/0452

021286 FT

S 0080/0000

0070/2634

0070/0634

018652 FT

S 0070/0000

0060/3635

0060/2882

JACKS HOLLOW RD
 (T346)

018 "DIA CIR PLASTIC
 LEN=0034 INSTALLED 2000
 2 0 27011 0 00 0019+98
 LENGTH(AH 1977 BK 1808)

018 "DIA CIR PLASTIC
 LEN=0033 INSTALLED 2000
 2 0 27011 0 00 0038+07

BEAR RUN RD
 (SR2008 SEG 0010/0000)
 LENGTH(AH 1808 BK 3690)

036 "DIA CIRC METAL
 LEN=0050 INSTALLED 2000

015 "DIA CIRC METAL
 LEN=0040 INSTALLED 2000

015 "DIA CIRC METAL
 LEN=0057 INSTALLED 2000

015 "DIA CIRC METAL
 LEN=0049 INSTALLED 2000

2 0 27011 0 00 0074+97
 LENGTH(AH 3690 BK 2634)

015 "DIA CIRC METAL
 LEN=0036 INSTALLED 2000

018 "DIA CIR PLASTIC
 LEN=0060 INSTALLED 2002

2 0 27011 0 00 0100+01
 LENGTH(AH 2634 BK 3639)

018 "DIA CIR PLASTIC
 LEN=0070 INSTALLED 2000

048 "DIA CIRC METAL
 LEN=0062 INSTALLED 2000


DIR: B TOTAL LEN: 5.447 MI. DIST: 01-3 SR: 2001
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

Stationing	Material	Length	Notes
	0060/2244	018 " DIA CIR PLASTIC LEN=0050	INSTALLED 2002
	0060/0680	036 " DIA CIRC CONCR LEN=0046	INSTALLED 2000
015013 FT	015013 FT	2 0 27011 0 00 0137+57 COON RD (T350)	
	0060/0000	LENGTH(AH 3639 BK 3808)	
	0050/3687	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2006
	0050/2135	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2006
	0050/0629	018 " DIA CIR PLASTIC LEN=0050	INSTALLED 2008
011205 FT	011205 FT	2 0 27011 0 00 0175+65	
	0050/0000	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2008
	0040/1036	GREENWOOD GLEN RD (T300)	
	0040/0645	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2008
	0040/0218	015 " DIA CIRC METAL LEN=0036	INSTALLED 2000
008959 FT	008959 FT	2 0 27011 0 00 0200+01	
	0040/0000	LENGTH(AH 2246 BK 2762) OLIVER LN	
MAINWARING RD (PRDR)	0030/2542	(PRDR)	
	0030/2097	015 " DIA CIRC METAL LEN=0030	INSTALLED UNKN
		018 " DIA CIRC METAL	

DIR: B TOTAL LEN: 5.447 MI. DIST: 01-3 SR: 2001
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

2 0 27011 0 00 0225+02 006197 FT
 RIGGS PLAN LN
 (PRDR) 0030/0000

RIVER RD
 (SR2002 SEG 0160/2575) 0010/1134



0030/1445 LEN=0030 INSTALLED UNKN
 015 " DIA CIRC METAL
 0030/0640 LEN=0030 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0030/0237 LEN=0040 INSTALLED 2000
 006197 FT
 0030/0000 LENGTH(AH 2762 BK 2597)
 018 " DIA CIR PLASTIC
 0020/2565 LEN=0030 INSTALLED 2000
 0020/0605 018 " DIA CIR PLASTIC
 LEN=0050 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0020/0097 LEN=0040 INSTALLED 2000
 003600 FT 2 0 27011 0 00 0251+26
 0020/0000 LENGTH(AH 2597 BK 3600)
 018 " DIA CIR PLASTIC
 0010/3344 LEN=0050 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0010/2884 LEN=0040 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0010/2565 LEN=0050 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0010/2286 LEN=0050 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0010/2013 LEN=0050 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0010/1672 LEN=0050 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0010/1340 LEN=0050 INSTALLED 2006
 0010/1132 BMS EN 27/2001/0010/1063
 2 0 27011 0 00 0276+91
 MAPLE CREEK
 0010/1063 BMS BG 27/2001/0010/1063
 000000 FT 2 0 27011 0 00 0287+56
 NC GR GREENWOOD RD
 SR 0899 SH
 (SR0899 SEG 0030/0000)
 MFC BEGIN = E
 0010/0000 LENGTH(AH 3600 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 81
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
DIR: B TOTAL LEN: 5.745 MI. DIST: 01-3 SR: 1005
LEFT MUN: HOWE T RIGHT MUN: HOWE T

030333 FT

BROOKSTON RD
(SR0948 SEG 0060/0000) 0110/2888



030333 FT
INTER-AHD FORK RUN RD
(T372)
BROOKSTON RD
0110/2888 (SR0948 SEG 0060/0000)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 80
COUNTY: FOREST

DIR: B
LEFT MUN: HOWE T

TOTAL LEN: 5.745 MI.

DIST: 01-3
RIGHT MUN: HOWE T

SR: 1005

027445 FT

025006 FT

0110/2858	018 " DIA	CIRC METAL	LEN=0080	INSTALLED	1998
0110/2522	018"H 15"W	METAL ARCH	LEN=0040	INSTALLED	2004
0110/2262	021"H 15"W	METAL ARCH	LEN=0040	INSTALLED	2004
0110/2072	015"H 20"W	ELLIP METAL	LEN=0040	INSTALLED	2004
0110/1986	015"H 20"W	ELLIP METAL	LEN=0030	INSTALLED	1998
0110/1937	015"H 20"W	ELLIP METAL	LEN=0030	INSTALLED	2004
0110/1803	BMSSEN 27/1005/0110/1765		2 0 27021 0 00 0292+65		
	BOGUS CK:				
0110/1789	BMSBG 27/1005/0110/1765				
0110/1344	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	UNKN
0110/0616	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2004
027445 FT	2 0 27021 0 00 0275+00				
0110/0000	LENGTH(AH 2888 BK 2439)				
0100/2187	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	1998
0100/1777	018 " DIA	CIR PLASTIC	LEN=0035	INSTALLED	1998
0100/0932	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2004
0100/0514	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	1998
0100/0125	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2004
025006 FT	2 0 27021 0 00 0250+61				
0100/0000	LENGTH(AH 2439 BK 2957)				
0090/2727	018 " DIA	CIR PLASTIC	LEN=0046	INSTALLED	1998
0090/2432	018 " DIA	CIR PLASTIC	LEN=0045	INSTALLED	1998
0090/2141	018 " DIA	CIR PLASTIC	LEN=0045	INSTALLED	1998
0090/1860	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2004
0090/1523	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2004
0090/1288	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2004

DIR: B TOTAL LEN: 5.745 MI. DIST: 01-3 SR: 1005
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

Stationing	Notes	Material	Length	Year
022049 FT		036 " DIA CIR PLASTIC	0090/0540	1998
		LEN=0045 INSTALLED		
		018 " DIA CIR PLASTIC	0090/0186	2004
		LEN=0040 INSTALLED		
		2 0 27021 0 00 0220+33	022049 FT	
		LENGTH(AH 2957 BK 2075)	5 0090/0000	
		018 " DIA CIR PLASTIC	0080/1747	1998
		LEN=0030 INSTALLED		
		018 " DIA CIR PLASTIC	0080/1515	1998
		LEN=0030 INSTALLED		
#223 FORESTRY RD (FRST)			0080/0501	
019974 FT		018 " DIA CIR PLASTIC	0080/0250	1998
		LEN=0030 INSTALLED		
		2 0 27021 0 00 0199+58	019974 FT	
		LENGTH(AH 2075 BK 2492)	5 0080/0000	
		036 " DIA CIR PLASTIC	0070/2400	UNKN
		LEN=0050 INSTALLED		
		018 " DIA CIR PLASTIC	0070/2200	2004
		LEN=0050 INSTALLED		
		018 " DIA CIR PLASTIC	0070/1345	1998
		LEN=0030 INSTALLED		
		018 " DIA CIR PLASTIC	0070/0502	UNKN
		LEN=0040 INSTALLED		
		018 " DIA CIR PLASTIC	0070/0267	1998
		LEN=0030 INSTALLED		
017482 FT		2 0 27021 0 00 0174+66	017482 FT	
		LENGTH(AH 2492 BK 2530)	5 0070/0000	
		018 " DIA CIR PLASTIC	0060/1678	2006
		LEN=0040 INSTALLED		
		018 " DIA CIR PLASTIC	0060/0218	1998
		LEN=0030 INSTALLED		
		2 0 27021 0 00 0149+59	014952 FT	
		SHEFFIELD JUNCTION RD (T374)	5 0060/0000	
		LENGTH(AH 2530 BK 2828)		
		018 " DIA CIR PLASTIC	0050/1660	UNKN
		LEN=0040 INSTALLED		

DIR: B TOTAL LEN: 5.745 MI. DIST: 01-3 SR: 1005
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

012124 FT

0050/0060 018 "DIA CIR PLASTIC
 LEN=0030 INSTALLED 1998
 012124 FT 2 0 27021 0 00 0121+12
 NC WATSON FARM RD
 0050/0000 LENGTH(AH 2828 BK 3355)
 018 "DIA CIR PLASTIC
 0040/2906 LEN=0027 INSTALLED 1998

008769 FT

0040/1625 018 "DIA CIR PLASTIC
 LEN=0030 INSTALLED 1998
 0040/0855 018 "DIA CIR PLASTIC
 LEN=0030 INSTALLED 1998
 0040/0009 015"H 21"W ELLIP METAL
 LEN=0035 INSTALLED 1998
 008769 FT 2 0 27021 0 00 0087+59
 NC ROBINSON RD
 WATSON FARM RD
 (T373)
 0040/0000 LENGTH(AH 3355 BK 3279)

005490 FT

0030/2350 018 "DIA CIR PLASTIC
 LEN=0060 INSTALLED 1998
 0030/2004 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 1998
 0030/1612 018 "DIA CIR PLASTIC
 LEN=0050 INSTALLED 2007
 0030/1231 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2007
 0030/1031 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2007
 0030/0745 036 "DIA CIR PLASTIC
 LEN=0035 INSTALLED 1998
 0030/0588 024 "DIA CIR PLASTIC
 LEN=0030 INSTALLED 1998
 0030/0222 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 1998
 0030/0165 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2006
 005490 FT 2 0 27021 0 00 0054+80
 0030/0000 LENGTH(AH 3279 BK 2989)
 030 "DIA CIR PLASTIC
 0020/2810 LEN=0048 INSTALLED 1998
 018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 77
COUNTY: FOREST

DIR: B
LEFT MUN: HOWE T

TOTAL LEN: 5.745 MI.

DIST: 01-3
RIGHT MUN: HOWE T

SR: 1005

002501 FT

000000 FT

0020/2402	LEN=0065	INSTALLED	1998
0020/2172	LEN=0050	INSTALLED	1998
0020/1913	LEN=0055	INSTALLED	1998
0020/1689	LEN=0040	INSTALLED	1998
0020/1305	LEN=0040	INSTALLED	1998
0020/1208	LEN=0035	INSTALLED	1998
0020/1013	LEN=0040	INSTALLED	1997
0020/0896	LEN=0040	INSTALLED	1997
0020/0821	LEN=0035	INSTALLED	1998
0020/0745	LEN=0040	INSTALLED	2000
0020/0621	LEN=0040	INSTALLED	1997
0020/0316	LEN=0040	INSTALLED	2006
0020/0177	LEN=0040	INSTALLED	1998
0020/0080	LEN=0040	INSTALLED	1998
002501 FT	2 0 27021	0 00 0025+01	
0020/0000	LENGTH(AH	2989 BK 2501)	
0010/1920	LEN=0040	INSTALLED	1998
0010/1102	LEN=0050	INSTALLED	1998
0010/0943	LEN=0040	INSTALLED	1998
0010/0815	LEN=0035	INSTALLED	1998
0010/0600	LEN=0040	INSTALLED	1998
0010/0097	BMSFN 27/1005	0010/0045	
	2 0 27021	0 00 0000+45	
0010/0045	BMSBG 27/1005	0010/0045	
000000 FT	2 0 27021	0 00 0000+00	
	NC RO	BINSON HILL RD	
		BLUE JAY CK	
		(SR1003 SEG 0090/0000)	
	MFC BEGIN = D		
0010/0000	LENGTH(AH	2501 BK 0000)	

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

Stationing	Notes	Material	Length	Installation	Year
0110/0813	BLUE JAY CREEK	BMSBG 27/1003/0110/0813			
0110/0373	018" DIA CIR PLASTIC	LEN=0050		INSTALLED	2021
025474 FT	2 0 27015 0 00 0255+03				
0110/0000	LENGTH(AH 3104 BK 3119)	018" DIA CIR PLASTIC			
0100/3088	018" DIA CIR PLASTIC	LEN=0035		INSTALLED	1996
0100/2915	018" DIA CIR PLASTIC	LEN=0040		INSTALLED	1996
0100/2590	018" DIA CIR PLASTIC	LEN=0050		INSTALLED	2021
0100/2307	018" DIA CIR PLASTIC	LEN=0040		INSTALLED	2000
0100/2157	018" DIA CIRC METAL	LEN=0040		INSTALLED	1996
0100/1972	018" DIA CIR PLASTIC	LEN=0050		INSTALLED	2021
0100/1572	018" DIA CIR PLASTIC	LEN=0045		INSTALLED	1996
0100/1330	024" DIA CIRC METAL	LEN=0045		INSTALLED	1996
0100/0453	015" DIA CIRC METAL	LEN=0040		INSTALLED	UNKN
0100/0155	024" DIA CIR PLASTIC	LEN=0050		INSTALLED	1996
022355 FT					
0100/0000	LENGTH(AH 3119 BK 2247)				
0090/1145	015" DIA CIRC METAL	LEN=0035		INSTALLED	UNKN
0090/1018	015" DIA CIRC METAL	LEN=0040		INSTALLED	UNKN
0090/0771	015" DIA CIRC METAL	LEN=0040		INSTALLED	UNKN
0090/0460	018" DIA CIR PLASTIC	LEN=0035		INSTALLED	2000
0090/0115	018" DIA CIR PLASTIC	LEN=0050		INSTALLED	2019
020108 FT	2 0 27015 0 00 0201+32				
0090/0000	ROBINSON HILL RD	(SR1005 SEG 0010/0000)			
0080/1731	LENGTH(AH 2247 BK 1891)	018" DIA CIR PLASTIC		INSTALLED	UNKN
		LEN=0040			
		015" DIA CIR PLASTIC			

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 74
COUNTY: FOREST

DIR: B
LEFT MUN: HOWE T

TOTAL LEN: 5.413 MI.

DIST: 01-3
RIGHT MUN: HOWE T

SR: 1003

018217 FT

015369 FT

0080/0936	LEN=0036	INSTALLED UNKN
0080/0707	015 "DIA CIRC METAL	INSTALLED 1996
0080/0469	018 "DIA CIR PLASTIC	INSTALLED 2000
0080/0276	018 "DIA CIR PLASTIC	INSTALLED 2000
0080/0041	BMSSEN 27/1003/0080/0000	
018217 FT	2 0 27015 0 00 0182+40	
	BLUE JAY CK.	
	BMSBG 27/1003/0080/0000	
0080/0000	LENGTH(AH 1891 BK 2848)	
0070/2450	015 "DIA CIRC METAL	INSTALLED 1996
0070/2243	018 "DIA CIR PLASTIC	INSTALLED UNKN
0070/1974	018 "DIA CIR PLASTIC	INSTALLED UNKN
0070/1770	018 "DIA CIR PLASTIC	INSTALLED 1996
0070/1596	018 "DIA CIR PLASTIC	INSTALLED 2000
0070/1314	018 "DIA CIR PLASTIC	INSTALLED 2000
0070/1080	018 "DIA CIR PLASTIC	INSTALLED 1996
0070/0934	FORESTRY RD (FRST)	
0070/0862	018 "DIA CIR PLASTIC	INSTALLED 1996
0070/0741	018 "DIA CIR PLASTIC	INSTALLED 2000
0070/0608	018 "DIA CIR PLASTIC	INSTALLED UNKN
0070/0235	018 "DIA CIR PLASTIC	INSTALLED 2000
015369 FT	2 0 27015 0 00 0153+83	
	054 "H 72" W CON BOX CUL	
0070/0000	LEN=0035 INSTALLED 1996	
	LENGTH(AH 2848 BK 2856)	
0060/2035	BMSSEN 27/1003/0060/2020	
	2 0 27015 0 00 0145+48	
	ROCK SPRINGS	
0060/2020	BMSBG 27/1003/0060/2020	
0060/1666	BMSSEN 27/1003/0060/1600	
	2 0 27015 0 00 0125+27	
	BLUE JAY CK.	
0060/1589	BMSBG 27/1003/0060/1600	
	018 "DIA CIR PLASTIC	

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

---	0060/1407	LEN=0045	INSTALLED	UNKN
---	0060/1137	018 "DIA	CIR PLASTIC	
---	0060/0835	LEN=0040	INSTALLED	2015
---	0060/0508	018 "DIA	CIR PLASTIC	
---	0060/0508	LEN=0045	INSTALLED	UNKN
---	0060/0508	024 "DIA	CIR PLASTIC	
---	0060/0508	LEN=0045	INSTALLED	1996
---	0060/0508	018 "DIA	CIR PLASTIC	
---	0060/0042	LEN=0050	INSTALLED	2021
012513 FT	012513 FT	2 0 27015	0 00 0125+27	
	5 0060/0000	LENGTH(AH	2856 BK	2504)
---	0050/1275	018 "DIA	CIRC METAL	
---	0050/1275	LEN=0035	INSTALLED	1996
---	0050/1024	036 "DIA	CIRC METAL	
---	0050/1024	LEN=0052	INSTALLED	UNKN
---	0050/0651	024 "DIA	CIR PLASTIC	
---	0050/0651	LEN=0052	INSTALLED	UNKN
---	0050/0651	024 "DIA	CIR PLASTIC	
---	0050/0530	LEN=0050	INSTALLED	UNKN
---	0050/0530	018 "DIA	CIR PLASTIC	
010009 FT	0050/0264	LEN=0045	INSTALLED	UNKN
	010009 FT	2 0 27015	0 00 0100+24	
---	5 0050/0000	018 "DIA	CIRC METAL	
---	5 0050/0000	LEN=0050	INSTALLED	UNKN
---	5 0050/0000	LENGTH(AH	2504 BK	2163)
---	0040/1940	018 "DIA	CIRC METAL	
---	0040/1940	LEN=0045	INSTALLED	1996
---	0040/1661	018 "DIA	CIR PLASTIC	
---	0040/1661	LEN=0045	INSTALLED	UNKN
---	0040/1340	018 "DIA	CIR PLASTIC	
---	0040/1340	LEN=0040	INSTALLED	1996
---	0040/0741	018 "DIA	CIR PLASTIC	
---	0040/0741	LEN=0040	INSTALLED	UNKN
---	0040/0509	036 "DIA	CIRC METAL	
---	0040/0509	LEN=0050	INSTALLED	UNKN
---	0040/0308	030 "DIA	CIR PLASTIC	
007846 FT	0040/0308	LEN=0050	INSTALLED	2015
	007846 FT	2 0 27015	0 00 0078+61	
---	5 0040/0000	036 "DIA	CIRC METAL	
---	5 0040/0000	LEN=0052	INSTALLED	UNKN
---	5 0040/0000	LENGTH(AH	2163 BK	2016)
#222 FORESTRY RD (FRST)	0030/1635	018 "DIA	CIR PLASTIC	
---	0030/1583	LEN=0040	INSTALLED	UNKN
---	0030/1583	018 "DIA	CIRC CONCR	
---	0030/1125	LEN=0045	INSTALLED	2006


DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

#221 FORESTRY RD
 (FRST)

Stationing	Notes	Stationing	Description
005830 FT		0030/0016	BMSEN 27/1003/0030/0000
		005830 FT	2 0 27015 0 00 0058+44
			SLATER CREEK
			BMSBG 27/1003/0030/0000
		0030/0000	LENGTH(AH 2016 BK 3335)
0020/3064	==		SNOWMOBILE TRAIL
	==	0020/2988	(FRST)
	---	0020/2677	018 "DIA CIR PLASTIC
	---		LEN=0040 INSTALLED 2000
	---	0020/2254	018 "DIA CIR PLASTIC
	---		LEN=0080 INSTALLED 1996
	---		PENNDOT STOCKPILE YD #9
	==	0020/2150	(GOVT)
	---	0020/1898	BMSEN 27/1003/0020/1879
	---		2 0 27015 0 00 0058+44
	---		BLUE JAY CK.
	---	0020/1879	BMSBG 27/1003/0020/1879
	---		#286 FORESTRY RD
	==	0020/1775	(FRST)
	---	0020/1461	018 "DIA CIR PLASTIC
	---		LEN=0046 INSTALLED UNKN
	---		018 "DIA CIR PLASTIC
	---	0020/0440	LEN=0050 INSTALLED UNKN
002495 FT		002495 FT	2 0 27015 0 00 0024+98
		0020/0000	LENGTH(AH 3335 BK 2495)
	---		030 "DIA CIRC METAL
	---	0010/2116	LEN=0043 INSTALLED 1996
	---		024 "DIA CIR PLASTIC
	---	0010/1972	LEN=0040 INSTALLED 1996
	---		018 "DIA CIR PLASTIC
	---	0010/1582	LEN=0046 INSTALLED UNKN
	---		018 "DIA CIR PLASTIC
	---	0010/1193	LEN=0040 INSTALLED 1996
	---		018 "DIA CIR PLASTIC
	---	0010/0982	LEN=0040 INSTALLED 1996
	---		024 "DIA CIR PLASTIC
	---	0010/0274	LEN=0052 INSTALLED UNKN
000000 FT		000000 FT	2 0 27015 0 00 0000+00
			SR 0066 SH
			(SR0066 SEG 0260/0000)
			NC BL
			UE JAY CREEK RD
			MFC BEGIN = C
SR 0066 SH		0010/0000	LENGTH(AH 2495 BK 0000)
(SR0066 SEG 0260/0000)			

DIR: B TOTAL LEN: .426 MI. DIST: 01-3 SR: 1001
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

002250 FT



002250 FT AH-WARREN (61)
 INTER-AHD CHERRY GROVE RD
 0010/2250 (SR2001 SEG 0010/0000)
 0010/2130 024 "DIA CIR PLASTIC UNKN
 0010/1714 024 "DIA CIR PLASTIC UNKN
 0010/1585 024 "DIA CIR PLASTIC UNKN
 0010/1370 024 "DIA CIR PLASTIC UNKN
 0010/1150 024 "DIA CIR PLASTIC UNKN
 0010/0902 024 "DIA CIR PLASTIC UNKN
 0010/0700 024 "DIA CIR PLASTIC UNKN
 0010/0325 024 "DIA CIR PLASTIC UNKN
 0010/0140 024 "DIA CIR PLASTIC UNKN
 000000 FT 2 0 27014 0 00 0000+00
 NC MI MINISTER HILL RD
 DAVID ZINZBERGER RD
 (SR0666 SEG 0390/0000)
 MFC BEGIN = D
 0010/0000 LENGTH(AH 2250 BK 0000)

000000 FT

DAVID ZINZBERGER RD
 (SR0666 SEG 0390/0000) 0010/0000

DIR: B TOTAL LEN: 3.084 MI. DIST: 01-3 SR: 948
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

Stationing	Structure	Material	Length	Year
016286 FT	016286 FT INTER-AHD	AH-WARREN BROOKSTON RD	(61)	
0070/2359	0070/2359	(SR0948 SEG 0010/0000)		
0070/1248	054 " DIA	CIRC CONCR	LEN=0060	1997
0070/0918	018 " DIA	CIRC CONCR	LEN=0050	UNKN
0070/0722	018 " DIA	CIRC CONCR	LEN=0060	1997
0070/0667	018 " DIA	CIRC CONCR	LEN=0055	UNKN
0070/0195	018 " DIA	CIRC CONCR	LEN=0050	UNKN
013927 FT	013927 FT	2 0 27013 0 00 0139+64		
0070/0000	0070/0000	LENGTH(AH 2359 BK 2664)		
0060/2356	024 " DIA	CIRC CONCR	LEN=0060	1997
0060/2063	015 " DIA	CIRC METAL	LEN=0100	1997
0060/1492	018 " DIA	CIRC CONCR	LEN=0050	1997
0060/1220	018 " DIA	CIRC CONCR	LEN=0050	1997
0060/1088	018 " DIA	CIRC CONCR	LEN=0100	1997
0060/0448	018 " DIA	CIRC CONCR	LEN=0050	1997
0060/0179	BOGUS RUN STRUCTURE	LENGTH 20 FT		
011263 FT	011263 FT	BMSID 27/0948/0060/0179		
0060/0000	0060/0000	2 0 27013 0 00 0113+00		
010046 FT	010046 FT	FORK RUN RD (T372)		
0050/0000	0050/0000	LENGTH(AH 2664 BK 1217)		
0040/2350	018 " DIA	CIRC CONCR	LEN=0060	1997


WATSON FARM RD
 (SR1005 SEG 0110/2888)

DIR: B TOTAL LEN: 3.084 MI. DIST: 01-3 SR: 948
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0040/2098	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0040/1643	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0040/1083	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0040/0819	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
007314 FT	0040/0300	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	007314 FT	2 0 27013	0 00 0073+14	
	0040/0000	LENGTH(AH	2732 BK 2349)	
	0030/2274	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0030/1920	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0030/1173	018 " DIA	CIRC CONCR	
		LEN=0050	INSTALLED	1997
004965 FT	0030/0514	018 " DIA	CIRC CONCR	
		LEN=0050	INSTALLED	1998
	004965 FT	2 0 27013	0 00 0049+65	
	0030/0000	LENGTH(AH	2349 BK 2514)	
	0020/2384	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0020/1809	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
	0020/1380	018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED	1997
002451 FT	0020/0685	018 " DIA	CIRC CONCR	
		LEN=0050	INSTALLED	1997
	002451 FT	2 0 27013	0 00 0024+51	
	0020/0000	LENGTH(AH	2514 BK 2451)	
	0010/1499	018 " DIA	CIRC CONCR	
		LEN=0050	INSTALLED	1997
000000 FT	000000 FT	2 0 27013	0 00 0000+00	
	INTER-BK	SR 0948 SH		
		(SR0948 SH	SEG 0560/2992)	
		MFC BEGIN = D		
		BK-ELK	(24)	
	0010/0000	LENGTH(AH	2451 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 68
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

051059 FT



051059 FT	SR 0066	SH	
0180/1791	(SR0066	SEG 0100/0000)	
	018 "DIA	CIRC CONCR	
0180/1752	LEN=0060	INSTALLED UNKN	
	018 "DIA	CIRC CONCR	
0180/1302	LEN=0050	INSTALLED UNKN	
	OLD RT 899	RD	
0180/0876	(T319)		

DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

2 0 27012 0 00 0226+12 049268 FT
 ROSES RD
 (T325)

0180/0000

046841 FT

044255 FT

2 0 27012 0 00 0139+51 040745 FT
 GILFOYLE RD

0180/0640	018 " DIA	CIRC CONCR
	LEN=0048	INSTALLED UNKN
049268 FT		
0180/0000	LENGTH(AH 1791 BK 2427)	
	024 " DIA	CIRC CONCR
	LEN=0055	INSTALLED UNKN
0170/2113	018 " DIA	CIRC CONCR
	LEN=0056	INSTALLED UNKN
0170/1716	018 " DIA	CIRC CONCR
	LEN=0056	INSTALLED UNKN
0170/1153	018 " DIA	CIRC CONCR
	LEN=0056	INSTALLED UNKN
046841 FT		
	2 0 27012 0 00 0200+66	
	MAPLE CK.	
	STRUCTURE LENGTH 10 FT	
	BMSID 27/0899/0170/0000	
0170/0000	LENGTH(AH 2427 BK 2586)	
	018 " DIA	CIRC CONCR
	LEN=0055	INSTALLED UNKN
0160/1830	018 " DIA	CIRC CONCR
	LEN=0060	INSTALLED UNKN
0160/1531	024 " DIA	CIRC CONCR
	LEN=0070	INSTALLED UNKN
0160/1032		
	018 " DIA	CIRC CONCR
	LEN=0055	INSTALLED UNKN
0160/0253	2 0 27012 0 00 0174+61	
044255 FT	LENGTH(AH 2586 BK 3510)	
0160/0000	036 " DIA	CIRC CONCR
	LEN=0057	INSTALLED UNKN
0150/3366		
	018 " DIA	CIRC CONCR
	LEN=0046	INSTALLED UNKN
0150/2244	018 " DIA	CIRC CONCR
	LEN=0051	INSTALLED UNKN
0150/1991	018 " DIA	CIRC CONCR
	LEN=0055	INSTALLED UNKN
0150/1609	042 " DIA	CIRC CONCR
	LEN=0064	INSTALLED UNKN
0150/1463	018 " DIA	CIRC CONCR
	LEN=0043	INSTALLED UNKN
0150/0957	018 " DIA	CIRC CONCR
	LEN=0046	INSTALLED UNKN
0150/0672		
	018 " DIA	CIRC CONCR
	LEN=0046	INSTALLED UNKN
040745 FT		

DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Stationing	Length	Material	Notes
(T323) 0150/0000	3510	BK 2964	LENGTH(AH 3510 BK 2964)
0140/2859	0044	CONCR	018 "DIA CIRC CONCR
0140/2411	0040	CONCR	018 "DIA CIRC CONCR
0140/1384	0041	CONCR	018 "DIA CIRC CONCR
0140/0870	0058	CONCR	018 "DIA CIRC CONCR
0140/0554	0054	CONCR	018 "DIA CIRC CONCR
0140/0231	0053	CONCR	018 "DIA CIRC CONCR
0140/0067	0056	CONCR	018 "DIA CIRC CONCR
037781 FT	27012	0109+85	2 0 27012 0 00 0109+85
0140/0000	2964	BK 2800	LENGTH(AH 2964 BK 2800)
0130/2132	0054	CONCR	018 "DIA CIRC CONCR
0130/0050	0054	CONCR	030 "DIA CIRC CONCR
0130/0035			JENKS BARNETT T
034981 FT	27012	0081+85	2 0 27012 0 00 0081+85
0130/0000	2800	BK 2936	LENGTH(AH 2800 BK 2936)
0120/2042	0052	CONCR	024 "DIA CIRC CONCR
0120/1878	0050	CONCR	024 "DIA CIRC CONCR
0120/1559	0044	CONCR	018 "DIA CIRC CONCR
0120/1206	0046	CONCR	015 "DIA CIRC CONCR
0120/0815	0045	CONCR	024 "DIA CIRC CONCR
032045 FT			032045 FT
0120/0000	2936	BK 2779	LENGTH(AH 2936 BK 2779)
0110/2218	0044	CONCR	018 "DIA CIRC CONCR

2 0 27012 0 00 0052+49 032045 FT
 MAPLE CREEK DR
 (T311) 0120/0000

DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T


Stationing	Segment	Length	Material	Status
0110/1769	036 " DIA	LEN=0063	CIRC CONCR	INSTALLED UNKN
0110/1063	018 " DIA	LEN=0044	CIRC CONCR	INSTALLED UNKN
0110/1025	018 " DIA	LEN=0045	CIR PLASTIC	INSTALLED 2016
0110/0914	RED FOX RD (PRDR)			
0110/0631	018 " DIA	LEN=0048	CIRC CONCR	INSTALLED UNKN
0110/0253	024 " DIA	LEN=0051	CIRC CONCR	INSTALLED UNKN
029266 FT	2 0 27012 0 00 0024+92	029266 FT		
0110/0000	LENGTH(AH 2779 BK 2492)			
0100/2047	018 " DIA	LEN=0052	CIRC CONCR	INSTALLED UNKN
0100/1026	024 " DIA	LEN=0055	CIRC CONCR	INSTALLED UNKN
0100/0552	018 " DIA	LEN=0043	CIRC CONCR	INSTALLED UNKN
0100/0252	018 " DIA	LEN=0042	CIRC CONCR	INSTALLED UNKN
026774 FT	026774 FT			
0100/0000	LENGTH(AH 2492 BK 3561)			
0090/3074	048 " DIA	LEN=0072	CIRC CONCR	INSTALLED UNKN
0090/2930	018 " DIA	LEN=0050	CIRC CONCR	INSTALLED UNKN
0090/2578	018 " DIA	LEN=0050	CIRC CONCR	INSTALLED UNKN
0090/2185	018 " DIA	LEN=0050	CIRC CONCR	INSTALLED UNKN
0090/1832	018 " DIA	LEN=0057	CIRC CONCR	INSTALLED UNKN
0090/1535	018 " DIA	LEN=0057	CIRC CONCR	INSTALLED UNKN
0090/1287	018 " DIA	LEN=0060	CIRC CONCR	INSTALLED UNKN
0090/1055	018 " DIA	LEN=0055	CIRC CONCR	INSTALLED UNKN
0090/0682	018 " DIA	LEN=0053	CIRC CONCR	INSTALLED UNKN

2 0 27012 0 00 0000+00 026774 FT
 BEAR RUN RD
 (SR2008 SEG 0060/2718) 0100/0000
 SILVIS LN
 (T350) 0090/3149

LC FOR SILVIS LN
 (T350) 0090/2590

DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

023213 FT



0090/0024 BMS EN 27/0899/0090/0000
 023213 FT 1 0 00600 0 01 0241+67
 MAPLE CK BR.
 BMSBG 27/0899/0090/0000
 LENGTH(AH 3561 BK 3961)



0080/3323 018 " DIA CIRC CONCR
 LEN=0060 INSTALLED UNKN



0080/2149 048 " DIA CIRC CONCR
 LEN=0108 INSTALLED UNKN



0080/1231 018 " DIA CIRC CONCR
 LEN=0052 INSTALLED UNKN



0080/0591 018 " DIA CIRC CONCR
 LEN=0050 INSTALLED UNKN



019252 FT

0080/0242 018 " DIA CIRC CONCR
 LEN=0054 INSTALLED UNKN



019252 FT 1 0 00600 0 01 0202+64
 LENGTH(AH 3961 BK 3406)



0070/3298 024 " DIA CIRC CONCR
 LEN=0056 INSTALLED UNKN



0070/2788 018 " DIA CIRC CONCR
 LEN=0062 INSTALLED UNKN



0070/1658 018 " DIA CIRC CONCR
 LEN=0052 INSTALLED UNKN

015846 FT



015846 FT 1 0 00600 0 01 0168+58
 BLUE RIDGE RD
 (T360)



0070/0000 LENGTH(AH 3406 BK 3322)
 018 " DIA CIRC CONCR



0060/3102 LEN=0058 INSTALLED UNKN
 018 " DIA CIRC CONCR



0060/2714 LEN=0043 INSTALLED UNKN
 018 " DIA CIRC CONCR



0060/2235 LEN=0055 INSTALLED UNKN



0060/1116 048 " DIA CIRC CONCR
 LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

012524 FT

0060/0239	018 " DIA	CIRC	CONCR	LEN=0058	INSTALLED	UNKN
012524 FT	1 0 00600	0 01	0134+57			
5 0060/0000	LENGTH(AH		3322	BK	3451)	
0050/2793	018 " DIA	CIRC	CONCR	LEN=0060	INSTALLED	UNKN
0050/2361	018 " DIA	CIRC	CONCR	LEN=0048	INSTALLED	UNKN

009073 FT

0050/1234	018 " DIA	CIRC	CONCR	LEN=0048	INSTALLED	UNKN
0050/0912	018 " DIA	CIRC	CONCR	LEN=0052	INSTALLED	UNKN
0050/0058	024 " DIA	CIRC	CONCR	LEN=0050	INSTALLED	UNKN
009073 FT	1 0 00600	0 01	0100+06			
5 0050/0000	LENGTH(AH		3451	BK	2520)	
0040/2243	018 " DIA	CIRC	CONCR	LEN=0045	INSTALLED	UNKN
0040/1897	018 " DIA	CIRC	CONCR	LEN=0050	INSTALLED	UNKN
0040/1597	018 " DIA	CIRC	CONCR	LEN=0056	INSTALLED	UNKN
0040/1319	024 " DIA	CIRC	CONCR	LEN=0050	INSTALLED	UNKN
0040/1189	018 " DIA	CIRC	CONCR	LEN=0050	INSTALLED	UNKN
0040/0931	018 " DIA	CIRC	CONCR	LEN=0051	INSTALLED	UNKN
0040/0599	024 " DIA	CIRC	CONCR	LEN=0052	INSTALLED	UNKN

006553 FT

0040/0281	018 " DIA	CIRC	CONCR	LEN=0050	INSTALLED	UNKN
006553 FT	1 0 00600	0 01	0074+86			
5 0040/0000	LENGTH(AH		2520	BK	2418)	
0030/2079	018 " DIA	CIRC	CONCR	LEN=0048	INSTALLED	UNKN
0030/2012	RETAINING WALL		END	BMSID	27/0899/0030/1820	
0030/1820	RETAINING WALL		BEGIN	BMSID	27/0899/0030/1820	
0030/1776	018 " DIA	CIRC	CONCR	LEN=0050	INSTALLED	UNKN
0030/1577	018 " DIA	CIRC	CONCR	LEN=0052	INSTALLED	UNKN
018 " DIA	CIRC	CONCR	LEN=0052	INSTALLED	UNKN	

DIR: B TOTAL LEN: 9.670 MI. DIST: 01-3 SR: 899
 LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

1 0 00600 0 01 0050+68 004135 FT
 GREENWOOD RD
 (SR2001 SEG 0010/0000) 0030/0000

BACK ST
 (T363)

001552 FT


0010/0572

000000 FT

---	0030/1282	LEN=0054	INSTALLED	UNKN
---	0030/0878	LEN=0052	INSTALLED	UNKN
---	0030/0486	LEN=0046	INSTALLED	UNKN
▬	0030/0400	BMSID 27/0899/0030/0925	RETAINING WALL END	
---	0030/0259	LEN=0060	INSTALLED	UNKN
▬	0030/0040	BMSID 27/0899/0030/0925	RETAINING WALL BEGIN	
==	0030/0000	LENGTH(AH 2418 BK 2583)		
---	0020/2286	LEN=0050	INSTALLED	UNKN
---	0020/1951	LEN=0056	INSTALLED	UNKN
---	0020/1811	LEN=0052	INSTALLED	UNKN
---	0020/1473	LEN=0055	INSTALLED	UNKN
---	0020/1208	LEN=0056	INSTALLED	UNKN
---	0020/0557	LEN=0055	INSTALLED	UNKN
---	0020/0256	LEN=0055	INSTALLED	UNKN
▬	0020/0000	LENGTH(AH 2583 BK 1552)		
---	0010/1196	LEN=0055	INSTALLED	UNKN
---	0010/1178	LEN=0046	INSTALLED	2016
---	0010/0897	LEN=0045	INSTALLED	UNKN
==	0010/0562	BACK ST (T363)		
==	0010/0424	MAPLE ST (T362)		
▬	000000 FT	1 0 00600 0 00 0001+98		
	INTER-BK	SR 0899 SH		
		(SR0899 SH SEG 0020/2937)		
		MFC BEGIN = C		
		BK-JEFFERSON (33)		
▬	0010/0000	LENGTH(AH 1552 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 61
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

140048 FT



140048 FT AH-WARREN (61)
 INTER-AHD SR 0666 SH
 0540/2276 (SR0666 SEG 0010/0000)
 018 " DIA CIR PLASTIC
 0540/2060 LEN=0045 INSTALLED UNKN
 036 " DIA CIR PLASTIC
 0540/1463 LEN=0060 INSTALLED 2005

 018 " DIA CIR PLASTIC
 0540/0471 LEN=0042 INSTALLED 1998
 137772 FT 1 0 00253 0 02 1389+85
 5 0540/0000 LENGTH(AH 2276 BK 2992)
 018 " DIA CIR PLASTIC
 0530/2770 LEN=0040 INSTALLED UNKN
 024 " DIA CIR PLASTIC
 0530/2674 LEN=0050 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0530/2416 LEN=0040 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0530/2270 LEN=0040 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0530/2122 LEN=0040 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0530/1940 LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0530/1906	018 " DIA LEN=0040	CIR PLASTIC INSTALLED 2000
	0530/1677	018 " DIA LEN=0045	CIR PLASTIC INSTALLED 2000
	0530/1412	018 " DIA LEN=0045	CIR PLASTIC INSTALLED UNKN
	0530/0630	018 " DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
	0530/0407	024 " DIA LEN=0038	CIRC METAL INSTALLED 1998
134780 FT	134780 FT	1 0 00253	0 02 1359+93
	5 0530/0000	LENGTH(AH	2992 BK 3082)
	0520/2970	018 " DIA LEN=0045	CIR PLASTIC INSTALLED UNKN
	0520/2479	048 " DIA LEN=0058	CIRC METAL INSTALLED 1998
	0520/1660	018 " DIA LEN=0058	CIR PLASTIC INSTALLED 1998
	0520/1224	018 " DIA LEN=0058	CIR PLASTIC INSTALLED 1998
	0520/0855	018 " DIA LEN=0058	CIR PLASTIC INSTALLED 1998
	0520/0523	024 " DIA LEN=0058	CIR PLASTIC INSTALLED 1998
131698 FT	131698 FT	1 0 00253	0 02 1329+33
	5 0520/0000	LENGTH(AH	3082 BK 1618)
	0510/1269	018 " DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
	0510/1221	018 " DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
	0510/1059	018 " DIA LEN=0040	CIR PLASTIC INSTALLED 2000
	0510/0854	015 " DIA LEN=0038	CIRC METAL INSTALLED 1998
	0510/0430	018 " DIA LEN=0040	CIR PLASTIC INSTALLED 2000
	0510/0029	018 " DIA LEN=0040	CIR PLASTIC INSTALLED 2000
130080 FT	130080 FT	1 0 00253	0 02 1311+98
	5 0510/0000	BLUE JAY CREEK RD	(SR1003 SEG 0110/3104)
	0500/3591	LENGTH(AH	1618 BK 3684)
		MFC BEGIN = C	
	0500/3494	018 " DIA LEN=0060	CIRC CONCR INSTALLED UNKN
	0500/3199	018 " DIA LEN=0045	CIRC CONCR INSTALLED UNKN
		018 " DIA	CIRC CONCR

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0500/2871	LEN=0045	INSTALLED	UNKN
		018 "DIA	CIRC	CONCR
	0500/2618	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0500/2455	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0500/2037	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0500/1408	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0500/0442	LEN=0045	INSTALLED	1998
126396 FT	0500/0025	BMS EN 27/0666/0500/0000		
	126396 FT	1 0 00253 0 02 1276+11		
		BUSH CREEK		
	0500/0000	BMSBG 27/0666/0500/0000		
		LENGTH(AH 3684 BK 2593)		
		018 "DIA	CIRC	CONCR
	0490/2262	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0490/1903	LEN=0045	INSTALLED	1998
		024 "DIA	CIRC	CONCR
	0490/1688	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0490/1250	LEN=0045	INSTALLED	1998
		018 "DIA	CIRC	CONCR
123803 FT	123803 FT	1 0 00253 0 02 1249+94		
		018 "DIA	CIRC	CONCR
		LEN=0045	INSTALLED	1998
	0490/0000	LENGTH(AH 2593 BK 1880)		
		018 "DIA	CIRC	CONCR
	0480/0902	LEN=0038	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0480/0728	LEN=0038	INSTALLED	1998
		018 "DIA	CIRC	CONCR
	0480/0275	LEN=0038	INSTALLED	1998
121923 FT	121923 FT	1 0 00253 0 02 1231+09		
		BUSH CREEK		
		STRUCTURE LENGTH 9 FT		
	0480/0000	BMSID 27/0666/0480/0000		
		LENGTH(AH 1880 BK 3635)		
		015 "DIA	CIRC	CONCR
	0470/3272	LEN=0048	INSTALLED	1998

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

Stationing	Notes	Material	Installation
0470/2578		018 " DIA	CIRC CONCR INSTALLED 1998
0470/1569		015 " DIA	CIRC CONCR INSTALLED UNKN
0470/1022		018 " DIA	CIRC CONCR INSTALLED 1998
0470/0537		018 " DIA	CIRC CONCR INSTALLED 1998
0470/0187		018 " DIA	CIRC CONCR INSTALLED 1998
0470/0029		018 " DIA	CIRC CONCR INSTALLED 1998
118288 FT		1 0 00253	0 02 1194+56
0470/0000	S	LENGTH(AH 3635 BK 1439)	
0460/1230		018 " DIA	CIRC CONCR INSTALLED 1998
0460/0979		018 " DIA	CIRC CONCR INSTALLED 1998
0460/0299		018 " DIA	CIRC CONCR INSTALLED 1998
0460/0020		BMSSEN 27/0666/0460/0000	
116849 FT		1 0 00253	0 02 1180+17
0460/0000	S	MARTIN RUN BMSBG 27/0666/0460/0000	LENGTH(AH 1439 BK 2813)
0450/2435		018 " DIA	CIRC CONCR INSTALLED 1998
0450/1826	COOPER TRACK RD (T368)		
0450/1815		018 " DIA	CIRC CONCR INSTALLED 1998
0450/1685		018 " DIA	CIRC CONCR INSTALLED 1998
0450/1558		018 " DIA	CIRC CONCR INSTALLED 1998
0450/1171		018 " DIA	CIRC CONCR INSTALLED 1998
0450/0950		018 " DIA	CIRC CONCR INSTALLED 1998
0450/0341		018 " DIA	CIRC CONCR INSTALLED 1998
0450/0012		BMSSEN 27/0666/0450/0000	
114036 FT		1 0 00253	0 02 1151+96
		REAGAN RUN BMSBG 27/0666/0450/0000	

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

111447 FT

109267 FT

	5	0450/0000	LENGTH(AH	2813	BK	2589)
		018 "DIA	CIR	PLASTIC		
---		0440/2125	LEN=0040	INSTALLED	1998	
		015 "DIA	CIRC	METAL		
---		0440/1778	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0440/1599	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0440/1452	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0440/1390	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0440/1014	LEN=0050	INSTALLED	2005	
		024 "DIA	CIR	PLASTIC		
---		0440/0694	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0440/0338	LEN=0040	INSTALLED	1998	
		111447 FT	1 0 00253	0 02	1125+19	
	5	0440/0000	LENGTH(AH	2589	BK	2180)
		018 "DIA	CIR	PLASTIC		
---		0430/2165	LEN=0045	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC		
---		0430/1789	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0430/1694	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0430/1591	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0430/1408	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0430/0950	LEN=0040	INSTALLED	1998	
		0430/0760	BMSSEN	27/0666/0430/0733		
		1 0 00253	0 02	1110+41		
		UP. SHERIFF				
		0430/0733	BMSBG	27/0666/0430/0733		
		018 "DIA	CIR	PLASTIC		
---		0430/0141	LEN=0040	INSTALLED	1998	
		0430/0021	BMSSEN	27/0666/0430/0000		
		109267 FT	1 0 00253	0 02	1103+11	
		L. SHERIFF				
		0430/0000	BMSBG	27/0666/0430/0000		
	5	0430/0000	LENGTH(AH	2180	BK	2754)
		018 "DIA	CIR	PLASTIC		
---		0420/2534	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0420/2343	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0420/2115	LEN=0040	INSTALLED	1998	
		018 "DIA	CIR	PLASTIC		
---		0420/1952	LEN=0040	INSTALLED	1998	

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

106513 FT

103766 FT

0420/1544	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/1191	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/1004	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/0655	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/0496	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/0368	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/0160	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0420/0052	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
106513 FT	1 0 00253	0 02 1075+27
0420/0000	LENGTH(AH	2754 BK 2747)
0410/2586	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/2165	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/2018	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/1468	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/1329	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/1091	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/0662	018 " DIA	CIR PLASTIC
	LEN=0042	INSTALLED 1998
0410/0392	036 " DIA	CIRC METAL
	LEN=0042	INSTALLED 1998
0410/0320	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2019
0410/0032	BMSFN 27/0666/0410/0000	
103766 FT	1 0 00253	0 02 1048+08
	FOOLS CREEK	
0410/0000	BMSBG 27/0666/0410/0000	
	LENGTH(AH	2747 BK 2292)
0400/1437	018 " DIA	CIR PLASTIC
	LEN=0035	INSTALLED UNKN
0400/1369	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2005
0400/1231	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0400/1030	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

101474 FT

1 0 00253 0 02 0994+10 098370 FT
 MINISTER HILL RD
 (SR1001 SEG 0010/0000) 0390/0000

MINISTER CAMPGROUND RD
 (FRST) 0380/1607


0400/0720	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0400/0639	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0400/0359	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
101474 FT	1 0 00253 0 02 1024+95	
5 0400/0000	LENGTH(AH 2292 BK 3104)	
	018 " DIA	CIR PLASTIC
0390/3071	LEN=0040	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/2663	LEN=0040	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/2553	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/2485	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/2263	LEN=0040	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/2136	LEN=0040	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/2048	LEN=0035	INSTALLED UNKN
	018 " DIA	CIR PLASTIC
0390/1800	LEN=0040	INSTALLED UNKN
	018 " DIA	CIR PLASTIC
0390/1450	LEN=0035	INSTALLED UNKN
	018 " DIA	CIR PLASTIC
0390/1254	LEN=0040	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/1104	LEN=0032	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/0868	LEN=0050	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/0722	LEN=0032	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/0593	LEN=0032	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/0358	LEN=0032	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0390/0177	LEN=0032	INSTALLED 1998
098370 FT		
5 0390/0000	LENGTH(AH 3104 BK 1813)	
	BMSSEN 27/0666/0380/1714	
0380/1753	1 0 00253 0 02 0993+19	
	MINISTER CK.	
0380/1714	BMSBG 27/0666/0380/1714	
	018 " DIA	CIR PLASTIC

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0380/1204	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0380/0604	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0380/0386	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
096557 FT	0380/0019	LEN=0040	INSTALLED	1998
	096557 FT	1 0 00253	0 02 0975+01	
	0380/0000	LENGTH(AH	1813 BK 3184)	
		018 " DIA	CIR PLASTIC	
	0370/3030	LEN=0040	INSTALLED	2009
		018 " DIA	CIR PLASTIC	
	0370/2758	LEN=0032	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/2191	LEN=0032	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/2021	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/1764	LEN=0032	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/1514	LEN=0032	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/1441	LEN=0032	INSTALLED	1998
		024 " DIA	CIR PLASTIC	
	0370/1198	LEN=0032	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/0843	LEN=0032	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0370/0626	LEN=0032	INSTALLED	1998
093373 FT	0370/0053	BMSFN 27/0666/0370/0000		
	093373 FT	1 0 00253	0 02 0943+17	
		PORCUPINE RUN		
		BMSBG 27/0666/0370/0000		
	0370/0000	LENGTH(AH	3184 BK 1824)	
		018 " DIA	CIR PLASTIC	
	0360/1269	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0360/1073	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0360/1026	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0360/0976	LEN=0040	INSTALLED	1998
		018 " DIA	CIR PLASTIC	
	0360/0151	LEN=0040	INSTALLED	1998
091549 FT	091549 FT	1 0 00253	0 02 0924+61	
	0360/0000	LENGTH(AH	1824 BK 2479)	
		018 " DIA	CIR PLASTIC	
	0350/2381	LEN=0032	INSTALLED	2020

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

084047 FT



5

0330/0183	018 " DIA	CIR PLASTIC
084047 FT	LEN=0040	INSTALLED 1998
0330/0000	1 0 00253	0 02 0849+59
	LENGTH(AH	3250 BK 2522)
	018 " DIA	CIR PLASTIC
0320/2490	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/2317	LEN=0035	INSTALLED 1998
	018 " DIA	CIRC METAL
0320/2118	LEN=0035	INSTALLED 1998
	018 " DIA	CIRC METAL
0320/1981	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/1709	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/1454	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/0875	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/0807	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/0673	LEN=0035	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0320/0493	LEN=0035	INSTALLED 1998
	015 " DIA	CIRC CONCR
0320/0342	LEN=0035	INSTALLED 1998
	015 " DIA	CIRC METAL
0320/0266	LEN=0035	INSTALLED 1998
081525 FT	1 0 00253	0 02 0824+48
	018 " DIA	CIR PLASTIC
	LEN=0035	INSTALLED 1998
5 0320/0000	LENGTH(AH	2522 BK 2721)
	018 " DIA	CIR PLASTIC
0310/2539	LEN=0040	INSTALLED 1998
	018 " DIA	CIRC METAL
0310/2380	LEN=0028	INSTALLED 1998
	018 " DIA	CIR PLASTIC
0310/2180	LEN=0028	INSTALLED 1998
	060 " DIA	CIRC CONCR
0310/1732	LEN=0065	INSTALLED 1998
	018 " DIA	CIRC CONCR
0310/1315	LEN=0042	INSTALLED 1998
	014"H 22"W	ELLIP CONC
0310/1042	LEN=0040	INSTALLED 1998
	014"H 22"W	ELLIP CONC
0310/0556	LEN=0040	INSTALLED 1998
	018 " DIA	CIRC CONCR
0310/0145	LEN=0028	INSTALLED 1998
078804 FT	1 0 00253	0 02 0797+27
	HOWE	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 51
COUNTY: FOREST

DIR: B TOTAL LEN: 26.524 MI.
LEFT MUN: HOWE T

DIST: 01-3 SR: 666
RIGHT MUN: HOWE T

Stationing	Length	Material	Year
0310/0000	0300	KINGSLEY T LENGTH(AH 2721 BK 3334) 018" DIA CIRC METAL	
0300/2764	0300	LEN=0040 INSTALLED	1998
0300/2612	0300	024" DIA CIRC CONCR	
0300/2405	0300	LEN=0040 INSTALLED	1998
0300/2069	0300	018" DIA CIRC CONCR	
0300/1888	0300	LEN=0040 INSTALLED	1998
0300/1580	0300	018" DIA CIR PLASTIC	
0300/1206	0300	LEN=0040 INSTALLED	1998
0300/0910	0300	018" DIA CIR PLASTIC	
0300/0665	0300	LEN=0040 INSTALLED	1998
0300/0503	0300	MAYBURG RD (TWP)	
0300/0082	0300	BMSBN 27/0666/0300/0000	
075470 FT	075470 FT	1 0 00253 0 02 0763+90	
0290/1255	0300	BOBBS CREEK BMSBG 27/0666/0300/0000	
0290/1130	0290	LENGTH(AH 3334 BK 1374) 024" DIA CIR PLASTIC	
0290/0974	0290	LEN=0030 INSTALLED	2016
0290/0554	0290	018" DIA CIR PLASTIC	
0290/0334	0290	LEN=0040 INSTALLED	2009
074096 FT	074096 FT	015" DIA CIRC METAL	
0290/0000	0290	LEN=0040 INSTALLED	1998
0280/2301	0280	1 0 00253 0 02 0750+17	
0280/2177	0280	018" DIA CIR PLASTIC	
0280/2029	0280	LEN=0040 INSTALLED	2007
0280/1621	0280	LENGTH(AH 1374 BK 2507) 018" DIA CIRC METAL	
	0280	LEN=0050 INSTALLED	1998
	0280	018" DIA CIR PLASTIC	
	0280	LEN=0040 INSTALLED	2013
	0280	018" DIA CIR PLASTIC	
	0280	LEN=0040 INSTALLED	2013
	0280	018" DIA CIR PLASTIC	
	0280	LEN=0040 INSTALLED	2015
	0280	018" DIA CIR PLASTIC	

FORESTRY RD
(FRST)

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

071589 FT

5

069061 FT

5

0280/1408	LEN=0040	INSTALLED	2015
	024" DIA	CIR PLASTIC	
0280/1158	LEN=0040	INSTALLED	2015
	018" DIA	CIR PLASTIC	
0280/0791	LEN=0040	INSTALLED	2015
	018" DIA	CIR PLASTIC	
0280/0455	LEN=0050	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0280/0329	LEN=0040	INSTALLED	2009
	018" DIA	CIR PLASTIC	
0280/0068	LEN=0030	INSTALLED	1998
071589 FT	1 0 00253	0 02 0725+10	
0280/0000	LENGTH(AH	2507 BK 2528)	
	018" DIA	CIR PLASTIC	
0270/2455	LEN=0040	INSTALLED	2007
	018" DIA	CIR PLASTIC	
0270/2334	LEN=0040	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0270/1833	LEN=0040	INSTALLED	2013
	018" DIA	CIR PLASTIC	
0270/0860	LEN=0032	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0270/0125	LEN=0040	INSTALLED	2013
069061 FT	1 0 00253	0 02 0699+82	
0270/0000	LENGTH(AH	2528 BK 2494)	
	018" DIA	CIR PLASTIC	
0260/2129	LEN=0040	INSTALLED	2015
	018" DIA	CIR PLASTIC	
0260/2076	LEN=0040	INSTALLED	2015
	018" DIA	CIR PLASTIC	
0260/1917	LEN=0032	INSTALLED	UNKN
	015" DIA	CIRC METAL	
0260/1666	LEN=0042	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0260/1575	LEN=0042	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0260/1473	LEN=0040	INSTALLED	2016
	018" DIA	CIR PLASTIC	
0260/1278	LEN=0040	INSTALLED	2022
	018" DIA	CIR PLASTIC	
0260/1175	LEN=0032	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0260/0730	LEN=0042	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0260/0430	LEN=0040	INSTALLED	1998
	018" DIA	CIR PLASTIC	
0260/0392	LEN=0032	INSTALLED	1998

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

066567 FT

0260/0173	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0260/0010	1 0 00253	0 02 0674+88
066567 FT	LENGTH(AH	2494 BK 2535)
0260/0000	015 "DIA	CIRC METAL
	LEN=0035	INSTALLED 1998
0250/2438	018 "DIA	CIR PLASTIC
	LEN=0035	INSTALLED 1998
0250/1845	018 "DIA	CIR PLASTIC
	LEN=0035	INSTALLED 1998
0250/1318	048 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED 2009
0250/1062		

064032 FT

0250/0364	018 "DIA	CIR PLASTIC
	LEN=0035	INSTALLED 1998
	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2021
0250/0050	1 0 00253	0 02 0650+00
064032 FT	LENGTH(AH	2535 BK 2520)
0250/0000	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0240/2187		

061512 FT

0240/1558	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
	024 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1997
0240/1375	024 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED 2009
0240/1127	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0240/0673	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0240/0397	1 0 00253	0 02 0624+80
061512 FT	LENGTH(AH	2520 BK 2479)
0240/0000	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/2372	024 "DIA	CIRC METAL
	LEN=0030	INSTALLED 1998
0230/2257	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/2049	015 "DIA	CIRC METAL
	LEN=0035	INSTALLED UNKN
0230/1822	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/1564	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/1387	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/1256	018 "DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

059033 FT

056349 FT

054033 FT

0230/1177	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0230/1038	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/0822	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/0453	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/0365	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
0230/0137	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1998
059033 FT	1 0 00253	0 02 0600+01
0230/0000	LENGTH(AH	2479 BK 2684)
	015 " DIA	CIR PLASTIC
	LEN=0045	INSTALLED 1998
0220/2094	015 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1998
0220/1787	015 " DIA	CAST IRON
	LEN=0040	INSTALLED UNKN
0220/1457	018 " DIA	CIRC METAL
	LEN=0045	INSTALLED 1998
0220/0340	015 " DIA	CIR PLASTIC
	LEN=0050	INSTALLED 1998
056349 FT	1 0 00253	0 01 0573+17
	LT. MINISTER	
	STRUCTURE LENGTH	14 FT
	BMSID 27/0666/0220/0000	
0220/0000	LENGTH(AH	2684 BK 2316)
	014"H 22"W	ELLIP CONC
	LEN=0050	INSTALLED 1998
0210/1809	018 " DIA	CIR PLASTIC
	LEN=0050	INSTALLED 2010
0210/0942	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0210/0741	018 " DIA	CIR PLASTIC
	LEN=0050	INSTALLED 2010
0210/0653	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0210/0337	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0210/0084	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
054033 FT	1 0 00253	0 01 0549+96
0210/0000	LENGTH(AH	2316 BK 2380)
	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2014

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

PIERSON HILL
 (T342)

0200/0514

051653 FT

FORK RUN RD
 (PRDR)

0190/2462

048647 FT

==	0200/1243	(T345)		
---	0200/0875	018" DIA	CIRC CONCR	INSTALLED 1998
---	0200/0546	LEN=0040		
---		018" DIA	CIRC CONCR	INSTALLED 1998
---		LEN=0045		
==	0200/0152	018" DIA	CIRC CONCR	INSTALLED 1998
---	051653 FT	LEN=0035		
---	5 0200/0000	1 0 00253	0 01 0526+16	LENGTH(AH 2380 BK 3006)
---		018" DIA	CIRC CONCR	INSTALLED 1998
---	0190/2829	LEN=0060		
==	0190/2420	BMS EN 27/0666	0190/2397	2 0 27009 0 00 0450+69
---		FORK RUN		
---	0190/2397	BMS BG 27/0666	0190/2397	
---		018" DIA	CIRC CONCR	
---	0190/2017	LEN=0042		INSTALLED 1998
---		CREEK RD		
==	0190/2014	(TBC)		
---	0190/1592	015" DIA	CIRC METAL	INSTALLED 1998
---		LEN=0035		
---	0190/1079	018" DIA	CIRC METAL	INSTALLED 1998
---		LEN=0042		
---	0190/0506	018" DIA	CIRC METAL	INSTALLED 1998
---		LEN=0042		
---	0190/0303	015" DIA	CIRC METAL	INSTALLED 1998
---	048647 FT	LEN=0042		
---		2 0 27009	0 00 0424+80	
---		036" DIA	CIRC CONCR	INSTALLED 1998
---	5 0190/0000	LEN=0035		
---		LENGTH(AH 3006 BK 2629)		
---		024" DIA	CIRC CONCR	
---	0180/2305	LEN=0045		INSTALLED UNKN
---		018" DIA	CIRC CONCR	
---	0180/1750	LEN=0035		INSTALLED 1998
---		036" DIA	CIRC CONCR	
---	0180/1725	LEN=0035		INSTALLED 1998
---		015" DIA	CAST IRON	
---	0180/1423	LEN=0050		INSTALLED UNKN
---		015" DIA	CAST IRON	
---	0180/1178	LEN=0050		INSTALLED 1998
---		014"H 22"	W ELLIP CONC	
---	0180/0922	LEN=0035		INSTALLED 1998
---		014"H 22"	W ELLIP CONC	
---	0180/0700	LEN=0040		INSTALLED 1998
---		018" DIA	CAST IRON	

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

046018 FT	0180/0495	LEN=0070	INSTALLED	1998
	046018 FT	2 0 27009	0 00 0398+51	
	0180/0000	LENGTH(AH 2629 BK 2459)		
		024 "DIA CIRC METAL		
	0170/2242	LEN=0035	INSTALLED	1998
		024 "DIA CIRC CONCR		
	0170/1960	LEN=0042	INSTALLED	1998
		014 "H 22 "W ELLIP CONC		
	0170/0846	LEN=0042	INSTALLED	1998
		014 "H 22 "W ELLIP CONC		
	0170/0572	LEN=0042	INSTALLED	1998
		015 "DIA CIRC METAL		
	0170/0228	LEN=0052	INSTALLED	1998
		014 "H 22 "W ELLIP CONC		
043559 FT	0170/0025	LEN=0035	INSTALLED	1998
	043559 FT	2 0 27009	0 00 0375+42	
	0170/0000	LENGTH(AH 2459 BK 1748)		
		018 "DIA CIRC CONCR		
	0160/1314	LEN=0042	INSTALLED	1998
		018 "DIA CAST IRON		
	0160/0817	LEN=0042	INSTALLED	1998
		018 "DIA CIRC CONCR		
041811 FT	0160/0215	LEN=0042	INSTALLED	1998
	041811 FT	2 0 27009	0 00 0358+15	
		WHIG HILL RD		
		(T336)		
	0160/0000	LENGTH(AH 1748 BK 2648)		
		018 "DIA CIR PLASTIC		
	0150/1885	LEN=0042	INSTALLED	1998
039163 FT	039163 FT	2 0 27009	0 00 0331+67	
		GERMAN HILL RD		
		(SR4004 SEG 0230/3003)		
	0150/0000	LENGTH(AH 2648 BK 3677)		
		014 "H 22 "W ELLIP CONC		
	0140/3205	LEN=0050	INSTALLED	1998
		014 "H 22 "W ELLIP CONC		
	0140/3054	LEN=0060	INSTALLED	1998
		018 "DIA CIRC CONCR		
	0140/2780	LEN=0055	INSTALLED	1998
		015 "H 25 "W ELLIP CONC		
	0140/2509	LEN=0050	INSTALLED	1998

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

---	---	0140/2253	018 " DIA CIRC METAL LEN=0060 INSTALLED 1998
---	---	0140/1333	014 "H 22 "W ELLIP CONC LEN=0055 INSTALLED 1998
---	---	0140/0809	014 "H 22 "W ELLIP CONC LEN=0050 INSTALLED 1998
---	---	0140/0356	015 " DIA CIRC METAL LEN=0040 INSTALLED 1998
---	---	035486 FT	2 0 27009 0 00 0295+16
---	---	0140/0000	LENGTH(AH 3677 BK 3853) 014 "H 22 "W ELLIP CONC
---	---	0130/3523	LEN=0040 INSTALLED 1998
---	---	0130/3289	018 " DIA CIRC CONCR LEN=0040 INSTALLED 2007
---	---	0130/3078	015 " DIA CIRC CONCR LEN=0045 INSTALLED 1998
---	---	0130/2750	030 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
---	---	0130/1971	014 "H 22 "W ELLIP CONC LEN=0042 INSTALLED 1998
---	---	0130/1776	024 " DIA CIR PLASTIC LEN=0040 INSTALLED 2006
---	---	0130/0431	014 "H 22 "W ELLIP CONC LEN=0035 INSTALLED 1998
---	---	0130/0077	LC FOR TOWNLINE RD (CONN)
---	---	031633 FT	2 0 27009 0 00 0257+56
---	---	0130/0000	TOWNLINE RD (T363) LENGTH(AH 3853 BK 3128)
---	---	0120/2815	KINGSLEY HICKORY T
---	---	0120/2565	016 "H 24 "W ELLIP CONC LEN=0040 INSTALLED 2015
---	---	0120/2325	018 " DIA CIR PLASTIC LEN=0048 INSTALLED 1998
---	---	0120/1670	018 " DIA CIR PLASTIC LEN=0048 INSTALLED 1998
---	---	0120/1415	018 " DIA CIRC METAL LEN=0048 INSTALLED 1998
---	---	0120/1050	018 " DIA CIRC METAL LEN=0048 INSTALLED 1998

035486 FT

031633 FT

FORESTRY RD
(FRST)

0120/2000

DIR: B TOTAL LEN: 26.524 MI. DIST: 01-3 SR: 666
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

028505 FT

2 0 27009 0 00 0198+30 025805 FT
 YELLOW HAMMER RD
 (SR4006 SEG 0070/2261) 0110/0000

2 0 27009 0 00 0165+40 022528 FT
 KIFFER HILL RD
 (SR4006 SEG 0010/0000) 0100/0000

0120/0618	014"H 22"W ELLIP CONC LEN=0048 INSTALLED 1998
0120/0345	032" DIA CIRC CONCR LEN=0048 INSTALLED 1998
028505 FT	2 0 27009 0 00 0224+96
0120/0000	LENGTH(AH 3128 BK 2700) 014"H 22"W ELLIP CONC
0110/2350	LEN=0035 INSTALLED 1998
0110/2069	014"H 22"W ELLIP CONC LEN=0035 INSTALLED 1998
0110/1654	014"H 22"W ELLIP CONC LEN=0042 INSTALLED 1998
0110/0988	014"H 22"W ELLIP CONC LEN=0045 INSTALLED 1998
0110/0669	014"H 22"W ELLIP CONC LEN=0042 INSTALLED 1998
RBR	
0110/0322	BMS EN 27/0666/0110/0240 2 0 27009 0 00 0200+92 P3
RBR	
0110/0270	BEAVER RUN BMSBG 27/0666/0110/0240
025805 FT	
0110/0000	LENGTH(AH 2700 BK 3277) 014"H 22"W ELLIP CONC
0100/2993	LEN=0035 INSTALLED 1998
0100/2634	027" DIA CIRC CONCR LEN=0035 INSTALLED 1998
0100/1701	027" DIA CIRC CONCR LEN=0042 INSTALLED 1998
0100/0025	015" DIA CIR PLASTIC LEN=0048 INSTALLED 1998
022528 FT	
0100/0000	LENGTH(AH 3277 BK 3195) 024" DIA CIRC CONCR
0090/3138	LEN=0035 INSTALLED 1998
0090/2956	014"H 22"W ELLIP CONC LEN=0035 INSTALLED 1998
	014"H 22"W ELLIP CONC


EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 42
COUNTY: FOREST

DIR: B TOTAL LEN: 26.524 MI.
LEFT MUN: HICKORY T

DIST: 01-3 SR: 666
RIGHT MUN: HICKORY T



006016 FT

003316 FT

001365 FT

000000 FT

0040/0740	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1997
0040/0530	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 1997
0040/0290	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1997
0040/0015	024 " DIA	CIR PLASTIC
	LEN=0055	INSTALLED 1998
006016 FT	2 0 27009	0 00 0000+00
0040/0000	LENGTH(AH	3275 BK 2700)
	018 " DIA	CIR PLASTIC
0030/2323	LEN=0035	INSTALLED UNKN
	018 " DIA	CIRC METAL
0030/2136	LEN=0035	INSTALLED UNKN
	015 " DIA	CIR PLASTIC
0030/1742	LEN=0040	INSTALLED 1997
	024 " DIA	CIRC METAL
0030/1300	LEN=0030	INSTALLED UNKN
	048 " DIA	CIR PLASTIC
0030/0925	LEN=0055	INSTALLED UNKN
	018 " DIA	CIR PLASTIC
0030/0400	LEN=0040	INSTALLED 1997
	018 " DIA	CIRC METAL
0030/0128	LEN=0040	INSTALLED 1998
003316 FT	1 1 00320	0 01 0024+29
0030/0000	LENGTH(AH	2700 BK 1951)
	018 " DIA	CIR PLASTIC
0020/1654	LEN=0040	INSTALLED 1997
	018 " DIA	CIR PLASTIC
0020/1547	LEN=0040	INSTALLED 1997
0020/0330	BMS EN 27/0666/0020/0180	
	1 1 00320	0 00 0006+40
	E. HICK. CK.	
0020/0180	BMSBG 27/0666/0020/0180	
001365 FT	1 1 00320	0 00 0000+00
0020/0000	LENGTH(AH	1951 BK 1365)
0010/0104	OLD RT 62	
	(T360)	
000000 FT	2 0 27016	0 00 0000+00
	NC DA VID ZEISBURGER HW	
	SR 0062 SH	
	(SR0062 SEG 0260/2827)	
	MFC BEGIN = D	
0010/0000	LENGTH(AH	1365 BK 0000)

FLEMING HILL RD (SR0127 SEG 0100/0000) FOR SR 0127 AND 0227 (CONN)	025952 FT 0110/1917 0110/1812		025952 FT INTER-AHD FLEMING HILL RD 0110/1917 (SR0127 SEG 0100/0000)
UNKNOWN RD (TWP)	0110/0614 024035 FT		0110/0665 018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2009 024035 FT 1 0 00598 0 00 0224+88 S 0110/0000 LENGTH(AH 1917 BK 2504)
	021531 FT		0100/1575 036 "DIA CIR PLASTIC LEN=0050 INSTALLED 2000 021531 FT 1 0 00598 0 00 0199+84 S 0100/0000 LENGTH(AH 2504 BK 2554)
	018977 FT		0090/2077 018 "DIA CIR PLASTIC LEN=0041 INSTALLED 2000 0090/0586 018 "DIA CIR PLASTIC 018977 FT 1 0 00598 0 00 0174+73 S 0090/0000 LENGTH(AH 2554 BK 1780) 001"H 18"W ELLIP METAL

DIR: B TOTAL LEN: 4.915 MI. DIST: 01-3 SR: 227
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

	0080/1705	LEN=0046	INSTALLED	2000
		018 "DIA	CIR PLASTIC	
	0080/1362	LEN=0050	INSTALLED	2014
		018 "DIA	CIR PLASTIC	
	0080/0832	LEN=0060	INSTALLED	2014
		018 "DIA	CIR PLASTIC	
	0080/0570	LEN=0044	INSTALLED	2009
		018 "DIA	CIR PLASTIC	
	0080/0279	LEN=0060	INSTALLED	2014
017197 FT	0080/0065	BMSSEN 27/0227/0080/0000		
	017197 FT	1 0 00598 0 00 0156+92		
		WEST HICKORY CREEK		
	0080/0000	BMSBG 27/0227/0080/0000		
		LENGTH(AH 1780 BK 3168)		
	0070/1703	018 "DIA	CIR PLASTIC	2014
		LEN=0050	INSTALLED	
	0070/1451	018 "DIA	CIR PLASTIC	2014
		LEN=0050	INSTALLED	
	0070/0771	015 "DIA	CIRC METAL	2000
		LEN=0045	INSTALLED	
	0070/0446	018 "DIA	CIR PLASTIC	2014
		LEN=0050	INSTALLED	
	0070/0177	018 "DIA	CIRC METAL	2000
014029 FT	014029 FT	1 0 00598 0 00 0124+99		
	0070/0000	LENGTH(AH 3168 BK 2510)		
		018 "DIA	CIR PLASTIC	
	0060/2170	LEN=0050	INSTALLED	2014
		018 "DIA	CIRC METAL	
	0060/1660	LEN=0041	INSTALLED	2000
	0060/0917	018 "DIA	CIR PLASTIC	2014
		LEN=0050	INSTALLED	
011519 FT	011519 FT	1 0 00598 0 00 0099+74		
	0060/0000	LENGTH(AH 2510 BK 2495)		
		018 "DIA	CIR PLASTIC	
	0050/1945	LEN=0050	INSTALLED	2014
	0050/0400	018 "DIA	CIR PLASTIC	2000
009024 FT	009024 FT	1 0 00598 0 00 0074+79		

DIR: B TOTAL LEN: 4.915 MI. DIST: 01-3 SR: 227
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

		5	0050/0000	LENGTH(AH 2495 BK 2494)
			0040/2376	018 "DIA CIR PLASTIC
			0040/2215	LEN=0040 INSTALLED UNKN
			0040/1468	018 "DIA CIRC METAL
				LEN=0049 INSTALLED 2000
				018 "DIA CIR PLASTIC
006530 FT			0040/0127	LEN=0050 INSTALLED 2000
			006530 FT	1 0 00598 0 00 0049+85
		5	0040/0000	LENGTH(AH 2494 BK 2498)
			0030/1536	060 "DIA CIR PLASTIC
				LEN=0050 INSTALLED 2019
			0030/0644	018 "DIA CIR PLASTIC
004032 FT				LEN=0040 INSTALLED 2014
			004032 FT	1 0 00598 0 00 0024+87
		5	0030/0000	LENGTH(AH 2498 BK 2487)
			0020/2338	018 "DIA CIR PLASTIC
				LEN=0040 INSTALLED 2014
			0020/1858	018 "DIA CIR PLASTIC
				LEN=0050 INSTALLED 2014
			0020/0884	018 "DIA CIR PLASTIC
001545 FT				LEN=0040 INSTALLED 2000
			001545 FT	1 0 00598 0 00 0000+00
				PINEVILLE RD
				(SR4001 SEG 0140/0000)
		5	0020/0000	LENGTH(AH 2487 BK 1545)
			0010/0962	018 "DIA CIR PLASTIC
				LEN=0050 INSTALLED 2014
000000 FT			000000 FT	1 0 00511 0 02 0480+18
				VILLAGE: NEILLTOWN
				NC BU TCHER KNIFE HILL RD
				INTER-BK SR 0227 SH
				(SR0227 SEG 0330/2446)
				MFC BEGIN = D
				BK-VENANGO (60)
		5	0010/0000	LENGTH(AH 1545 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 37
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 4.636 MI. DIST: 01-3 SR: 127
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

FOR SR 0127 AND 0227
 (CONN)


BUTCHER KNIFE HILL RD
 (SR0227 SEG 0110/1917)

024476 FT

0100/0142

024287 FT

0100/0000



024476 FT AH-WARREN (61)
 INTER-AHD FAGUNDUS RD
 0100/0189 (SR0127 SEG 0010/0000)

0100/0038 018 " DIA CIR PLASTIC
 024287 FT LEN=0050 INSTALLED UNKN
 2 0 27006 0 00 0000+00
 VILLAGE: FAGUNDUS
 0100/0000 LENGTH(AH 0189 BK 3035)
 018 " DIA CIR PLASTIC
 0090/2736 LEN=0040 INSTALLED 2014
 TRUNKEYVILLE RD

DIR: B TOTAL LEN: 4.636 MI. DIST: 01-3 SR: 127
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

Location / Description	Segment ID	Length (FT)	Material / Installation
	0090/2448		(SR4012 SEG 0010/0000)
	0090/0671	021252	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2014
	0090/0000	021252	1 0 00598 0 00 0274+73 LENGTH(AH 3035 BK 2502)
	0080/1366	018750	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2014
	0080/0000	018750	1 0 00598 0 00 0299+63 LENGTH(AH 2502 BK 3618)
	0070/3020		018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2014
	0070/0958		018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2007
1 0 00598 0 00 0336+25 PREACHER RD (T310)	0070/0000	015132	015132 FT LENGTH(AH 3618 BK 3328)
	0060/3008		015 " DIA CIR PLASTIC LEN=0030 INSTALLED 1998
	0060/2383		018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2014
SCHOOL HOUSE RD (T310)	0060/2327		
	0060/2307		018 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
	0060/1951		018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2014
	0060/1667		018 " DIA CIR PLASTIC LEN=0050 INSTALLED 2014
	0060/1279		018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1998
	0060/0927		018 " DIA CIR PLASTIC LEN=0060 INSTALLED 1998

DIR: B TOTAL LEN: 4.636 MI. DIST: 01-3 SR: 127
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

Distance (FT)	Segment ID	Material	Length (FT)	Notes
011804 FT	0060/0403	036" DIA CIR PLASTIC	0045	INSTALLED 2005
	011804 FT	10" DIA CIR PLASTIC	00598	000 0369+79
		018" DIA CIR PLASTIC	0040	INSTALLED 2014
		0060/0000	LENGTH(AH 3328 BK 3049)	024" DIA CIR PLASTIC
		0050/2649	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
		0050/2352	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
		0050/2200	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
		0050/1737	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 1998
		0050/1618	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
		0050/1218	018" DIA CIRC METAL	LEN=0042 INSTALLED 1998
		0050/0890	018" DIA CIRC METAL	LEN=0040 INSTALLED 1998
		0050/0705	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
		0050/0532	018" DIA CIR PLASTIC	LEN=0050 INSTALLED 1998
		0050/0357	018" DIA CIR PLASTIC	LEN=0045 INSTALLED UNKN
		0050/0295	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
008755 FT	0050/0120	018" DIA CIR PLASTIC	LEN=0048 INSTALLED 1999	
	008755 FT	10" DIA CIR PLASTIC	00598 000 0400+28	
		0050/0000	LENGTH(AH 3049 BK 2411)	018" DIA CIR PLASTIC
		0040/2205	UPPER LEASE RD	LEN=0060 INSTALLED 2008
		0040/2195	(TWP)	
		0040/1822	018" DIA CIR PLASTIC	LEN=0055 INSTALLED 1998
		0040/1262	018" DIA CIR PLASTIC	LEN=0050 INSTALLED 2014
		0040/0766	018" DIA CIR PLASTIC	LEN=0050 INSTALLED 2014
		0040/0212	018" DIA CIR PLASTIC	LEN=0045 INSTALLED 1999
	006344 FT	006344 FT	10" DIA CIR PLASTIC	00598 000 0424+39
		0040/0000	LENGTH(AH 2411 BK 2061)	018" DIA CIR PLASTIC
		0030/1917	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 1999
		0030/1534	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2014

DIR: B TOTAL LEN: 4.636 MI. DIST: 01-3 SR: 127
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

WALNUT ST (T384)
 1 0 00598 0 00 0469+37 001846 FT
 DAWSON RD (SR4002 SEG 0150/3438)
 DEPOT ST (T382)

004283 FT


0020/0000

000000 FT

0030/1310	015 " DIA	CIRC METAL	
	LEN=0040	INSTALLED	1998
0030/0900	018 " DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1999
0030/0698	018 " DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	1999
0030/0470	018 " DIA	CIR PLASTIC	
	LEN=0050	INSTALLED	2014
0030/0170	018 " DIA	CIR PLASTIC	
	LEN=0040	INSTALLED	UNKN
004283 FT	1 0 00598	0 00 0445+00	
0030/0000	LENGTH(AH	2061 BK 2437)	
	036 " DIA	CIR PLASTIC	
0020/2250	LEN=0040	INSTALLED	2014
	CEMETERY	RD	
0020/2175	(T388)		
0020/1081	CRESTMONT RD		
	(T387)		
0020/0804	ORCHARD ST		
	(T392)		
0020/0440	PEARL ST		
	(T385)		
0020/0219	ANN ST		
	(T381)		
001846 FT			
0020/0000	NC FLEMING HILL RD		
	LENGTH(AH	2437 BK 1846)	
0010/1344	BRIDGE ST		
	(T386)		
0010/1280	FERRY LN		
	(T380)		
0010/1210	018 " DIA	CIRC CONCR	
	LEN=0035	INSTALLED	UNKN
0010/1190	BMS EN 27/0127/0010/0445		
0010/0422	1 0 00598 0 00 0488+25		
	ALLEGHENY RIVER		
	BMSBG 27/0127/0010/0445		
0010/0385	018 " DIA	CIRC CONCR	
	LEN=0030	INSTALLED	UNKN
000000 FT	1 0 00598 0 00 0488+25		
	NC MAIN ST		
	SR 0062 SH		
	(SR0062 SEG 0250/0000)		
	MFC BEGIN = D		
0010/0000	LENGTH(AH	1846 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 33
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

091114 FT



091114 FT AH-ELK (24)
 INTER-AHD SR 0066 SH
 0380/2335 (SR0066 SEG 0010/0000)
 015 " DIA CIRC CONCR
 0380/1985 LEN=0040 INSTALLED 1997

0380/0366 FORESTRY RD
 (FRST)

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0380/0202	018 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
	0380/0015	018 " DIA	CIRC	CONCR	
		LEN=0050	INSTALLED	1997	
088779 FT	088779 FT	1 0 00380	0 00	0889+60	
	0380/0000	LENGTH(AH	2335	BK 2454)	
		015 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	UNKN	
	0370/2150	018 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
	0370/0911	015 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
	0370/0457	015 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
086325 FT	0370/0175	015 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
	086325 FT	1 0 00380	0 00	0865+06	
	0370/0000	LENGTH(AH	2454	BK 2522)	
		018 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	
	0360/1616	018 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	UNKN	
	0360/1421	015 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
	0360/1014	018 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	
083803 FT	083803 FT	1 0 00380	0 00	0839+84	
	0360/0000	LENGTH(AH	2522	BK 2447)	
		018 " DIA	CIRC	CONCR	
		LEN=0040	INSTALLED	1997	
	0350/2248	015 " DIA	CIRC	CONCR	
		LEN=0050	INSTALLED	1997	
	0350/0888	024 " DIA	CIRC	CONCR	
		LEN=0050	INSTALLED	1997	
	0350/0464	015 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	
081356 FT	0350/0146	015 " DIA	CIRC	CONCR	
		LEN=00380	0 00	0815+37	
	081356 FT	LENGTH(AH	2447	BK 2540)	
	0350/0000	015 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	
	0340/2222	021 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	
	0340/1758	015 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	
	0340/1450	015 " DIA	CIRC	CONCR	
		LEN=0045	INSTALLED	1997	

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

078816 FT	---	0340/0050	015 " DIA CIRC CONCR
	---	078816 FT	LEN=0040 INSTALLED 1997
	---	5 0340/0000	1 0 00380 0 00 0789+97
	---		LENGTH(AH 2540 BK 2462)
	---	0330/2265	015 " DIA CIRC CONCR
	---		LEN=0045 INSTALLED 1997
	---	0330/1910	015 " DIA CIRC CONCR
	---		LEN=0055 INSTALLED 1997
	---	0330/1566	036 " DIA CIRC CONCR
	---		LEN=0060 INSTALLED 1997
	---	0330/0844	015 " DIA CIRC CONCR
	---		LEN=0040 INSTALLED 1997
	==	0330/0723	FORESTRY RD
	---		(FRST)
	---	0330/0291	015 " DIA CIRC CONCR
	---		LEN=0040 INSTALLED 1997
076354 FT	---	0330/0111	015 " DIA CIRC CONCR
	---	076354 FT	LEN=0040 INSTALLED 1997
	---	5 0330/0000	1 0 00380 0 00 0765+35
	---		LENGTH(AH 2462 BK 2998)
	---	0320/2929	015 " DIA CIRC CONCR
	---		LEN=0045 INSTALLED 1997
	---	0320/2478	015 " DIA CIRC CONCR
	---		LEN=0050 INSTALLED 1997
	---	0320/1690	015 " DIA CIRC CONCR
	---		LEN=0045 INSTALLED UNKN
	---	0320/1279	015 " DIA CIRC CONCR
	---		LEN=0045 INSTALLED 1997
	---	0320/0943	015 " DIA CIRC CONCR
	---		LEN=0050 INSTALLED UNKN
	---	0320/0675	015 " DIA CIRC CONCR
	---		LEN=0040 INSTALLED 1997
073356 FT	---	0320/0350	015 " DIA CIRC CONCR
	---	073356 FT	LEN=0050 INSTALLED 1997
	---	5 0320/0000	1 0 00380 0 00 0735+37
	---		LENGTH(AH 2998 BK 1920)
	---	0310/1300	015 " DIA CIRC CONCR
	---		LEN=0050 INSTALLED 1997
	---	0310/0961	036 " DIA CIRC CONCR
	---		LEN=0050 INSTALLED UNKN
071436 FT	---	0310/0417	015 " DIA CIRC CONCR
	---	071436 FT	LEN=0045 INSTALLED 1997
			1 0 00380 0 00 0716+10
			WATSON RUN

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

STRUCTURE	LENGTH	19 FT
BMSID 27/0066/0310/0000	LEN=0045	INSTALLED 1997
0310/0000	LEN=0045	INSTALLED 1997
0300/1215	LEN=0045	INSTALLED 1997
0300/1066	LEN=0050	INSTALLED 1997
0300/0883	LEN=0050	INSTALLED 1997
0300/0783	LEN=0040	INSTALLED 1997
0300/0630	LEN=0055	INSTALLED 1997
0300/0297	LEN=00380	0 00 0696+89
069635 FT	LEN=0050	INSTALLED 1997
069635 FT	LEN=0050	INSTALLED 1997
0300/0000	LEN=0060	INSTALLED 1997
0290/0655	LEN=0050	INSTALLED 1997
0290/0134	LEN=00380	0 00 0680+87
068033 FT	LEN=0060	INSTALLED 1997
068033 FT	LEN=0060	INSTALLED 1997
0290/0000	LEN=0050	INSTALLED 1997
0280/2660	LEN=0050	INSTALLED 1997
0280/0068	LEN=0050	INSTALLED 1997
065092 FT	LEN=0050	INSTALLED 1997
065092 FT	LEN=0050	INSTALLED 1997
0280/0000	LEN=0040	INSTALLED 1997
0270/1982	LEN=0040	INSTALLED 1997

1 0 00380 0 00 0651+46 065092 FT
 WATSON FARM RD
 (T373)

0280/0000

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: HOWE T RIGHT MUN: HOWE T

Stationing	Description	Length	Material	Year
061501 FT	0270/0410	0040	018" DIA CIRC CONCR	1997
	0270/0346	0050	018" DIA CIRC CONCR	UNKN
	061501 FT	00380	1 0 00380 0 00 0615+33	
			DUHRING RD	
	0270/0000	3591	LENGTH(AH 3591 BK 2307)	
	0260/1751	0055	018" DIA CIRC CONCR	1997
	0260/1375	0060	018" DIA CIRC CONCR	1997
	0260/1111	0080	018" DIA CIRC CONCR	1997
	0260/0441	0055	018" DIA CIRC CONCR	1997
			BYROMTOWN RD	
	0260/0303		(T370)	
	0260/0216	0060	024" DIA CIRC CONCR	1997
	059194 FT		LEN=0060 INSTALLED 1997	
	0260/0000	2307	LENGTH(AH 2307 BK 2312)	
	0250/2275	0055	018" DIA CIRC CONCR	1997
	0250/1882	0045	018" DIA CIRC CONCR	1997
	0250/1303	0050	018" DIA CIRC CONCR	1997
	0250/1095		HOWE JENKS T	
	0250/1054	0050	018" DIA CIRC CONCR	1997
	0250/0568	0050	015" DIA CIRC CONCR	1997
	056882 FT	00380	1 0 00380 0 00 0568+09	
	0250/0000	2312	LENGTH(AH 2312 BK 2162)	
	0240/1189	0060	018" DIA CIRC CONCR	1997
	0240/0267	0060	015" DIA CIRC CONCR	1997
	054720 FT	00380	1 0 00380 0 00 0546+47	

1 0 00380 0 00 0592+38 059194 FT
 BLUE JAY CREEK RD
 (SR1003 SEG 0010/0000) 0260/0000

PIGEON LN
 (PRDR) 0250/0302
 056882 FT

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Stationing	Notes	Stationing	Notes
		0240/0000	LENGTH(AH 2162 BK 1814)
		0230/0697	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
052906 FT		052906 FT	1 0 00380 0 00 0528+33
		0230/0000	LENGTH(AH 1814 BK 1995)
		0220/1664	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
050911 FT		050911 FT	1 0 00380 0 00 0508+17
		0220/0000	LENGTH(AH 1995 BK 2817)
		0210/1913	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
		0210/1492	BYROMTOWN RD (T372)
		0210/0865	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
		0210/0170	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
048094 FT		0210/0107	BYROMTOWN RD (T370)
		048094 FT	1 0 00380 0 00 0480+00
		0210/0000	LENGTH(AH 2817 BK 1683)
		0200/1239	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
		0200/0649	TOWER LN (PRDR)
1 0 00380 0 00 0464+20 046411 FT		0200/0232	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
PENOKE PK		046411 FT	
(FRST)		0200/0000	LENGTH(AH 1683 BK 3318)
		0190/2900	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
		0190/2020	015 "DIA CIRC CONCR LEN=0045 INSTALLED 1997
		0190/1456	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Location / Description	Stationing	Length (FT)	Notes / Details
	0190/0742	LEN=0040	INSTALLED 1997
	043093 FT		
	043093 FT	1 0 00380 0 00	0431+02
	0190/0000	LEN=0040	INSTALLED 1997
	0180/1578	LEN=0040	INSTALLED 1997
	0180/0000	LEN=0040	INSTALLED 1997
PENNDOT STOCKPILE YD #6 (GOVT)	0180/0171		
	041426 FT		
	041426 FT	1 0 00380 0 00	0414+35
	0180/0000	LEN=0040	INSTALLED 1997
	0170/1483		
FORESTRY RD (FRST)	0170/0924	LEN=0050	INSTALLED 1997
	0170/0327	LEN=0040	INSTALLED 1997
	039085 FT	1 0 00380 0 00	0389+43
	0170/0000	LEN=0040	INSTALLED 1997
	0160/1965		SCOTT FARM RD (FRST)
	0160/1867	LEN=0045	INSTALLED 1997
SMOKEY LN (FRST)	0160/1562		
	0160/0400		WOODLAND DR (GOVT)
	0160/0250	LEN=0060	INSTALLED 1997
	036493 FT	1 0 00380 0 00	0364+85
	0160/0000	LEN=0040	INSTALLED 1997
	0150/1238	LEN=0045	INSTALLED 1997
	034221 FT	1 0 00380 0 00	0341+10
	0150/0000	LEN=0045	INSTALLED 1997

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Street Name	Stationing	Material	Length	Notes
		036 " DIA CIRC CONCR	LEN=0048	INSTALLED 1997
	0140/1175			
		015 " DIA CIRC CONCR	LEN=0050	INSTALLED 1997
	0140/0536			
BIRCH ST (T331)	031415 FT			
MAPLE ST (T329)	0140/0000	1 0 00380 0 00 0314+12		
	0130/1502	NC SR 0066 SH		
		015 " DIA CIRC CONCR	LEN=0040	INSTALLED 1997
	0130/1360			
FOREST ST (SR2005 SEG 0110/0000)				
WALNUT ST (T356)				
SPRUCE ST (T357)	0130/0264	SPURCE ST (T379)		
		NC CH ESTNUT ST		
		FOREST ST (SR2005 SEG 0110/0000)		
	029321 FT	TOWN CR (T376)		
		1 0 00380 0 00 0293+44		
		018 " DIA CIRC CONCR	LEN=0042	INSTALLED 1997
		018 " DIA CIRC CONCR	LEN=0040	INSTALLED 1997
HEMLOCK ST (T354)	0120/0882			
		018 " DIA CIRC CONCR	LEN=0040	INSTALLED 1997
	027478 FT	1 0 00380 0 00 0274+78		
		015 " DIA CIRC CONCR	LEN=0040	INSTALLED 1997
		OAK LN (T317)		
SNYDER MEMORIAL RD (T350)	0110/1370			
		036 " DIA CIR PLASTIC	LEN=0060	INSTALLED 2015
		OAK LN (T317)		
	025438 FT	1 0 00380 0 00 0254+38		
		VILLAGE: MARIENVILLE		
		015 " DIA CIRC CONCR	LEN=0040	INSTALLED 1997

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Stationing	Segment	Length	Material	Year
NC CHERRY ST				
0110/0000	0100/1729	0729 FT	LENGTH(AH 2040 BK 2200) OLD RTE 899 (T319)	
0100/1524	0100/1125	0401 FT	015 " DIA CIRC CONCR LEN=0050 INSTALLED 1997	
0100/0728	0100/0551	0177 FT	015 " DIA CIRC CONCR LEN=0045 INSTALLED 1997	
0100/0551	0100/0034	0551 FT	018 " DIA CIRC CONCR LEN=0050 INSTALLED 1997	
0100/0034	023238 FT	023238 FT	015 " DIA CIRC CONCR LEN=0070 INSTALLED UNKN	
SR 0899 SH (SR0899 SEG 0180/1791)				
0100/0000	0090/1800	1800 FT	LENGTH(AH 2200 BK 2745) 024 " DIA CIRC CONCR LEN=0040 INSTALLED 1997	
0090/0870	0090/0476	0394 FT	015 " DIA CIRC CONCR LEN=0035 INSTALLED 1997	
0090/0476	020493 FT	020493 FT	015 " DIA CIRC CONCR LEN=0035 INSTALLED 1997	
0090/0000	020493 FT	020493 FT	1 0 00380 0 00 0204+91 LENGTH(AH 2745 BK 2531)	
ROSES RD				
0080/1440	0080/1127	0313 FT	(T325) 015 " DIA CIRC CONCR LEN=0055 INSTALLED 1997	
0080/0706	017962 FT	017962 FT	1 0 00380 0 00 0179+99 LENGTH(AH 2531 BK 2976)	
0080/0000	0070/2591	02591 FT	036 " DIA CIRC CONCR LEN=0035 INSTALLED 1997	
0070/1709	0070/1312	0397 FT	015 " DIA CIRC CONCR LEN=0035 INSTALLED 1997	
0070/1312			015 " DIA CIRC CONCR LEN=0035 INSTALLED 1997	

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

Stationing	Segment	Description	Material	Length	Notes
014986 FT	0070/0154	CARGO LN (PRDR)		1 0 00380 0 00 0150+02	
	0070/0000	LENGTH(AH 2976 BK 2479)			
SCHRECENGOST RD (T352)	0060/1137	UNKNOWN RD (PRDR)			
	0060/0857	036 "DIA CIRC CONCR			
	0060/0607	LEN=0040 INSTALLED 1997			
	0060/0231	015 "DIA CIRC CONCR			
012507 FT	0060/0231	LEN=0040 INSTALLED 1997			
	012507 FT	1 0 00380 0 00 0124+99			
	0060/0000	LENGTH(AH 2479 BK 2769)			
	0050/2170	015 "DIA CIRC CONCR			
	0050/1995	LEN=0040 INSTALLED 1997			
	0050/0540	018 "DIA CIRC CONCR			
	0050/0308	LEN=0040 INSTALLED 1997			
	0050/0157	015 "DIA CIRC CONCR			
009738 FT	0050/0157	LEN=0035 INSTALLED 1997			
	009738 FT	1 0 00380 0 00 0097+30			
	0050/0000	GILFOYLE RD (T323)			
	0050/0000	LENGTH(AH 2769 BK 1393)			
	0040/1094	018 "DIA CIRC CONCR			
	0040/0725	LEN=0050 INSTALLED 1997			
	0040/0663	018 "DIA CIRC CONCR			
	0040/0398	LEN=0050 INSTALLED 1997			
	0040/0125	018 "DIA CIRC CONCR			
	008345 FT	LEN=0050 INSTALLED 1997			
1 0 00380 0 00 0083+37	008345 FT				
BLOOD RD (SR2003 SEG 0030/3244)	0040/0000	KIMBERLY JO LN (PRDR)			
	0040/0000	018 "DIA CIRC CONCR			
	0040/0000	LENGTH(AH 1393 BK 3343)			
	0030/3230	018 "DIA CIRC CONCR			
	0030/3230	LEN=0055 INSTALLED 1997			

DIR: B TOTAL LEN: 17.256 MI. DIST: 01-3 SR: 66
 LEFT MUN: JENKS T RIGHT MUN: JENKS T

---	---	0030/2704	018 " DIA	CIRC CONCR	1997
---	---	0030/2507	LEN=0055	INSTALLED	1997
---	---	0030/2032	015 " DIA	CIRC CONCR	1997
---	---	0030/1699	LEN=0055	INSTALLED	1997
---	---	0030/1419	018 " DIA	CIRC CONCR	1997
---	---	0030/0797	LEN=0055	INSTALLED	1997
---	---	0030/0587	036 " DIA	CIRC CONCR	1997
---	---	0030/0244	LEN=0055	INSTALLED	1997
---	---	0030/0000	018 " DIA	CIRC CONCR	1997
---	---	0020/2150	LEN=0050	INSTALLED	1997
---	---	0020/1908	015 " DIA	CIRC CONCR	1997
---	---	0020/1360	LEN=0055	INSTALLED	1997
---	---	0020/1201	018 " DIA	CIRC CONCR	1997
---	---	0020/0969	LEN=0055	INSTALLED	1997
---	---	0020/0711	015 " DIA	CIRC CONCR	1997
---	---	0020/0581	LEN=0060	INSTALLED	1997
---	---	0020/0000	024 " DIA	CIRC CONCR	1997
---	---	0010/1922	LEN=0055	INSTALLED	1997
---	---	0010/1587	030 " DIA	CIRC CONCR	1997
---	---	0010/1115	LEN=0055	INSTALLED	1997
---	---	000000 FT	1 0 00380	0 00 0000+00	
---	---	INTER-BK	NC SR 0066 SH	CLARION CO	
---	---		(SR0066 SEG 0790/1267)	MFC BEGIN = C	
---	---		BK-CLARION	(16)	
---	---	0010/0000	LEN=0055	INSTALLED	1997

005002 FT


002508 FT

000000 FT

BLOOD RD
 (SR2003 SEG 0010/0000) 0010/0000

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 22
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

074392 FT



074392 FT	AH-WARREN	(61)
INTER-AHD	SR 0062 SH	
0320/2460	(SR0062 SEG 0010/0000)	
	042 "DIA CIRC CONCR	
0320/2182	LEN=0048 INSTALLED 2020	
	015 "DIA CIRC CONCR	
0320/2015	LEN=0040 INSTALLED UNKN	
	015 "DIA CIRC CONCR	
0320/1708	LEN=0040 INSTALLED UNKN	
	015 "DIA CIRC CONCR	
0320/1402	LEN=0035 INSTALLED UNKN	
	SMALL STREAM	
	STRUCTURE LENGTH 8 FT	
0320/1109	BMSID 27/0062/0320/1109	
	072"H 72"W CONC STRUCT	
0320/1094	LEN=0035 INSTALLED UNKN	
	015 "DIA CIRC CONCR	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023


ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 21
COUNTY: FOREST

DIR: B TOTAL LEN: 14.089 MI.
LEFT MUN: HICKORY T


DIST: 01-3 SR: 62
RIGHT MUN: HICKORY T

071932 FT




0320/0568 LEN=0040 INSTALLED UNKN
071932 FT 1 0 00093 0 00 0504+43
KELLY HILL RD
(T369)
5 0320/0000 LENGTH(AH 2460 BK 2978)
SCHWAB RUN
STRUCTURE LENGTH 10 FT
0310/2897 BMSID 27/0062/0310/2934

068954 FT



0310/1825 024 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0310/1580 LEN=0045 INSTALLED UNKN
048 "DIA CIRC CONCR
0310/1185 LEN=0048 INSTALLED 2020
015 "DIA CIRC CONCR
0310/0945 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0310/0735 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0310/0500 LEN=0035 INSTALLED UNKN
048 "DIA CIRC CONCR
0310/0260 LEN=0048 INSTALLED 2020
015 "DIA CIRC CONCR
0310/0024 LEN=0055 INSTALLED UNKN
068954 FT 1 0 00093 0 00 0473+67
5 0310/0000 LENGTH(AH 2978 BK 2544)
015 "DIA CIRC CONCR
0300/2430 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0300/2013 LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
0300/1753 LEN=0048 INSTALLED UNKN
024 "DIA CIRC METAL
0300/1467 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0300/1038 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0300/0685 LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
0300/0358 LEN=0045 INSTALLED UNKN
024 "DIA CIR PLASTIC

066410 FT



0300/0260 LEN=0060 INSTALLED UNKN
066410 FT 1 0 00093 0 00 0448+23
5 0300/0000 LENGTH(AH 2544 BK 2493)
015 "DIA CIRC CONCR
0290/2398 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0290/2080 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

063917 FT

061433 FT

0290/1910	016 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0290/1700	015 " DIA	CIRC CONCR
	LEN=0035	INSTALLED UNKN
0290/1515	015 " DIA	CIRC CONCR
	LEN=0035	INSTALLED UNKN
0290/1352	015 " DIA	CIR PLASTIC
	LEN=0045	INSTALLED UNKN
0290/0970	015 " DIA	CIRC CONCR
	LEN=0050	INSTALLED UNKN
0290/0755	015 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0290/0480	018 " DIA	CIRC METAL
	LEN=0040	INSTALLED UNKN
0290/0415	018 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0290/0134	024 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
063917 FT	1 0 00093	0 00 0423+30
0290/0000	LENGTH(AH 2493 BK 2484)	
0280/2312	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0280/2092	024 " DIA	CIR PLASTIC
	LEN=0050	INSTALLED UNKN
0280/1800	015 " DIA	CIRC CONCR
	LEN=0050	INSTALLED UNKN
0280/1580	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0280/1409	015 " DIA	CIRC CONCR
	LEN=0035	INSTALLED UNKN
0280/1166	018 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0280/0850	015 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0280/0570	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0280/0398	016 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
061433 FT	1 0 00093	0 00 0398+46
0280/0000	LENGTH(AH 2484 BK 2305)	
0270/2241	015 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0270/2005	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0270/1785	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0270/1415	015 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0270/0988	BOWMAN RD	
	(T361)	


DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

Stationing	Description	Material	Length	Status
0270/0604	015" DIA CIRC CONCR	LEN=0040	INSTALLED	UNKN
0270/0277	015" DIA CIRC CONCR	LEN=0040	INSTALLED	UNKN
059128 FT	1 0 00093 0 00 0375+20			
	BOWMAN RD (T361)			
0270/0000	LENGTH(AH 2305 BK 3158)			
0260/2955	BMSBG 27/0062/0260/2925			
	1 0 00093 0 00 0366+78			
	E. HICKORY			
0260/2888	BMSBG 27/0062/0260/2925			
	SR 0666 SH			
0260/2827	(SR0666 SEG 0010/0000)			
0260/2233	BMSBG 27/0062/0260/2232			
	1 0 00093 0 00 0344+87			
	PRATHER RUN			
0260/2199	BMSBG 27/0062/0260/2232			
	CHURCH HILL RD (T357)			
0260/1052	015" DIA CIRC CONCR	LEN=0060	INSTALLED	UNKN
0260/0775	LEN=0060			
055970 FT	1 0 00093 0 00 0344+87			
0260/0000	LENGTH(AH 3158 BK 2503)			
	030" DIA CIRC CONCR			
0250/2420	LEN=0050			
	018" DIA CIRC CONCR			
0250/1630	LEN=0055			
	018" DIA CIRC CONCR			
0250/1412	LEN=0055			
	018" DIA CIRC CONCR			
0250/0926	LEN=0055			
	018" DIA CIRC CONCR			
0250/0722	LEN=0055			
	015" DIA CIRC METAL			
0250/0449	LEN=0055			
	018" DIA CIR PLASTIC			
0250/0125	LEN=0055			
053467 FT				
1 0 00093 0 00 0320+28				
053467 FT				
FLEMING HILL RD (SR0127 SEG 0010/0000)				
0250/0000	LENGTH(AH 2503 BK 3500)			
0250/0000	015" DIA CIRC CONCR			
0240/3140	LEN=0060			
	INSTALLED			2003
	PENNDOT STOCKPILE YD #5 (GOVT)			
0240/3084				
HICKORY FISH ACCESS RD				

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

(FISH)

0240/2848



049967 FT

0240/2796	018 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0240/2600	016 " DIA	CIRC	CONCR	2003
	LEN=0060	INSTALLED		
0240/2412	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0240/2109	015 " DIA	CIRC	CONCR	UNKN
	LEN=0070	INSTALLED		
0240/2010	015 " DIA	CIRC	CONCR	2003
	LEN=0060	INSTALLED		
0240/1792	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0240/1447	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0240/1168	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0240/0940	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0240/0860	015 " DIA	CIRC	CONCR	UNKN
	LEN=0060	INSTALLED		
0240/0727	015 " DIA	CIRC	CONCR	UNKN
	LEN=0060	INSTALLED		
0240/0330	015 " DIA	CIRC	CONCR	UNKN
	LEN=0060	INSTALLED		
049967 FT	1 0 00093	0 00	0284+94	
0240/0000	LENGTH(AH	3500	BK 2539)	
0230/2480	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/2180	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/1998	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/1765	018 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/1750	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/1650	018 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/1367	018 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/1151	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/0850	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/0616	015 " DIA	CIRC	CONCR	UNKN
	LEN=0050	INSTALLED		
0230/0220	BMS EN 27/	0062/0	230/014B	
	1 0 00093	0 00	0261+00	
	LITTLE HICKORY	RUN		

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 17
COUNTY: FOREST

DIR: B TOTAL LEN: 14.089 MI.
LEFT MUN: HICKORY T

DIST: 01-3 SR: 62
RIGHT MUN: HICKORY T

Stationing	Notes	Material
047428 FT	0230/0148 BMSBG 27/0062/0230/0148 047428 FT 1 0 00093 0 00 0259+55 LITTLE HICKORY RD (SR3004 SEG 0010/0000)	
	5 0230/0000 LENGTH(AH 2539 BK 2480)	
	048 "DIA CIRC CONCR	
	0220/2278 LEN=0052 INSTALLED UNKN	
	0220/1135 015 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	
	0220/0839 018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	
	0220/0532 016 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN	
044948 FT	044948 FT 1 0 00093 0 00 0234+57	
	5 0220/0000 LENGTH(AH 2480 BK 2500)	
	0210/2482 015 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	
	0210/2108 015 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	
	0210/1982 015 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	
	0210/1437 016 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	
	0210/1065 018 "DIA CIRC CONCR LEN=0052 INSTALLED 2003	
	0210/0699 015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	
	0210/0327 024 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	
042448 FT	042448 FT 1 0 00093 0 00 0209+57	
	5 0210/0000 LENGTH(AH 2500 BK 2486)	
	0200/2450 024 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	
	0200/2114 015 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	
	0200/1767 036 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	
	0200/1543 036 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	
	0200/1349 016 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN	
WEST FOREST HS (GOVT)	0200/1167 ==	
	0200/1043 018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	
RIVER HAVEN RD (GOVT)	0200/0660 POI	
	0200/0660 (APRA) WEST FOREST HS 036 "DIA CIR PLASTIC	

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

039962 FT

037652 FT

035720 FT

0200/0586	LEN=0062	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0200/0292	LEN=0060	INSTALLED	UNKN
039962 FT	1 0 00093	0 00	0184+71
5 0200/0000	LENGTH(AH	2486	BK 2310)
016 "DIA	CIRC	CONCR	
0190/2281	LEN=0060	INSTALLED	UNKN
016 "DIA	CIRC	CONCR	
0190/2015	LEN=0062	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0190/1718	LEN=0060	INSTALLED	2003
018 "DIA	CIRC	CONCR	
0190/1412	LEN=0060	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0190/1182	LEN=0065	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0190/0935	LEN=0015	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0190/0777	LEN=0056	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0190/0615	LEN=0056	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0190/0409	LEN=0056	INSTALLED	UNKN
0190/0011	BMSSEN 27/0062/0190/0000		
037652 FT	1 0 00093	0 00	0161+57
5 0190/0000	SIBBALD RUN		
030 "DIA	CIRC	CONCR	
0180/1744	LEN=0056	INSTALLED	2015
018 "DIA	CIRC	CONCR	
0180/0750	LEN=0056	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0180/0520	LEN=0054	INSTALLED	2003
018 "DIA	CIRC	CONCR	
0180/0199	LEN=0065	INSTALLED	UNKN
035720 FT	1 0 00093	0 00	0142+69
5 0180/0000	LENGTH(AH	1932	BK 1747)
0170/1717	HICKORY		
0170/1605	TIONESTA T		
018 "DIA	CIRC	METAL	
LEN=0056	INSTALLED	UNKN	
0170/0833	018 "DIA	CIRC	CONCR
LEN=0060	INSTALLED	UNKN	
0170/0405	018 "DIA	CIRC	CONCR
LEN=0055	INSTALLED	UNKN	
016 "DIA	CIRC	CONCR	

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

033973 FT

0170/0105	LEN=0052	INSTALLED	UNKN
033973 FT	1 0 00093	0 00 0124+92	
5 0170/0000	LENGTH(AH	1747 BK 2059)	
	018 "DIA	CIRC CONCR	
0160/1909	LEN=0055	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0160/1508	LEN=0060	INSTALLED	UNKN
	016 "DIA	CIRC METAL	
0160/1023	LEN=0060	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0160/0707	LEN=0060	INSTALLED	2015
	018 "DIA	CIR PLASTIC	
0160/0475	LEN=0065	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0160/0255	LEN=0052	INSTALLED	UNKN
	024 "DIA	CIR PLASTIC	

031914 FT

0160/0145	LEN=0065	INSTALLED	UNKN
031914 FT	1 0 00093	0 00 0104+33	
5 0160/0000	LENGTH(AH	2059 BK 2501)	
	015 "DIA	CIRC CONCR	
0150/2389	LEN=0039	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0150/2110	LEN=0041	INSTALLED	UNKN
	024 "DIA	CIR PLASTIC	
0150/1910	LEN=0047	INSTALLED	UNKN
	018 "DIA	CIR PLASTIC	
0150/1655	LEN=0045	INSTALLED	UNKN
	018 "DIA	CIR PLASTIC	
0150/1453	LEN=0050	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0150/1153	LEN=0055	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0150/1014	LEN=0042	INSTALLED	2015
	018 "DIA	CIRC CONCR	
0150/0667	LEN=0050	INSTALLED	UNKN
	024 "DIA	CIR PLASTIC	
0150/0467	LEN=0055	INSTALLED	UNKN
	024 "DIA	CIR PLASTIC	
0150/0309	LEN=0048	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0150/0175	LEN=0045	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	

029413 FT

0150/0094	LEN=0045	INSTALLED	2015
029413 FT	1 0 00093	0 00 0079+32	
NC SR	0062 SH		
5 0150/0000	LENGTH(AH	2501 BK 2510)	
	016 "DIA	CIRC CONCR	
0140/2289	LEN=0060	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0140/2180	LEN=0067	INSTALLED	UNKN

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

026903 FT

---	0140/2000	024 " DIA	CIR PLASTIC
---		LEN=0045	INSTALLED UNKN
---	0140/1837	018 " DIA	CIRC CONCR
---		LEN=0045	INSTALLED 2015
---	0140/1688	018 " DIA	CIRC CONCR
---		LEN=0047	INSTALLED UNKN
---	0140/0780	024 " DIA	CIR PLASTIC
---		LEN=0050	INSTALLED UNKN
---	0140/0369	018 " DIA	CIR PLASTIC
---		LEN=0045	INSTALLED UNKN
==	026903 FT	1 0 00093	0 00 0054+22
==		018 " DIA	CIRC CONCR
==		LEN=0045	INSTALLED UNKN
==	0140/0000	TIONESTA TIONESTA B LENGTH(AH 2510 BK 2418) PIGEON HILL RD (T337)	
==	0130/2235		

RBR

RBR

	0130/2194	BMSEN 27/0062/0130/2194	
		1 0 00093	0 00 0030+23
		P3	
	0130/2130	TUBBS RUN	
		BMSBG 27/0062/0130/2194	
	0130/1646	FISH HATCHERY LN	(FISH)

024485 FT

---	0130/0052	024 " DIA	CIRC CONCR
---		LEN=0041	INSTALLED 2003
---	024485 FT	1 0 00093	0 00 0030+23
---	0130/0000	LENGTH(AH 2418 BK 3023)	
---		018 " DIA	CIRC CONCR
---	0120/2830	LEN=0035	INSTALLED UNKN
---		018 " DIA	CIRC CONCR
---	0120/2242	LEN=0030	INSTALLED 2003
---		018 " DIA	CIRC CONCR
---	0120/2050	LEN=0055	INSTALLED 2003
POI	0120/1810	(APRA) PENNDOT FOREST C	
==	0120/1793		
---	0120/1790	024 " DIA	CIRC CONCR
---		LEN=0030	INSTALLED UNKN

PENNDOT COUNTY OFFICE 1
 (GOVT)
 CEMETERY ST
 (BORO)


DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: TIONESTA B RIGHT MUN: TIONESTA B

STREET NAME	STATIONING	DESCRIPTION	DATE
RIVERSIDE ST (BORO)	0120/1382	0120/1405 018" DIA CIRC CONCR LEN=0026 INSTALLED 2003	
		0120/1260 018" DIA CIRC CONCR LEN=0026 INSTALLED 2003	
IRWIN ST (BORO)	0120/0842	0120/1090 015" DIA CIRC CONCR LEN=0026 INSTALLED 2003	
		0120/0820 018" DIA CIRC CONCR LEN=0026 INSTALLED 2003	
		0120/0250 018" DIA CIRC CONCR LEN=0026 INSTALLED 2003	
	021462 FT	0120/0247 (BORO) 021462 FT 1 0 00093 0 00 0000+00 5 0120/0000 LENGTH(AH 3023 BK 0474)	
		0110/0240 018" DIA CIRC CONCR LEN=0026 INSTALLED UNKN	
	020988 FT	0110/0226 (BORO) 020988 FT 1 0 00092 0 00 0343+39 NC ELM ST	
		5 0110/0000 (SR0036 SEG 0150/1995) LENGTH(AH 0474 BK 1839)	
		0090/1094 BMS EN 27/0062/0090/0333 TIONESTA	
		0090/1044 TIONESTA T	
		1 0 00511 0 00 0014+98 RIVER STREET	
		0090/0333 BMSBG 27/0062/0090/0333 FOR SR 0062N TO 0062N	
TO 0036/0160 SH (CONN)	0090/0171	0090/0198 (CONN)	
		0090/0036 015" DIA CIRC CONCR LEN=0040 INSTALLED UNKN	
1 0 00511 0 00 0018+36 COL DRAKE HW (SR0036 SEG 0160/0000)	019149 FT	019149 FT	
		5 0090/0000 LENGTH(AH 1839 BK 1974) FOR SR 0062N TO 0062N	
		0080/1783 (CONN) STATION RD	
		0080/1600 (T302)	
		0080/1585 015" DIA CIRC CONCR LEN=0065 INSTALLED 2003	

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

POLAND HILL RD
 (T300)

0080/0758



017175 FT

013984 FT

0080/0532	018 " DIA	CIRC	CONCR	
	LEN=0047	INSTALLED	2003	
	015 " DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	UNKN	
0080/0157	1 0 00750	0 00	0172+51	
017175 FT	5 0080/0000	LENGTH(AH	1974 BK 3191)	
	015 " DIA	CIRC	CONCR	
	LEN=0042	INSTALLED	2003	
0070/3171	015 " DIA	CIRC	CONCR	
	LEN=0065	INSTALLED	2003	
0070/2671	032 " H 36 "	W ELLIPTICAL*		
	LEN=0056	INSTALLED	2020	
0070/2488	032 " H 36 "	W ELLIPTICAL*		
	LEN=0056	INSTALLED	2020	
0070/2413	018 " DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	2003	
0070/2343	024 " DIA	CIRC	CONCR	
	LEN=0042	INSTALLED	2003	
0070/1823	015 " DIA	CIRC	CONCR	
	LEN=0040	INSTALLED	2003	
0070/1738	015 " DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	2003	
0070/1605	015 " DIA	CIRC	CONCR	
	LEN=0047	INSTALLED	2003	
0070/1482	018 " DIA	CIRC	CONCR	
	LEN=0052	INSTALLED	2003	
0070/0982	018 " DIA	CIRC	CONCR	
	LEN=0046	INSTALLED	2003	
0070/0650	015 " DIA	CIRC	CONCR	
	LEN=0016	INSTALLED	2003	
0070/0330	015 " DIA	CIRC	CONCR	
	LEN=0050	INSTALLED	UNKN	
0070/0016	1 0 00750	0 00	0140+37	
013984 FT	5 0070/0000	LENGTH(AH	3191 BK 2492)	
	015 " DIA	CIRC	CONCR	
	LEN=0037	INSTALLED	UNKN	
0060/2284	018 " DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	UNKN	
0060/2048	015 " DIA	CIRC	CONCR	
	LEN=0040	INSTALLED	UNKN	
0060/1962	015 " DIA	CIRC	CONCR	
	LEN=0040	INSTALLED	UNKN	
0060/1755	015 " DIA	CIRC	CONCR	
	LEN=0035	INSTALLED	UNKN	
0060/1550	024 " DIA	CIRC	CONCR	
	LEN=0055	INSTALLED	UNKN	
0060/1274	024 " DIA	CAST	IRON	

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

011492 FT

008984 FT

006730 FT

0060/1010	LEN=0020	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0060/0642	LEN=0035	INSTALLED	UNKN
	015 "DIA	CAST IRON	
0060/0290	LEN=0037	INSTALLED	UNKN
011492 FT	1 0 00750	0 00 0115+45	
5 0060/0000	LENGTH(AH	2492 BK 2508)	
	015 "DIA	CIRC CONCR	
0050/2456	LEN=0040	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0050/2211	LEN=0040	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0050/1971	LEN=0045	INSTALLED	2003
	015 "DIA	CIR PLASTIC	
0050/1683	LEN=0050	INSTALLED	2003
	032 "H 36 "	W ELLIPTICAL*	
0050/1522	LEN=0056	INSTALLED	2020
	015 "DIA	CIRC CONCR	
0050/1368	LEN=0050	INSTALLED	2003
	018 "DIA	CIRC CONCR	
0050/0933	LEN=0042	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0050/0680	LEN=0045	INSTALLED	2003
	015 "DIA	CIRC CONCR	
0050/0408	LEN=0045	INSTALLED	UNKN
008984 FT	1 0 00750	0 00 0090+37	
5 0050/0000	LENGTH(AH	2508 BK 2254)	
	015 "DIA	CIRC CONCR	
0040/2019	LEN=0015	INSTALLED	2003
	018 "DIA	CIRC CONCR	
0040/1755	LEN=0040	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0040/1464	LEN=0037	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0040/1266	LEN=0035	INSTALLED	UNKN
	018 "DIA	CIRC CONCR	
0040/0971	LEN=0045	INSTALLED	UNKN
	018 "DIA	CIRC METAL	
0040/0720	LEN=0080	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0040/0430	LEN=0014	INSTALLED	UNKN
006730 FT	1 0 00750	0 00 0067+51	
	BATES RUN		
	STRUCTURE	LENGTH	12 FT
	BMSID 27/	0062/0040/0000	
5 0040/0000	LENGTH(AH	2254 BK 3073)	
	018 "DIA	CIRC CONCR	
0030/2795	LEN=0016	INSTALLED	UNKN
	015 "DIA	CIRC CONCR	
0030/2661	LEN=0014	INSTALLED	2003

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

RIVERVIEW DR
 (TWP)

0030/1388

SHAFFER LN
 (PRDR)
 HUNTER STATION RD
 (SR3002 SEG 0020/2219)

0030/0761

0030/0379
 003657 FT


002470 FT

000000 FT

0030/2569	018 " DIA	CIRC CONCR	LEN=0050	INSTALLED	2003
0030/2264	024 " DIA	CIRC CONCR	LEN=0055	INSTALLED	2003
0030/2167	024 " DIA	CIRC CONCR	LEN=0055	INSTALLED	2003
0030/1918	032 " DIA	CIRC CONCR	LEN=0060	INSTALLED	2003
0030/1778	015 " DIA	CIRC CONCR	LEN=0050	INSTALLED	UNKN
0030/1600	015 " DIA	CIRC CONCR	LEN=0060	INSTALLED	UNKN
0030/1429	015 " DIA	CIRC METAL	LEN=0018	INSTALLED	UNKN
0030/0835	036 " DIA	CIRC CONCR	LEN=0095	INSTALLED	UNKN
003657 FT	1 0 00750	0 00 0035+08			
0030/0000	LENGTH(AH	3073 BK 1187)			
0020/1124	BMS EN 27/0062/0020/0000				
002470 FT	1 0 00750	0 00 0024+58			
0020/0000	ALLEGHENY RIVER				
	BMSBG 27/0062/0020/0000				
	LENGTH(AH 1187 BK 2470)				
0010/2080	018 " DIA	CIRC METAL	LEN=0040	INSTALLED	UNKN
0010/1548	015 " DIA	CIRC CONCR	LEN=0070	INSTALLED	2003
0010/1335	018 " DIA	CIRC CONCR	LEN=0050	INSTALLED	UNKN
0010/0979	024 " DIA	CIRC METAL	LEN=0045	INSTALLED	UNKN
0010/0075	018 " DIA	CIRC CONCR	LEN=0040	INSTALLED	UNKN
000000 FT	1 0 00750	0 00 0000+00			
	NC O I L CITY RD				
	INTER-BK SR 0062 SH				
	(SR0062 SEG 0790/2108)				
	MFC BEGIN = B				
	BK-VENANGO				(60)
0010/0000	LENGTH(AH 2470 BK 0000)				

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 9
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: FOREST
 DIR: B TOTAL LEN: 11.060 MI. DIST: 01-3 SR: 36
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

058396 FT



058396 FT AH-VENANGO (60)
 INTER-AHD COLONEL DRAKE HW
 0260/2734 (SR0036 SEG 0010/0000)
 018 " DIA CIR PLASTIC
 0260/2592 LEN=0045 INSTALLED 2000
 018 " DIA CIR PLASTIC
 0260/2450 LEN=0045 INSTALLED 2000
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 11.060 MI. DIST: 01-3 SR: 36
 LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

Stationing	Structure ID	Description	Length	Material	Status
	0260/2285	018" DIA CIR PLASTIC	0044	INSTALLED	2000
	0260/1994	036"H 52"W ELLIP CONC	0050	INSTALLED	2000
	0260/1263	060"H 84"W ELLIP CONC	0070	INSTALLED	2000
	0260/0405	STEW. R. TRIB. STRUCTURE	0060	INSTALLED	2000
	0260/0389	STEWART RUN STRUCTURE	0036	LENGTH 7 FT	
055662 FT	0260/0049	BMSID 27/0036/0260/0414	0068	LENGTH 10 FT	
	055662 FT	2 0 27002 0 00 0027+25		STEWART RUN RD	
	0260/0000	(SR4003 SEG 0010/0000)		LENGTH(AH 2734 BK 1631)	
	0250/0754	015" DIA CIRC CONCR	0042	INSTALLED	2000
	0250/0480	015" DIA CIRC CONCR	0050	INSTALLED	2000
054031 FT	0250/0107	015" DIA CIRC METAL	0047	INSTALLED	2000
	054031 FT	2 0 27002 0 00 0043+68		DORY CARSON RD	
	0250/0000	(T300)		LENGTH(AH 1631 BK 3333)	
	0240/2116	036" DIA CIRC CONCR	0064	INSTALLED	2000
	0240/0289	018" DIA CIRC CONCR	0059	INSTALLED	2000
050698 FT	050698 FT	2 0 27002 0 00 0075+35		LENGTH(AH 3333 BK 2293)	
	0230/1635	018" DIA CIRC CONCR	0050	INSTALLED	UNKN
	0230/1499	HARMONY TIONESTA T			

DORY CARSON RD
(T300)

BALL HILL RD

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 7
COUNTY: FOREST

DIR: B TOTAL LEN: 11.060 MI.
LEFT MUN: HARMONY T

DIST: 01-3 SR: 36
RIGHT MUN: HARMONY T

(T301)


0230/1362

048405 FT

046502 FT

044406 FT

042403 FT



0230/0896 015 " DIA CIRC CONCR
LEN=0050 INSTALLED 2000
018 " DIA CIRC CONCR
0230/0480 015 " DIA CIRC CONCR
LEN=0060 INSTALLED 2000
048405 FT 2 0 27002 0 00 0100+31
5 0230/0000 LENGTH(AH 2293 BK 1903)
015 " DIA CIRC CONCR
0220/1773 015 " DIA CIRC CONCR
LEN=0045 INSTALLED 2000
015 " DIA CIRC CONCR
0220/1474 015 " DIA CIRC CONCR
LEN=0045 INSTALLED 2000
048 " DIA CIRC CONCR
0220/0900 018 " DIA CIRC METAL
LEN=0075 INSTALLED 2000
018 " DIA CIRC METAL
0220/0392 018 " DIA CIRC METAL
LEN=0048 INSTALLED 2000
046502 FT 2 0 27002 0 00 0119+80
NEILTOWN RD
(SR4001 SEG 0010/0000)
5 0220/0000 LENGTH(AH 1903 BK 2096)
TO 4001/0010 SH
0210/1924 (CONN)
018 " DIA CIRC CONCR
0210/1907 018 " DIA CIRC CONCR
LEN=0045 INSTALLED 2000
015 " DIA CIRC CONCR
0210/1445 015 " DIA CIRC CONCR
LEN=0045 INSTALLED 2000
036 " DIA CIRC CONCR
0210/1010 036 " DIA CIRC CONCR
LEN=0100 INSTALLED 2000
015 " DIA CIRC CONCR
0210/0703 015 " DIA CIRC CONCR
LEN=0050 INSTALLED 2000
024 " DIA CIRC CONCR
0210/0217 024 " DIA CIRC CONCR
LEN=0062 INSTALLED 2000
044406 FT 1 0 00511 0 01 0120+75
HUNTER RUN
STRUCTURE LENGTH 12 FT
BMSID 27/0036/0210/0000
5 0210/0000 LENGTH(AH 2096 BK 2003)
015 " DIA CIRC CONCR
0200/1317 015 " DIA CIRC CONCR
LEN=0050 INSTALLED 2000
015 " DIA CIRC CONCR
0200/0787 015 " DIA CIRC CONCR
LEN=0050 INSTALLED 2000
015 " DIA CIRC CONCR
0200/0440 015 " DIA CIRC CONCR
LEN=0050 INSTALLED 2000
046 " DIA CIRC CONCR
0200/0222 046 " DIA CIRC CONCR
LEN=0063 INSTALLED 2000
042403 FT 1 0 00511 0 01 0100+78
JAMISON RUN RD
(T341)
5 0200/0000 LENGTH(AH 2003 BK 2797)
018 " DIA CIRC CONCR

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 6
COUNTY: FOREST

DIR: B TOTAL LEN: 11.060 MI.
LEFT MUN: TIONESTA T

DIST: 01-3 SR: 36
RIGHT MUN: TIONESTA T

PENNDOT STOCKPILE YD #1
(GOVT)

039606 FT

0180/2388

037014 FT

0190/2481	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0190/2184	LEN=0050	INSTALLED	2000
015 "DIA	CIRC	CONCR	
0190/1800	LEN=0050	INSTALLED	2000
015 "DIA	CIRC	CONCR	
0190/1580	LEN=0050	INSTALLED	2000
048 "DIA	CIRC	CONCR	
0190/1350	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0190/1165	LEN=0045	INSTALLED	2000
015 "DIA	CIRC	CONCR	
0190/0612	LEN=0045	INSTALLED	2000
024 "DIA	CIRC	CONCR	
0190/0306	LEN=0060	INSTALLED	2000
0190/0026	BMSSEN 27/0036/0190/0000		
039606 FT	1 0 00511 0 01 0072+71		
	HUNTER RUN		
0190/0000	BMSBG 27/0036/0190/0000		
	LENGTH(AH 2797 BK 2592)		
0180/2075	018 "DIA	CIRC	CONCR
	LEN=0050	INSTALLED	2000
0180/1540	024 "DIA	CIRC	CONCR
	LEN=0050	INSTALLED	2000
0180/1529	036 "DIA	CIRC	METAL
	LEN=0050	INSTALLED	UNKN
0180/1267	018 "DIA	CIRC	CONCR
	LEN=0050	INSTALLED	2000
0180/0972	018 "DIA	CIRC	CONCR
	LEN=0050	INSTALLED	2000
0180/0522	024 "DIA	CIRC	CONCR
	LEN=0050	INSTALLED	2000
0180/0025	BMSSEN 27/0036/0180/0000		
037014 FT	1 0 00511 0 01 0046+70		
	HUNTER RUN		
0180/0000	BMSBG 27/0036/0180/0000		
	LENGTH(AH 2592 BK 2270)		
0170/1736	BMSSEN 27/0036/0170/1709		
	1 0 00511 0 01 0041+08		
	HUNTER RUN		
0170/1709	BMSBG 27/0036/0170/1709		
0170/1406	018 "DIA	CIRC	CONCR
	LEN=0060	INSTALLED	2000
0170/1185	018 "DIA	CIRC	CONCR
	LEN=0060	INSTALLED	2000


HUNTER RUN

DIR: B TOTAL LEN: 11.060 MI. DIST: 01-3 SR: 36
 LEFT MUN: TIONESTA B RIGHT MUN: TIONESTA B

TAYLOR RD
 (T312)
 1 0 00092 0 00 0297+83 0130/0360
 SMOKEY HILL RD 029834 FT
 (SR3001 SEG 0170/2594) 0130/0000

031145 FT

027339 FT



0140/0770 (BORO)
 0140/0352 BMSSEN 27/0036/0140/0000
 031145 FT 1 0 00092 0 00 0310+67
 NC ELM ST
 TIONESTA CK.
 BMSBG 27/0036/0140/0000
 TIONESTA
 TIONESTA T
 LENGTH(AH 1235 BK 1311)
 BEACH RD
 (T311)
 0130/0688
 029834 FT
 0130/0000 LENGTH(AH 1311 BK 2495)
 018 "DIA CIRC CONCR
 LEN=0048 INSTALLED 2000
 018 "DIA CIRC CONCR
 0120/2028
 018 "DIA CIRC CONCR
 LEN=0052 INSTALLED 2000
 048 "DIA CIRC CONCR
 0120/1840
 018 "DIA CIRC CONCR
 LEN=0070 INSTALLED 2000
 018 "DIA CIRC CONCR
 0120/1558
 018 "DIA CIRC CONCR
 LEN=0060 INSTALLED 2000
 015 "DIA CAST IRON
 0120/1186
 015 "DIA CAST IRON
 LEN=0050 INSTALLED UNKN
 SPILLWAY RD
 0120/0704
 (GOVT)
 0120/0107
 027339 FT 1 0 00092 0 00 0274+00
 SPILLWAY RD
 (GOVT)
 0120/0000 LENGTH(AH 2495 BK 3393)
 015 "DIA CIRC METAL
 LEN=0050 INSTALLED 1996
 015 "DIA CAST IRON
 0110/3276
 015 "DIA CAST IRON
 LEN=0053 INSTALLED 1996
 018 "DIA CIRC METAL
 0110/2132
 018 "DIA CIRC METAL
 LEN=0050 INSTALLED 2000
 018 "DIA CIR PLASTIC
 0110/1870
 018 "DIA CIR PLASTIC
 LEN=0050 INSTALLED 2000
 018 "DIA CIR PLASTIC
 0110/1624
 018 "DIA CIR PLASTIC
 LEN=0045 INSTALLED 2019
 018 "DIA CIRC CONCR
 0110/1459
 018 "DIA CIRC CONCR
 LEN=0050 INSTALLED 2000
 018 "DIA CIRC CONCR
 0110/1102
 018 "DIA CIRC CONCR
 LEN=0070 INSTALLED 2000
 018 "DIA CIRC CONCR
 0110/1043
 018 "DIA CIRC CONCR
 LEN=0045 INSTALLED 2000

DIR: B TOTAL LEN: 11.060 MI. DIST: 01-3 SR: 36
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

Segment Description	Stationing	Length	Material	Notes
	0110/0738	0045	018" DIA CIRC CONCR	INSTALLED 2000
	0110/0416	0113	024" DIA CIRC METAL	INSTALLED 2000
023946 FT	023946 FT	100092	1 0 00092 0 00 0233+66	
	0110/0000	3393	018" DIA CIRC METAL	LENGTH(AH 3393 BK 1932)
	0100/1661	0055	018" DIA CIRC METAL	INSTALLED 2000
	0100/0420	0060	018" DIA CIRC METAL	INSTALLED 2000
FOR SR 0036 AND 3006 (CONN)	0100/0363			
1 0 00092 0 00 0217+96	022014 FT			
SMOKEY HILL RD (SR3006 SEG 0010/1869)	0100/0000			
	0100/0000	1932	015" DIA CIRC METAL	LENGTH(AH 1932 BK 2548)
	0090/1377	0047	015" DIA CIRC CONCR	INSTALLED 2000
	0090/1129	0050	018" DIA CIRC CONCR	INSTALLED 2000
	0090/0132	0065	018" DIA CIRC CONCR	INSTALLED 2000
019466 FT	019466 FT	100092	1 0 00092 0 00 0194+42	
	0090/0000	2548	015" DIA CIRC CONCR	LENGTH(AH 2548 BK 2507)
	0080/2270	0050	015" DIA CIRC CONCR	INSTALLED 2000
	0080/1483	0125	015" DIA CIRC CONCR	INSTALLED 2000
	0080/1032	0050	015" DIA CIRC CONCR	INSTALLED 2000
WAGON WHEEL LN (PRDR)	0080/0581			
	0080/0422	0060	018" DIA CIRC CONCR	INSTALLED 2000
016959 FT	016959 FT	100092	1 0 00092 0 00 0169+35	
	0080/0000	2507	015" DIA CIRC CONCR	LENGTH(AH 2507 BK 2376)
	0070/1707	0060	015" DIA CIRC CONCR	INSTALLED 2000
	0070/1350	0050	015" DIA CIRC CONCR	INSTALLED 2000


DIR: B TOTAL LEN: 11.060 MI. DIST: 01-3 SR: 36
 LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

Stationing	Description	Material	Length	Notes
014583 FT				
014583 FT		1 0 00092 0 00 0145+59		
		0070/0000	LENGTH(AH 2376 BK 2602)	
		015 " DIA	CIRC CONCR	
		LEN=0050	INSTALLED 2000	
		015 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		015 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		015 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		015 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		036 " DIA	CIRC CONCR	
		LEN=0070	INSTALLED 2000	
011981 FT		1 0 00092 0 00 0119+33		
		011981 FT		
		018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		0060/0000	LENGTH(AH 2602 BK 2348)	
		018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		0050/2163		
		015 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		015 " DIA	CIRC CONCR	
		LEN=0050	INSTALLED 2000	
		018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		0050/0503		
		009633 FT		
1 0 00092 0 00 0095+85	009633 FT			
SHRIVER RD				
(SR3003 SEG 0040/2174)	0050/0000			
		0050/0000	LENGTH(AH 2348 BK 3017)	
		024 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		018 " DIA	CIRC CONCR	
		LEN=0060	INSTALLED 2000	
		0040/2044		
		0040/1789		
		006616 FT		
		1 0 00092 0 00 0065+48		
		SAGE RD		
		(SR3005 SEG 0020/0000)		
		TIONESTA		
		GREEN T		
		0040/0000	LENGTH(AH 3017 BK 3615)	

DIR: B TOTAL LEN: 11.060 MI. DIST: 01-3 SR: 36
 LEFT MUN: GREEN T RIGHT MUN: GREEN T

LEA LN
 (PRDR)

0030/2174



0030/1815 018 "DIA CIRC CONCR
 LEN=0059 INSTALLED 2000

003001 FT

0030/0100 018 "DIA CIRC CONCR
 LEN=0052 INSTALLED 2000
 003001 FT 1 0 00092 0 00 0029+58
 TAYLOR RD
 (T322)

S 0030/0000 LENGTH(AH 3615 BK 2931)
 0020/2906 024 "DIA CIRC CONCR
 LEN=0062 INSTALLED 2000

0020/1852 015 "DIA CIRC CONCR
 LEN=0091 INSTALLED 2000

0020/0840 015 "DIA CIRC CONCR
 LEN=0050 INSTALLED 2000
 0020/0415 015 "DIA CIRC CONCR
 LEN=0062 INSTALLED 2000

CARSON LN
 (PRDR)

0020/0216

000070 FT

0020/0075 018 "DIA CIRC CONCR
 LEN=0045 INSTALLED 2000
 000070 FT 1 0 00092 0 00 0000+00
 INTER-BK
 COL DRAKE HW
 (SR0036 SEG 0320/2289)
 BK-CLARION (16)

000070 FT

S 0020/0000 LTH AH 002931 BK 000100
 000070 FT AH-CLARION (16)
 7012/0000 LTH AH 000100 BK 000070
 INTER-AHD
 COL DRAKE HW
 (SR0036 SEG 0010/0000)
 RIVER RD
 (SR2002 SEG 0010/0000)

000000 FT

0010/0070 BARNETT T
 000000 FT 1 0 00758 0 00 0000+00
 VILLAGE: COOKSBURG
 NC CO L DRAKE HW
 INTER-BK SR 0036 SH
 (SR0036 SEG 0004/0372)
 MFC BEGIN = C
 BK-CLARION (16)
 S 0010/0000 LENGTH(AH 0070 BK 0000)