# Straight Line Diagram

(Including Drain Pipes)

# Clinton 18

January 2024

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

# ROADWAY MANAGEMENT SYSTEM INDEX FOR SR"S LOCATED IN THE COUNTY OF CLINTON

440040074012345678012468024123467890123456890 80000111246880000000111111111111111122222222222222	E E E E E E E E E E E E E E E E E E E	E E E E E E E E E E E E E E E E E E E	R00001345678902235343 80000000011110000	BGN PAGE 285285285289922994229972299133004533099	END PAGE 284 285 2888 2993 2995 22998 33004 33007 33009	SR	BGN	PAGE	END	PAGE
2014 2015 2016 2018 2019 2022 2023 2024 2026 4001	254 2557 2558 2662 27777 2777	254 2557 2559 2669 2772 2772 28								



December 30, 2023

# Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2024 Pennsylvania Straight Line Diagrams (SLDs) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLDs are a graphical representation of State Routes (SRs) that PennDOT maintains. The information shown on the SLD is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SRs found on the list are linked to the actual pages that show the individual SLDs. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Ty Reed, Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2023 by the Commonwealth of Pennsylvania. All rights reserved.



# Asset Management Division Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

# **CUSTOMER SERVICE RATING FORM**

t Line Diagram (	SLD) – Custoi	mer Service Rating
В	С	D
an "A," please let	us know what	t we could do better.
ation (optional)		
Fold along line, and tag	pe or staple togethe	er before mailing)
era areng mre, ana tap	or or orapic regerin	or zororo maming)
	ve customer serveceived, by circlin  B  an "A," please let  cation (optional)	an "A," please let us know what

**Bureau of Operations** Asset Management Division – PennDOT Annex 907 Elmerton Avenue Harrisburg, PA 17110

ATTN: Ty Reed

# PENNSYLVANIA DEPARTMENT OF TRANSPORTATION

**Bureau of Operations, Asset Management Division** 

# Location Referencing System (LRS) - Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

### County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

#### State Route (SR)


State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1.	Traffic Routes: Routes designated as Interstates, US or PA Routes	0001-0999
2.	Quadrant Routes (Non-Traffic Routes)	1001-4999
3.	Relocated Traffic Routes	6000-6999
4.	Turned Back, Abandoned, or Null Routes	7000-7999
5.	Interchanges	8001-8999
6.	WYE's	9101-9199
7.	Rest Areas	9201-9299
8.	Truck Escape Ramps	9301-9399
9.	Others	9401-9499
10.	Park and Rides	9501-9599

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.


Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

- 1. Interstates
- 2. U.S. Routes
- 3. PA Routes
- 4. Quadrant Routes



#### Other Numbering Conventions:


- 1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
- 2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
- Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
- 4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
- 5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




## Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).


### **Undivided Roadways**





Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coinciding State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).



#### Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

### **Segment Markers**

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.







#### Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

#### Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

- 1. State Route Length
- 2. Seament Lenath
- 3. Roadway Geometry (lane count, pavement & shoulder types & widths)
- 4. Intersecting Feature Location (intersections & bridges)
- 5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 1 OF 2

		<u> </u>		
SEGMENT MARKER	*	AHEAD LEFT INTER STATE OWNED	HIIIIIIIII RAILROAD CROSSING	- INTERSTATE MILEPOST
TURNBACK	:	AHEAD LEFT INTER	RAILROAD OVER-PASS	MFC BEGIN
NULL		AHEAD RIGHT INTE STATE OWNED	OVER-PASS	
UNDIVIDED HIGHWAY	:	AHEAD RIGHT INTE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY		BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK
PAINT   DIVIDED	킈	BACK LEFT INTER	T TUNNEL	BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
H INTERSECTION	#	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE
III INTERSECTION	<u> </u>	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	B = EXPRESSWAY  AND/OR  PRINCIPLE  ARTERIAL  C = MINOR ARTERIAL  D = COLLECTOR
REFERENCE AHEAD/BACK		T-LEFT INTERSEC STATE OWNED	RETAINING WALL	1D = COLLECIDE
	킈	T-LEFT INTERSEC NON-STATE	→ BRIDGE/CULVERT	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S
	F	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	ROADWAY   MANAGEMENT   SYSTEM (RMS) AS   100 FEET IN   LENGTH. ACTUAL
		T-RIGHT INTERSEC NON-STATE	O ROTARY INTERSEC	SEGMENT AND   SECTION LENGTHS

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 2 OF 2

ROAD CLOSED	POINT OF INTEREST	C BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC DI MISIGNAL	W RWIS SITE	NC - STREET NAME CHANGE
	·-		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 309 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: E TOTAL LEN: .000 MI. DIST: 02-3 SR: 9403 LEFT MUN: GREENE T RIGHT MUN: GREENE T

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 308 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: E TOTAL LEN: .454 MI. DIST: 02-3 SR: 9204 LEFT MUN: GREENE T RIGHT MUN: GREENE T

002399 FT 002399 FT INTER-AHD ROADSIDE REST RD (SR9204 SEG 0010/1215) 0020/0796 01009 2 21 0000+00 001603 FT 001603 FT D ROADSIDE REST RD INTER-BK (SR9204 SEG 0010/0490) LENGTH (AH 0796 BK 1603) **5** 0020/0000 INTER-AHD CONFAIR MEMORIAL HW 0010/1603 (SROOBO SEG 1940/1055) ROADSIDE REST RD 0010/1215 (SR9204 SEG 0020/0796) LC FROM TRUCKPARKING RD (CONN) 0010/1145 LC FRÓM TRUCKPARKING RD (CONN) 0010/0873 ROADSIDE REST RD 0010/0490 (SR9204 SEG 0020/0000) FISHING CREEK STRUCTURE LENGTH 0010/0375 BMSID 18/9204/0010/0375 O FT 1 O 01009 2 19 0000+00 NC ROADSIDE REST RD 000000 FT 000000 FT 1 INTER-BK CONFAIR MEMORIAL HW (SROOBO SEG 1934/2100)

MÌFC BEGIN = F ■ 0010/0000 LENGTH(AH 1603 BK 0000) EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 307 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: W TOTAL LEN: .540 MI. DIST: 02-3 SR: 9203 LEFT MUN: GREENE T RIGHT MUN: GREENE T

002851 FT 002851 FT ROADSIDE REST AREA RD INTER-AHD 0020/0971 (SR9203 SEG 0010/1431) 001880 FT 001880 FT 1 0 01009 2 20 0013+80 ROADSIDE REST AREA RD (SR9203 SEG 0010/0515) INTER-BK ES 0020/0000 LENGTH (AH 0971 BK 188Ó) INTER-AHD CONFAIR MEMORIAL HW (SR0080 SEG 1935/0428) 0010/1880 ROADSIDE REST AREA RD 0010/1431 (SR9203 SEG 0020/0971) LC FROM TRUCKPKING (CONN) 0010/136B LC FRÓM TRUCKPKING RD (CONN) 0010/1131 ROADSIDE REST AREA RD (SR9203 SEG 0020/0000) BRANCH FISHING CREEK 0010/0515 STRUCTURE LENGTH 10 FT 0010/0310 BMSID 18/0080/1935/1931 01009 2 18 0040+07 000000 FT 000000 FT D NC ROADSIDE REST AREA RD INTER-BK CONFAIR MEMORIAL HW (SROO8O SEG 1935/2244) MFC BEGIN = F E 0010/0000 LENGTH (AH 1880 BK 0000) EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 306 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: N TOTAL LEN: .801 MI. DIST: 02-3 SR: 8015 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T

004230 FT

003330 FT

004230 FT |NTER-AHD FRAND D O'REILLY HW 0750/0900 (SR0220 SEG 0030/1000)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 305 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT TOTAL LEN: SR: 8015 DIR: .801 MI. DIST: 02-3 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T AUCTION RD (SR2008 SEG 0050/0280) INTER-BK SR 8015 RAMP SEG 10 (SR8015 SEG 0010/1340) **⊑** 0750/0000 LENGTH (AH 0900 BK 0750) AUCTION RD (SR2008 SEG 0040/2020) 0260/0750 "DIA CIRC CONCR 018 0260/0650 LEN=0040 INSTALLED 2015 "DIA 024 CIRC CONCR 0260/0488 LEN=0103 INSTALLED 2015 002580 FT 002580 FT 0 0 00000 0 00 0000+00 NC RAMP C RD INTER-BK FRANK D O'REILLY HW (SR0220 SEG 0020/1920) **5** 0260/0000 LENGTH (AH 0750 BK 1240) INTER-AHD FRANK D O'REILLY HW 0250/1240 (SR0220 SEG 0020/1050) 060 "DIA CIRC METAL 0250/0502 LEN=0171 INSTALLED 2015 024 "DIA CIRC CONCR 0250/0270 LEN=0103 INSTALLED 2015 018 "DIA CIRC CONCR 0250/0070 LEN=0048 INSTALLED 2015 001340 FT 001340 FT 0 0 00000 0 00 0000+00 NC RAMP B RD AUCTION RD (SR2008 SEG 0040/1995) 🛌 0250/0000 LENGTH (AH 1240 BK 1340) INTER-AHD SR 8015 RAMP SEG 750 (SR8015 SEG 0750/0000) AUCTION RD (SR2008 SEG 0050/0280) 0010/1340 060 "DIA CIRC METAL 0010/0925 LEN=0150 INSTALLED 2014 000000 FT 000000 FT 0 0 00000 0 00 0000+00 NC RAMP A RD FRANK D O'REILLY HW INTER-BK (SR0220 SEG 0020/0950) MFC BEGIN = F

ĸc= 0010/0000 LENGTH(AH 1340 BK 0000)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 304 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON SR: 8013 DIR: TOTAL LEN: .335 MI. DIST: 02-3 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK 001771 FT 001771 FT INTER-AHD FRANK D O'REILLY HW (SRO220 SEG 0360/2609) 0750/0435 001336 FT 001336 FT 0 01044 2 03 0000+00 NC RAMP U RD PINE CREEK RD SR1022 SEG 0010/0632) ŘÁMP T RD INTER-BK (SR8013 SEG 0010/0509) **E** 0750/0000 LENGTH (AH 0435 BK 0384) COUDERSPORT PK (SR0044 SEG 0010/0256) 0500/0384 0 0044/0010 SH == 0500/0280 (CONN) 000952 FT 0 01044 000952 FT 2 01 0000+00 NC RAMP S RD FRANK D O'REILLY HW INTER-BK (SRO220 SEG 0361/2976) **5** 0500/0000 LENGTH (AH 0384 BK 0443) FRANK D O'REILLY HW INTER-AHD (SR0220 SEG 0361/2041) 0250/0443 FROM 0044/0010 SH (CONN) 0250/0049 000509 FT 000509 FT 0 01044 2 00 0000+00 NC RAMP R RD COUDERSPORT (SR0044 SEG 0010/0222) **5** 0250/0000 LENGTH (AH 0443 BK 0509) INTER-AHD SR 8013 RAMP SEG 750 SR8013 SEG 0750/0000) PINE CREEK RD (SR1022 SEG 0010/0632) TO 1022/0010 SH 0010/0509 == 0010/0404 (CONN) "ĎIA CIR UNKNOWN Õ 1 B 0010/0030 LEN=0040 INSTALLED UNKN 000000 FT 000000 FT 01044 2 02 0000+00 0 NC RAMP T RD FRANK D O'REILLY HW INTER-BK

(SRO220 SEG 0360/1664)

MÌFC BEGIN = F ■ 0010/0000 LENGTH(AH 0509 BK 0000) EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 303 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: W TOTAL LEN: .508 MI. DIST: 02-3 SR: 8012 LEFT MUN: LOCK HAVEN C RIGHT MUN: LOCK HAVEN C

> 002682 FT 002682 FT INTER-AHD PAUL MACK RD 0760/1165 (SR0120 SEG 1070/0716) 001517 FT 1 0 00058 8 01 0000+00 001517 FT (APRA) NESTLERODE CONTR NC RAMP A ŔD WALNUT ST (CITY) ĠROVE'ST INTER-BK (CITY) POI LENGTH (AH 1165 BK 1024) **E** 0760/0000 INTER-AHD GROVE ST (CITY) WALNUT ST 0750/1024 (CITY) 000493 FT 000493 FT 1 0 00058 8 03 0000+00 NC RAMP C RD PAUL MACK RD INTER-BK (SR0120 SEG 1070/0368) ES 0750/0000 LENGTH (AH 1024 BK 0493) WALNUT ST (CITY) 0500/0493 000000 FT 000000 FT 0 00058 8 02 0000+00 NC RAMP B RD INTER-BK PAUL MACK RD (SRO120 SEG 1071/0647) MFC BEGIN = F ENGTH (AH 0493 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 302 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON


DIR: S TOTAL LEN: 1.022 MI. DIST: 02-3 SR: 8010 LEFT MUN: GREENE T RIGHT MUN: GREENE T

005394 FT

FROM 2002/0350 SH (CONN)

0750/0229

004049 FT



005394 FT INTER-AHD Z H CONFAIR MEMORIAL HW 0750/1345 (SR0080 SEG 1920/1815) 030 "DIA CIRC CONCR 0750/0847 LEN=0203 INSTALLED 2001 030 "DIA CIRC CONCR 0750/0500 LEN=0203 INSTALLED 1968

018 "DIA CIRC CONCR 0750/0100 LEN=0041 INSTALLED 2001 004049 FT 1 0 01009 2 14 0000+00 NC RAMP C RD INTER-BK TEA SPRINGS RD (SR2002 SEG 0340/2114) ST 0750/0000 LENGTH (AH 1345 BK 1079)


EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 301 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT SR: 8010 TOTAL LEN: 1.022 MI. DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T INTER-AHD TEA SPRINGS RD (SR2002 SEG 0350/1042) 0500/1079 TO 2002/0350 SH 0500/0950 (CONN) "ĎIA **018** CIRC CONCR 0500/0575 LEN = 0050INSTALLED 2001 "DIA 018 CIRC CONCR 0500/0025 LEN=0040 INSTALLED 2001 002970 FT 002970 FT 1 0 01009 2 15 0019+74 NC RAMP D RD INTER-BK Z H CONFAIR MEMORIAL HW (SROOBO SEG 1921/2483) **⊑** 0500/0000 LENGTH (AH 1079 BK 1581) INTER-AHD Z H CONFAIR MEMORIAL HW 0250/1581 (SR0080 SEG 1915/2471) 018 "DIA CIRC CONCR 0250/0445 LEN=0188 INSTALLED 2001 FROM 2002/0350 SH (CONN) 0250/0201 == 024 "DIA CIR UNKNOWN 0250/0090 LEN=0030 INSTALLED UNKN 001389 FT 001389 FT 1 0 01009 2 13 0029+84 NC RAMP B RD TEA SPRINGS RD INTER-BK SR2002 SEG 0350/1130) **E** 0250/0000 LENGTH (AH 1581 BK 1389) TEA SPRINGS INTER-AHD (SR2002 SEG 0350/0000) 0010/1389 TO 2002/0340 SH 0010/1312 (CONN) Ò24 "DIA CIRC CONCR 0010/1297 LEN=0131 INSTALLED 2001 012"H 12"W CON BOX CUL 0010/0657 LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR 0010/0154 LEN=0100 INSTALLED 2001 000000 FT 000000 FT 1 0 01009 2 12 0000+00 NC RAMP A RD Z H CONFAIR MEMORIAL HW INTER-BK (SROO80 SEG 1914/2063) MFC BEGIN = F ĸc= 0010/0000 LENGTH(AH 1389 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 300 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: N TOTAL LEN: .959 MI. DIST: 02-3 SR: 8009 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

005065 FT

003798 FT




005065 FT INTER-AHD FRANK D O'REILLY HW 0750/1267 (SR0220 SEG 0330/0000) 018 "DIA CIRC CONCR 0750/0780 LEN=0050 INSTALLED UNKN 003798 FT 1 0 01044 2 07 0000+00 NC RAMP Q RD AVIS EXIT RD (T300)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 299 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: TOTAL LEN: .959 MI. DIST: 02-3 SR: 8009 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK INTER-BK RMAP P RD WOODWARD AV (SR8009 SEG 0010/1307) (SR0150 SEG 0410/2115) 0750/0000 C 0750/0000 LENGTH (AH 1267 BK 1398) INTER-AHD TO 8009/0250 SH (CONN) **WOODWARD AV** (SR0150 SEG 0410/1569) 0500/1398 002400 FT 002400 FT 1 0 01044 2 05 0000+00 NC RAMP O RD FRANK D O'REILLY HW INTER-BK (SR0220 SEG 0331/0452) E 0500/0000 LENGTH (AH 1398 BK 1093) INTER-AHD FRANK D O'REILLY HW 0250/1093 (SR0220 SEG 0321/0492) Ò18 "DIA CIRC CONCR 0250/0950 LEN = 0040INSTALLED UNKN FROM 0150/0410 SH (CONN) 0250/0169 001307 FT == 001307 FT 1 0 01044 2 04 0000+00 NC RAMP N RD WOODWARD AV INTER-BK SR0150 SEG 0410/1511) **⊫** 0250/0000 LENGTH(AH 1093 BK 1307) INTER-AHD RAMP O R D (SR8009 SEG 0750/0000) **WOODWARD AV** (SR0150 SEG 0410/2115) ÀVIS EXIT RD 0010/1307 (T300) "DIA CIRC CONCR 018 0010/0085 LEN=0050 INSTALLED UNKN 000000 FT 000000 FT 1 0 01044 2 06 0000+00 NC RAMP P RD FRANK D O'REILLY HW INTER-BK (SR0220 SEG 0320/0000) MFC BEGIN = F ĸc= 0010/0000 LENGTH(AH 1307 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT PAGE NUMBER: COUNTY: CLINTON 298

TOTAL LEN: DIR: S LEFT MUN: GREENE T DIST: 02-3 RIGHT MUN: GREENE T .658 MI. SR: 8008

003475 FT



003475 FT INTER-AHD Z H CONFAIR MEMORIAL HW 0750/0831 (SR0080 SEG 1854/0386) 018 "DIA CIRC CONCR LEN=0066 018 "DIA 0750/0811 INSTALLED 2001 CIRC CONCR 0750/0490 LEN=0062 INSTALLED 2001 066 "DIA CIRC METAL 0750/0312 LEN=0065 INSTALLED 2001 024 "DIA CIRC CONCR 0750/0125 LEN=0122 INSTALLED 2001

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                  297
                               ROADWAY MANAGEMENT SYSTEM
                                                                  PAGE NUMBER:
                             SLD COUNTY/SR - ANNUAL PRINT
                                                               COUNTY: CLINTON
 DIR: S
LEFT MUN: GREENE T
                                                                        SR: 8008
                    TOTAL LEN:
                                    .658 MI.
                                                        DIST: 02-3
                                                RIGHT MUN: GREENE T
                         002644 FT
                                                   002644 FT 1 0 01009 2 11 0000+00
                                                         NC RAMP D RD
                                                              SR 0477 SH
                                                   INTER-BK
                                                               (SRO477 SEG 0270/0854)
                                                 □ 0750/0000 LENGTH(AH 0831 BK 0824)
                                                              SR 0477 SH
                                                              (SRO477 SEG 0270/0234)
                                                   0500/0824
                                                                 "DIA CIRC CONCR
                                                              018
                                                   0500/0730
                                                              LEN=0134
                                                                        INSTALLED 2001
                                                              066 "DIA
                                                                        CIRC METAL
                                                   0500/0708 LEN=0065
                                                                        INSTALLED 2001
                         001820 FT
                                                   001820 FT 1
                                                                0 01009 2 10 0012+96
                                                         NC RAMP
                                                                 C RD
                                                              Z H CONFAIR
                                                   INTER-BK
                                                                           MEMORIAL HW
                                                               SR0080 SEG 1855/0550)
                                                 E 0500/0000 LENGTH (AH 0824 BK 0855)
                                                   INTER-AHD
                                                              Z H CONFAIR
                                                                           MEMORIAL HW
                                                   0250/0855
                                                              (SROOBO SEG
                                                                           1851/1551)
                                                                  "DIA CIRC CONCR
                                                              018
                                                   0250/0678
                                                              LEN = 0091
                                                                        INSTALLED 2001
                                                              01B "DIA
                                                                       CIRC CONCR
                                                   0250/0120 LEN=0050
                                                                       INSTALLED UNKN
FROM 0477/0270 SH
(CONN)
                          0250/006B
                                        ==
                         000965 FT
                                                   000965 FT 1 0 01009 0 08 0014+11
                                                         NC RAMP A RD
                                                              SR 0477 SH
                                                   INTER-BK
                                                              (SRO477 SEG 0270/0221)
                                                 5 0250/0000
                                                              LENGTH (AH 0855 BK 0965)
                                                              SR 0477 SH
                                                   0010/0965
                                                              (SRO477 SEG 0270/0875)
                                                                 "DIA CIRC CONCR
                                                              018
                                                   0010/0880
                                                              LEN=0071
                                                                        INSTALLED 2001
                                                                 "DIA
                                                              018
                                                                        CIRC CONCR
                                                   0010/0685
                                                              LEN = 0040
                                                                        INSTALLED 2001
                                                                  "DIA
                                                              0 1 8
                                                                       CIRC CONCR
                                                   0010/0300 LEN=0051 INSTALLED 2001
                         000000 FT
                                                   000000 FT 1
                                                                  01009 2 09 0000+00
                                                                0
                                                         NC RAMP B RD
                                                   INTER-BK
                                                              Z H CONFAIR MEMORIAL HW
                                                              (SRO080 SEG 1850/1227)
                                                              MFC BEGIN = F
```

ĸc= 0010/0000 LENGTH(AH 0965 BK 0000)

EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2 DIR: S TOT LEFT MUN: WAYNE T	2023 ROADWAY 2023 SLD COUNT TAL LEN: .66	Y/SR - A	MENT SYSTEM ANNUAL PRINT DIST: RIGHT MUN: WA	PAGE COUNTY: 02-3 YNE T	NUMBER: 296 CLINTON SR: 8007
FROM 1005/0010 SH	003531 FT	Ħ	003531 FT INTER-AHD 0750/0994		O'REILLY HW SEG 0280/1031)
(CONN)	0750/0066 002537 FT	==	0750/0025 002537 FT NC RA INTER-BK	LEN=0050 1 0 01044 MP M RD MCELHATTA (SR1005 S	CIRC CONCR INSTALLED UNKN 2 19 0000+00 AN DR SEG 0010/0619) 1 0994 BK 0850)
	001687 FT		0500/0850 001687 FT NC RA INTER-BK	1 0 01044 MP K RD FRANK D 0 (SR0220 S	AN DR SEG 0010/1221) 4 2 17 0000+00 D'REILLY HW SEG 0281/0917) H 0850 BK 0817)
FROM 1005/0010 SH (CONN)	0250/0078 000870 FT	==	0250/0817 000870 FT NC RA INTER-BK	SR0220 S 1 0 01044 MP J RD MCELHATTA (SR1005 S	C'REILLY HW SEG 0271/0158) L 2 16 0000+00 AN DR SEG 0010/1210) H 0817 BK 0870)
	000000 FT		0010/0870 0010/0795 000000 FT NC RA INTER-BK	018 "DIA LEN=0050 1 D 01044 MP L RD FRANK D 0 (SR0220 S MFC BEGIN	SEG 0010/0619) CIRC CONCR INSTALLED UNKN L 2 18 0000+00 D'REILLY HW SEG 0270/0909)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 295 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: W TOTAL LEN: .846 MI. DIST: 02-3 SR: 8006 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 294
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: W TOTAL LEN: .846 MI. DIST: 02-3 SR: 8006 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T

INTER-AHD RAMP A RD (SR8006 SEG 0250/0000) FRANK DO'REILLY HW 0500/1062 (SR0220 SEG 0010/0733) "DIA CIRC CONCR 018 0500/0962 LEN=0120 INSTALLED 2001 024 "DIA CIRC METAL 0500/0519 LEN=0065 INSTALLED 2001 002309 FT 002309 FT 1 0 01009 2 06 0015+14 NC RAMP C RD Z H CONFAIR MEMORIAL HW INTER-BK SR0080 SEG 1775/2604) ES 0500/0000 LENGTH(AH 1062 BK 1196) INTER-AHD Z H CONFAIR MEMORIAL HW 0250/1196 (SR0080 SEG 1775/0318) TRIB FISHING CREEK STRUCTURE LENGTH 15 FT BMSID 18/0080/1775/0980 0250/0513 "DIA 018 CONCR CIRC 0250/0126 LEN=0118 INSTALLED 2001 001113 FT 001113 FT 1 0 01009 2 04 0016+74 NC RAMP A RD FRANK D O'REILLY HW SR0220 SEG 0010/0733) ŠR 8006 RAMP C INTER-BK (SR8006 SEG 0500/1062) **E** 0250/0000 LENGTH (AH 1196 BK 1113) INTER-AHD RAMP D R D (SR8006 SEG 0750/0000) HECKMAN GAP RD (SR0220 SEG 0010/0000) 0010/1113 **072** "DIA CIRC CONCR 0010/0740 LEN = 0070INSTALLED UNKN TRIB FISHING CREEK STRUCTURE LENGTH 0010/0696 BMSID 18/0080/1774/0935 000000 FT 000000 FT 1 0 01009 2 05 0000+00 NC RAMP B RD INTER-BK Z H CONFAIR MEMORIAL HW (SROOBO SEG 1774/0288) MFC BEGIN = F ĸc= 0010/0000 LENGTH(AH 1113 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 293 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: S TOTAL LEN: .512 MI. DIST: 02-3 SR: 8005 LEFT MUN: CASTANEA T RIGHT MUN: CASTANEA T

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 292 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: S TO LEFT MUN: CASTANEA T TOTAL LEN: .512 MI. DIST: 02-3 SR: 8005 RIGHT MUN: CASTANEA T 036 "DIA CIRC METAL 0750/0023 LEN=0050 INSTALLED UNKN 002223 FT 1 0 01044 2 15 0000+00 002223 FT NC RAMP H RD PAUL MACK BL SR2012 SEG 0014/0290) (ŠŘŽŎ1Ž ŠĒG DO15/0290) RAMP G RD INTER-BK (SR8005 SEG 0010/0778) **5** 0750/0000 LENGTH (AH 0480 BK 0669) INTER-AHD PAUL MACK BL 0500/0669 (SR0120 SEG 1081/0227) Ò1B "DIA CIRC CONCR 0500/0525 LEN=0050 INSTALLED UNKN TO 0120/1080 SH (CONN) 0500/0386 001554 FT 001554 FT 1 0 01044 2 13 0000+00 NC RAMP F RD FRANK D O'REILLY HW INTER-BK (SR0220 SEG 0171/1004) LENGTH (AH 0669 BK 0776) **G** 0500/0000 INTER-AHD FRANK D O'REILLY HW 0250/0776 (SR0220 SEG 0161/2876) FROM 0120/1081 SH (CONN) 0250/0272 000778 FT 000778 FT 1 0 01044 2 12 0000+00 NC RAMP E RD INTER-BK PAUL MACK BL (SR0120 SEG 1080/0033) C 0250/0000 L'ENGTH (AH 0776 BK 0778) INTER-AHD SR 8005 RAMP SEG 750 (SR8005 SEG 0750/0000) PAUL MACK BL (SR2012 SEG 0014/0290) (SR2012 SEG 0015/0290) 0010/0778 000000 FT 000000 FT 1 0 01044 2 14 0000+00 NC RAMP G RD INTER-BK FRANK D O'REILLY HW (SRO220 SEG 0170/0000) MFC BEGIN = F ĸc= 0010/0000 LENGTH(AH 0778 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 291 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: S TOTAL LEN: .926 MI. DIST: 02-3 SR: 8004 LEFT MUN: PORTER T RIGHT MUN: PORTER T

004890 FT 004890 FT INTER-AHD Z H CONFAIR MEMORIAL HW 0750/1295 (SR0080 SEG 1730/1006) 018 "DIA CIRC CONCR 0750/1252 LEN=0060 INSTALLED 2001 042 "DIA CIRC METAL 0750/0497 LEN=0065 INSTALLED 2001 018 "DIA CIRC CONCR 0750/0178 LEN=0111 INSTALLED 2001 003595 FT 003595 FT 1 0 01009 2 03 0000+00 NC RAMP D RD SR 0064 SH (SR0064 SEG 0050/1824) RAMP C RD INTER-BK (SR8004 SEG 0010/1130) LENGTH(AH 1295 BK 1428) **E** 0750/0000 INTER-AHD RAMP A RD (SR8004 SEG 0250/0000) ŠR 0064 SH (SR0064 SEG 0060/0036) 0500/1428

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 290 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT SR: 8004 TOTAL LEN: .926 MI. DIST: 02-3 MUN: PORTER T RIGHT MUN: PORTER T "DIA CIRC CONCR 018 0500/1395 LEN=0125 INSTALLED 2001 01B "DIA CIRC CONCR 0500/1145 LEN=0076 INSTALLED 2001 "DIA CIRC CONCR 0500/0020 LEN=0034 INSTALLED 2001 002167 FT 002167 FT 1 0 01009 2 01 0000+00 NC RAMP B RD Z H CONFAIR INTER-BK MEMORIAL HW (SROOBO SEG 1731/1792) LENGTH (AH 1428 BK 1037) 0500/0000 INTER-AHD H CONFAIR MEMORIAL HW (SR0080 SEG 1725/1849) 0250/1037 "DIA CIRC CONCR 018 0250/0553 LEN=0101 INSTALLED 2001 "DIA 018 CIRC CONCR 0250/0057 LEN=0149 INSTALLED 2001 001130 FT 001130 FT 1 0 01009 2 00 0000+00 NC RAMP A RD SR 0064 S H (SR0064 SEG 0060/0036) INTER-BK RAMP B RD (SR8004 SEG 0500/1428) LENGTH (AH 1037 BK 1136) **⊑** 0250/0000 INTER-AHD RAMP D RD (SR8004 SEG 0750/0000) SR 0064 SH (SR0064 SEG 0050/1824) 0010/1130 "DIA CIRC CONCR LEN=0229 0010/1043 INSTALLED 2001 "DIA CIRC CONCR 0 1 B LEN=0114 0010/0607 INSTALLED 2001 "DIA 018 CIRC CONCR 0010/0248 LEN = 0100INSTALLED 2001 "DIA 042 CIRC CONCR 0010/0083 LEN=0100 INSTALLED 2001 000000 FT 000000 FT 1 01009 2 02 0000+00 0 NC RAMP C R D INTER-BK Z H CONFAIR MEMORIAL HW (SR0080 SEG 1724/1150) MFC BEGIN = F

ĸc= 0010/0000 LENGTH(AH 1130 BK 0000)

DIR: S TOTAL LEN: .784 MI. DIST: 02-3 SR: 8003 LEFT MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE T

004137 FT 004137 FT FRANK D O'REILLY HW INTER-AHD 0760/1719 (SR0220 SEG 0120/1458) Ò B "DIA CIRC CONCR 0760/1500 LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR 0760/0704 LEN=0030 INSTALLED UNKN 002418 FT 1 0 01044 2 11 0000+00 002418 FT NC RAMP D RD MILL HALL INTER-BK (SR2015 SEG 0011/0000)

GR2015 SEG 0011/0000)

GR2015 SEG 0011/0000) INTER-AHD MILL HALL RD 0750/1176 (SR2015 SEG 0010/0000) 001242 FT 001242 FT 1 0 01044 2 10 0000+00 NC RAMP C RD INTER-BK FRANK D O'REILLY HW (SR0220 SEG 0120/0573) E 0750/0000 LENGTH (AH 1176 BK 0716) INTER-AHD MILL HALL RD (SR2015 SEG 0020/0000) 0500/0716 018 "DIA CIRC CONCR 0500/0680 LEN=0030 INSTALLED UNKN 000526 FT 000526 FT 1 0 01044 2 09 0000+00 NC RAMP B RD FRANK D O'REILLY HW INTER-BK (SR0220 SEG 0121/0889) ES 0500/0000 LENGTH (AH 0716 BK 0526) INTER-AHD FRANK D O'REILLY HW (SR0220 SEG 0111/2443) 1 0 01044 2 08 0000+00 0250/0526 000000 FT 000000 FT NC RAMP A RD INTER-BK MILL HALL RD (SR2015 SEG 0021/0129) MFC BEGIN = F ĸc= 0250/0000 LENGTH(AH 0526 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 288 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: N TOTAL LEN: .653 MI. DIST: 02-3 SR: 8001 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T


EXTRACT DATE: PRINT DATE:	12/18/2023 12/19/2023 SI	ROADWAY D COUNTY	MANAGEME /SR - AN	NT SYS NUAL P	TEM RINT (	PAGE COUNTY:	NUMBER: CLINTON	287
DIR: N LEFT MUN: LAMAI	TOTAL LEN: R T	. 653	MI.		DIST: 02 UN: LAMA		SR: 8001	
			<b>+</b>	0750	/0799 (5	S R O 2 2 O	SEG 0080/1	066)
	002648	B FT			48 FT 1 NC RAME	DRD	3 2 04 000	0 + 0 0
			<u> </u> 5		( 9	AIN ST SRO477 ENGTH (A	SEG 0010/1 H 0799 BK	310) 0835)
		=	=  =	0500	/0835 (S	AIN ST SRO477	SEG 0010/0	451)
	001813	S FT			13 FT 1 NC RAME	P R RD		
			↓ ,	INTE 0500	( 9	S R O 2 2 O	O'REILLY H SEG 0081/1 H 0835 BK	587)
FROM 0477/0010 S			П	N T E 0 2 5 0	R-AHD FF /0617 (S	R A N K D S R O 2 2 O	O'REILLY H SEG DO81/0	W 251)
(CONN)	0250/ 001196	/0174 5 FT =	==	0011	96 FT 1 NC RAME		3 2 01 000	0 + 0 0
			<u> </u>		R-BK MA	AIN ST SRO477	SEG 0010/0 H 0617 BK	547) 0689)
			<b>—</b>				O'REILLY H SEG 0080/0	
	000507	7 F T		0005	O7 FT 1 NC RAME	0 0106	3 2 05 000	0 + 0 0
		=	_U	<b>5</b> 0020	M A	A I N S T S R O 4 7 7	SEG 0010/1 H 0689 BK	645) 0507)
	00000	= • F T		0010	/0507 (S /0367 LE 00 FT 1 NC RAME	18 "DIA EN=0050 0 0106 C RD	SEG 0010/1 CIRC CONC INSTALLED 3 2 03 000	R UNKN 0+00
		-	<u> </u>		M F	SRO220 FC BEGI	O'REILLY H SEG 0070/2 N = F H 0507 BK	300)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 286 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .042 MI. DIST: 02-3 SR: 4005 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

000223 FT	000223 FT 7054/0000 LENGTH(AH 0100 BK 0071) BMSEN 18/4005/0050/0000
000152 FT	INTER-AHD YOUNG WOMANS CREEK RD 0050/0071 (T579) 000152 FT 2 0 18020 0 03 0202+35 INTER-BK YOUNG WOMANS CREEK RD (T579)
000152 FT	YOUNG WOMANS CREEK BMSBG 18/4005/0050/0000  GO050/0000 LENGTH(AH 0071 BK 0100) 000152 FT
000128 57	7044/0000 LENGTH (AH 0100 BK 0024) BMSEN 18/4005/0040/0000 INTER-AHD YOUNG WOMANS CREEK RD 0040/0024 (T579)
000128 FT	000128 FT 2 0 18020 0 02 0176+11 INTER-BK YOUNG WOMANS CREEK RD (T579) LAURELLY RUN
000128 FT	BMSBG 18/4005/0040/0000 000128 FT 7024/0000 LENGTH(AH 0024 BK 0100) BMSEN 18/4005/0020/0000
000063 FT	INTER-AHD YOUNG WOMANS CREEK RD 0020/0065 (T579) 000063 FT 2 0 18020 0 01 0103+99 INTER-BK YOUNG WOMANS CREEK RD
000063 FT	(T579) YOUNG WOMANS CREEK BMSBG 18/4005/0020/0000 S 0020/0000 LENGTH(AH 0065 BK 0100) 000063 FT
	7014/0000 LENGTH(AH 0100 BK 0063) BMSEN 18/4005/0010/0000 INTER-AHD YOUNG WOMANS CREEK RD 0010/0063 (T579)
000000 FT	000000 FT 2 0 18020 0 00 0078+99 NC YOUNG WOMANS CREEK RD INTER-BK YOUNG WOMANS CREEK RD (T579) LFT BR YOUNG WOMANS CRK
000000 FT	BMSBG 18/4005/0010/0000  BMSBG 18/4005/0010/0000  BMSBG 18/4005/0010/0000  BMSBG 18/4005/0010/0000  BMSBG 18/4005/0010/0000  BMSBG 18/4005/0010/0000
	7008/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: .015 MI. DIST: 02-3 SR: 4003 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 284 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .683 MI. DIST: 02-3 SR: 4002 LEFT MUN: EAST KEATING T RIGHT MUN: EAST KEATING T

003606 FT 003606 FT BUCKTAIL TRAIL HW 0150/2604 (SR0120 SEG 0170/1056) 048 "DIA CIRC METAL 0150/1445 LEN = 0035INSTALLED UNKN 015 "DIA CIRC METAL 0150/0965 LEN = 0030INSTALLED UNKN 018 "DIA CIRC CONCR 0150/0874 LEN = 0030INSTALLED UNKN 018 "DIA CIRC CONCR 0150/0615 LEN=0036 INSTALLED 2009 0150/0604 BMSEN 18/4002/0150/0298 0 18001 0 00 0287+69 SINNEMAHONING CREEK 0150/0298 BMSBG 18/4002/0150/0298 018 "DIA CIRC 0150/0295 LEN = 0036INSTALLED 2009 "DIA 018 CIRC METAL 0150/0076 LEN = 0050INSTALLED UNKN 001002 FT 001002 FT 2 0 18001 0 00 0284+48 LENGTH (AH 2604 BK 0944) NORFOLK SOUTHERN **E** 0150/0000 0140/0714 OVERPASS IS RR X-ING "DIA CIRC METAL 036 0140/0248 LEN = 0030INSTALLED UNKN 0140/0190 (AAR 505177P)#TRKS 00 000058 FT 0 18001 0 00 0274+52 000058 FT VILLAGE: KEATING NC KEATING RD VINCENT RD T306) INTER-BK ŘEATIŃG MOUNTAIN RD (T305)0140/0000 0140/0000 LENGTH (AH 0944 BK 1031) 000058 FT 000058 FT 7130/0000 LENGTH (AH 1031 BK 2425) 000058 FT 000058 FT 7120/0000 LENGTH(AH 2425 BK 2418) 000058 FT 000058 FT 7110/0000 LENGTH(AH 2418 BK 2418)

VINCENT RD (T306)


ĸc= 0010/0000 LENGTH(AH 0024 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 282 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 10.712 MI. DIST: 02-3 SR: 4001 LEFT MUN: LEIDY T RIGHT MUN: LEIDY T

056560 FT

055785 FT



EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 281 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT TOTAL LEN: 10.712 MI. SR: 4001 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T 0310/2360 LEN=0045 INSTALLED UNKN 018 "DIA CIR PLASTIC 0310/2050 LEN=0045 INSTALLED 2005 018 "DIA CIR PLASTIC 0310/1840 LEN=0045 INSTALLED 2005 042"H 54"W ELLIP METAL 0310/1112 LEN=0040 INSTALLED UNKN SUMMERSON LN 0310/0979 (T309)015 "DIA CIRC METAL 0310/0800 LEN=0049 INSTALLED UNKN LC TO SUMMERSON LN == (CONN) 0310/0744 O 1 B "ĎIA CIR PLASTIC LEN=0040 INSTALLED UNKN 0310/0275 053202 FT 053202 FT 18003 0 03 0761+32 2 0 "DIA CIRC METAL LEN=0030 INSTALLED UNKN E 0310/0000 LENGTH (AH 2583 BK 2934) "DÍA CIR PLASTIC 018 0300/2626 LEN=0030 INSTALLED UNKN CIR PLASTIC "DIA 0300/1740 LEN=0045 INSTALLED 2022 015 "DIA CIRC METAL 0300/0871 LEN=0025 INSTALLED UNKN 015 "DIA CIRC METAL 0300/0023 LEN=0025 INSTALLED UNKN 050268 FT 2 0 18003 0 03 0732+78 VILLAGE: HAMMERSLEY FOR CALHOUN RD (T310) LENGTH (AH 2934 BK 1861) **E** 0300/0000 "DIA CIRC METAL 0290/0819 LEN=0025 INSTALLED UNKN BMSEN 18/4001/0290/0000 2 0 18003 0 03 0713+31 0290/0033 048407 FT 048407 FT TROUT RUN BMSBG 18/4001/0290/0000 **□** 0290/0000 LENGTH(ĀH 1861 BK 1410) TROUT RUN RD (FRST) 0280/1119 015 "DIA CIRC METAL

0280/0589 LEN=0030 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 280 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 10.712 MI. SR: 4001 TOTAL LEN: DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T 046997 FT 046997 FT 2 0 18003 0 03 0699+09 015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2005 **⊑** 0280/0000 LENGTH(AH 1410 BK 2643) 018 "DIA CIRC CONCR 0270/1248 LEN=0030 INSTALLED UNKN "DIA 0 1 5 CIR PLASTIC 0270/0890 LEN=0025 INSTALLED UNKN "DIA 0 1 5 CIR PLASTIC 0270/0403 LEN = 0030INSTALLED 2005 044354 FT 044354 FT 2 0 18003 0 03 0672+74 038"H 56"W ELLIP LEN=0057 INSTALLED 1996 LENGTH (AH 2643 BK 2845) 015 "DIA CIRC METAL **5** 0270/0000 0260/2651 LEN = 0025INSTALLED UNKN 015 "DIA CIRC METAL 0260/2428 LEN=0025 INSTALLED UNKN "DIA 018 CIR PLASTIC 0260/2213 LEN=0034 INSTALLED 2005 "DIA 018 CIR PLASTIC 0260/2018 LEN = 0030INSTALLED 2005 "DIA 018 CIR PLASTIC 0260/1825 LEN = 0030INSTALLED 2005 015 "DIA CIR PLASTIC 0260/1530 LEN=0035 INSTALLED 2005 015 "DIA CIR PLASTIC 0260/1082 LEN=0035 INSTALLED 2005 CIRC METAL "DIA 0260/0301 LEN=0025 INSTALLED UNKN BMSEN 18/4001/0260/0000 2 0 18003 0 03 0644+25 0260/0015 041509 FT 041509 FT WALTERS RUN BMSBG 18/4001/0260/0000 LENGTH(AH 2845 BK 1917) **⊑** 0260/0000 "DIA CIR PLASTIC 0 1 5 0250/1540 LEN = 0037INSTALLED 2005 "DIA 0 1 5 CIRC METAL 0250/1340 LEN=0025 INSTALLED UNKN 0 1 5 "DIA CIRC METAL LEN = 00300250/0957 INSTALLED UNKN 015 "DIA CIRC METAL 0250/0350 LEN=0025 INSTALLED UNKN 015 "DIA CIRC METAL

0250/0141 LEN=0025 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 279 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 10.712 MI. SR: 4001 TOTAL LEN: DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T 039592 FT 039592 FT 2 0 18003 0 03 0625+01 VILLAGE: LEIDY 0250/0000 LENGTH (AH 1917 BK 2544) "DÍA 018 CIRC METAL 0240/2088 LEN=0030INSTALLED UNKN 015 "DIA CIR PLASTIC 0240/1848 LEN=0030 INSTALLED 2005 060 "DIA CIRC METAL 0240/0874 LEN=0035 INSTALLED UNKN PROCTOR RD 0240/0523 (T308)"ĎIA 0 1 5 CIR PLASTIC 0240/0407 LEN=0037 INSTALLED 2005 "DIA 0 1 B CIRC METAL 0240/0160 LEN = 0030INSTALLED UNKN 037048 FT 037048 FT 2 0 18003 0 03 0599+46 LENGTH (AH **5** 0240/0000 2544 BK 2448) 015 "DÍA CIRC METAL 0230/2227 LEN=0025 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0230/1818 LEN=0025 INSTALLED UNKN "DIA 0 1 5 CIRC METAL 0230/1550 LEN=0025 INSTALLED UNKN "DIA 0 1 5 CIRC METAL 0230/1000 LEN = 0030INSTALLED UNKN 030 "DIA CIRC METAL LEN=0025 0230/0838 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0230/0616 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC METAL 0230/0430 LEN=0025 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0230/0259 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC METAL LEN = 00250230/0110 INSTALLED UNKN 034600 FT 034600 FT 2 0 18003 0 02 0575+13 LENGTH (AH 2448 BK 2 018 "DIA CIRC METAL 2448 BK 2460) **E** 0230/0000 0220/1945 LEN=0032 INSTALLED 2005 015"H 24"W ELLIP METAL 0220/1623 LEN = 0040INSTALLED 2021 0 1 5 "DIA CIRC METAL LEN=0025 0220/1400 INSTALLED UNKN 0220/0724 BMSEN 18/4001/0220/0698 2 0 18003 0 03 0557+51 BEAVER DAM RUN

0220/0698 BMSBG 18/4001/0220/0698

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 278 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 10.712 MI. SR: 4001 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T "DIA CIRC METAL 0220/0458 LEN=0025 INSTALLED UNKN BEAVER DAM RUN RD (FRST) 0220/0218 "W ELLIP 0220/0189 LEN = 0035INSTALLED 2021 032140 FT 032140 FT 2 0 18003 0 03 0550+53 LENGTH (AH 2460 BK 2522) **5** 0220/0000 "DÍA CIRC 0 1 5 CONCR 0210/2119 LEN = 0025INSTALLED UNKN "DIA 024 CIR PLASTIC 0210/1925 LEN = 0020INSTALLED 2005 "DIA CIRC 018 CONCR LEN = 0030INSTALLED UNKN 0210/1532 018 "DIA CIRC CONCR 0210/1176 LEN = 0025INSTALLED UNKN "DIA 018 CIRC CONCR 0210/0746 LEN=0025 INSTALLED UNKN "DIA 024 CIRC CONCR 0210/0360 LEN = 0030INSTALLED UNKN 029618 FT 029618 FT 2 0 18003 0 03 0525+31 "DIA CIRC CONCR LEN = 0025INSTALLED UNKN LENGTH(AH 2522 BK 2650) **53** 0210/0000 015 "DÍA CIRC CONCR 0200/2319 LEN = 0025INSTALLED UNKN "DIA CIRC CONCR LEN = 0025INSTALLED UNKN 0200/1441 "DIA CIRC CONCR 0 1 5 0200/1091 LEN=0030 INSTALLED UNKN "DIA CIR PLASTIC 0 1 5 0200/0802 LEN=0025 INSTALLED UNKN "DIA 018 CIR PLASTIC 0200/0442 LEN = 0030INSTALLED 2021 026968 FT 026968 FT 2 D 18003 0 03 0498+89 BEARFIELD RUN STRUCTURE LENGTH BMSID 18/4001/0200/0000 LENGTH(AH 2650 BK 3131) **E** 0200/0000 KETTLE CREEK ST PARK PS (PARK) 0190/2688 == "ĎIA 018 CIR PLASTIC 0190/2280 LEN=0025 INSTALLED 2012 "DIA CIR PLASTIC 0190/1970 LEN = 0040INSTALLED 2012 "DIA 018 LEN=0040 0190/1584 INSTALLED 2012 024 "DIA CIRC CONCR

0190/1380 LEN=0025

INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE COUNTY: 277 ROADWAY MANAGEMENT SYSTEM NUMBER: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 10.712 MI. SR: 4001 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T 036 "DIA CIRC CONCR 0190/0630 LEN = 0025INSTALLED UNKN 023837 FT 2 0 18003 0 03 0467+65 023837 FT E 0190/0000 LENGTH(AH 3131 BK 3604) SUGAR CAMP RD (FRST) 0180/3239 048"H 60"W CONCR ARCH 0180/3160 LEN=0040 INSTALLED UNKN CIRC CONCR 0 1 B "DIA 0180/2250 LEN = 0025INSTALLED UNKN 036 "DIA CIRC CONCR 0180/1970 LEN = 0025INSTALLED UNKN 024 "DIA CIRC CONCR LEN=0025 0180/1630 INSTALLED UNKN "DIA 018 CIR PLASTIC 0180/1366 LEN=0040 INSTALLED 2012 CIRC CONCR "DIA 0180/0750 LEN=0025 INSTALLED UNKN 020233 FT 020233 FT 2 0 18003 0 03 0431+61 O1B "DIA CIRC METAL INSTALLED UNKN LEN = 00250180/0000 LENGTH(AH 3604 BK 1760) 024 "DIA CIRC CONCR 0170/1464 LEN=0040 INSTALLED UNKN 024 "DIA CIRC CONCR 0170/1295 LEN = 0040INSTALLED UNKN "DIA 024 CIRC CONCR LEN=0040 0170/1156 INSTALLED UNKN "DIA 024 CIRC CONCR 0170/0981 LEN = 0040INSTALLED 2001 "DIA CIRC CONCR 024 0170/0818 LEN=0030 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0170/0660 LEN=0050 INSTALLED UNKN 018473 FT 2 0 18003 018473 FT 0 03 0414+07 **E** 0170/0000 LENGTH (AH 1760 BK 2064) "DÌA CIRC CONCR 018 LEN=0035 0160/1567 INSTALLED UNKN 036 "DIA CIRC CONCR 0160/0668 LEN=0033 INSTALLED UNKN 030 "DIA CIRC CONCR

0160/0295 LEN=0050

INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 276 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 10.712 MI. SR: 4001 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T "DIA CIRC CONCR 024 0160/0100 LEN=0050 INSTALLED UNKN 016409 FT 016409 FT 2 0 18003 0 02 0390+30 **E** 0160/0000 LENGTH (AH 2064 BK 1756) "DÍA CIRC CONCR 0150/1616 LEN = 0050INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0035 INSTALLED UNKN 0150/1332 060 "DIA CIRC METAL LEN=0030 0150/1133 INSTALLED UNKN 0150/0847 BMSEN 18/4001/0150/0667 2 0 18003 0 02 0379+36 KETTLE CREEK 0150/0667 BMSBG 18/4001/0150/0667 024 "DIA CIRC CONCR 0150/0236 LEN = 0030INSTALLED UNKN 014653 FT 014653 FT 2 0 18003 0 01 0372+56 **E** 0150/0000 LENGTH (AH 024 "DIA C 1756 BK 3371) CIRC CONCR 0140/3150 LEN = 0090INSTALLED UNKN 024 "DIA CIRC CONCR 0140/2720 LEN = 0060INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0040 0140/2354 INSTALLED 2001 024 "DIA CIRC CONCR 0140/1747 LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR 0140/1400 LEN=0040 INSTALLED UNKN CIRC CONCR "DIA 0140/0354 LEN=0040 INSTALLED UNKN 011282 FT 2 0 011282 FT 18003 0 01 0338+54 C 0 1 4 0 / 0 0 0 0 LENGTH (AH 3371 BK 2201) 0 1 B "DÌA CIRC CONCR 0130/1983 LEN = 0030INSTALLED 2001 "DIA CIRC CONCR 018 0130/1437 LEN=0030 INSTALLED 2001 "DIA CIR PLASTIC 018 0130/1001 LEN=0050 INSTALLED UNKN LOOP RD (PARK) 0130/0611 == 009081 FT 009081 FΤ 0 18003 0 01 0316+53 SUMMERSON RUN STRUCTURE LENGTH BMSID 18/4001/0130/0000 BMSID 18/4001/0130/0000 BMSID 18/4001/0130/0000 LOWER CAMPGROUND RD

0090/1745 LEN=0045

INSTALLED UNKN

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 274 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 10.712 MI. SR: 4001 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T 018 "DIA CIR PLASTIC 0090/1593 INSTALLED UNKN LEN = 0030"DIA CIR PLASTIC 015 0090/1378 LEN = 0025INSTALLED UNKN 036 "DIA CIRC METAL 0090/0800 LEN=0040 INSTALLED UNKN 001318 FT 001318 FT 2 0 18003 0 01 0210+19LENGTH (AH 2072 BK 1293) **E** 0090/0000 018 "DÍA CIR PLASTIC 0080/1025 LEN=0025 INSTALLED UNKN "DIA 018 CIR PLASTIC LEN=0030 INSTALLED UNKN 0080/0760 018 "DIA CIR PLASTIC 0080/0660 LEN=0040 INSTALLED 2007 "DIA 0 1 B CIRC METAL 0080/0340 LEN = 0040INSTALLED UNKN 000025 FT 000025 FT 2 0 18003 0 01 0193+86 "DIA CIR PLASTIC 018 LEN=0025 INSTALLED UNKN INTER-BK KETTLE CREEK RD (T306) 0080/0000 000025 FT LENGTH(AH 1293 BK 0944) 000025 FT 7080/0000 LENGTH (AH 0944 BK 2482) 000025 FΤ 000025 FT 7070/0000 LENGTH(AH 2482 BK 2648) 000025 FT 000025 FT 7060/0000 LENGTH (AH 2648 BK 2264) 000025 FT 000025 FT 7050/0000 LENGTH (AH 2264 BK 2442) 000025 FT 000025 FT 7042/0000 LENGTH (AH 2442 BK 0025) BMSEN 18/4001/0040/0006 KETTLE CREEK RD INTER-AHD (T306)0040/0025 NOYES T 000000 FT 2 0 18003 0 01 000000 FT 0085+46 NC KETTLE CREEK RD INTER-BK KETTLE CREEK RD T306) TWO MILE RUN BMSBG 18/4001/0040/0000 0040/0000 LENGTH (AH 0025 BK 3653) FT 000000 000000 FT 7030/0000 LENGTH (AH 3653 BK 2256) 000000 FT 000000 FΤ 7020/0000 LENGTH (AH 2256 BK 2702) 000000 FT 000000 FT

7010/0000 LENGTH(AH 2702 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 273 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .000 MI. DIST: 02-3 SR: 2026 LEFT MUN: BEECH CREEK B RIGHT MUN: BEECH CREEK B

018 "DIA CIRC METAL

018 "DIA CIRC CONCR

C Î Ř C Č Ō N Č R

0040/1804 LEN=0070 INSTALLED UNKN

018 "DIA CIRC METAL 0040/1014 LEN=0030 INSTALLED UNKN

OIB "DIA

0040/1478 LEN=0027

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM SLD COUNTY/SR - ANNUAL PRINT PAGE NUMBER: COUNTY: CLINTON

DIR: B TOTAL LEN: LEFT MUN: BEECH CREEK B

2.495 MI.

DIST: 02-3 SR RIGHT MUN: BEECH CREEK B SR: 2024


MAIN ST (SR0150 SEG 0010/0206) HILL ST (BORO)	013173 FT 0060/1469 0060/1377	==	013173 FT MAIN ST 0060/1469 (SR0150 SEG 0010/0206)
HARRISON ST (BORO)	0060/0460	=======================================	0060/0892 LEN=0030 INSTALLED UNKN  0060/0418 LEN=0035 INSTALLED UNKN 015 "DIA CIRC METAL 0060/0356 LEN=0037 INSTALLED UNKN
HIGH ST (BORO)	011704 FT 0060/0000	==	0060/0356 LEN=0037 INSTALLED UNKN 011704 FT 1 0 00359 0 00 0120+00 NC MONUMENT ORVISTON RD 0060/0000 LENGTH (AH 1469 BK 2024) 018 "DIA CIRC CONCR 0050/2024 LEN=0045 INSTALLED UNKN
LITTLE SUGAR RUN RD (T331)	0050/1695	==	0050/1730 BEECH CREEK T  0050/1659 BMSEN 18/2024/0050/1632 1 0 00359 0 00 0116+09 SUGAR RUN
LAUREL RUN RD (T599)	0050/0667		0050/1632 BMSBG 18/2024/0050/1632 0050/0503 BMSEN 18/2024/0050/0463 1 0 00359 0 00 0104+37
	009680 FT		BITNER RUN  0050/0463 BMSBG 18/2024/0050/0463  018 "DIA CIRC METAL  0050/0005 LEN=0035 INSTALLED 2001  009680 FT 1 0 00359 0 00 0099+02  0050/0000 LENGTH(AH 2024 BK 2418)

EXTRACT DATE: 12/18, PRINT DATE: 12/19	/2023 ROADWAY /2023 SLD COUNTY	MANAGEM Y/SR - A	IENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 271 CLINTON
DIR: B LEFT MUN: BEECH CRE	OTAL LEN: 2.495 EK T	5 MI.	DIST: RIGHT MUN: BE	02-3 ECH CREEK	SR: 2024 ( T
	007262 FT		007262 FT	015 "DIA LEN=0045 1 0 00359 LENGTH(AH 018 "DIA	NSTALLED UNKN   C   RC   METAL   NSTALLED   1995   0 00 0074+99   2418   BK   2429   C   RC   METAL   NSTALLED   UNKN
Ţ <u>AŊĶ</u> _ ĻN	0030/0451	<b></b>	0030/0625	0 1 8 " D I A L E N = 0 0 2 7	CIRC CONCR INSTALLED UNKN
(ТЗЗТ)	004833 FT		004833 FT 0030/0000	1 0 00359 LENGTH (AH	0 00 0050+85 1 2429 BK 2319)
		-++-	0020/1441	0 1 8 " D I A L E N = 0 0 2 5	CIR PLASTIC INSTALLED UNKN
	002514 FT		002514 FT 0020/0000	1 0 00359 LENGTH (AH 018 "DIA	0 00 0027+81 1 2319 BK 1698) CIRC CONCR
		-++- -++-		LEN=0030 024 "DIA LEN=0028 018 "DIA	INSTALLED UNKN CIR PLASTIC INSTALLED UNKN CIRC METAL
	000816 FT		0010/0720 000816 FT NC BE	1 0 00359 ECH CREEK	C R D
FALLS RD (T347)	0006/0541		0006/0790	018 "DÍA	CIR PLASTIC INSTALLED UNKN
()	000000 FT		0006/0475 0006/0146 000000 FT NC MO INTER-BK	LEN=0060 BMSEN 18/ 1 0 00359 ONUMENT OR ORVISTON (SR1016 S BEECH CRE	SEG 0180/2127) :EK
			<b>5</b> 0006/0000	MFC BEGIN	RE (14)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 270 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTA LEFT MUN: LOCK HAVEN C TOTAL LEN: .005 MI. DIST: 02-3 SR: 2023 RIGHT MUN: LOCK HAVEN C

LENGTH (AH 0402 BK 1175) 7027/0000 000028 FT 000000 FT 000000 FT 000000 FT



000028 FT 7026/0000 LTH AH 000402 BK 001175 000028 FT LENGTH (AH 1175 BK 0028) HANNA ST 7024/0000 INTER-AHD 0022/0028 (CITY) 0022/0014 (AAR 526919N)#TRKS 02 000000 FT 0 0 00000 0 00 0000+00 NC HANNA ST INTER-BK HANNA ST (CITY) LENGTH(AH 0028 BK 0636) **5** 0022/0000 000000 FT 7020/0000 LENGTH (AH 0636 BK 1897) 000000 FT 7010/0000 LENGTH(AH 1897 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 269 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 6.063 MI. DIST: 02-3 SR: 2022 LEFT MUN: LOCK HAVEN C RIGHT MUN: LOCK HAVEN C

032010 FT RENOVO RD 032010 FT (SR0120 SEG 0980/0435) 0230/1908 015 "DIA CIRC METAL 0230/1850 LEN=0050 INSTALLED UNKN WILLOW VIEW LN (T398)0230/1727 == LOCK HAVEN 0230/1646 ALLISON T 018 "DIA CIRC METAL 0230/1585 LEN = 0030INSTALLED UNKN 018 "DIA CIRC METAL 0230/1120 LEN = 0030INSTALLED UNKN 018 "DIA CIR PLASTIC 0230/0661 LEN=0050 INSTALLED UNKN 030102 FT 2 0 18009 0 01 0557+31 030102 FT "DIA CIR PLASTIC 018 LEN=0040 INSTALLED 2005 LENGTH (AH 1908 BK 2200) **5** 0230/0000 "DÌA CIRC METAL 018 0220/1610 LEN=0090 INSTALLED UNKN 018 "DIA CIR PLASTIC 0220/1045 LEN=0030 INSTALLED 2017 ALLISON 0220/0535 BALD EAGLE 024 "DIA CIR PLASTIC 0220/0470 LEN=0045 INSTALLED 1996 "DIA 0 1 8 CIR PLASTIC 0220/0130 LEN = 0036INSTALLED 2017 027902 FT 027902 FT 18009 0 01 0535+31 VILLAGE: SUGAR 0220/0000 LENGTH (AH 2200 BK 3092) 018 "DIA CIR PLASTIC 0210/2675 LEN=0040 INSTALLED 2006 "DIA CIR PLASTIC 036 0210/2005 LEN=0040 INSTALLED 2001 YOST RD == 0210/1226 (T380)Ò4B "ĎIA CIRC METAL 0210/1186 LEN=0060 INSTALLED UNKN 018 "DIA CIR PLASTIC

0170/2010 LEN=0035 INSTALLED UNKN

024 "DIA CIRC METAL

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 267 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT 6.063 MI. TOTAL LEN: DIST: 02-3 SR: 2022 MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE 0170/1655 LEN=0035 INSTALLED UNKN 018 "DIA CIRC METAL LEN = 00350170/1065 INSTALLED UNKN "DIA 018 CIR PLASTIC 0170/0620 LEN=0040 INSTALLED 2005 015167 FT 015167 FT 2 0 18009 0 01 0408+10 SHADE HOLLOW RD (T367) == LENGTH (AH 2695 BK 2740) **E** 0170/0000 "DÌA CIR PLASTIC 024 0160/2410 LEN=0045 INSTALLED UNKN "DIA CIR PLASTIC 024 0160/1900 LEN=0048 INSTALLED UNKN 024 "DIA CIR PLASTIC 0160/1706 LEN = 0040INSTALLED 2017 024 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN 0160/1318 024 "DIA CIR PLASTIC 0160/0975 LEN=0035 INSTALLED UNKN 024 "DIA CIRC METAL 0160/0770 LEN = 0035INSTALLED UNKN 018 "DIA CIRC METAL 0160/0196 LEN = 0035INSTALLED UNKN 012427 FT 012427 FT 2 0 18009 0 01 0380+51 LENGTH (AH 2740 BK 2263) **E** 0160/0000 "DÌA 016 CIRC METAL 0150/2125 LEN=0035 INSTALLED UNKN 024 "DIA CIR PLASTIC LEN=0040 INSTALLED 2017 0150/1610 PLUNKETTS RUN RD (T365)0150/1469 ⊫= "ĎIA Ŏ 6 D CIR PLASTIC LEN=0055 INSTALLED 2016 0150/1442 "DIA 024 CIRC METAL 0150/0850 LEN = 0035INSTALLED UNKN "DIA CIRC METAL 024 0150/0552 LEN=0035 INSTALLED UNKN 024 "DIA CIRC METAL LEN=0035 0150/0408 INSTALLED UNKN "DIA 018 CIRC METAL 0150/0280 LEN = 0035INSTALLED UNKN 010164 FT 010164 FT 2 0 18009 0 01 0357+85 VILLAGE: FLORAL 0150/0000 LENGTH(AH 2263 BK 2472) 018 "DIA CIR PLASTIC 0140/1700 LEN=0065 INSTALLED 2006 024 "DIA CIR PLASTIC

0140/1195 LEN=0050 INSTALLED 2006

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 266 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOTA LEFT MUN: BALD EAGLE T TOTAL LEN: 6.063 MI. DIST: 02-3 SR: 2022 RIGHT MUN: BALD EAGLE 018 "DIA CIR PLASTIC 0140/0665 INSTALLED 2006 LEN=0050 036 "DIA CIR PLASTIC 0140/0510 LEN=0040 INSTALLED 2006 007692 FT 007692 FT 2 0 18009 0 01 0332+85 018 "DIA CIRC METAL LEN=0045 INSTALLED UNKŅ 0140/0000 LENGTH(AH 2472 BK 2600) 018 "DIA CIR PLASTIC 0130/2025 LEN=0060 INSTALLED 2005 018 "DIA CIR PLASTIC 0130/1662 LEN=0040 INSTALLED 2005 "DIA CIR PLASTIC 018 LEN = 00400130/1410 INSTALLED 2005 018 "DIA CIRC METAL 0130/0888 LEN=0030 INSTALLED UNKN 005092 FT 005092 FT 2 0 18009 0 01 0306+85 LAUREL RUN RD (SR2019 SEG 0060/1460) LENGTH (AH 2600 BK 2883) **E** 0130/0000 060"H 72"W ELLIP CONC LEN=0050 INSTALLED UNKN LAUREL RUN STRUCTURE LENGTH 0120/2826 BMSID 18/2022/0120/2826 "DIA' CIRC METAL 018 0120/2700 LEN=0010 INSTALLED 2003 015 "DIA CIRC METAL 0120/2120 LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC 0120/1835 LEN=0030 INSTALLED UNKN 018 "DIA CIRC METAL 0120/1230 LEN=0030 INSTALLED UNKN 01B "DIA CIR PLASTIC 0120/1015 LEN=0040 INSTALLED 2003 018 "DIA CIR PLASTIC 0120/0860 LEN=0030 INSTALLED 2017 "DIA CIRC METAL 018 0120/0575 LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC 0120/0345 LEN=0035 INSTALLED 2001 002209 FT 002209 FT 2 0 18009 0 01 0277+99 "DIA CIR PLASTIC LEN=0040 INSTALLED 2003 □ 0120/0000 LENGTH (AH 2883 BK 2178)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 265 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 6.063 MI. DIST: 02-3 SR: 2022 LEFT MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE T

		024 "DIA CIRC METAL
000031 FT	-++-	0110/0030 LEN=0030 INSTALLED UNKI 000031 FT 2 0 18009 0 01 0256+21 NC SUGAR RUN RD INTER-BK LAUREL RUN RD
000031 FT	<u></u>	(T599)  © 0110/0000 LENGTH(AH 2178 BK 2444)  000031 FT
000031 FT		7100/0000 LENGTH(AH 2444 BK 2108) 000031 FT
000031 FT		7090/0000 LENGTH(AH 2108 BK 2578) 000031 FT
000031 FT	<u> </u>	7080/0000 LENGTH(AH 2578 BK 2797) 000031 FT 7070/0000 LENGTH(AH 2797 BK 2459)
000031 FT	<u> </u>	000031 FT
000031 FT	<u>: : -</u>	7060/0000 LENGTH(AH 2459 BK 2137) 000031 FT 7054/0000 LENGTH(AH 2137 BK 0010)
	<del></del>	7054/0000 LENGTH(AH 2137 BK 0010 BMSEN 18/2022/0050/000 INTER-AHD LAUREL RUN RD
		(T599)
000021 FT		000021 FT 2 0 18009 0 01 0103+59
		INTER-BK LAUREL RUN RD (T599) BITNER RUN
	$\perp$	BMSBG 18/2022/0050/0001
000021 FT		000021 FT 7040/0000 LENGTH(AH 2775 BK 2793)
000021 FT	<u> </u>	000021 FT
	<b></b>	BMSEN 18/2022/0030/000i
000000 FT		INTER-AHD LAUREL RÚN RD' 0030/0021 (T599) 000000 FT 2 0 18009 0 01 0047+77
00000 F1		NC LAUREL RUN RD INTER-BK LAUREL RUN RD
		NC LAUREL RUN RD INTER-BK LAUREL RUN RD (T599) BITNER RUN
		BMSBG 18/2022/0030/000
000000 FT		000000 FT
000000 FT		000000 FT
		7010/0000 LENGTH(AH 3172 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 264 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 3.516 MI. DIST: 02-3 SR: 2020 LEFT MUN: LOCK HAVEN C RIGHT MUN: LOCK HAVEN C

018567 FT 0 18010 0 00 0181+90 018184 FT MELODY LN 0080/0000 (CITY) == SYLVAN DR (CITY) 0070/1924 == WOODLAND RD (CITY) 0070/1805 == OAK LN (CITY) 0070/1279 == 015276 FT

018567 FT SUSQUEHANNA AV 0080/0383 (SR0120 SEG 1000/0000) 018 "DIA CIRC METAL 0080/0373 LEN=0035 INSTALLED UNKN 018184 FT E 0080/0000 LENGTH (AH 0383 BK 2908) 018 "DIA CIRC CONCR 0070/1442 LEN=0055 INSTALLED UNKN 036 "DIA CIRC METAL 0070/0793 LEN=0060 INSTALLED UNKN LOCK HAVEN 0070/0386 ALLISON T O 1 B "DIA CIRC CONCR 0070/0314 LEN=0046 INSTALLED UNKN 024 "DIA CIRC METAL 0070/0146 LEN=0028 INSTALLED UNKN 015276 FT 2 0 18010 0 00 0152+78 048"H 72"W CON BOX CUL LEN=0042 INSTALLED UNKN NC HILL ST 0070/0000 LENGTH (AH 2908 BK 2283) 018 "DIA CIRC CONCR

0060/1874 LEN=0032 INSTALLED UNKN

EXTRACT DATE: 12, PRINT DATE: 12,	/18/2023 ROADWAY /19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 263 CLINTON
DIR: B LEFT MUN: ALLISOI	TOTAL LEN: 3.516 N T	5 MI.	DIST: RIGHT MUN: AL	02-3 L SON T	SR: 2020
			0060/1540	O1B "DIA	CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN
			0060/0609 0060/0456 0060/0170	0 1 8 " D I A L E N = 0 0 4 2 0 1 8 " D I A	CIRC CONCR INSTALLED UNKN CIR UNKNOWN INSTALLED UNKN CIRC CONCR INSTALLED UNKN
	012993 FT		012993 FT	2 0 18010 018 "DIA LENGTH (AF	0 0 00 0129+89 CIRC CONCR INSTALLED UNKN H 2283 BK 3104)
			0050/3077 0050/2812 0050/2340 0050/1918	018 "DIA LEN=0032 015 "DIA	E T CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN CIRC CONCR
MUNRO RD (T378)	0050/1197	==	0050/1670	018 "DIA	CIRC CONCR INSTALLED UNKN
	009889 FT		0050/0286 009889 FT 0050/0000 0040/2743	LEN=0040 2 0 18010 LENGTH (AF	C   RC CONCR   NSTALLED UNKN   O 00 0098+96   H 3104 BK 2745   C   RC CONCR   NSTALLED UNKN
			0040/2450 0040/2055 0040/1733	0 1 B " D I A L E N = 0 0 4 0 0 1 5 " D I A L E N = 0 0 3 0 0 1 B " D I A	CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN
		-++-	0040/1494	018 "DIA	CIRC CONCR INSTALLED UNKN
	007144 FT	===	0040/0264 007144 FT	(TWP) 2 0 18010 SMALL RUN	0 00 0071+69

EXTRACT DATE: 12/18/2	023 ROADWAY 023 SLD COUNT	Y MANAGEN Y/SR - A	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 262 CLINTON
DIR: B TOTALLE		6 MI.	RIGHT MUN: B	02-3 ALD EAGLE	SR: 2020 T
		>  <	<b>5</b> 0040/0000	STRUCTURE BMSID 18/ LENGTH(AF	E LENGTH 8 FT /2020/0040/0000 H 2745 BK 1944)
		==	0030/0820	LEN=0034 FAIRPOIN1 (T366)	
2	005200 FT	-++-	0030/0370 005200 FT	036 "DIA	CIRC CONCR INSTALLED UNKN
(T367) PLUNKET RUN RD	0030/0000	==	<b>6</b> 0030/0000	LENGTH (AF	H 1944 BK 1641)
(T365)	0020/0900	==	0020/0871	0 1 8 " D I A L E N = 0 0 3 5	CIRC CONCR INSTALLED UNKN
2 0 18010 0 00 0035+60 CREEK RD (T375)	003559 FT 0020/0000	=======================================		LEN=0044 CREEK RD (T375)	CIRC CONCR INSTALLED UNKN H 1641 BK 3559)
			0010/2369	0 1 8 " D I A L E N = 0 0 4 2 0 3 6 " D I A	INSTALLED UNKN CIRC CONCR INSTALLED UNKN CIR PLASTIC
KEYSTONE CENTRAL DR		==	0010/1528 0010/1408 0010/0827	CREEK RD (T375) 036 "DIA	CIRC CONCR
( 1 3 7 2 )	0010/0482	==	0010/0149	LEN=0070 FROM 0150 (CONN)	-
	000000 FT		000000 FT NC LI	MAIN ST	0 0 00 0000+00 SEG 0120/0935)
MAIN ST (SR0150 SEG 0120/0935)	0010/0000	00 00	<b>5</b> 0010/0000	MFC BEGIN LENGTH (AF	N = D H 3559 BK 0000)

DIR: B TOTAL LEN: 2.728 MI. DIST: 02-3 SR: 2019 LEFT MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE T

014405 FT 014405 FT SUGAR RUN RD SUGAR RUN RD (SR2022 SEG 0130/0000) 0060/1460 (SR2022 SEG 0130/0000) 0060/1460 Ò30"H 42"W ELLIP METAĹ 0060/1300 LEN=0030 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN = 0030INSTALLED UNKN 0060/1090 "DIA 0 1 5 CIRC CONCR 0060/0510 LEN=0030 INSTALLED UNKN "DIA 0 4 B CIR PLASTIC LEN=0040 INSTALLED 2008 0060/0161 012945 FT 012945 FT 2 0 18023 0 00 0129+24 WILLIAMS RD (T363) **E** 0060/0000 LENGTH (AH 1460 BK 2368) "DÌA CIRC CONCR 0 1 5 0050/2312 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0050/1733 LEN=0035 INSTALLED UNKN "DIA 036 CIRC METAL 0050/1360 LEN = 0050INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0050/0934 "DIA CIRC CONCR 018 0050/0521 LEN=0030 INSTALLED UNKN 010577 FT 2 0 010577 FT 18023 0 00 0105+60 "DIA CIRC CONCR 0 1 6 LEN=0030 INSTALLED UNKN **E** 0050/0000 LENGTH (AH 2368 BK 2496) "DIA CIR PLASTIC 0040/1800 LEN = 0040INSTALLED UNKN "DIA CIR PLASTIC 018 0040/1357 LEN=0030 INSTALLED UNKN 036 "DIA CIR PLASTIC 0040/0968 LEN = 0035INSTALLED 2021 "DIA 018 CIRC METAL 0040/0620 LEN = 0030INSTALLED UNKN "DIA CIRC METAL 018 0040/0380 LEN = 0033INSTALLED UNKN 008081 FT 2 0 18023 0 00 0080+51 008081 FT **□** 0040/0000 LENGTH(AH 2496 BK 2441) 018 "DIA CIRC METAL

EXTRACT DATE: PRINT DATE:	12/18/2023 ROADWAY 12/19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 260 CLINTON
DIR: B LEFT MUN: BALD	TOTAL LEN: 2.72 EAGLE T	8 MI.	DIST: RIGHT MUN: BA	02-3 LD EAGLE	SR: 2019 T
			0030/1705 0030/1340	LEN=0025 016 "DIA LEN=0035 020 "DIA	INSTALLED UNKN CIRC METAL INSTALLED UNKN
DRY RUN RD (T368)	0030/0749	= = =	0030/1022	L E N = 0 0 3 0	CIRC METAL INSTALLED UNKN
			0030/0653	036 "DIA	CIRC METAL INSTALLED UNKN CIR PLASTIC INSTALLED 2008
	005640 FT		005640 FT	2 0 18023 ORNER RD (T370)	3 0 00 0056+00
		==	<b>5</b> 0030/0000	LENGTH (AH	1 2441 BK 2672)
			0020/1234	BMSEN 18/ 2 0 18023 LAUREL RU	/2019/0020/1199 5 0 00 0041+53 JN
			0020/1199 0020/1050	BMSBG 18/ 018 "DIA LEN=0040	/2019/0020/1199 CIR PLASTIC INSTALLED 2008
			0020/0779		CIRC METAL INSTALLED UNKN '2019/0020/0000
	002968 FT		002968 FT	2 0 18023 LAUREL RU BMSBG 18/	3 0 00 0029+54 JN '2019/0020/0000
			0020/0000	LENGTH (AH 020 "DIA LEN=0030	I 2672 BK 2968) CIRC METAL INSTALLED UNKN
		-++-	0010/1942	018 "DIA LEN=0030 018 "DIA	CIRC METAL INSTALLED UNKN
			0010/1320 0010/1230	LEN=0030 018 "DIA	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN
	000000 FT		00000	2 N 18N23	s
	00000 F1		NC LA	AUREL RUN MAIN ST (SRO150 S	RD SEG 0100/0657)
			<b>5</b> 0010/0000	MIFC BEGIN	1 = D 1 2968 BK 0000)

DIR: N TOTAL LEN: 1.397 MI. DIST: 02-3 SR: 2018 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T

SR 0064 SH (SR0064 SEG 0140/0000) TO 0064/0140 SH SR 0064 SH 007376 FT 007376 FT (SR0064 SEG 0140/0000) 0120/3184 0120/3184 0120/3083 (CONN) FROM 0064/0140 SH = = (CONN) 0120/303B 018 "DIA CIRC CONCR 0120/2798 LEN=0048 INSTALLED UNKN GRAY FOX RD 0120/253B (TWP) "DIA CIRC METAL 0120/2495 LEN=0028 INSTALLED UNKN 015"H 20"W ELLIP 0120/1368 LEN = 0024015"H 20"W ELLIP 0120/1013 LEN=0048 INSTALLED UNKN 030"H 40"W ELLIP 0120/0516 LEN=0038 INSTALLED UNKN 004192 FT 004192 FT 18008 0 00 0274+74 C 0 1 2 0 / 0 0 0 0 LENGTH (AH 3184 015"H 20"W ELLIP 0110/1895 LEN=0030 INSTALLED UNKN 015"H 20"W ELLIP 0110/1084 LEN=0032 INSTALLED UNKN 036 "DIA CIRC METAL 0110/0739 LEN=0044 INSTALLED UNKN 024 "DIA CIRC METAL 0110/0586 LEN=0028 INSTALLED UNKN 002018 FT 002018 FT 2 0 18008 0 00 0252+98 "DIA CIRC METAL LEN = 0030INSTALLED UNKN **E** 0110/0000 LENGTH (AH 2174 BK 1921) "DÍA 036 CIRC METAL LEN = 00330102/1333 INSTALLED UNKN 015 "DIA CIRC METAL 0102/1038 LEN=0033 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 258 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: N TOTAL LEN: 1.397 MI. DIST: 02-3 SR: 2018 LEFT MUN: LAMAR T

			KIG	п	•	M	<i>)</i>  1	•	٠,	- A	M /	4 K		•													
		-++-		0 1						7	L E	2 4	= 1	0 0 " D	3	2 A	C	N H	S R	T A	М	F	E C	L	U	A L N H	( N
000097	FΤ	-     -		0 0	0 0	2 / 0 9 E F	37		F 1	Γ.	2 J /	E N O A C T 3	K:	1 8 S 0	ON	0	8	0		0 (	R D		E C 2 3				( N
000097	FΤ	<b>↓</b> ↓ <b>=</b>	5	0 1 0 0 7 1	0 (	2 / 0 9	9.7		F 1	) [	Ĺ	E N	G	ΤĤ	(					2 <sup>-</sup> 5 6		B B					5) 7)
000097	FT	<b>-</b>		0 0	0 (	0 9	37		F 1	Γ )	LE	EN	G	ТН		A		1	8	7 7	,	В	K	0	0	8 .	1)
						E F				)	J /	ÄC T3	K :	SOB)	Ν	ν΄ Τ	ĺĹ	Ľ	Ė	F	ξĎ		<b>.</b>	• /	Ĭ	•	, ,
000016	FΤ			0 0	O O	Õ ?	16	В	F 1 K	Γ.	2	D A C		18	0	0	8 I L	0 L	Ε		) ? D	0	2 0	2	+	5 3	5
			s	0 0	8 (	2 /	/ o	0	0 (		B N	E D	A B	R G	C 1	R 8	E E / 2	K	1	8 / 8		0 B					0 D 3 )
000016	F T F T			7 (	) () () ()	000	16 10	0	F 1	Г <b>)</b>		ΞN			-			2	8	8 8	3	В	K	1	0	2 ′	1)
	• •	<del></del>		7 (	7	4 / E F	<b>/</b> 0	0	0 (	)	ВИ	E N A S A C	Ε	N	1	8	/ 2	0	1		 ∕ 0 ? D		K 7 2	0/	0	1 6 0 0	; )
000000	FΤ			0 0	7	2 / 0 ( E F	0 0 0 0 N	0	1 6 F 1	5 	( 1 2 C k	3 0 8 8 7 8	3 : 0 :	8) 18 NV	O	0 ·	8 L E	0	R	0 ( D		0	1 6	2	+	2 2	2
00000			5	0 0	7	2 /	/ 0	0		)	C E	D N N	В	K G	1 1	U   8	N / 2	0	1	В / 1 б	/ o	0 B	7 2 K	! / 1	0	0 ( 2 ;	0 3 )
000000	FT			7 0	7	0 (	/ O	0	F 1	)	LE	ΞN	G	ТН	(	A	Н	1	3	2 3	5	В	K	2	4	8 4	( ۱
000000	FT			7 0	6 (	0 (0	/ O	0	F 1	)	LE	ΞN	G	ТН	(	A	Н	2	4	8 4	Ļ	В	K	2	6	5 (	)
000000	F T	<u>: :</u>		7 (	5 (	0 0	/ O	0	F 1	)	LE	ΞN	G	ТН	(	A	Н	2	6	5 (	)	В	K	2	5	5 9	<b>)</b>
000000	F T	: : 		7 0	4	0 0	/ O	0	F 1	)	LE	ΞN	G	ТН	(	A	н	2	5	5 9	)	В	K	2	4	9 (	5)
000000	FT	::		7 0	3	0 (	<b>/</b> 0	0	F 1	)	LE	ΞN	G	ТН	(	A	Н	2	4	9 6	5	В	K	2	3	2 '	i )
000000	FT	::		7 0	2	0 (	0	0		)	LE	EΝ	G	ТН	(	A	Н	2	3	2 '		В	K	2	4	9 7	7)
000000	FT			7 (	) 1	0 0	0 /	0	F 7		LE	ΕN	G	ТН	(	A	Н	2	4	9 7	7	В	K	0	0	0 (	)

DIR: N TOTAL LEN: .027 MI. DIST: 02-3 SR: 2016 LEFT MUN: MILL HALL B RIGHT MUN: MILL HALL B


000140 FT 000140 FT 7030/0000 LENGTH (AH 1225 BK 2271) 000140 FT 000140 FT 7020/0000 LENGTH (AH 2271 BK 1168) 000140 FT 000140 FT 7014/0000 LENGTH (AH 1168 BK 0140) (APRA) GLENN O HAWBAKER BMSEN 18/2016/0010/0000 INTER-AHD MAIN ST 0010/0140 (BORO) ROZ (BORO) 1 0 00058 0 00 0440+21 000000 FT 000000 FT NC MAIN ST INTER-BK MAIN ST (BORO) FISHING CREEK BMSBG 18/2016/0010/0000 MFC BEGIN = D 0010/0000 LENGTH (AH 0140 BK 0045) 000000 FT 7010/0000 LENGTH(AH 0045 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 256 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: N TOTAL LEN: .424 MI. DIST: 02-3 SR: 2015 LEFT MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE T

002239 FT

002144 FT



LENGTH (AH 0100 BK 0095)
BMSEN 18/2015/0040/0000
COUNTRY CLUB LN
(T381)
2 0 18002 0 00 0029+40
COUNTRY CLUB LN
(T381)
FISHING CREEK
BMSBG 18/2015/0040/0000

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 255 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: TOTAL LEN: .424 MI. DIST: 02-3 SR: 2015 LEFT MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE MFC BEGIN = E© 0 0 4 0 / 0 0 0 0 0 0 2 1 3 2 F T LENGTH (AH 0095 BK 0100) 002144 FT LENGTH (AH 0100 BK 1616) COUNTRY CLUB LN 7032/0000 COUNTRY CLUB LN INTER-AHD INTER-AHD (T382) T382) MAIN ST HOGAN BL SR0150 SEG 0161/0000) SR0150 SEG 0160/0000) (SR0150 SEG 0161/0000) 0021/1822 0020/1616 SR0150 SEG 0160/0000) Ò 15 "DIA CIRC CONCR 0020/1520 LEN=0050 INSTALLED 2010 014"H 23"W ELLIP CONC LEN=0026 INSTALLED UNKN 0021/1701 FROM 0150/0152 SH 0021/1679 (CONN) 029"H 45"W ELLIP CONC 0020/1453 LEN=0018 036 "DIA CIRC CONCR INSTALLED 2010 LEN=0030 INSTALLED UNKN 0021/1647 024 "DIA CIRC METAL 0020/1032 LEN=0075 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0021/1222 "DIA CIRC CONCR 0020/0432 LEN=0038 INSTALLED UNKN BMSEN 18/2015/0021/0365 0021/0624 0020/0429 BMSEN 18/2015/0020/0170 LEN=0040 INSTALLED UNKN 0021/0622 \_\_\_ 0 00058 5 00 0007+28 00058 5 00 0007+28 NITTANY & BALD EAGLE RR NITTANY & BALD EAGLE RR BMSBG 18/2015/0021/0365 015 "DIA CIRC CONCR 0020/0170 BMSBG 18/2015/0020/0170 0021/0365 LEN=0090 INSTALLED UNKN 0021/0333 SIGN: 3 CHORD TRUSS SIGN: 3 CHORD TRUSS BMSID 18/2015/0020/0038 0021/0238 0020/0038 BMSID 18/2015/0020/0038 MILL HALL INTER RD (SR8003 SEG 0250/0000) 0021/0129 000516 FT 1 0 00058 5 00 0005+16 RAMP B RD 1 0 00058 5 00 0003+22 000322 FT (SR8003 SEG 0500/0716) LENGTH (AH 1822 BK 0322) 0021/0000 🖂 **5** 0020/0000 L'ENGTH (AH 1616 BK 0516) "DÍA CIRC CONCR 018 0010/0243 LEN=0030 INSTALLED UNKN BMSEN 18/2015/0011/0000 0011/0215 1 0 00058 5 00 0000+00 000000 FT 0010/0215 BMSEN 18/2015/0010/0000 000000 FT 0 00058 5 00 0000+00 NC MILL HALL RD NC MILL HALL RD RAMP D RD INTER-BK INTER-BK RAMP C RD (SR8003 SEG 0760/0000) (SR8003 SEG 0750/1176) LR 1044 LR 1044 BMSBG 18/2015/0011/0000 MFC BEGIN = B BMSBG 18/2015/0010/0000 MFC BEGIN = B LENGTH (AH 0322 BK 0000) 0011/0000 🛌 κΞ■ 0010/0000 LENGTH(AH 0516 BK 0000)

DIR: E TOTAL LEN: .002 MI. DIST: 02-3 SR: 2014 LEFT MUN: FLEMINGTON B RIGHT MUN: FLEMINGTON B

000009 FT 000009 FT 7030/0000 LENGTH(AH 1448 BK 0105) 000009 FT 000009 FT 7024/0000 LENGTH (AH 0105 BK 0405) 000009 FT 000009 FT LENGTH (AH 0405 BK 0009) 7026/0000 BMSEN 18/2014/0024/0000 INTER-AHD WOODS AV (TWP) 2 0 18013 7 00 0114+78 0024/0009 000000 FT 000000 FT NC WOODS AV INTER-BK WOODS AV (TWP)
BR PA. CANAL
BMSBG 18/2014/0024/0000
LENGTH(AH 0009 BK 0659) 0024/0000 000000 FT 000000 FT 7020/0000 LENGTH (AH 0659 BK 1865) 000000 FT 000000 FT 7010/0000 LENGTH(AH 1865 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 253 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: E TOTAL LEN: .000 MI. DIST: 02-3 SR: 2013 LEFT MUN: WAYNE T

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE NUMBER: COUNTY: CLINTON ROADWAY MANAGEMENT SYSTEM 252 SLD COUNTY/SR - ANNUAL PRINT CLINTON

DIR: LEFT E MUN: WAYNE T TOTAL LEN: 10.736 MI. DIST: 02-3 SR: 2012

RIGHT MUN: WAYNE T

056685 FT 056685 FT 7254/0000 INTER-AHD LTH AH 000100 BK 000334 PINE MOUNTAIN RD 0250/0334 (T424) FOX RD (T423)0250/0120 056351 FT 056351 FT 0 18013 **E** 0250/0000 LENGTH (AH 0334 BK 1371) 014"H 16"W ELLIP 0246/1130 LEN = 0036INSTALLED UNKN 014"H 16"W ELLIP LEN = 00320246/0921 INSTALLE 014"H 16"W ELLIP 0246/0766 LEN=0044 INSTALLED UNKN 014"H 16"W ELLIP 0246/0519 LEN=0036 INSTALLED UNKN 014"H 16"W ELLIP 0246/0262 LEN = 0036INSTALLED UNKN 014"H 16"W ELLIP 0246/0022 LEN = 0035INSTALLED UNKN 054980 FT 054980 FT 18013 7 0 0 C 0246/0000 LENGTH (AH 1371 014"H 16"W ELLIP LEN = 00350240/2487 INSTALLED UNKN 014"H 16"W ELLIP 0240/2311 LEN = 0036INSTALLED UNKN 014"H 16"W ELLIP 0240/2016 LEN = 0036INSTALLED UNKN 015"H 20"W ELLIP 0240/1805 LEN = 0040INSTALLED UNKN 014"H 16 "W ELLIP LEN=0038 0240/1621 INSTALLED UNKN 014"H 16"W ELLIP 0240/1442 LEN = 0032INSTALLED UNKN 014"H 16"W ELLIP 0240/1182 LEN=0032 INSTALLED UNKN 014"H 16"W ELLIP 0240/0964 LEN = 0028INSTALLED UNKN 014"H 16"W ELLIP METAL 0240/0665 LEN = 0030INSTALLED UNKN "W ELLIP 014"H 16 0240/0152 LEN = 0029INSTALLED UNKN 052350 FT 052350 FT 2 0 18013 7 00 0074+48 ES 0240/0000 LENGTH (AH 2630 BK 2423) AUGHENBAUGH RD

043645 FT

2 0 18013 0 01 0461+60

043645 FT

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 10.736 MI. DIST: 02-3 SR: 2012 MUN: WAYNE T RIGHT MUN: WAYNE T G 0200/0000 LENGTH (AH 1309 BK 2765) 015"H 20"W ELLIP METAL 0190/2411 LEN=0032 INSTALLED UNKN 015"H 20"W ELLIP 0190/1760 LEN=0032 INSTALLED UNKN 030"H 42"W ELLIP METAL INSTALLED UNKN LEN=0032 0190/1425 0190/0974 (AAR 526933J)#TRKS 01 "DIA CIR PLASTIC 018 0190/0576 LEN=0033 INSTALLED 2008 018"H 18"W ELLIP METAL 0190/0343 LEN=0028 INSTALLED UNKN 040880 FT 040880 FT 2 0 18013 0 01 0433+91 057"H 83"W ELLIP LEN=0035 INSTALLED 2008 ER 0190/0000 LENGTH (AH 2765 BK 2057) ARROWHEAD RD 0180/1537 (TWP) === 0180/1175 (AAR 526932C)#TRKS 01 CAMPGROUND RÓ 0180/0824 (T423)≡⋍ "ĎIA 0 5 4 CIRC METAL LEN=0038 0180/0407 INSTALLED UNKN 038823 FT 038823 FT 2 0 18013 0 01 0413+12 VILLAGE: PINE STATION C 0180/0000 LENGTH(AH 2057 BK 1273) 020"H 30"W ELLIP METAL 0170/0510 LEN=0028 INSTALLED UNKN 020"H 30"W ELLIP 0170/0479 LEN=0028 INSTALLED UNKN 037550 FT 037550 FT 2 0 18013 0 01 0400+39 LENGTH (AH **5** 0170/0000 1273 BK 3539) 015"H 20"W ELLIP METAL 0160/3480 LEN = 0026INSTALLED UNKN 015"H 20"W ELLIP 0160/3178 LEN=0026 INSTALLED UNKN "DIA CIRC METAL 0 1 B 0160/2691 LEN=0040 INSTALLED 2004 024 "DIA CIRC METAL LEN = 00300160/2489 INSTALLED UNKN "DIA 018 CIRC METAL 0160/2095 LEN=0026 INSTALLED UNKN 015"H 20"W ELLIP METAL 0160/1923 LEN = 0028INSTALLED UNKN 015"H 20"W ELLIP METAL LEN = 0035INSTALLED UNKN 0160/1660 BMSEN 18/2012/0160/1458 2 0 18013 0 01 0379+26 0160/1470

ROADWAY MANAGEMENT SYSTEM

EXTRACT

250

PAGE

NUMBER:

EXTRACT DATE: 12/18 PRINT DATE: 12/19	3/2023 ROADWAY 9/2023 SLD COUNT	Y MANAGE TY/SR –	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 249 CLINTON
DIR: E LEFT MUN: WAYNE T	FOTAL LEN: 10.73	56 MI.	DIST: RIGHT MUN: WA	02-3 YNE T	SR: 2012
OLD RIVERVIEW RD (T421)	0160/1230	=======================================		BMSBG 18, PINE LOGA (T418) 021"H 28'	QUEHANNA RIVER /2012/0160/1458 ANTON RD "W ELLIP METAL INSTALLED 2004
	034011 FT			024 "DÍA	3
SPOOK HOLLOW RD (T425)	0150/2575	== ==	0150/2575	SHOEMAKE (T419) 015 "DIA	R RD CIRC METAL
		-++-	•	LEN=0054 024 "DIA LEN=0040 042"H 54	INSTALLED UNKN CIR PLASTIC INSTALLED 2021 "W ELLIP METAL
			0150/2100 0150/1620	LEN=0035 015"H 20' LEN=0005	INSTALLED UNKN "W ELLIP METAL INSTALLED 2004
		-++-	•	LEN=0027	"W ELLIP METAL INSTALLED UNKN "W ELLIP METAL INSTALLED UNKN
			<del>-</del>	0 1 5 " D I A L E N = 0 0 2 8 0 1 5 " D I A L E N = 0 0 2 7	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN
	031033 FT		031033 FT	2 0 18013 015 "DIA LEN=0026	3 O D1 O335+31 CIRC METAL INSTALLED UNKN
			0150/0000 0140/1491	DENGTH (AP 015 "DIA LEN=0035 015 "DIA	H 2978 BK 1768) CIR PLASTIC INSTALLED 2008 CIR PLASTIC
			0140/0924	LEN=0035 024 "DIA	INSTALLED 2008 CIRC METAL
	029265 FT		029265 FT 6 0140/0000	LEN=0060 2 0 1801; LENGTH(AF 048 "DIA LEN=0035	INSTALLED UNKN 3 0 01 0317+72 H 1768 BK 2096) CIRC METAL INSTALLED UNKN
		-++-	0130/1057	LEN=0115	CIRC METAL INSTALLED UNKN
		1.1		SHOEMAKE	· · · · · ·

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 248 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: E LEFT MUN: WAYNE T 10.736 MI. DIST: 02-3 SR: 2012 TOTAL LEN: RIGHT MUN: WAYNE T (T419) 2 0 18013 0 01 0296+75 0130/0223 FΤ 027169 FT 027169 RESERVIOR RD T566) NC PINE MOUNTAIN RD INTER-BK MCELHATTAN DR (SR1005 SEG 0010/0000) 0130/0000 027169 FT LTH AH 002096 BK 000100 027169 FT FRITZ RD LTH AH 000100 BK 003815 7124/0000 (T563) INTER-AHD MCELHATTAN DR MCELHÁTTAN DR (SR1005 SEG 0020/0000) (SR1005 SEG 0020/0000) 0120/3815 0120/3815 018 "DIA CIRC METAL 0120/3781 LEN=0030 INSTALLED UNKN STABLEY RD 0120/2126 (T504)Ò15 "ĎIA CIRC CONCR 0120/1595 LEN = 0024INSTALLED UNKN 015 "DIA CIRC CONCR 0120/0920 LEN=0032 INSTALLED UNKN STABLEY RD == 0120/0906 (T504) MCKINNEY RD (T420)0120/0804 BMSEN 18/2012/0120/0518 2 0 18013 0 00 0263+66 0120/0551 MCELHATTAN CREEK 0120/0518 BMSBG 18/2012/0120/0518 BMSEN 18/2012/0120/0000 2 0 18013 0 00 0258+48 0120/0045 023354 FT 023354 FT VILLAGE: YOUNGDALE MCELHATTAN CREEK BMSBG 18/2012/0120/0000 BMSBG 18/2012/0120/0000 BMSBG 18/2012/0120/0000 018 "DÍA CIRC METAL LEN=0060 INSTALLED UNKN 0110/3115 BROOKSIDE LN 0110/3019 (T505) 036 "DIA CIR PLASTIC

0110/1329 LEN=0040 INSTALLED 2000

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 247 EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT MUN: WAYNE T TOTAL LEN: 10.736 MI. DIST: 02-3 SR: 2012 RIGHT MUN: WAYNE T 021"H 00"W MULT 0110/0976 LEN=0080 INSTALLED 2002 015"H 20"W ELLIP METAL 0110/0607 LEN=0028 INSTALLED UNKN 015"H 20"W ELLIP 0110/0465 LEN = 0026INSTALLED UNKN 020135 FT 020135 FT 2 0 18013 0 00 0226+21 "DIA CIRC METAL LEN=0028 INSTALLED UNKN E 0110/0000 LENGTH (AH 3219 BK 2742) 020 "DIA CIRC METAL 0100/1888 LEN=0029 INSTALLED UNKN "DIA 018 CIR PLASTIC LEN=0050 0100/1620 INSTALLED 2000 "DIA 024 CAST IRON LEN=0065 0100/1183 INSTALLED UNKN "DIA CAST IRON 018 INSTALLED UNKN 0100/0825 LEN = 0028"DIA 018 CIRC METAL 0100/0562 LEN=0040 INSTALLED 2000 "DIA CIRC METAL 018 0100/0312 LEN = 0010INSTALLED 2000 017393 FT 017393 FT 18013 0 00 0198+80 "DIA CIRC METAL LEN = 0040INSTALLED 2000 E 0100/0000 LENGTH (AH 2742 BK 2318) "DÌA 0 1 5 CIR PLASTIC LEN = 0035INSTALLED 2008 0090/1813 015"H 20"W ELLIP 0090/1558 LEN=0028 INSTALLED UNKN "DIA CIRC METAL 018 0090/1481 LEN = 0032INSTALLED UNKN "DIA CIR PLASTIC 018 0090/1344 LEN = 0035INSTALLED 2006 024 "DIA CIR PLASTIC 0090/1218 LEN=0030 INSTALLED UNKN 015"H 20"W ELLIP METAL LEN=0030 INSTALLED UNKN 0090/0438 "DIA 018 CIR PLASTIC 0090/0087 LEN=0030 INSTALLED 2000 015075 FT 015075 FT 2 0 18013 0 00 0175+49 **E** 0090/0000 LENGTH (AH 2318 BK 2918) "DÌA CIR PLASTIC 018 0080/2706 LEN = 0035INSTALLED 2017 018 "DIA CIRC METAL 0080/2532 LEN=0030 INSTALLED 2000

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 246 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 10.736 MI. DIST: 02-3 SR: 2012 MUN: WAYNE T RIGHT MUN: WAYNE T 0080/1879 LEN=0035 INSTALLED 2000 020"H 26"W ELLIP METAL 0080/1702 LEN = 0024INSTALLED UNKN "DIA 036 CIR PLASTIC LEN=0040 0080/1354 INSTALLED 2000 021"H 15"W METAL ARCH 0080/0862 LEN = 0020INSTALLED 2000 "DIA CIRC 0 1 8 METAL 0080/0718 LEN=0035 INSTALLED UNKN 015"H 20"W ELLIP METAL 0080/0523 LEN=0027 INSTALLED UNKN WAYNE 0080/0445 CASTANEA 018 "DIA CIRC METAL 0080/0322 LEN=0020 INSTALLED 2000 012157 FT 012157 FT 2 0 18013 0 00 0146+31 NC YOUNGDALE RD ES 0080/0000 LENGTH (AH 2918 BK 2599) 054 "DIA CIRC METAL 0070/1833 LEN=0070 INSTALLED 1974 LR 1044 ID 18/0220/0210/0000 0070/1553 0 P LR 1044 0070/1457 OP ID 18/0220/0211/0000 "DIA CIRC CONCR LEN = 00620070/0382 INSTALLED UNKN 024 "DIA CIRC METAL 0070/0255 LEN=0035 INSTALLED UNKN 024"H 00"W MULT METAL 0070/0057 LEN=0025 INSTALLED UNKN 009558 FT 009558 FT 2 0 18013 0 00 0120+25 **5** 0070/0000 LENGTH (AH 2599 BK 1855) 0 1 B "DÍA CIR PLASTIC 0060/1627 LEN = 0035"DIA 018 CIR PLASTIC 0060/1517 LEN=0026 INSTALLED 2018 "DIA CIR PLASTIC 018 0060/1462 LEN=0035 INSTALLED 2018 018 "DIA CIR PLASTIC 0060/1260 LEN = 0035INSTALLED 2018 "DIA CIR PLASTIC 024 0060/1122 LEN=0038 INSTALLED 2018 "DIA 024 CIR PLASTIC LEN=0060 0060/0808 INSTALLED UNKN "DIA 024 CIR PLASTIC 0060/0369 LEN=0056 INSTALLED 2018

007703 FT

007703 FT 2 0 18013 0 00 0101+70

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 2 4 5 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 10.736 MI. DIST: 02-3 SR: 2012 MUN: CASTANEA T RIGHT MUN: CASTANEA T **□** 0060/0000 LENGTH(AH 1855 BK 2814) 021"H 30"W ELLIP METAL 0050/2054 LEN=0040 INSTALLED UNKN 021"H 18"W METAL ARCH 0050/1295 LEN = 0002INSTALLED 2005 " DIA 018 CIRC METAL 0050/1059 LEN = 0070INSTALLED UNKN "DIA CIRC CONCR 018 0050/0609 LEN=0033 INSTALLED UNKN "DIA 024 CIR PLASTIC 0050/0475 LEN=0030 INSTALLED UNKN "DIA 018 CIRC METAL 0050/0420 LEN=0035 INSTALLED UNKN "DIA 0 1 B CIRC CONCR LEN=0037 INSTALLED UNKN 0050/0313 004889 FT 2 0 18013 004889 FT 0 00 0073+53 KELLER ST NC E **E** 0050/0000 LENGTH (AH 2814 BK 2094) "DÌA CIRC METAL 024 0040/2090 LEN = 0030INSTALLED UNKN 018 "DIA CIRC METAL LEN = 00300040/1971 INSTALLED UNKN 018 "DIA CIRC METAL 0040/1410 LEN=0001 INSTALLED UNKN UNNAMED AL (TWP) 0040/1404 UNNAMED AL (TWP) 0040/0764 MCELHATTEN AV == 0040/0739 T394) ÙNNAMÉD AL 0040/0619 (TWP 012 "DIA CIRC METAL LEN=0045 INSTALLED UNKN 0040/0495 MCELHATTAN AV (T394)0040/0463 ELHATTAN AV NC MC 0040/0279 BMSEN 18/2012/0040/0266 2 0 18013 0 00 0055+40 HARVEYS RUN 0040/0266 BMSBG 18/2012/0040/0266 NITTANY RD 0040/0188 (T366) 2 0 18013 0 00 0052+74 002795 FT 002795 FT LOGAN AV (T392)

**E** 0040/0000

LENGTH (AH 2094 BK 0796) 018 "DIA CIRC CONCR

```
TRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
 EXTRACT
                               ROADWAY MANAGEMENT SYSTEM
                                                                   PAGE
                                                                        NUMBER:
                                                                                  244
                             SLD COUNTY/SR - ANNUAL PRINT
                                                               COUNTY: CLINTON
 DIR:
LEFT
                                  10.736 MI.
                    TOTAL LEN:
                                                        DIST: 02-3
                                                                        SR: 2012
      MUN: CASTANEA
                                                RIGHT MUN: CASTANEA T
                                                   0034/0750
                                                              LEN=0030 INSTALLED UNKN
                                                              MACKEY AV
                                                              (T390)
                                                   0034/0419
                                                              018
                                                                  "ĎIA
                                                                       CIRC CONCR
                                                   0034/0036
                                                              LEN=0040 INSTALLED UNKN
                         001999 FT
                                                   001999 FT
                                                              0 0 00000 0 00 0000+00
                                                              JARRETT AV
                                                               T377)
                                                         NC BRÓWN SÍ
                                                              BROWN ST
                                                               (T379)
                                           33
                                                 □ 0034/0000 ÈENGTH(AH 0796 BK 1394)
MARGARET AL
(TWP)
                          0024/1215
                                                              018 "DIA CIRC CONCR
                                                   0024/1086
                                                              LEN=0050 INSTALLED UNKN
                                                              ALLISON ST
                                                   0024/1034
                                                              (T381)
                                                              BMSEN 18/2012/0024/0440
                                                   0024/0926
                                                              0 0 00000 0 00 0000+00
                                                              CREEK RD
                                                              BMSBG 18/2012/0024/0440
                                                   0024/0440
                                                              018
                                                                   "DIA' CIRC' CONCR
                                                   0024/0377
                                                              LEN=0050
                                                                        INSTALLED UNKN
                                                              CREEK RD
                                                   0024/0125
                                                               (T375)
                         000605 FT
                                                   000605 FT
                                                                0 00000 0 00 0000+00
                                                              VILLAGE: CASTANEA
                                                              MFC BEGIN = D
                                                 ES 0024/0000 LENGTH (AH 1394 BK 0605)
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0015/0400
RAMP H RD
                                                              RAMP H
                                                                      RD
                                                               (SR8005 SEG 0750/0000)
(SR8005 SEG 0750/0000)
ŘAMP G RD
                                                              ŘAMP G RD
                                      99
                                         OOOO
                                              άò
(SR8005 SEG 0010/0778)
                                                              (SR8005 SEG 0010/0778)
                          0015/0290
                                                   0014/0290
018 "DIA
         CIRC CONCR
LEN=0040 INSTALLED UNKN 0015/0205
                                                              018 "DIA CIRC CONCR
                                                              LEN=0050 INSTALLED UNKN
                                                   0014/0200
                                                                    LR 1044
     LR 1044
  ID 18/0220/0170/0643 0015/0022
                                                   0014/0022
                                                              OP
                                                                 ID 18/0220/0170/0643
 0 00000 0 00 0000+00 000000 FT
                                                   000000 FT
                                                              0
                                                                0
                                                                   00000
                                                                         0 0 0 0 0 0 0 0 0
                                                         NC PAUL
     NC
        PAUL MACK BL
                                                                 MACK
PAUL MACK BL
                          INTER-BK
                                                              PAUL MACK
                                                    INTER-BK
                                                                         BL
(SR0120 SEG 1081/0702)
                                                               (SR0120 SEG 1080/0702)
MFC BEGIN = D
                                                              MFC BEGIN = D
LENGTH (AH 0605 BK 0000) 0015/0000 ES-
                                                 ĸc= 0014/0000 LENGTH(AH 0605 BK 0000)
```

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 243 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON


DIR: B TOTAL LEN: .000 MI. DIST: 02-3 SR: 2011 LEFT MUN: CRAWFORD T RIGHT MUN: CRAWFORD T

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 242 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .005 MI. DIST: 02-3 SR: 2010 LEFT MUN: CRAWFORD T RIGHT MUN: CRAWFORD T

000027 FT

000000 FT




000027 FT BMSEN 18/2010/0010/0000
INTER-AHD GROUPE RD
0010/0027 (T425)
000000 FT 2 0 18019 0 01 0209+37
VILLAGE: RAUCHTOWN
NC GROUPE RD
INTER-BK GROUPE RD
(T425)
RAUCHTOWN CREEK
BMSBG 18/2010/0010/0000
MFC BEGIN = E

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 241 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .013 MI. DIST: 02-3 SR: 2009 LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

000067 FT

000000 FT



000067 FT BMSEN 18/2009/0010/0000
INTER-AHD CAMPGROUND RD
0010/0067 (T347)
000000 FT 2 0 18027 0 01 0016+44
NC CAMPGROUND RD
INTER-BK CAMPGROUND RD
(T347)
BIG FISHING CREEK
BMSBG 18/2009/0010/0000
MFC BEGIN = D

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 240 COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT

DIR: B LEFT MUN: LAMAR T TOTAL LEN: 2.973 MI. DIST: 02-3 SR: 2008

RIGHT MUN: LAMAR T

015698 FT 015698 FT MAIN ST 0080/2206 (SRO477 SEG 0090/0996) 0080/1067 BMSEN 18/2008/0080/1047 2 0 18030 0 01 0146+01 LONG RUN 0080/1047 BMSBG 18/2008/0080/1047 015 "DIA CIRC CONCR 0080/0869 LEN = 0030INSTALLED UNKN 015 "DIA CIRC METAL 0080/0674 LEN = 0030INSTALLED UNKN "DIA 018 CIRC METAL 0080/0669 LEN = 0035INSTALLED 2002 "DIA CIRC METAL 0080/0490 LEN=0035 INSTALLED UNKN 018 "DIA CIRC METAL 0080/0404 LEN=0035 INSTALLED UNKN 013492 FT 013492 FT 2 0 18030 0 01 0135+51 **5** 0080/0000 LENGTH(AH 2206 BK 2498) 015 "DÍA CIRC METAL 0070/2240 LEN=0027 INSTALLED UNKN 015 "DIA CIR PLASTIC 0070/1368 LEN=0040 INSTALLED 2013 015 "DIA CIR PLASTIC 0070/1108 LEN=0040 INSTALLED 2013

015 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 239 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 2.973 MI. SR: 2008 DIST: 02-3 MUN: LAMAR T RIGHT MUN: LAMAR T 0070/0840 LEN=0040 INSTALLED 2013 015 "DIA CIR PLASTIC 0070/0302 LEN=0040 INSTALLED 2013 18030 010994 FT 010994 FT 2 0 0 01 0110+48 **5** 0070/0000 LENGTH (AH 2498 BK 1866) "DÌA 0 1 5 CIR PLASTIC LEN = 0040INSTALLED 2013 0060/1823 "DIA 018 CIRC CONCR 0060/1235 LEN=0031 INSTALLED UNKN 015 "DIA CIRC CONCR 0060/0630 LEN = 0027INSTALLED UNKN 024 "DIA CIRC CONCR 0060/0012 LEN=0035 INSTALLED UNKN 009128 FT 009128 FT 2 0 18030 0 01 0091+82 R | DGE RD (T357) LENGTH (AH 1866 BK 2439) **⊑** 0060/0000 024 "DÍA CIRC CONCR 0050/1982 LEN=0028 INSTALLED UNKN "DIA CIRC CONCR 018 LEN = 0026INSTALLED UNKN 0050/1453 (APRA) BELLES SPRINGS S ÀIR SÍRIP DR BOYD RD  $\mathbf{P} \oplus \mathbf{I}$ (TWP 0050/0999 0050/0999 (T358)030 "DIA CIR PLASTIC LEN=0087 INSTALLED 2014 0050/0386 RAMP D RD (SR8015 SEG 0750/0000) ŘAMP A RD 0050/0280 (SR8015 SEG 0010/1340) "DIA CIR PLASTIC Ò 2 4 0050/0153 LEN=0054 INSTALLED 2014 006689 FT 006689 FT 2 0 18030 0 01 0067+49 SR 220 ID 18/0220/0030/0000 NC AUCTION RD **⊑** 0050/0000 LENGTH(AH 2439 BK 2568) 018 "DÍA CIRC CONCR 0040/2489 INSTALLED 2015 LEN = 0069"DIA 024 CIRC CONCR 0040/2247 LEN=0064 INSTALLED 2015 024 "DIA CIRC CONCR 0040/2122 LEN=0050 INSTALLED 2015 RAMP C RD (SR8015 SEG 0260/0750) 0040/2020 ŘAMP B RD 0040/1995 (SR8015 SEG 0250/0000)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 238 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: LAMAR T TOTAL LEN: 2.973 MI. SR: 2008 DIST: 02-3 RIGHT MUN: LAMAR T 018 "DIA CIRC CONCR 0040/1970 LEN=0133 INSTALLED 2015 HECKMAN GAP RD (T356)0040/0843 Ò30 "ĎIA CIR PLASTIC LEN = 0.040INSTALLED 2005 0040/0758 "DIA CIRC CONCR 018 0040/0287 LEN=0030 INSTALLED UNKN 004121 FT 004121 FT 2 0 18030 0 01 0041+84 **□** 0040/0000 LENGTH(AH 2568 BK 2224) 001897 FT 001897 FT 2 0 18030 0 01 0019+20 NC BELLS SPRINGS RD LENGTH (AH 2224 BK 0934) **E** 0030/0000 "DÌA CIRC CONCR 0 1 5 0020/0832 LEN=0042 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0020/0420 LEN=0045 INSTALLED UNKN MILL ST 0020/0372 (T350)BMSEN 18/2008/0020/0166 2 0 18030 0 00 0011+46 FISHING CREEK 0020/0166 BMSBG 18/2008/0020/0166 SOUTH MALLARD ST (T351)0020/0148 Ò 1 2 " Ď I A CIRC CONCR 0020/0012 LEN=0012 INSTALLED UNKN 000963 FT 0 18030 0 00 0009+80 000963 FT NORTH MALLARD ST LENGTH (AH 0934 BK 0963) 012 "DIA CIRC CONCR (T554)0020/0000 **5** 0020/0000 0010/0922 LEN=0050 INSTALLED UNKN 013"H 17"W ELLIP METAL 0010/0037 LEN = 0054INSTALLED UNKN 000000 FT 000000 FT 2 0 18030 0 00 0000+00 VILLAGE: MACKEYVILLE MACKEYVILLE RD SR2004 SEG 0130/0000) NC MAIN ST MFC BEGIN MACKEYVILLE = D (SR2004 SEG 0130/0000) 0010/0000 ĸc= 0010/0000 LENGTH(AH 0963 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT PAGE NUMBER: COUNTY: CLINTON 237

DIR: B LEFT MUN: LOGAN T TOTAL LEN: .374 MI. DIST: 02-3 SR: 2007


RIGHT MUN: LOGAN T

001976 FT 001976 FT TONER LN INTER-AHD ŠR 0880 SH (SR0880 SEG D080/0000) 018 "DIA CIR UNKNOWN 0010/1976 0010/1780 LEN=0040 INSTALLED UNKN 0010/0052 BMSEN 18/2007/0010/0000 000000 FT 2 0 18026 0 00 0027+09 000000 FT NC COVERED BR INTER-BK LOGAN MILLS RD (T346) BIG FISHING CREEK BMSBG 18/2007/0010/0000 MFC BEGIN = D ES 0010/0000 LENGTH (AH 1976 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 236 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .604 MI. DIST: 02-3 SR: 2006 LEFT MUN: LAMAR T RIGHT MUN: LAMAR T

003187 FT 003187 FT 003187 FT



003187 FT

7040/0000 LTH AH 000352 BK 000100 003187 FT 7030/0000 LTH AH 000100 BK 002013 003187 FT 7020/0000 LENGTH (AH 2013 BK 3187) INTER-AHD LIZARDVILLE RD (T539) LONG KUN RD 0010/3187 (SRO477 SEG 0020/0000) 024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0010/2480 LR 1063 0010/2455 OP ID 18/0220/0070/1728 O1B "DIA CIRC CONCR 0010/2132 LEN=0025 INSTALLED UNKN ISLAND R D 0010/1006 (T322) 018 "DIA CIRC CONCR 0010/0110 LEN=0115 INSTALLED 2006 NC SR 2006 SH MAPLE ST (SR2004 SEG 0180/0000) 000000 FT MFC BEGIN = E ĸc= 0010/0000 LENGTH(AH 3187 BK 0000)

1 0 00058 0 00 0328+21 000000 FT MAPLE ST (SR2004 SEG 0180/0000) 0010/0000


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 235 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 3.683 MI. DIST: 02-3 SR: 2004 LEFT MUN: LAMAR T

NITTANY VALLEY DR 019448 FT (SR0064 SEG 0140/0616) 0180/0396

FOR SR 0064 AND 2004 (CONN)

0180/0246 019052 FT



019448 FT NITTANY VALLEY DR 0180/0396 (SR0064 SEG 0140/0616) 018 "DIA CIRC CONCR 0180/0370 LEN=0045 INSTALLED UNKN 018 "DIA CIRC CONCR 0180/0294 LEN=0001 INSTALLED UNKN

019052 FT 2 0 18024 0 00 0003+80

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 234 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT TOTAL LEN: 3.683 MI. DIST: 02-3 SR: 2004 MUN: LAMAR T RIGHT MUN: LAMAR T GILMORE RD (SR2006 SEG 0010/0000) LENGTH(AH 0396 BK 1512) 0180/0000 0170/1378 BMSEN 18/2004/0170/1321 2 0 18007 0 02 0355+90 CEDAR RUN 0170/1321 BMSBG 18/2004/0170/1321 HILL ST (T522) 0170/1175 0170/0888 BMSEN 18/2004/0170/0725 2 0 18007 0 02 0355+51 FISHING CREEK BMSBG 18/2004/0170/0725 0170/0725 LANGS LN == 0170/0675 (TWP ÒIS "DIA CIRC METAL LEN=0060 INSTALLED UNKN 0170/0126 017540 FT 017540 FT 2 0 18007 0 02 0355+51 LENGTH (AH 1512 BK 1195) **5** 0170/0000 018 "DÍA CIRC METAL LEN=0048 INSTALLED UNKN 0160/1111 BMSEN 18/2004/0160/0398 2 0 18007 0 01 0347+42 0160/0529 FISHING CREEK 0160/0398 BMSBG 18/2004/0160/0398 016345 FT 2 0 18007 0 01 0343+44 016345 FT E 0160/0000 LENGTH (AH 1195 BK 2819) 015 "DIA CIRC METAL 0150/2093 LEN=0034 INSTALLED UNKN 015"H 21"W ELLIP METAL 0150/1913 LEN=0040 INSTALLED UNKN 036"H 00"W MULT CONCR 0150/0714 LEN = 0050INSTALLED UNKN "DIA CIRC METAL 0150/0690 LEN=0050 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0150/0395 LEN=0031 INSTALLED UNKN 013526 FT 013526 FT 2 0 18007 0 01 0315+25 LENGTH (AH 2819 BK 2711) **5** 0150/0000 0 1 5 "DÍA CIRC METAL 0140/2626 LEN=0028 INSTALLED UNKN 015 "DIA CIRC METAL 0140/1776 LEN=0035 INSTALLED UNKN

DUCK RUN RD

EXTRACT DATE: 12/	18/2023 ROADWAY 19/2023 SLD COUNT	MANAGE Y/SR –	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 233 CLINTON
DIR: B LEFT MUN: LAMAR T		33 MI.	DIST: RIGHT MUN: LA		SR: 2004
(T352)	0140/0689		0140/0658	2 0 1800	/2004/0140/0607 7 0 01 0288+17
			0140/0607 0140/0564	018 "DIA	/2004/0140/0607 CIRC CONCR INSTALLED UNKN
	010815 FT		0140/0087 010815 FT	BMSEN 18	/2004/0140/0000 7 0 01 0288+17
		==	<b>5</b> 0140/0000	BMSBG 18 LENGTH (A) BELLE SP	CREEK /2004/0140/0000 H 2711 BK 3236) RINGS RD
			0130/2646	(†558) 015"H 21	"W ELLIP METAL INSTALLED UNKN
			0130/1278	LEN=0030	CIRC CONCR INSTALLED 2002
			0130/1257	0 0 00000 F   S H   N G	/2004/0130/1139 0 0 00 0000+00 CREEK
DUCK RUN RD			-	018 "DIA	/2004/0130/1139 CIRC CONCR INSTALLED 2002
( † 3 5 2 )	0130/1052	====	0130/1023		INSTALLED UNKN
		-++-	0130/0893	0 2 4 " D I A L E N = 0 0 2 7	CIRC CONCR INSTALLED 2002
	007579 FT	-++-	0130/0008 007579 FT	LEN = 0055	"W ELLIP METAL INSTALLED UNKN 7 0 01 0255+98
			NG M	FAIRGROUI	SEG 0010/0000)
			© 0130/0000 0120/2514	LENGTH (A)	H 3236 BK 2648) "W ELLIP METAL INSTALLED UNKN
			0120/1476	SOUTH MA	LLARD ST
			·	015 "DIA	CIRC METAL INSTALLED UNKN

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 232 EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 3.683 MI. SR: 2004 DIST: 02-3 MUN: LAMAR T RIGHT MUN: LAMAR T 018 "DIA CIRC METAL LEN=0044 INSTALLED UNKN 0120/0433 RAG VALLEY RD 0120/0401 (T354)004931 FT 004931 FT 0 18007 0 01 0229+45 VILLAGE: MACKEYVILLE 021"H 15"W ELLIP METAL INSTALLED 1998 LEN = 0030rcm 0120/0000 LENGTH(AH 2648 BK 2382) 015"H 21"W ELLIP METAL 0110/1985 LEN=0030 INSTALLED UNKN 018 "DIA CIRC METAL 0110/0874 LEN=0044 INSTALLED UNKN 015"H 21"W ELLIP METAL 0110/0677 LEN=0042 INSTALLED UNKN 002549 FT 002549 FT 2 0 18007 0 01 0205+58 NC MACKEYVILLE RD **□** 0110/0000 LENGTH(AH 2382 BK 1979) 015 "DIA CIR PLASTIC 0102/1110 LEN=0045 INSTALLED UNKN LAMAR 0102/0957 PORTER T 015 "DIA CIRC METAL 0102/0462 LEN=0030 INSTALLED UNKN 022 "DIA CIRC METAL 0102/0025 LEN=0030 INSTALLED UNKN WALIZER BRIDGE LN 000570 FT (T337)2 0 18007 0 01 0185+75 000570 FT INTER-BK FISHING CREEK RD HELTMAN RD ( | 3 4 2 ) 0102/0000 000570 FT LENGTH (AH 1979 BK 0295) 0102/0000 (T328)000570 FT 7100/0000 LENGTH (AH 0295 BK 1670) 000570 FT 000570 FT 7094/0000 LENGTH (AH 1670 BK 0202) BMSEN 18/2004/0092/0000 INTER-AHD FISHING CREEK RD 0092/0202 (T342)2 0 18007 0 01 0163+83 000368 FT 000368 FT INTER-BK FISHING CREEK RD (T342) FISHING CREEK BMSBG 18/2004/0092/0000 0092/0000 LENGTH (AH 0202 BK 0458) 000368 FT 000368 FT

7090/0000 LENGTH(AH 0458 BK 0524)

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 231 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 3.683 MI. SR: 2004 TOTAL LEN: DIST: 02-3 MUN: PORTER T RIGHT MUN: PORTER T 000368 FT 000368 FT LENGTH (AH 0524 BK 0142) BMSEN 18/2004/0082/0000 7084/0000 INTER-AHD FISHING CREEK RD 0082/0142 (T342) 000226 FT 000226 FT 0 18007 0 01 0152+43 FISHING CREEK RD INTER-BK T342) FISHING CREEK BMSBG 18/2004/0082/0000 LENGTH (AH 0142 BK 0426) **5** 0082/0000 000226 FT 000226 FT 7080/0000 000226 FT LENGTH (AH 0426 BK 3850) 000226 FΤ 7070/0000 LENGTH (AH BK 2493) 3850 000226 FT 000226 FT 7060/0000 LENGTH (AH 2493 BK 2429) 000226 FT 000226 FT 7050/0000 LENGTH (AH 2429 BK 2684) 000226 FT 000226 FT 7044/0000 LENGTH (AH 2684 BK 0139) BMSEN 18/2004/0042/0000 INTER-AHD 0042/0139 FISHING CREEK RD (T342) 2 0 18007 0 00 0031+75 000087 FT 000087 FT VILLAGE: CLINTONDALE NC FISHING CREEK RD INTER-BK FISHING CREEK RD (T342) FISHING CREEK BMSBG 18/2004/0042/0000 MFC BEGIN = D **5** 0042/0000 LENGTH (AH 0139 BK 0161) 000087 FT 000087 FT 7040/0000 000087 FT LENGTH (AH 0161 BK 0100) 000087 FT LENGTH (AH 0100 BK 0087) 7032/0000 BMSEN 18/2004/0030/0000 FURNACE RD INTER-AHD 0030/0087 (T323) 2 0 18041 0 00 0007+24 000000 FT 000000 FT NC FURNACE RD FURNAÇE RD INTER-BK (T323) ΒÌΙG FÍSHING CREEK BMSBG 18/2004/0030/0000 MFC BEGIN = E **5** 0030/0000 LENGTH (AH 0087 BK 0100) 000000 FT 000000 FT

7014/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 230 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .000 MI. DIST: 02-3 SR: 2003 LEFT MUN: GREENE T RIGHT MUN: GREENE T

000000 FT
000000 FT
000000 FT
000000 FT
000000 FT



000000 FT 7070/0000 LENGTH(AH 0870 BK 2135) 000000 FT 7060/0000 LENGTH(AH 2135 BK 2918) 7050/0000 LENGTH (AH 2918 BK 2508) 000000 FT 7040/0000 LENGTH (AH 2508 BK 2609) 000000 FT 7030/0000 LENGTH (AH 2609 BK 3610) 000000 FT 7020/0000 LENGTH (AH 3610 BK 3081) 000000 FT 7010/0000 LENGTH(AH 3081 BK 0000)

DIR: B TOTAL LEN: 15.533 MI. DIST: 02-3 SR: 2002 LEFT MUN: GREENE T RIGHT MUN: GREENE T

082013 FT 082013 FT 7390/0000 LENGTH(AH 2244 BK 2405) 082013 FT 082013 FT 7382/0000 LENGTH (AH 2405 BK 0010) BMSEN 18/2002/0380/0000 ŢĔĀ SPŔĬŃĠŠ ŘĎ INTER-AHD 0380/0010 T349) 082003 FT 082003 FT 0 18018 0 01 0150+76 INTER-BK TEA SPRINGS RD BUCKS RUN BMSBG 18/2002/0380/0000 LENGTH(AH 0010 BK 3645) **E** 0380/0000 082003 FT 082003 FT 7372/0000 LENGTH (AH 3645 BK 0008) BMSEN 18/2002/0370/0000 TËA SPRINGS RD INTER-AHD 0370/0008 (T349) 081995 FT 0 18018 0 01 0114+13 081995 FT INTER-BK TEA SPRINGS RD (T349) OHNME ISS RUN BMSBG 18/2002/0370/0000 LENGTH(AH 0008 BK 2716) **5** 0370/0000 081995 FT 081995 FT 7362/0000 LENGTH (AH 2716 BK 0260) INTER-AHD TEA SPŘINGS RD 0360/0260 (T349) APRA) CITGO TRUCK/AUTO CITGO TRUCK/AUTO PLAZA POI (PRDR) 2 0 18 0360/0192 081735 FT 081735 FT 18018 0 01 0084+55 APRA) PIT STOP TRUCKST PIT STOP TRUCKSTOP R D  $P \oplus T$ LENGTH (AH 0260 BK 2661) CITGO TRUCK/AUTO PLAZA (PRDR) 0360/0000 **5** 0360/0000 0350/2600 (PRDR) 018 "DIA CIRC METAL 0350/2404 LEN=0050 INSTALLED UNKN CITGO TRUCK/AUTO PLAZA 0350/2206 (PRDR)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE 228 NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 15.533 MI. SR: 2002 DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T 024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0350/1566 FROM 8010/0500 SH 0350/1170 (CONN) ⊫≞ RAMP B RD (SR8010 SEG 0250/0000) 0350/1130 0350/1130 MFC BEGIN = DRAMP D R D 0350/1042 (SR8010 SEG 0500/1079) 024 "DIA CIRC CONCR 0350/1025 LEN=0040 INSTALLED UNKN TO 8010/0250 SH (CONN) 0350/0951 030 "DIA CIRC CONCR 0350/0764 LEN=0080 INSTALLED UNKN LR 1009 WB ID 18/0080/1921/1017 LR 1009 EB 0350/0644 O P 0350/0418 OP ID 18/0080/1920/0761 O 1 B "D I A C I R C C O N C R 0350/0400 LEN=0040 INSTALLED UNKN TO 8010/0750 SH 0350/0087 079074 FT (CONN) == 2 0 18018 0 00 0059+16 079074 FT RAMP A RD (SR8010 SEG 0010/1389) FROM 8010/0010 SH 0350/0000 ES 0350/0000 LENGTH(AH 2661 BK 2226) = = (CONN) 0340/2126 RAMP C RD 0340/2114 (SR8010 SEG 0750/0000) Ò 18 "DIA CIRC CONCR 0340/2090 LEN = 0062INSTALLED UNKN 0 1 5 "DIA CIRC CONCR LEN=0062 0340/1638 INSTALLED UNKN "DIA CIRC CONCR 018 0340/1320 LEN = 0.085INSTALLED UNKN "DIA 018 CIRC CONCR 0340/0940 LEN=0060 INSTALLED UNKN 076848 FT 076848 FT 2 0 18018 0 00 0036+78 WAGNER RUN STRUCTURE LENGTH 13 FT BMSID 18/2002/0340/0000 B 0340/0000 LENGTH(AH 2226 BK 3680)

018 "DIA CIRC CONCR

0330/2770 LEN=0090 INSTALLED UNKN


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 227 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 15.533 MI. DIST: 02-3 SR: 2002 LEFT MUN: GREENE T RIGHT MUN: GREENE T

TO 0880/0290 SH (CONN) 0330/0134 073168 FT

SR 0880 SH (SR0880 SEG 0290/0283) 0330/0000 073168 FT SR 0880 SH (SR0880 SEG 0280/0000) 0320/2893

070275 FT



EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 226 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: GREENE T TOTAL LEN: 15.533 MI. DIST: 02-3 SR: 2002 RIGHT MUN: GREENE T 067667 FT 067667 FT 2 0 18028 0 00 0247+64 MCCALL DAM RD (TWP LENGTH (AH 2608 BK 2373) BMSEN 18/2002/0300/2075 0310/0000 0300/2086 0 18028 0 00 0225+00 TRIB BIG FISHING CREEK 0300/2075 BMSBG 18/2002/0300/2075 018 "DIA CIR PLASTIC 0300/1560 LEN=0030 INSTALLED UNKN 015"H 21"W ELLIP METAL 0300/0007 LEN=0040 INSTALLED UNKN 065294 FT 065294 FT 2 0 18028 0 00 0224+06 VILLAGĘ: EASTVILLE C 0300/0000 LENGTH(AH 2373 BK 2657) 015"H 21"W ELLIP METAL 0290/1780 LEN = 0030INSTALLED UNKN 015 "DIA CIR PLASTIC 0290/1615 LEN=0030 INSTALLED UNKN 024 "DIA CIRC METAL 0290/1012 LEN=0040 INSTALLED UNKN 015"H 21"W ELLIP METAL 0290/0466 LEN=0030 INSTALLED UNKN 062637 FT 062637 FT 2 0 18028 0 00 0197+49 036 "DIA CIRC METAL LEN=0030 INSTALLED UNKN E 0290/0000 LENGTH (AH 2657 BK 2509) 015"H 21"W ELLIP METAL 0280/1310 LEN=0030 INSTALLED UNKN 060128 FT 060128 FT 2 0 18028 0 00 0172+40 E 0280/0000 LENGTH (AH 2509 BK 2393) 036 "DIA CIRC METAL 0270/1284 LEN=0030 INSTALLED UNKN

015"H 21"W ELLIP METAL

0270/0899 LEN=0030 INSTALLED UNKN

EXTRACT DATE: 12/ PRINT DATE: 12/	18/2023 ROADWAY 19/2023 SLD COUNT	MANAGEM Y/SR - A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 225 CLINTON
DIR: B LEFT MUN: GREENE	TOTAL LEN: 15.53	3 MI.	DIST: RIGHT MUN: GR	02-3 PEENE T	SR: 2002
	057735 FT	-+	0270/0570 057735 FT 0270/0000 0260/1850	LEN=0035 2 0 18028 LENGTH(AI 015"H 21" LEN=0030	"W ELLIP METAL INSTALLED UNKN B O 00 0148+47 H 2393 BK 2366) "W ELLIP METAL INSTALLED UNKN "W ELLIP METAL
S N O O K R D (T 3 5 2)	0260/1263	==	0260/1298		INSTALLED UNKN
	055369 FT	-+-	055369 FT 0260/0000 0250/2447	LENGTH (AI 018 "DIA	B 0 00 0124+81 H 2366 BK 2447) CIR PLASTIC INSTALLED 2001
		-+	0250/1171	0 1 5 " H 2 1 1 L E N = 0 0 3 0	"W ELLIP METAL INSTALLED UNKN
	052922 FT	 	0250/0387 0250/0030 052922 FT 0250/0000 0240/2280 0240/1852	LEN=0050 015"H 211 LEN=0035 2 0 18028 LENGTH (AI 015"H (AI 015"H (AI 015"H (AI	C   R PLAST   C   INSTALLED 2015 "W ELL   P METAL   INSTALLED UNKN B 0 00 0100+34
	050273 FT		050273 FT 0240/0000	LEN=0030 018 "DIA LEN=0030 2 0 18028 LENGTH(AI	"W ELLIP METAL INSTALLED UNKN CIRC CONCR INSTALLED UNKN B O OO OO73+85 H 2649 BK 2369) "W ELLIP METAL INSTALLED 1997
			0230/1080	0 1 5 " H 2 1 1 L E N = 0 0 4 0	"W ELLIP METAL INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 224 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 15.533 MI. SR: 2002 TOTAL LEN: DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T 047904 FT 047904 FT 2 0 18028 0 0 0 0050 + 16LENGTH (AH 2369 **E** 0230/0000 BK 2440) 015"H 21"W ELLIP 0220/2427 LEN=0030 INSTALLED UNKN 015"H 21"W ELLIP 0220/2178 LEN = 0030INSTALLED UNKN 015"H 21"W ELLĪP METAL LEN=0035 INSTALLED UNKN 0220/1799 016"H 23"W ELLIP METAL 0220/1281 LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC 0220/0974 LEN=0035 INSTALLED 2001 045464 FT 045464 FT 2 0 18028 0 0 0 2440 **5** 0220/0000 LENGTH (AH BK 2576) 015 "DÍA CIR PLASTIC INSTALLED UNKN 0210/2576 LEN=0030 018 "DIA CIR PLASTIC 0210/1912 LEN=0030 INSTALLED 2001 "DIA CIR PLASTIC 018 0210/1668 LEN = 0030INSTALLED 2001 015"H 21"W ELLIP METAL 0210/1179 LEN = 0030INSTALLED UNKN 015"H 21"W ELLIP 0210/0855 LEN=0030 INSTALLED UNKN 015"H 21"W ELLIP METAL 0210/0216 LEN=0030 INSTALLED UNKN 042888 FT 042888 FT 2 0 18028 0 00 0000+00 NC WINTER RD INTER-BK SR 0477 SH (SRO477 SEG 0320/2009) SR 0477 SH MFC BEGIN = E (SRO477 SEG 0320/2009) 0210/0000 042888 FT **5** 0210/0000 LTH AH 002576 BK 000100 042888 FT 7202/0000 LTH AH 000100 BK 002385 042888 FT 042888 FT 7200/0000 LENGTH (AH 2385 BK 2801) 042888 FT 042888 FT LTH AH 002801 BK 000100 7190/0000 042888 FT 042888 FT OLD HILL RD 7186/0000 LTH AH 000100 BK 002556 (SRO880 SEG 0030/0000) INTER-AHD SR 0880 SH TYLERSVILLE HILL RD SR0880 SEG 0030/0000) 0180/2556 (T537) 0180/2556 LOGAN T 024 "DIA CIRC CONCR

0180/2228 LEN=0043 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE NUMBER: COUNTY: CLINTON ROADWAY MANAGEMENT SYSTEM 223 SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT TOTAL LEN: 15.533 MI. DIST: 02-3 SR: 2002 MUN: LOGAN T RIGHT MUN: LOGAN T "DIA CIRC CONCR 018 0180/1585 LEN=0031 INSTALLED UNKN 018 "DIA CIRC CONCR 0180/1188 LEN = 0036INSTALLED UNKN "DIA CIRC CONCR 018 0180/0818 LEN = 0038INSTALLED UNKN 018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2010 0180/0633 018 "DIA CIRC CONCR 0180/0523 LEN=0034 INSTALLED UNKN 018 "DIA CIRC CONCR 0180/0236 LEN=0046 INSTALLED UNKN 2 0 18006 040332 FT 040332 FT 0 01 0409+94 **□ 0180/0000 LENGTH(AH 2556 BK 2240)** O48"H 24"W BOX CULVRT\* 0170/1227 LEN=0030 INSTALLED UNKN BMSEN 18/2002/0170/1193 0170/1202 2 0 18006 0 01 0399+66 BLETZ HOLLOW 0170/1193 BMSBG 18/2002/0170/1193 042"H 29"W ELLIP METAL LEN = 0.015INSTALLED 1997 0170/0779 "DIA 018 CIR PLASTIC 0170/0346 LEN = 0040INSTALLED 2010 "DIA CIRC CONCR 0170/0010 LEN=0030 INSTALLED UNKN 038092 FT 2 0 18006 038092 FT 0 01 0387+52 VILLAGE: TYLERSVILLE **5** 0170/0000 LENGTH (AH 2240 BK 2270) "DÍA CIR PLASTIC 018 INSTALLED 2010 0160/2019 LEN=0040 "DIA CIRC CONCR 018 0160/1377 LEN=0033 INSTALLED UNKN "DIA CIRC METAL 0160/0493 LEN=0028 INSTALLED UNKN "DIA CIR PLASTIC 018 0160/0164 LEN=0046 INSTALLED 2011 035822 FT 035822 FT 2 0 18006 0 01 0364+80 C 0 1 6 0 / 0 0 0 0 LENGTH(AH 2270 BK 3287) "DÍA CIRC CONCR 018 0150/3211 LEN = 0030INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0150/2950 LEN=0031 INSTALLED UNKN 018 "DIA CIRC METAL

0150/2524 LEN=0030

INSTALLED UNKN

EXTRACT DATE: 12/18 PRINT DATE: 12/19 DIR: B T LEFT MUN: LOGAN T	3/2023 ROADWAY 3/2023 SLD COUNT TOTAL LEN: 15.53		MENT SYSTEM ANNUAL PRINT DIST:	COUNTY:	NUMBER: 222 CLINTON SR: 2002
LEFT MUN: LOGAN T		-++-	0150/1891		CIRC METAL INSTALLED UNKN
	032535 FT	-+-	0150/0614 032535 FT	0 1 8 " D I A L E N = 0 0 4 2 2 0 1 8 0 0 6	CIR PLASTIC INSTALLED 2006 5 0 01 0331+89
			© 0150/0000 0140/1785	018 "DIA LEN=0040 LENGTH(AH 024 "DIA LEN=0050	CIR PLASTIC INSTALLED 2010 I 3287 BK 2175) CIR PLASTIC INSTALLED 2011
		-++-	0140/1476 0140/1176 0140/1047	024 "DIA LEN=0035 015"H 20"	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN 'W ELLIP METAL INSTALLED UNKN
SUMMER MT RD (T349)	0140/1017		0140/0822	0 1 5 " D I A L E N = 0 0 3 4	CIRC CONCR INSTALLED UNKN 'W ELLIP METAL
	030360 FT		0140/0572 0140/0442 0140/0252 030360 FT	LEN=0028 024 "DIA LEN=0028 018 "DIA LEN=0026	INSTALLED UNKN CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN 5 0 01 0310+12
			0140/0000		Y ELLIP METAL INSTALLED 2007
FISH COMMISSION RD (FISH)	0130/1490	= = =	0130/1578	( T 3 5 0 )	
	027582 FT	-++-			CIR PLASTIC INSTALLED 2010 'W ELLIP METAL INSTALLED UNKN CIR PLASTIC INSTALLED 2010
	V 2 / 3 0 2 F I		027582 FT 5 0130/0000	2 0 18006 LENGTH (AF 015 "DIA	6 0 01 0282+31 H 2778 BK 2118) CIRC CONCR

018 "DIA

0100/0724 LEN=0035

CIRC METAL

INSTALLED UNKN

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 220 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT 15.533 MI. SR: 2002 TOTAL LEN: DIST: 02-3 MUN: LOGAN T RIGHT MUN: LOGAN T "DIA CIRC METAL 018 0100/0469 LEN = 0035INSTALLED UNKN 024 "DIA CIRC METAL 0100/0175 LEN = 0036INSTALLED UNKN BMSEN 18/2002/0100/0000 0100/0022 2 0 18006 0 01 0206+26 019982 FT 019982 FT CHERRY RUN BMSBG 18/2002/0100/0000 LOGAN PORTER 🛌 0 1 0 0 / 0 0 0 0 LENGTH (AH 2 5 3 6 BK 2 1 7 9 ) "DÌA CIRC METAL 0 1 5 LEN = 00300090/1897 INSTALLED UNKN "DIA 0 1 5 CIRC METAL LEN=0035 0090/1823 INSTALLED UNKN 020"H 30"W ELLIP LEN=0029 0090/1405 INSTALLED UNKN 020"H 30"W ELLIP METAL 0090/1276 LEN = 0029INSTALLED UNKN 024 "DIA CIRC METAL 0090/1082 LEN = 0032INSTALLED UNKN "DIA 018 CIRC METAL 0090/0938 LEN = 0024INSTALLED UNKN "DIA CIR PLASTIC 018 0090/0800 LEN=0040 INSTALLED 2010 "DIA 0.18 CIRC METAL 0090/0315 LEN = 0026INSTALLED UNKN 017803 FT 017803 FT 2 0 18006 0 01 0184+37 LENGTH (AH 2179 **5** 0090/0000 BK 2397) "DÍA CIRC 018 METAL 0080/2281 LEN=0040 INSTALLED 2010 006"H 18"W CON BOX CUL 0080/1730 LEN = 0030INSTALLED UNKN " D I A CIRC METAL 018 0080/1668 LEN = 0036INSTALLED UNKN "DIA 0 1 B CIR PLASTIC 0080/1539 LEN=0051 INSTALLED UNKN "DIA 018 CIRC METAL LEN=0048 0080/1356 INSTALLED UNKN "DIA CIRC METAL 018 0080/0800 LEN=0040 INSTALLED UNKN "DIA CIRC METAL 018 0080/0550 LEN = 0039INSTALLED UNKN "DIA CIR PLASTIC 018 0080/0223 LEN = 0064INSTALLED 2011 2 0 015406 FT 015406 FT 18006 0 01 0160+27 "DIA CIRC METAL LEN=0035 INSTALLED UNKN

**⊑** 0080/0000 LENGTH(AH 2397 BK 2618)

018 "DÍA CIRC METAL

005946 FT 2 0 18006 0 00 0065+17

005946 FT

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                               ROADWAY MANAGEMENT SYSTEM
                                                                                  2 1 8
                                                                   PAGE NUMBER:
                             SLD COUNTY/SR - ANNUAL PRINT
                                                               COUNTY: CLINTON
 DIR:
LEFT
                    TOTAL LEN:
                                  15.533 MI.
                                                        DIST: 02-3
                                                                        SR: 2002
      MUN: PORTER T
                                                RIGHT MUN: PORTER T
                                                 E 0040/0000 LENGTH (AH 1842 BK 1869)
                                                               021"H 28"W ELLIP METAL
                                                   0030/1290
                                                              LEN = 0035
                                                                        INSTALLED UNKN
                                                                  "DIA
                                                                        CIRC METAL
                                                               0 1 5
                                                              LEN=0035
                                                   0030/1063
                                                                        INSTALLED UNKN
                                                                   "DIA
                                                               018
                                                                        CIRC METAL
                                                   0030/0735
                                                              LEN=0045
                                                                        INSTALLED UNKN
                                                                   "DIA
                                                                        CIRC
                                                               0 1 8
                                                                             METAL
                                                              LEN=0035
                                                   0030/0565
                                                                        INSTALLED UNKN
                                                                  "DIA
                                                                        CIRC METAL
                                                               018
                                                   0030/0040
                                                              LEN=0035 INSTALLED UNKN
                                                   004077 FT
                         004077 FT
                                                              2 0 18006 0 00 0046+71
                                                               MCCLAIN ROGERS RD
                                                               (T319)
                                                         NC NARROWS RD
                                            ==
                                                 🛌 0030/0000 LENGTH(AH 1869 BK 2104)
                                                               030 "DÌA CIRC METAL
                                                              LEN=0055
                                                   0020/2090
                                                                        INSTALLED UNKN
                                                                  "DIA
                                                               0 1 5
                                                                        CIRC METAL
                                                   0020/1633 LEN=0045 INSTALLED UNKN
                                                                   "DIA
                                                                        CIRC METAL
                                                   0020/0645 LEN=0035 INSTALLED UNKN
 0 18006 0 00 0025+36 001973 FT
                                                   001973 FT
FISH HATCHERY RD
(FISH)
FURNACE RD
                          0020/0000
                                                 ES 0020/0000 LENGTH (AH 2104 BK 1973)
(T323)
                                                               018 "DÍA CIRC METAL
                                                   0010/1952
                                                              LEN=0050 INSTALLED UNKN
                                                               CHERRY RUN RD
                                            ==
                                                               (T318)
                                                   0010/1916
                                                                   "ĎIA
                                                               0 1 5
                                                                        CIRC METAL
                                                   0010/1635
                                                              LEN = 0038
                                                                        INSTALLED UNKN
                                                                  "DIA
                                                                        CIRC METAL
                                                               0 1 5
                                                   0010/1290
                                                              LEN=0030
                                                                        INSTALLED UNKN
                                                               015 "DIA
                                                                        CIRC METAL
                                                   0010/1053 LEN=0035
                                                                        INSTALLED UNKN
                                                                   "DIA
                                                                        CIRC CONCR
                                                   0010/0025
                                                              LEN=0095 INSTALLED UNKN
                                                   000000 FT 2 0 18043 0 00 0019+53
                         000000 FT
                                                         NC WASHINGTON AV
                                                               SR 0064 SH
                                                               (SR0064 SEG 0010/2118)
                                                               MFC BEGIN = D
                                                 ĸc= 0010/0000 LENGTH(AH 1973 BK 0000)
```

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 217 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .000 MI. DIST: 02-3 SR: 2001 LEFT MUN: LOCK HAVEN C RIGHT MUN: LOCK HAVEN C

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 216 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .648 MI. LEFT MUN: LOCK HAVEN C DIST: 02-3 SR: 1024
RIGHT MUN: LOCK HAVEN C

003424 FT

003424 FT INTER-AHD SUSQUEHANNA AV (SR0120 SEG 1010/0000) WATER ST (SR0120 SEG 1010/0000)

EXTRACT DATE: 12/ PRINT DATE: 12/	18/2023 ROADWAY 19/2023 SLD COUNT	/ MANAGEM TY/SR – A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 215 CLINTON
DIR: B LEFT MUN: LOCK HA	TOTAL LEN: .64	В МІ. 00 00	DIST: RIGHT MUN: LO	02-3 CK HAVEN	SR: 1024 C
(CITY)	0010/3424	==  "	0010/3424 0010/3378		CIRC CONCR INSTALLED UNKN
GLENN RD (CITY)	0010/2822	==	0010/2792	0 1 2 " D I A L E N = 0 0 1 0	CIRC CONCR INSTALLED UNKN CIRC CONCR
AKELEY LN (CITY)	0010/2609	= + + -	0010/2680	0 1 5 " D I A L E N = 0 0 1 5	CIRC CONCR INSTALLED UNKN
(31.17)	,		0010/2450	0 1 2 " D I A L E N = 0 0 1 0 0 1 2 " D I A	CIRC CONCR INSTALLED UNKN CIRC CONCR
		-++-	0010/1828 0010/1553	LEN=0007 012 "DIA LEN=0007	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
		==	0010/1429 0010/1369	LEN=0007	CIRC CONCR INSTALLED UNKN
FOURTH ST (CITY)	0010/0946	==	0010/1141	LOCUST ST	
,	·		0010/0824 0010/0823	LEN=0009 FOURTH SI	CIRC METAL INSTALLED UNKN
CENTER ST (CITY)	0010/0661	==		COOPER AL	
		==	0010/0647	(CITY) IRON AL (CITY) 012 "DIA	CIRC METAL
			0010/0194	LEN=0030 STONE AL (CITY) 018 "DIA	INSTALLED UNKN
	000000 FT	<b>-</b> + + + + -	0010/0043 0010/0011 000000 FT	LEN=0043 018 "DIA LEN=0050 1 0 00105	INSTALLED UNKN CIRC METAL INSTALLED UNKN
			NC FA	IRVIEW SI BELLEFONI SRO150 S	- TE AV SEG 0210/0000)
			<b>5</b> 0010/0000	MFC BEGIN	l = C l 3424 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 214 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .137 MI. DIST: 02-3 SR: 1022 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

000725 FT 000725 FT INTER-AHD 0010/0725 COUDERSPORT PK (SR0044 SEG 0010/0000) RAMP T RD (SR8013 SEG 0010/0509) RAMP U RD 0010/0632 (SR8013 SEG 0750/0000) FROM B013/0010 SH (CONN) 0010/0501 FROM 1016/0070 SH 0010/0104 (CONN) 000000 FT 1 0 00 0 FT 1 0 00266 0 00 0000+00 NC PINE CREEK RD 000000 FT CENTRAL AV (SR1016 SEG 0070/0000) INTER-BK TIADAGHTON AV (T566) MFC BÉGIN = CES 0010/0000 LENGTH (AH 0725 BK 0000) EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 213 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .147 MI. DIST: 02-3 SR: 1020 LEFT MUN: WOODWARD T RIGHT MUN: WOODWARD T

000777 FT

TOWNSHIP AL (TWP )

0010/0678

000000 FT

INTER-AHD CHURCH ST
(T399)
RIVER ST
(T477)
WOODWARD AV
0010/0777 (SR0150 SEG 0280/0761)

0010/0152 BMSEN 18/1020/0010/0135
1 0 00359 1 00 00001+50
REEDS RUN
0010/0135 BMSBG 18/1020/0010/0135
000000 FT 1 0 00359 1 00 00000+00
NC MILL HILL RD
SWISSDALE RD
(SR0664 SEG 0040/1126)
MFC BEGIN = D

0010/0000 LENGTH(AH 0777 BK 0000)

000777 FT

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 212 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .000 MI. DIST: 02-3 SR: 1018 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 211 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 2.271 MI. DIST: 02-3 SR: 1016 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

AH-LYCOMING (41) BMSEN 18/1016/0070/1345 AH-LYCOMING 011989 FT 011989 FT RAILROAD'ST INTER-AHD (SR3028 SEG 0010/0000) 0070/1701 0 00023 0 00 0498+22 PINE CREEK 0070/1345 BMSBG 18/1016/0070/1345 018 "DIA CIRC METAL 0070/0133 LEN=0045 INSTALLED 1999 TO 1022/0010 SH (CONN) 0070/0112 010288 FT == 0 1 0 2 8 8 F T 1 0 0 0 0 2 3 0 0 0 0 4 8 4 + 5 7 T | A D A G H T O N A V (T566) MFC BEGIN = C PINE CREEK RD (SR1022 SEG 0010/0000) 0070/0000 © 0070/0000 LENGTH (AH 1701 BK 2164) == 0060/2055 (CONN) ELEVENTH ST (T534) PENN ÁV 11 11 (T522) 0060/1793 018 "DIA CIRC METAL 0060/1088 LEN=0060 INSTALLED 1999 NINTH ST

	12/19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE N COUNTY: C	UMBER: 210 LINTON
DIR: B LEFT MUN: PINE	TOTAL LEN: 2.27 CREEK T	71 MI.	DIST: RIGHT MUN: PI	02-3 S INE CREEK T	R: 1016
(T486)	0060/0688	==			
	008124 FT	-++-	0060/0042 008124 FT 0060/0000	1	IRC METAL NSTALLED 1999 0 00 0462+81 2164 BK 2189) S HOMES
		POE	0050/2106	HENRY ST (T438)	
			0050/16950050/1325	P   NE	GH B 016/0050/0944 0 00 0450+44
FOURTH ST		<b>/</b>	0050/0944	BMSBG 18/1	016/0050/0944
(BORO) THIRD ST	0050/0471	==			
(BORO)	0050/0032 005935 FT	==	005935 FT	1 0 00023 CENTRAL AV (BORO)	0 00 0440+99
		==	<b>5</b> 0050/0000	LENGTH (AH	2189 BK 3240) IRC CONCR
		-++-	0040/3102	LEN=0040 I SHAW ST	NSTALLED 1999
		==	0040/3069	(BORO) SPRING ST	
FIRST ST (T518)	0040/2525	==   ==	0040/2886	(BORO)	
(1010)	3343, 2323		0040/2492	F   RST ST (BORO)	
PINE CREEK AVIS BOROUGH B	0040/2321	-++-	•		
		-++-	0040/2291	018 "DIA C LEN=0040 I 024 "DIA C	IRC CONCR NSTALLED 1999 IRC METAL
BOULEVARD AV		-++-	0040/2128		NSTALLED UNKN
(BORO)	0040/2099		0040/2015	BMSEN 18/1	016/0040/1993 0 00 0428+55
			0040/1993	TRIB W BR	SUSQUEHANNA R 016/0040/1993
WASHINGTON ST (BORO)	0040/1675	==		018 "014 0	IBC CONCB
		-++-	0040/1650	LEN=0040 I WASHINGTON	IRC CONCR NSTALLED 1999 ST

```
DATE: 12/18/2023
DATE: 12/19/2023
                                ROADWAY MANAGEMENT SYSTEM
                                                                                    209
 EXTRACT
                                                                     PAGE
                                                                          NUMBER:
   PRINT
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                 COUNTY:
                                                                          CLINTON
 DIR:
LEFT
                                    2.271 MI.
                     TOTAL LEN:
                                                          DIST: 02-3
                                                                          SR: 1016
      MUN: AVIS
                                                  RIGHT MUN: AVIS BOROUGH B
                  BOROUGH B
                                                     0040/1594
                                                                (BORO)
                                                                PURSTÍAV
                                                                (BORO)
                                                     0040/1397
                                                                BRADY ST
                                                     0040/1125
                                                                 BORO)
                                                                    "ĎIA
                                                                018
                                                                          CIRC CONCR
                                                                LEN=0040 INSTALLED 1999
                                                     0040/1102
                                                                MYRTLE AL
                                                                (BORO)
                                                     0040/0854
                                                                ŘEED ŠT
                                                     0040/0585
                                                                (BORO)
                                                                Ò18 "ĎIA
                                                                          CIRC CONCR
                                                     0040/0557
                                                                LEN = 0030
                                                                          INSTALLED 2001
                                                                LINN AL
                                                     0040/0311
                                                                 BORO)
                                                                  0 00023
                          002695 FT
                                                     002695 FT
                                                                           0
                                                                              0 0
                                                                                 0408 + 58
                                                                FOX ST
                                                                 BORO)
                                                                LENGTH (AH 3240 BK 0882)
                                                  5 0040/0000
                                                                024 "DÍA CIRC CONCR
                                                     0030/0853 LEN=0030 INSTALLED 2001
CENTRAL AV
                                                          NC CENTRAL AV
(BORO)
                           0030/0779
                                         ==
RICH ST
(BORO)
                           0030/0416
                                                     0030/0416
                                                                (BORO)
                                         ==
                                                                SHORTÍ
                                                                       S T
                                                     0030/0079
                                                                 BORO)
                                                                    "ĎIA
                                                                Ó 1 B
                                                                          CIRC CONCR
                                                                LEN = 0050
                                                     0030/0011
                                                                          INSTALLED 2001
                          001813 FT
                                                     001813 FT
                                                                1 0 00023 0 00 0400+00
                                                                LENGTH (AH 0882 BK 1191)
                                                  E 0030/0000
HIGHLAND ST
                                                                HIGHLAND ST
                                             ==
(BORO)
                           0020/0906
                                                     0020/0906
                                                                (BORO)
                                         ==
                                                                AVIS
                                                                      BOROUGH
                                                     0020/0238
                                                                PINE CREEK
                                                     000622 FT
                          000622 FT
                                                                    00023
                                                                           0 0 0
                                                                  ם
                                                                                 0387+84
                                                  5 0020/0000
                                                                LENGTH (AH
                                                                           1191 BK 0622)
                                                                     "DÍA CIRC
                                                                               CONCR
                                                                0 4 B
                                                                          INSTALLED 1999
                                                     0010/0551
                                                                LEN=0070
                                                                FROM 0150/0410 SH
                                                                (CONN)
                                                     0010/0074
                                             ==
                          000000 FT
                                                     000000 FT
                                                                  0 00023
                                                                           0
                                                                              00 0381+62
                                                          NC AVIS RD
                                                                WOODWARD AV
                                                                (SRO150 SEG
                                                                              0410/0000)
                                                     INTER-BK
                                                                WOODWARD AV
                                                                 (SRO150 SEG
                                                                              0410/0000)
                                                                MFC BEGIN
                                                                           =
                                                                              D
                                                  ĸc= 0010/0000 LENGTH(AH 0622 BK 0000)
```

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 208 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 6.944 MI. LEFT MUN: GRUGAN T DIST: 02-3 SR: 1014
RIGHT MUN: GRUGAN T

EXTRACT DATE: 12 PRINT DATE: 12	71972023 SLD COUNT	Y/SR -	MENT SYSTEM ANNUAL PRINT		NUMBER: 207 CLINTON
DIR: B LEFT MUN: GRUGAN	TOTAL LEN: 6.94	4 MI.	DIST: RIGHT MUN: G	02-3 RUGAN T	SR: 1014
		-++-	0140/1930	0 1 B " D I A L E N = 0 0 4 0 0 1 5 " D I A	CIR PLASTIC INSTALLED 2021 CIR PLASTIC INSTALLED 2008 CIR PLASTIC
			0140/1398	LEN=0035	INSTALLED UNKN
	034222 FT		034222 FT 6 0140/0000	2 0 18040 LENGTH (AF	0 0 00 0342+90 H 2444 BK 3415)
			0130/1685	0 1 8 " D I A L E N = 0 0 4 0	CIR PLASTIC INSTALLED 2021
			0130/0839	0 1 5 " D I A L E N = 0 0 4 0	CIR PLASTIC
	030807 FT	-++-	0130/0541 030807 FT	2 0 1804( RITCHIE	CIR PLASTIC INSTALLED 2011 D 0 00 0308+75
		==	© 0130/0000 0120/1438	018 "DIA	1 3415 BK 1809) CIR PLASTIC INSTALLED 2021
PAT'S RIDGE RD (FRST)	0120/0631	==			
			0120/0521 0120/0361	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A L E N = 0 0 4 0	CIR PLASTIC INSTALLED 2015 CIR PLASTIC INSTALLED 2015
	028998 FT	=====	0120/0012 028998 FT 0120/0000	018 "DIA LEN=0040 2 0 18040 LENGTH(AF	CIR PLASTIC INSTALLED 2015 D 0 00 0290+66 H 1809 BK 2521)
		-++-	0110/2415 0110/2262	018 "DIA	CIR PLASTIC INSTALLED 2015 CIR PLASTIC INSTALLED 2015
			0110/1985 0110/1769	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A	CIR PLASTIC INSTALLED 2015 CIR PLASTIC INSTALLED 2015
			0110/1525	018 "DIA LEN=0040 018 "DIA	CIR PLASTIC INSTALLED 2015 CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 206 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 6.944 MI. SR: 1014 DIST: 02-3 MUN: GRUGAN T RIGHT MUN: GRUGAN T 0110/1083 LEN=0040 INSTALLED 2015 018 "DIA CIR PLASTIC 0110/0964 LEN=0040 INSTALLED 2015 "DIA 018 CIR PLASTIC 0110/0723 LEN=0040 INSTALLED UNKN "DIA 0 1 B CIR PLASTIC 0110/0362 LEN = 0040INSTALLED UNKN "DIA 0 1 8 CIR PLASTIC 0110/0050 LEN = 0040INSTALLED 2015 026477 FT 026477 FT 2 0 18040 0 00 0265+45 **E** 0110/0000 LENGTH (AH 2521 BK 2449) "DÌA 018 CIR PLASTIC 0100/2154 LEN = 0035INSTALLED UNKN 018 "DIA CIR PLASTIC LEN=0040 0100/1595 INSTALLED 2015 "DIA 0 1 B CIR PLASTIC 0100/0996 LEN = 0040INSTALLED UNKN "DIA CIR PLASTIC 018 0100/0503 LEN = 0040INSTALLED UNKN 024028 FT 024028 FT 2 0 18040 0 00 0240+96 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN **E** 0100/0000 LENGTH (AH 2449 BK 2245) "DÍA 018 CIR PLASTIC 0090/1939 LEN=0040 INSTALLED 2015 "DIA 0.18 CIR PLASTIC 0090/1505 LEN = 0040INSTALLED 2015 018 "DIA CIR PLASTIC 0090/1144 LEN=0040 INSTALLED 2015 "DIA CIR PLASTIC 0090/0496 INSTALLED 2015 LEN = 00400090/0017 BMSEN 18/1014/0090/0000 021783 FT 2 0 18040 021783 FT 0 01 0218+91 PAINTER RUN BMSBG 18/1014/0090/0000 LENGTH (AH 2245 BK 3313) **6** 0090/0000 GRUGAN CHAPMAN T 0080/2886 "DIA CIR PLASTIC 018 0080/2544 LEN=0040 INSTALLED 2008 "DIA 018 CIR PLASTIC 0080/2370 LEN=0040 INSTALLED 2015 "DIA CIRC CONCR 0080/1544 LEN=0040 INSTALLED UNKN 018 "DIA CIR PLASTIC 0080/1474 LEN=0040 INSTALLED 2015

018 "DIA

0080/1370 LEN=0035

CIR PLASTIC

INSTALLED 2008

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 205 EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 6.944 MI. SR: 1014 DIST: 02-3 MUN: CHAPMAN RIGHT MUN: CHAPMAN T "DIA CIR PLASTIC 018 0080/1045 LEN=0035 INSTALLED 2015 "DIA CIR PLASTIC 0 1 B 0080/0849 LEN = 0035INSTALLED 2015 "DIA 018 CIR PLASTIC 0080/0687 LEN = 0040INSTALLED 2015 017 "DIA CIR PLASTIC 0080/0337 018470 FT LEN=0040 INSTALLED 2015 018470 FT 2 0 18040 0 00 0186+14 LENGTH(AH 3313 BK 2512) **E** 0080/0000 "DÌA CIR PLASTIC 018 0070/2496 LEN = 0040INSTALLED 2015 "DIA CIRC 018 CONCR LEN = 00450070/2142 INSTALLED 2015 018 "DIA CIR PLASTIC 0070/1812 LEN=0040 INSTALLED 2015 "DIA 018 CIR PLASTIC 0070/1760 INSTALLED 2015 LEN=0040 "DIA 018 CIR PLASTIC 0070/1538 LEN=0040 INSTALLED 2015 "DIA CIR PLASTIC 0070/0871 LEN=0040 INSTALLED 2015 "DIA 018 CIR PLASTIC 0070/0400 LEN=0040 INSTALLED 2015 "DIA 0.18 CIR PLASTIC 0070/0170 LEN = 0040INSTALLED 2015 015958 FT 015958 FT 2 0 18040 0 0 0 0161+02 2512 LENGTH (AH **5** 0070/0000 BK 2947) "DÍA CIR PLASTIC 018 0060/2620 LEN = 0030INSTALLED UNKN "DIA CIR PLASTIC 018 0060/2199 LEN = 0030INSTALLED UNKN CLEVELAND RUNSTRUCTURE LENGTH 0060/1763 BMSID 18/1014/0060/1763 "DIA PLASTIC CIR 0060/1537 LEN=0217 INSTALLED UNKN "DIA CIR PLASTIC 0 1 B 0060/1098 LEN=0038 INSTALLED UNKN "DIA 018 CIR PLASTIC 0060/0759 LEN=0040 INSTALLED 2015 "DIA 018 CIR PLASTIC 0060/0426 LEN=0040 INSTALLED 2015 "DIA CIR PLASTIC 018 0060/0097 LEN = 0040INSTALLED 2015 013011 FT 2 0 18040 013011 FT 0 00 0130+55 LENGTH (AH 0060/0000 2947 BK 2785) 018 "DÍA CIR PLASTIC

0050/2556 LEN=0040 INSTALLED 2008

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE 204 EXTRACT ROADWAY MANAGEMENT SYSTEM NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 6.944 MI. SR: 1014 DIST: 02-3 MUN: CHAPMAN RIGHT MUN: CHAPMAN T "DIA CIR PLASTIC 018 0050/2274 LEN=0040 INSTALLED 2015 "DIA CIR PLASTIC 0 1 B 0050/2080 LEN = 0.040INSTALLED 2015 "DIA 018 CIR PLASTIC 0050/1840 LEN=0040 INSTALLED 2015 "DIA CIR PLASTIC 018 INSTALLED 2015 0050/1654 LEN=0040 018 "DIA CIR PLASTIC 0050/1498 LEN = 0030INSTALLED 2008 "DIA 018 CIR PLASTIC 0050/1300 LEN=0040 INSTALLED 2015 "DIA CIR 018 PLASTIC 0050/1090 LEN=0040 INSTALLED 2015 "DIA 018 CIR PLASTIC 0050/0895 LEN = 0040INSTALLED 2015 "DIA 018 CIR PLASTIC LEN=0040 INSTALLED 2015 0050/0816 "DIA PLASTIC 018 CIR 0050/0550 LEN=0040 INSTALLED 2015 "DIA 018 CIR PLASTIC 0050/0111 INSTALLED 2015 LEN = 00400 18040 0 00 0102+50 010226 FT 010226 FT HYNER STATE PARK RD 0050/0000 **5** 0050/0000 (FRST) LENGTH (AH 2785 BK 2209) O1B "DÌA CIR PLASTIC 0040/1945 LEN = 0040INSTALLED 2017 024 "DIA CIR PLASTIC 0040/1705 LEN=0055 INSTALLED 2006 022 "DIA CIRC METAL 0040/1338 LEN=0034 INSTALLED UNKN HYNER VIEW RD 0040/1322 (FRST) == "ĎIA 0 1 B CIR PLASTIC 0040/0960 LEN = 0040INSTALLED 2017 024 "DIA CIR PLASTIC 0040/0631 LEN = 0040INSTALLED 2017 "DIA 018 CIRC METAL 0040/0386 LEN = 0035INSTALLED UNKN "DIA CIRC METAL 0 1 6 0040/0173 LEN=0031 INSTALLED UNKN 008017 FT 2 0 18040 008017 FT 0 00 0080+25 **5** 0040/0000 LENGTH (AH 2209 BK 2506) "DÌA CIRC 018 METAL 0030/2285 LEN = 0030INSTALLED UNKN "DIA 0 1 B PLASTIC LEN=0035 0030/1998 INSTALLED 2017 "DIA 018 CIR PLASTIC

0030/1747 LEN=0035

INSTALLED 2017

018 "DIA CIR PLASTIC


EXTRACT DATE: 12/1 PRINT DATE: 12/1	18/2023 ROADWAY 19/2023 SLD COUNT	MANAGEM Y/SR – A	IENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 203 CLINTON
DIR: B LEFT MUN: CHAPMAN	TOTAL LEN: 6.94	4 MI.	RIGHT MUN: CH		SR: 1014
			0030/1450 0030/0893 0030/0677 0030/0526	0 1 8 " D I A L E N = 0 0 4 0	INSTALLED 2017 CIRC METAL INSTALLED UNKN CIR PLASTIC INSTALLED 2021 CIR PLASTIC INSTALLED 2017
FRANCIS LOCKE LN	005511 FT		005511 FT  0030/0000  0020/2118	2 0 18040 018 "DIA LEN=0035 LENGTH(AH 024 "DIA LEN=0050	CIR PLASTIC INSTALLED 2017
(TWP)	0020/1600		0020/1571	0 1 B " D I A L E N = 0 0 3 5 0 1 6 " D I A L E N = 0 0 3 2	CIR PLASTIC INSTALLED 2017 CIRC METAL INSTALLED UNKN
	002966 FT		0020/0790 0020/0398 002966 FT	0 1 8 " D I A L E N = 0 0 3 0 0 1 8 " D I A L E N = 0 0 3 0 2 0 1 8 0 4 0	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN
			0020/0000	0 1 5 " D I A L E N = 0 0 3 2 L E N G T H ( A H 0 2 4 " D I A	CIRC METAL INSTALLED UNKN I 2545 BK 2966)
		==	0010/1218 0010/1185	CHARLYN A (T478) 018 "DIA LEN=0031	
	000000 FT	==	0010/0269 0010/0045 000000 FT	CHARLYN A (T478) 018"H 00" LEN=0040 2 0 18040	CRE RD W MULT PLSTIC INSTALLED 2005
			NC HY INTER-BK  ■ 0010/0000	RENOVO RD (SRO120 S HYNER RIV (T449) MFC BEGIN	) SEG 0570/1215) 'ER RD

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 202 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .002 MI. DIST: 02-3 SR: 1012 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

000012 FT

000000 FT



000012 FT BMSEN 18/1012/0010/0000
INTER-AHD SULPHUR RUN RD
0010/0012 (T567)
000000 FT 2 0 18015 0 00 0116+60
NC SULPHUR RUN RD
INTER-BK SULPHUR RUN RD
(T567)
SULPHUR RUN
BMSBG 18/1012/0010/0000
MFC BEGIN = E

DIR: B TOTAL LEN: .000 MI. DIST: 02-3 SR: 1011 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 200 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .022 MI. DIST: 02-3 SR: 1010 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

000114 FT

000070 FT



000114 FT 7058/0000 LENGTH (AH 0100 BK 0044) BMSEN 18/1010/0050/0000 INTER-AHD MAIN ST 0050/0044 (TWP) 000070 FT 1 1 00098 0 03 0111+38 VILLAGE: WOOLRICH

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 199 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: TOTAL LEN: .022 MI. DIST: 02-3 SR: 1010 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK INTER-BK MAIN ST (TWP CHÁTHÁM RUN BMSBG 18/1010/0050/0000 LENGTH (AH 0044 BK 0027) 0050/0000 000070 FT 000070 FT 7046/0000 000070 FT LENGTH(AH 0027 BK 0100) 000070 FT 7042/0000 LENGTH (AH, 0100 BK 0013) BMSEN 18/1010/0040/0000 INTER-AHD PARK AV 0040/0013 (T568) 1 00098 0 03 0039+10 000057 FT 000057 FT NC PARK AV INTER-BK PARK AV (T568) ŤRIB CHATHAM RUN BMSBG 18/1010/0040/0000 LENGTH(AH 0013 BK 0013) **5** 0040/0000 000057 FT 000057 FT 7038/0000 LENGTH (AH 0013 BK 0100) 000057 FT 000057 FT 7036/0000 LENGTH (AH 0100 BK 0789) 000057 FT 000057 FΤ 7034/0000 LENGTH (AH 0789 BK 0100) 000057 FT 000057 FT 7024/0000 LENGTH (AH 0100 BK 0041) BMSEN 18/1010/0020/0000 HARLEY DR INTER-AHD (T433)0020/0041 000016 FT 000016 FT 1 00098 0 01 0014+60 HARLEY INTER-BK DR T433) CHATHÂM RUN BMSBG 18/1010/0020/0000 © 0020/0000 000016 FT LENGTH (AH 0041 BK 0100) 000016 FT 7014/0000 LENGTH(AH 0100 BK 0016) BMSEN 18/1010/0010/0000 HARLEY DŔ INTER-AHD 0010/0016 (T433)000000 FT 1 00098 000000 FT 0 00 0003+31 NC HARLEY DR INTER-BK HARLEY (T433) MILL RACE BMSBG 18/1010/0010/0000 LENGTH (AH 0016 BK 0100) **5** 0010/0000 000000 FT 000000 FT

7004/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 198 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .281 MI. DIST: 02-3 SR: 1008 LEFT MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE T

001486 FT 001486 FT 7112/0000 LENGTH (AH 0832 BK 1393) INTER-AHD PARK AV ′T568) HARLEY D R 0110/1393 (T433) ÒİB "DIA CIR PLASTIC 0110/1306 LEN = 0064INSTALLED 2014 018 "DIA CIR PLASTIC INSTALLED 2022 0110/0798 LEN=0040 LITTLE PLUM RUN RD (SR1003 SEG 0010/0000) 0110/0570 000093 FT 000093 FT 2 0 18033 0 00 0043+07 INDIAN PARK RD (SR1005 SEG 0060/0534) BIG PLUM RUN RD INTER-BK (T430)LTH AH 001393 BK 000100 **E** 0110/0000 000093 FT 000093 FT LTH AH 000100 BK 000020 BMSEN 18/1008/0102/0000 BIG PLUM RUN RD 7108/0000 INTER-AHD 0102/0020 000073 FT (T430)000073 FT

BIG PLUM RUN RD


INTER-BK

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 197 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: TOTAL LEN: .281 MI. DIST: 02-3 SR: 1008 LEFT MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE (T430) LITTLE PLUM RUN BMSBG 18/1008/0102/0000 0102/0000 LENGTH (AH 0020 BK 0100) 000073 FT 000073 FT 7094/0000 000073 FT LENGTH (AH 0100 BK 2864) 000073 FT LENGTH (AH 2864 BK 0030) BMSEN 18/1008/0090/0000 7090/0000 BIG PLUM RUN RD INTER-AHD 0090/0030 (T430)2 0 18014 0 00 0190+91 000043 FT 000043 FT INTER-BK BIG PLUM RUN RD (T430)PLUM ŔUN BMSBG 18/1008/0090/0000 LENGTH(AH 0030 BK 0100) **5** 0090/0000 000043 FT 000043 FT 7084/0000 LENGTH (AH 0100 BK 0934) 000043 FT 000043 FT 7080/0000 LENGTH (AH 0934 BK 0025) BMSEN 18/1008/0080/0000 INTER-AHD BIG PLUM RUN RD 0080/0025 (†430) 2 0 18014 0 00 0177+28 000018 FT 000018 FT BIG PLUM RUN RD INTER-BK ( | 430 ) BIG PLUM RUN BMSBG 18/1008/0080/0000 LENGTH(AH 0025 BK 0100) **5** 0080/0000 000018 FT 000018 FT LENGTH (AH 0100 BK 1550) 7074/0000 000018 FT 000018 FT LENGTH (AH 1550 BK 0018) BMSEN 18/1008/0070/0000 BIG PLUM RUN RD 7070/0000 INTER-AHD 0070/0018 (T430)000000 FT 000000 FT 2 0 18014 0 00 0161+48 NC BIG PLUM RUN RD INTER-BK BIG PLUM RUN RD (T430) PLUM KUN BMSBG 18/1008/0070/0000 **5** 0070/0000 LENGTH (AH 0018 BK 0100) FT 000000 000000 FT 7064/0000 LENGTH (AH 0100 BK 1185) 000000 FT 000000 FΤ 7058/0000 LENGTH (AH 1185 BK 0100) 000000 FT 000000 FT

7004/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 196 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .002 MI. DIST: 02-3 SR: 1007 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 195 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .525 MI. DIST: 02-3 SR: 1006 LEFT MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE T

002772 FT 002772 FT LENGTH (AH 0186 BK 2772) 7018/0000 PARK AV (T568) (TBK)PÄRK AV (T568) 0010/2772 0010/2772 018 "DIA CIRC METAL 0010/2046 LEN=0040 INSTALLED 1999 018 "DIA CIRC METAL 0010/1520 LEN=0045 INSTALLED UNKN 018 "DIA CIRC METAL 0010/0032 LEN=0070 INSTALLED 1999 000000 FT 000000 FT 2 0 18034 0 00 0000+00 VILLAGE: WOOLRICH NC CEMETERY ST ITTLE PLUM RUN RD (SR1003 SEG 0040/1337)

 EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 194 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 1.764 MI. DIST: 02-3 SR: 1005 LEFT MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE T


009316 FT 009316 FT BIG PLUM RUN RD INTER-AHD BIG PLUM RUN RD (T430) (SR1008 SEG 0110/0000) 024 "DIA CIR PLASTIC 0060/0534 0060/0534 LEN=0050 INSTALLED UNKN 0060/0222 008782 FT 008782 FT 2 0 18033 0 00 0037+59 **□** 0060/0000 LENGTH(AH 0534 BK 1185) NC PARK AV WOODWARD AV (SR0150 SEG 0344/0497) 0050/0759 018 "DIA CIRC CONCR 0050/0625 LEN = 0100INSTALLED 1999 030 "DIA CIRC METAL 0050/0373 LEN=0220 INSTALLED 1999 CIRC CONCR 018 "DIA 0050/0025 LEN=0040 INSTALLED 1999 007597 FT 2 0 18033 0 00 0025+74 007597 FT

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 193 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 1.764 MI. DIST: 02-3 SR: 1005 MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE E 0050/0000 LENGTH(AH 1185 BK 2557) 0040/2557 BMSEN 18/1005/0040/1333 DUNNSTABLE 0040/1917 WAYNE T 2 0 18033 0 00 0013+50 TWP 565 0040/1333 BMSBG 18/1005/0040/1333 018 "DIA CIRC CONCR 0040/1320 LEN=0040 INSTALLED 1999 018 "DIA CIRC CONCR 0040/1310 LEN=0040 INSTALLED UNKN 030 "DIA CIRC METAL 0040/1104 LEN=0075 INSTALLED 1999 OLD BRIDGE RD (T572)0040/0430 018 "DIA CIRC CONCR 0040/0305 LEN=0055 INSTALLED UNKN 018 "DIA CIRC CONCR 0040/0035 LEN = 0030INSTALLED 1999 2 0 18033 0 00 0000+00 005040 FT 005040 FT ŖAŢLROAD LN 0040/0000 (TWP) **5** 0040/0000 LENGTH (AH 2557 BK 2470) 0030/2460 (AAR 526926Y)#TRKS 02 Ò1B "DIA CIRC CONCR 0030/2388 LEN = 0070INSTALLED 1999 "DIA CIRC CONCR 018 LEN=0040 0030/2350 INSTALLED 1999 "DIA CIRC CONCR 018 0030/2153 LEN=0040 INSTALLED 1999 "DIA CIRC CONCR 018 0030/1918 LEN=0045 INSTALLED 1999 LINNWOOD DR (T427)0030/1896 018 "DIA CIRC CONCR 0030/1875 LEN=0039 INSTALLED 1999 018 "DIA CIRC CONCR 0030/1532 LEN=0040 INSTALLED 1999 "DIA CIRC CONCR 018 0030/1184 LEN=0040 INSTALLED 1999 CHATHAM VILLAGE 0030/1123 (PRDR) (APRA) CLINTON CO SOLID LANDFÍLL LN POI 0030/0827 (CNTY) "ĎIA CIRC CONCR 018 LEN=0026 0030/0796 INSTALLED UNKN 01B "DIA CIRC CONCR 0030/0430 LEN=0026 INSTALLED UNKN

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 192 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 1.764 MI. SR: 1005 DIST: 02-3 MUN: WAYNE T RIGHT MUN: WAYNE T NORTH RD == 0030/0322 (T564)"DIA 018 CIRC CONCR 0030/0118 LEN=0040 INSTALLED 1999 002570 FT 002570 FT 07081 0 00 0037+81 VILLAGE: MCELHATTAN LENGTH (AH 018 "DIA C **5** 0030/0000 2470 BK 0828) CONCR CIRC LEN=0040 0020/0665 INSTALLED 1999 024 "DIA CIRC CONCR 0020/0400 LEN=0045 INSTALLED 1999 "DIA 018 CIRC CONCR 0020/0171 LEN=0025 INSTALLED 1999 001742 FT 001742 FT 2 0 18032 0 00 0017+32 FRITZ RD (T563)99 YOUNGDALE RD LENGTH (AH 0828 BK 1742) 018 "DIA CIRC CONCR (SR2012 SEG 0120/3815) 0020/0000 **5** 0020/0000 0010/1515 LEN=0053 INSTALLED 1999 RAMP K RD 0010/1221 (SR8007 SEG 0500/0850) RAMP J RD (SR8007 SEG 0250/0000) TO 8007/0250 SH 0010/1210 = = (CONN) 0010/1131 018 "DIA CIRC CONCR 0010/1105 LEN=0060 INSTALLED 1999 LR 1044 SB ID 18/0220/0281/0000 0010/0953 OP LR 1044 NB OP ID 18/0220/0280/0000 0010/0864 018 "DIA CIRC CONCR 0010/0692 LEN=0060 INSTALLED 1999 TO 8007/0750 SH 0010/0685 (CONN) == ŘAMP M (SR8007 SEG 0750/0000) ŘAMP L RD 0010/0619 (SR8007 SEG 0010/0870) LINNIPPI TR (TWP) 0010/0211 000000 FT 000000 FT 2 0 18032 0 00 0000+00 NC MCELHATTAN DR PINE MOUNTAIN RD (SR2012 SEG 0130/0000) INTER-BK RESERVIOR R D (T566) MFC BÉGIN ĸc= 0010/0000 LENGTH(AH 1742 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 191 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON


DIR: B TOTAL LEN: .004 MI. DIST: 02-3 SR: 1004 LEFT MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE T



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 190 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 4.320 MI. DIST: 02-3 SR: 1003 LEFT MUN: GALLAGHER T RIGHT MUN: GALLAGHER T

COUDERSPORT PK 022807 FT (SR0664 SEG 0180/0000) 0090/2851



TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 189 EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 4.320 MI. DIST: 02-3 SR: 1003 MUN: GALLAGHER T RIGHT MUN: GALLAGHER T 018 "DIA CIR PLASTIC 0090/0753 INSTALLED 2022 LEN=0040 "DIA 036 CIR PLASTIC 0090/0438 LEN=0040 INSTALLED 2010 019956 FT 019956 FT 18021 0 00 0199+47 C 0090/0000 LENGTH (AH 2851 BK 2355) "DÌA CIRC METAL 018 0080/2347 LEN=0050 INSTALLED UNKN 018 "DIA CIR PLASTIC 0080/1857 LEN=0040 INSTALLED 2010 018 "DIA CIR PLASTIC LEN=0045 0080/1195 INSTALLED 1999 "DIA 018 CIR PLASTIC 0080/0899 LEN=0040 INSTALLED 2000 GALLAGHER 0080/0662 DUNNSTABLE "DIA CIR PLASTIC 018 INSTALLED 2010 0080/0467 LEN=0040 "DIA 018 CIR PLASTIC 0080/0136 LEN=0040 INSTALLED 2000 017601 FT 017601 FT 2 0 0 00 0175+92 18021 **E** 0080/0000 LENGTH (AH 2355 BK 2541) "DÍA CIR 018 PLASTIC 0070/2326 LEN = 0030INSTALLED 2022 "DIA 0.18 CIR PLASTIC 0070/1947 LEN = 0040INSTALLED UNKN 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2010 0070/1480 "DIA CIR PLASTIC 018 0070/1113 LEN=0050 INSTALLED 2022 "DIA CIR PLASTIC 018 0070/0851 LEN=0035 INSTALLED 2022 "DIA CIR PLASTIC 018 0070/0587 LEN = 0040INSTALLED 2010 "DIA 0 2 B CIRC METAL 0070/0194 LEN = 0040INSTALLED 1999 015060 FT 015060 FT 2 0 18021 0 00 0150+51 LENGTH (AH 2541 **E** 0070/0000 BK 2523) "DÌA CIR PLASTIC 018 0060/2523 LEN=0040 INSTALLED 2000 "DIA 018 CIR PLASTIC 0060/2273 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 024 0060/1846 LEN = 0035INSTALLED 2022 "DIA 0 1 B PLASTIC LEN=0040 0060/1408 INSTALLED 2010 "DIA CIR PLASTIC 018 0060/0840 LEN=0048 INSTALLED 2003

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE NUMBER: COUNTY: CLINTON ROADWAY MANAGEMENT SYSTEM 188 SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT TOTAL LEN: SR: 1003 4.320 MI. DIST: 02-3 MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE 0060/0640 LEN=0040 INSTALLED 2000 024 "DIA CIRC METAL 0060/0430 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIR PLASTIC 0060/0207 LEN=0040 INSTALLED 1999 012537 FT 012537 FT 2 0 18021 0 00 0125+28 **5** 0060/0000 LENGTH (AH 2523 BK 2507) "DÌA CIR PLASTIC 018 0050/2507 LEN=0040 INSTALLED 1999 018 "DIA CIR PLASTIC 0050/2141 LEN=0030 INSTALLED UNKN 040"H 60"W ELLIP 0050/0453 LEN=0054 INSTALLED 2010 018"H 21"W ELLIP LEN=0075 0050/0202 INSTALLED 1999 010030 FT 010030 FT 2 0 18021 0 00 0100+21LENGTH (AH 2507 **E** 0050/0000 "DÌA CIR PLASTIC 018 0040/2275 LEN=0025 INSTALLED 1999 "DIA 018 CIR PLASTIC 0040/2028 LEN=0040 INSTALLED 2003 "DIA CIRC METAL 0.18 0040/1769 LEN = 0030INSTALLED 1999 CEMETERY ST (SR1006 SEG 0010/0000) 0040/1337 "DIA CIR PLASTIC 018 0040/1279 LEN=0060 INSTALLED 2011 "DIA CIRC METAL 018 0040/1103 LEN=0025 INSTALLED UNKN "DIA CIRC METAL 0040/0988 LEN = 0045INSTALLED 1999 0 1 B "DIA CIRC METAL 0040/0707 LEN = 0025INSTALLED UNKN 007567 FT 007567 FT 2 0 18021 0 00 0075+68 LENGTH (AH 2463 BK 2558) **E** 0040/0000 024 "DÍA CIRC METAL 0030/2558 LEN=0033 INSTALLED UNKN GERMAN (T433)0030/1908 024 "DIA CIRC METAL 0030/1896 LEN=0065 INSTALLED 1999 WEAVERHILL RD (T431) 0030/1195

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 187 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 4.320 MI. SR: 1003 DIST: 02-3 MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE 030 "DIA CIRC CONCR 0030/1179 LEN=0060 INSTALLED UNKN 040"H 58"W ELLIP METAL 0030/0623 LEN=0040 INSTALLED 1999 "DIA CIR PLASTIC 024 0030/0188 LEN=0012 INSTALLED 2006 005009 FT 005009 FT 2 0 18021 0 00 0049+98 LENGTH (AH 2558 BK 2540) **E** 0030/0000 018 "DÍA CIRC METAL 0020/2403 LEN = 0030INSTALLED UNKN "DIA 036 CIR PLASTIC 0020/1966 LEN=0040 INSTALLED 2012 024"H 21"W ELLIP LEN = 0.0350020/1480 INSTALLED 1999 018 "DIA CIRC METAL 0020/1307 LEN = 0040INSTALLED UNKN 013"H 17"W ELLIP METAL 0020/0884 LEN=0035 INSTALLED 1999 "DIA 0 1 5 CIRC METAL 0020/0591 LEN = 0030INSTALLED UNKN "DIA CIRC 0 1 5 0020/0248 LEN = 0040INSTALLED UNKN 002469 FT 002469 FT 2 0 18021 0 00 0024+77 "DIA CIRC METAL 024 LEN=0080 INSTALLED 1999 LENGTH(AH 2540 BK 2469) **5** 0020/0000 "DÌA CIR PLASTIC 0 1 5 0010/2274 LEN=0060 INSTALLED 2005 NORTH LN == 0010/2150 (T510)"DIA CIR PLASTIC INSTALLED 2022 0010/1238 LEN=0040 "DIA CIRC METAL 0 1 5 0010/0956 LEN=0040 INSTALLED 1999 "DIA 0 1 5 CIRC METAL 0010/0553 LEN=0040 INSTALLED UNKN CRESTMONT DR 0010/0402 (T508)"ĎIA 018 CIRC METAL LEN = 0045INSTALLED 1999 0010/0366 020"H 28"W ELLIP METAL 0010/0191 LEN=0085 INSTALLED 1999 000000 FT 000000 FT 2 0 18021 0 00 0000+00 NC LITTLE PLUM RUN RD BIG PLUM RD (SR1008 SEG 0110/0570) MFC BEGIN = E

ĸc= 0010/0000 LENGTH(AH 2469 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 186 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 1.657 MI. DIST: 02-3 SR: 1002 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T


008751 FT 008751 FT LENGTH (AH 0100 BK 0094) BMSEN 18/1002/0050/0000 ISLAND ROUTE RD 7054/0000 INTER-AHD 0050/0094 (TWP 008657 FT 2 0 18042 0 01 0258+31 008657 FT INTER-BK ISLAND ROUTE RD TWP CHÁTHÁM RUN BMSBG 18/1002/0050/0000 MFC BEGIN = D **5** 0050/0000 LENGTH (AH 0094 BK 0100) 008657 FT 008657 FT 7044/0000 LENGTH (AH 0100 BK 1278) INTER-AHD ISLAND RD FARGUS ISLAND RD (T565) (T401) 0040/1278 0040/1278 DUNNSTABLE T BMSEN 18/1002/0040/0656 2 0 18042 0 00 0123+68 0040/1242 SUSQUEHANNA RIVER 0040/0656 BMSBG 18/1002/0040/0656 007379 FT 007379 FT 2 0 18042 0 00 0117+12 ES 0040/0000 LENGTH (AH 1278 BK 1479)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 185 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOTA LEFT MUN: DUNNSTABLE T 1.657 MI. DIST: 02-3 SR: 1002 TOTAL LEN: RIGHT MUN: DUNNSTABLE 005900 FT 005900 FT 2 0 18042 0 00 0102+30 LENGTH (AH 1479 BK 2911) 0036/0000 DUNNSTÄBLE 0032/2599 WOODWARD T 018 "DIA CIR PLASTIC LEN=0025 INSTALLED 2018 0032/0554 0032/0379 BMSEN 18/1002/0032/0000 WOODWARD 0032/0190 CASTANEA T 002989 FT 002989 FT 2 0 18042 0 00 0073+17 BR SUSQUEHANNA RIVER BMSBG 18/1002/0032/0000 LENGTH (AH 2911 BK 1337) **⊑** 0032/0000 CREEK RD (T375)0024/1281 ´"ĎIA CIRC CONCR 0 1 B 0024/1180 LEN=0030 INSTALLED 1923 NONAME RD (TWP) 0024/1100 018 "DIA CIRC CONCR 0024/0427 LEN=0030 INSTALLED 1923 018 "DIA CIRC CONCR 0024/0128 LEN = 0040INSTALLED UNKN 001652 FT 001652 FT 0 0 00000 0 00 0000+00**5** 0024/0000 LENGTH (AH 1337 BK 1652) "DÍA CIRC CONCR 018 0010/1285 LEN = 0035INSTALLED 1984 "DIA CIR PLASTIC LEN=0030 INSTALLED 2002 MARCELLUS ST 0010/0991 (T584)Ò18 "ĎIA CIRC CONCR 0010/0581 LEN = 0035INSTALLED 1984 "DIA 024 CIRC METAL 0010/0280 LEN=0030 INSTALLED 1984 000000 FT 000000 FT 2 0 18042 0 00 0044+09 NC ISLAND ROUTE RD INTER-BK WATER ST (CITY) MFC BÉGIN = E🛌 0010/0000 LENGTH(AH 1652 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 184 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 6.509 MI. DIST: 02-3 SR: 1001 LEFT MUN: COLEBROOK T RIGHT MUN: COLEBROOK T

034365 FT 033776 FT



EXTRACT DATE: PRINT DATE:	1 2 / 1 8 / 2 0 2 3 ROADWAY 1 2 / 1 9 / 2 0 2 3 SLD COUNT	MANAGEM Y/SR - A	IENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 183 CLINTON
DIR: B LEFT MUN: COLE	TOTAL LEN: 6.50 BROOK T	9 MI.	RIGHT MUN: CO	02-3 LEBROOK	SR: 1001 T
			0130/1480 0130/1235 0130/0681	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A	INSTALLED 1999 CIR PLASTIC INSTALLED 2017 CIR PLASTIC INSTALLED 2017
	030922 FT		0130/0045 030922 FT 0130/0000 0120/1969	018 "DIA LEN=0055 2 0 1801 LENGTH(A 018 "DIA LEN=0030	CIR PLASTIC INSTALLED 2017 1 0 00 0309+80 H 2854 BK 2269) CIR PLASTIC INSTALLED 2017
CARRIER RD (TWP )	0120/0937	= =	0120/1286	057"H 83	"W ELLIP METAL INSTALLED 1999
	0.20,000,	-++-	0120/0908	0 1 5 " H 2 1 L E N = 0 0 4 5	"W ELLIP METAL INSTALLED 1999
GRAHAM RD (PRDR)	0120/0213 028653 FT		0120/0079 028653 FT	2 0 1801 L   CK RUN	/1001/0120/0000 1 0 00 0287+11
				BMSBG 18 LENGTH (A 018 "DIA LEN=0030 015 "DIA LEN=3300	/1001/0120/0000 H 2269 BK 2597) CIR PLASTIC INSTALLED 2017 CIR PLASTIC INSTALLED 2017 907U)#TRKS 01
			0110/1498 0110/1251 0110/1238	0 1 8 " D I A L E N = 0 0 4 0 0 1 5 " H 1 5 L E N = 0 0 3 0 0 1 8 " D I A L E N = 0 0 4 0	CIR PLASTIC INSTALLED 2017 "W **UNKNOWN** INSTALLED UNKN CIR PLASTIC INSTALLED 2017
			0110/0943 0110/0554 0110/0510	0 1 B " D I A L E N = 0 0 4 0 0 1 5 " D I A L E N = 0 0 3 0 0 1 5 " H 1 5 L E N = 0 0 3 0	CIR PLASTIC INSTALLED 2017 CIRC METAL INSTALLED 1999 "W ++ UNKNOWN++ INSTALLED UNKN
	026056 FT			018 "DÍA LEN=0035	1 0 00 0261+43 FARRANDSVILLE H 2597 BK 2710) CIRC METAL INSTALLED 1999 CIRC METAL

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 182 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 6.509 MI. DIST: 02-3 SR: 1001 MUN: COLEBROOK T RIGHT MUN: COLEBROOK T 0100/2150 LEN=0030 INSTALLED 1999 018 "DIA CIRC METAL LEN = 00350100/1726 INSTALLED 1999 "DIA 0 1 5 CIRC METAL 0100/1328 LEN=0030INSTALLED 1999 015"H 15"W ++UNKNOWN++ 0100/0782 LEN=0040 INSTALLED 1999 "DIA CIRC 0 1 8 METAL 0100/0555 LEN=0030 INSTALLED 1999 023346 FT 023346 FT 2 0 18011 0 00 0234+64 **□** 0100/0000 LENGTH(AH 2710 BK 1153) "DIA CIRC METAL 0090/0535 LEN = 0040INSTALLED 1999 "DIA CIRC METAL 018 0090/0324 LEN = 0035INSTALLED 1999 "DIA 018 CIRC METAL 0090/0056 LEN=0040 INSTALLED 1999 022193 FT 022193 FT 2 0 18011 0 00 0222+06 COLEBROOK WOODWARD T E 0090/0000 LENGTH(AH 1153 BK 1093) 0 1 5 "DÌA CIR PLASTIC LEN = 00350084/0987 INSTALLED 1999 018 "DIA CIR PLASTIC 0084/0807 LEN = 0035INSTALLED 1999 "DIA CIR PLASTIC INSTALLED 2008 0084/0118 LEN = 0040021100 FT 021100 FT 2 0 18011 0 00 0211+43 NORFOLK SOUTHERN OVERPASS IS RR X-ING **5** 0084/0000 LENGTH (AH 1093 BK 3812) "DÌA 018 CIR PLASTIC 0082/3665 LEN = 0040INSTALLED 1999 "DIA 0 1 B CIRC 0082/3503 LEN = 0034"DIA 0 1 5 CIR PLASTIC LEN=0038 0082/3229 INSTALLED UNKN "DIA CIR PLASTIC 018 0082/3014 LEN=0034 INSTALLED 1999 024 "DIA CIR PLASTIC 0082/2713 LEN = 0036INSTALLED 1999 0 1 5 "DIA CIR PLASTIC 0082/2625 LEN = 0034INSTALLED 1999 "DIA 0 1 5 CIRC METAL LEN=0028 0082/2176 INSTALLED 1999 "DIA 018 CIR PLASTIC 0082/1907 LEN=0028 INSTALLED 1999

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 181 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 6.509 MI. SR: 1001 DIST: 02-3 MUN: WOODWARD T RIGHT MUN: WOODWARD T 0082/1730 LEN=0032 INSTALLED 2017 015 "DIA CIRC CONCR 0082/1160 LEN=0028 INSTALLED 1999 "DIA 024 CIR PLASTIC 0082/0943 LEN=0040 INSTALLED 2010 QUEENS RUN RD 0082/0469 (T404) BMSEN 18/1001/0082/0377 2 0 18011 0 00 0172+89 QUEENS RUN 0082/0377 BMSBG 18/1001/0082/0377 RAMM HOLĹOW RĎ (T565) 2 0 18011 0 00 0172+89 0082/0335 017288 FT 017288 FT VILLAGE: QUEENS RUN LENGTH (AH 3812 BK 3196) **5** 0082/0000 "DÌA CIR PLASTIC 018 LEN=0040 0070/3075 INSTALLED 2009 "DIA 018 CIR PLASTIC 0070/2955 LEN=0040 INSTALLED 2013 "DIA CIR PLASTIC 018 0070/2880 LEN=0068 INSTALLED 2010 "DIA 0 1 5 CIRC METAL 0070/2615 LEN=0040 INSTALLED 1999 "DIA 018 CIR PLASTIC 0070/2320 LEN = 0040INSTALLED 2013 "DIA 018 CIR PLASTIC 0070/2180 LEN=0060 INSTALLED 1999 018 "DIA CIR PLASTIC 0070/1890 LEN=0050 INSTALLED 2010 015 "DIA CIR PLASTIC 0070/1738 LEN = 0037INSTALLED 2008 "DIA 018 CIR PLASTIC LEN=0040 0070/1543 INSTALLED 2010 "DIA CIR PLASTIC 018 0070/1189 LEN = 0032INSTALLED 2017 "DIA CIR PLASTIC 018 0070/0903 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 018 LEN=0045 INSTALLED 2010 0070/0021 014092 FT 014092 FT 2 0 18011 0 00 0141+07 **E** 0070/0000 LENGTH (AH 3196 BK 2896) "DÍA CIR PLASTIC 018 0060/2478 LEN = 0040INSTALLED 2010 020"H 28"W ELLIP METAL LEN=0035 0060/2226 INSTALLED 1999 "DIA CIR PLASTIC 018 0060/2047 LEN=0035 INSTALLED 2013

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 180 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 6.509 MI. DIST: 02-3 SR: 1001 MUN: WOODWARD T RIGHT MUN: WOODWARD T 0060/1870 LEN=0032 INSTALLED 2013 024 "DIA CIR PLASTIC 0060/1603 LEN = 0032INSTALLED 2013 "DIA 018 CIR PLASTIC 0060/1165 LEN=0032 INSTALLED 2013 018 "DIA LEN=0045 CIR PLASTIC 0060/0295 INSTALLED 2010 018 "DIA CIRC CONCR 0060/0126 LEN=0040 INSTALLED 1999 W CROAK HOLLOW RD (T512) 0060/0054 BMSEN'18/1001/0060/0000 011196 FT 011196 FT 2 0 18011 0 00 0112+23 TRIB. SUSQUEHANNA RIVER BMSBG 18/1001/0060/0000 LENGTH(AH 2896 BK 1422) **5** 0060/0000 "DÌA CIR PLASTIC 018 0050/1149 LEN=0035 INSTALLED 2011 018 "DIA CIR PLASTIC 0050/0433 LEN=0040 INSTALLED UNKN 018 "DIA CIR PLASTIC 0050/0232 009774 FT INSTALLED 2017 LEN = 00322 0 18011 0 00 0097+97 009774 FT WATER VALLEY RD MFC BEGIN 0050/0000 **E** 0050/0000 LENGTH (AH 1422 BK 2193) (T510)018 "DIA CIR PLASTIC 0040/1465 LEN=0045 INSTALLED 2010 "DIA CIR PLASTIC 018 0040/0746 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 018 0040/0526 LEN = 0.050INSTALLED 2002 030 "DIA CIR PLASTIC 0040/0328 LEN=0080 INSTALLED 2017 007581 FT 007581 FT 2 0 18011 0 00 0075+99 LENGTH (AH 024 "DIA C 2193 **E** 0040/0000 BK 2180) CIR PLASTIC 0030/2165 LEN=0040 INSTALLED 2008 "DIA CIR PLASTIC 018 0030/1669 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 018 0030/1473 LEN=0040 INSTALLED 2010 "DIA 0 1 B CIR PLASTIC LEN=0040 0030/1071 INSTALLED 2010 "DIA CIR PLASTIC 018 0030/0864 LEN=0050 INSTALLED 2010 018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 179 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 6.509 MI. DIST: 02-3 SR: 1001 MUN: WOODWARD T RIGHT MUN: WOODWARD T 0030/0528 LEN=0040 INSTALLED 1998 HAVENVIEW DR (TWP) 0030/0481 "DIA CIR PLASTIC 0030/0280 INSTALLED 1998 LEN=0040005401 FT 005401 FT 2 0 18011 0 0 0 0054+14 **5** 0030/0000 LENGTH (AH 2180 BK 2797) "DÌA CIR PLASTIC 036 0020/2796 LEN = 0060INSTALLED 2013 "DIA CIR PLASTIC 018 0020/2468 LEN=0040 INSTALLED 2012 "DIA 018 CIRC METAL 0020/1939 LEN = 0032INSTALLED 1999 018 "DIA CIR PLASTIC 0020/1678 LEN=0035 INSTALLED 1999 "DIA 0 1 B CIR PLASTIC 0020/1220 LEN = 0030INSTALLED 2018 "DIA CIR PLASTIC 018 0020/1029 LEN = 0035INSTALLED 2013 "DIA 018 CIR PLASTIC 0020/0564 LEN=0030 INSTALLED 2018 "DIA CIR PLASTIC 018 0020/0365 LEN=0040 INSTALLED 1998 0 18011 0 00 0026+10 002604 FT 002604 FT WEST RIVER DR 0020/0000 (T359)== ES 0020/0000 LENGTH(AH 2797 BK 2604) 036"H 00"W MULT PLSTIC LEN=0060 INSTALLED 2012 0010/1880 BREWERY HOLLOW RD == 0010/1841 (T400)" Ď I A 018 CIR PLASTIC 0010/1635 LEN=0040 INSTALLED 2017 "DIA 018 CIR PLASTIC 0010/1500 LEN=0040 INSTALLED 2014 WEST RIVER DR = = (T359)0010/0725 "DIA CIR PLASTIC 0010/0675 EN = 0033INSTALLED 2017 "DIA 0 1 5 CIRC CONCR 0010/0247 LEN = 0034INSTALLED 1999 "DIA 018 CIRC CONCR 0010/0127 INSTALLED 1999 LEN=0040 000000 FT 000000 FT 2 0 18011 0 00 0000+00R D NC FARRANDSVILLE INTER-BK COUDERSPORT SR0664 SEG 0020/0000) VETERANS BR MFC BEGIN = D (SRO664 SEG 0020/0000) 0010/0000 ĸc= 0010/0000 LENGTH(AH 2604 BK 0000)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 178 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TO LEFT MUN: CRAWFORD T TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 RIGHT MUN: CRAWFORD T 105987 FT (41)AH-LYCOMING 105987 FT INTER-AHD SR 0880 SH (SROBBO SEG 0010/0000) 0420/1410 LAUBACH LN PRDR) 0420/0403 0 00503 0 00 0117+87 104577 FT 104577 FT PINE MOUNTAIN RD (T424) 0420/0000 **□ 0420/0000 LENGTH(AH 1410 BK 2745)** RAUCHÍLN 0410/223B == (PRDR) 101832 FT 101832 FT 0 00503 0 00 0090+14 VILLAGE: RAUCHTOWN GROUPE RD KNARR'S RD (T422) (T425) 0410/0000 LENGTH (AH 2745 BK 2983) **E** 0410/0000 018 "DÍA CIRC METAL 0400/2615 LEN=0060 INSTALLED 1999 018 "DIA CIR PLASTIC

> 0400/0242 LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR 0400/0027 LEN=0040 INSTALLED UNKN 098849 FT 098849 FT 1 0 00503 0 00 0059+84 WOLFERD (T413) LENGTH (AH 2983 BK 2 015 "DIA CIRC CONCR **5** 0400/0000 2983 BK 2965) == LEN = 00300390/2672 INSTALLED 1999 "DIA CIRC CONCR 0 1 5 0390/2560 LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC

0400/1310

0400/0995 LEN=0030

0400/2178 LEN=0100 INSTALLED 1999

CIR PLASTIC

CIR PLASTIC

CIR PLASTIC

INSTALLED UNKN

INSTALLED UNKN

018 "DIA

015 "DIA

018 "DIA

LEN=0030

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 177 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 MUN: CRAWFORD T RIGHT MUN: CRAWFORD T 0390/2195 LEN=0050 INSTALLED 1999 015 "DIA CIRC CONCR LEN=0090 0390/1870 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0390/1575 LEN=0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0390/1330 LEN = 0030INSTALLED UNKN "DIA CIRC 0 1 5 CONCR 0390/1050 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0390/0755 LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR 0390/0450 LEN = 0035INSTALLED UNKN RAVENSBURG STATE PARK R 0390/0290 (PARK) = "ĎIA CIRC CONCR 0 1 5 0390/0270 LEN=0030 INSTALLED 1999 FOR RAVENSBURG RD == (CONN) 0390/0228 095884 FT 095884 FT 1 0 00503 0 00 0029+95 LENGTH (AH 2965 BK 2999) **E** 0390/0000 "DÍA 0 1 5 CIRC CONCR 0380/2935 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0380/2620 LEN=0090 INSTALLED 1999 "DIA 0 1 5 CIRC CONCR 0380/2320 LEN = 0030INSTALLED UNKN 0 1 5 "DIA CIRC CONCR LEN=0080 0380/2075 INSTALLED 1999 "DIA CIRC CONCR 0 1 5 0380/1720 LEN=0030 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0380/1375 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0380/1105 LEN = 0030INSTALLED 1999 0 1 5 "DIA CIRC CONCR 0380/0680 LEN=0045 INSTALLED 1999 BMSEN 18/0880/0380/0374 1 0 00503 0 00 0004+20 0380/0407 RAUCHTOWN CREEK BMSBG 18/0880/0380/0374 1 0 00503 0 00 0000+00 0380/0374 092885 FT 092885 FT **E** 0380/0000 LENGTH (AH 2999 BK 3806) RAUCHTÓWN CREEK STRUCTURE LENGTH 16 FT 0370/3598 BMSID 18/0880/0370/3598 GOTTSHALL RD (FRST) 0370/3561 RAUCHTOWN CREEK

STRUCTURE LENGTH

22 FT

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 176 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 MUN: CRAWFORD T RIGHT MUN: CRAWFORD T 0370/3191 BMSID 18/0880/0370/3191 024 "DIA CIRC CONCR 0370/2746 LEN=0085 INSTALLED 1999 "DIA 018 CIRC CONCR 0370/2255 LEN=0030INSTALLED UNKN "DIA 018 CIRC CONCR 0370/1750 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 018 0370/1460 LEN=0030 INSTALLED UNKN CIRC CONCR "DIA LEN=0030 0370/0805 INSTALLED UNKN 024 "DIA CIRC METAL 0370/0555 089079 FT LEN = 0030INSTALLED UNKN 089079 FT 0 00359 0 00 0993+57 VILLAGE: BIG ROCK 036 "DIA CIRC CONCR INSTALLED UNKN LEN=0030 LENGTH(AH 3806 BK 2342) **⊑** 0370/0000 SAND SPRING RD 0360/1879 (FRST) "ĎIA Ò 4 B CIRC CONCR 0360/1861 LEN = 0030INSTALLED UNKN 015 "DIA CIRC CONCR LEN = 00300360/1200 INSTALLED UNKN 015 "DIA CIRC CONCR 0360/0658 LEN=0085 INSTALLED 1999 086737 FT 086737 FT 1 0 00359 0 00 0970+09 RAUCHTOWN CREEK STRUCTURE LENGTH BMSID 18/0880/0360/0000 5 0360/0000 LENGTH (AH 2342 BK 2888) ROCKEY RD (T416)0350/2878 "DIA CIRC CONCR 015 0350/2700 LEN = 0030INSTALLED UNKN 015 "DIA CIRC CONCR 0350/2260 LEN=0035 INSTALLED UNKN 015 "DIA CIRC CONCR 0350/1925 LEN = 0030INSTALLED UNKN "DIA 018 CIR PLASTIC 0350/1660 LEN=0030 INSTALLED UNKN "DIA CIRC 0 1 5 CONCR 0350/1365 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0350/1065 LEN = 0030INSTALLED UNKN 015 "DIA CIRC CONCR

0350/0785 LEN=0030

INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 175 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 MUN: CRAWFORD T RIGHT MUN: CRAWFORD T 015 "DIA CIRC CONCR 0350/0542 LEN=0060 INSTALLED 1999 "DIA 0 1 5 CIRC CONCR 0350/0210 LEN=0030 INSTALLED UNKN 083849 FT 0 00359 0 00 0941+08 083849 FT CRAWFORD GREENE LENGTH (AH 2888 BK 2828) **E** 0350/0000 "DÌA CIRC CONCR 0 1 5 0340/2775 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0340/2375 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 0 1 5 LEN = 00300340/2085 INSTALLED UNKN 0 1 5 "DIA CIRC CONCR 0340/1780 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0030 0340/1495 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0340/1230 LEN=0030 INSTALLED UNKN "DIA CIRC CONCR 015 0340/0965 LEN=0030 INSTALLED UNKN 228 RIDGE RD (FRST) 0340/0924 == "DIA 016 CIRC CONCR 0340/0615 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0340/0285 LEN=0030 INSTALLED UNKN 081021 FT 081021 FT 00359 1 0 0 00 0912+80 "DIA CIRC CONCR 0 1 5 LEN=0030 INSTALLED UNKN LENGTH (AH 2828 BK 2728) **5** 0340/0000 "DÌA CIRC CONCR 0 1 5 LEN=0035 INSTALLED UNKN 0330/2445 FOURTH GAP RD 0330/2419 (T417) == LC FOURTH GAP RD 0330/2292 (CONN) 015 "DIA CIRC CONCR 0330/1590 LEN=0030 INSTALLED UNKN "DIA 016 CIRC CONCR 0330/1310 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 016 0330/1010 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0030 0330/0705 INSTALLED UNKN 015 "DIA CIR PLASTIC 0330/0415 LEN=0030 INSTALLED UNKN

015 "DIA CIRC CONCR

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 174 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT 20.073 MI. SR: 880 TOTAL LEN: DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T 0330/0020 LEN=0030 INSTALLED UNKN 1 0 00359 0 078293 FT 00 0885+52 078293 FT HARBAUGH RD 0330/0000 (T413) **E** 0330/0000 LENGTH (AH 2728 BK 1815) 024 "DÌA CIRC CONCR 0320/1505 LEN = 0030INSTALLED 1999 "DIA CIRC CONCR 018 0320/1205 LEN = 0030INSTALLED UNKN 018 "DIA CIRC CONCR 0320/0880 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 018 0320/0455 LEN = 0035INSTALLED 1999 "DIA CIRC CONCR 024 LEN = 0030INSTALLED UNKN 0320/0170 076478 FT 076478 FT 00359 0 00 0867+37 0 LR 1009 WB OP ID 18/0080/1901/1341 LENGTH(AH 1815 BK 2831) 018 "DIA CIRC CONCR **E** 0320/0000 0310/2540 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 018 0310/2045 LEN = 0035INSTALLED 1999 0 1 5 "DIA CIRC CONCR LEN = 00350310/1800 INSTALLED 1999 RUMBERGER RD (FRST) 0310/1786 "DIA CIRC CONCR 030 0310/1655 LEN=0060 INSTALLED 1999 015 "DIA CIRC CONCR 0310/1403 LEN=0040 INSTALLED 1999 015 "DIA CIRC CONCR 0310/0831 LEN = 0060INSTALLED 1999 "DIA 018 CIRC METAL 0310/0420 LEN=0045 INSTALLED 1999 "DIA 018 CIRC CONCR 0310/0170 LEN = 0050INSTALLED 1999 073647 FT 073647 FT 00359 0 00 0839+00 LR 1009 EB ID 18/0080/1904/1414 LENGTH (ĀH 2831 BK 2668) **5** 0310/0000 018 "DÌA CIR PLASTIC 0300/2475 LEN=0030 INSTALLED 1999 "DIA 0 1 5 CIRC CONCR 0300/2185 LEN=0030 INSTALLED 1999 "DIA CIRC CONCR 0 1 5 0300/1865 LEN=0030 INSTALLED UNKN 016 "DIA CIRC CONCR 0300/1230 LEN=0030 INSTALLED UNKN

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 173 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 20.073 MI. SR: 880 DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T 0300/0825 LEN=0040 INSTALLED 2016 015 "DIA CIRC CONCR 0300/0025 LEN=0035 INSTALLED 1999 070979 FT 070979 FT 1 0 00359 0 00 0812+31 **5** 0300/0000 LENGTH (AH 2668 BK 0946) FROM 2002/0330 SH (CONN) 0290/0400 **018** "ĎIA CIRC CONCR LEN=0030 INSTALLED 1999 0290/0321 VALLEY RD SR2002 SEG 0330/0000) R D NC RAÚCHTOWN 070033 FT 1 070033 FT n 00359 0 00 0802+85 BEGIN MFC LENGTH (AH **5** 0290/0000 0946 BK 0967) "DÌA CIRC CONCR 024 LEN=0040 0280/0834 INSTALLED 1999 "DIA 018 CIRC CONCR 0280/0586 LEN=0040 INSTALLED 1999 "DIA CIRC CONCR 0 1 5 0280/0227 LEN=0035 INSTALLED 1999 069066 FT 069066 FT 0 00359 0 00 0793+00 VILLAGE: CARROLL WINTER RD (SR2002 SEG 0320/2893) LENGTH (AH 0967 BK 2712) **E** 0280/0000 015 "DÍA CIRC CONCR LEN = 00350270/2660 INSTALLED 1999 "DIA CIRC METAL 0 1 5 0270/2238 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 0270/1305 LEN = 0035INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0270/0830 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 018 0270/0370 LEN = 0035INSTALLED UNKN 00359 066354 FT 066354 FT 1 0 0 00 0765+88 0 1 8 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN ES 0270/0000 LENGTH (AH 2712 BK 2774) "DIA CIRC CONCR 018 0260/2147 LEN = 0035INSTALLED 1999 018 "DIA CIRC CONCR LEN=0035 0260/1840 INSTALLED UNKN 01B "DIA CIRC CONCR

0260/1520 LEN=0035

INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 172 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: GREENE T TOTAL LEN: 20.073 MI. SR: 880 DIST: 02-3 RIGHT MUN: GREENE T 018 "DIA CIRC CONCR 0260/1230 LEN=0035 INSTALLED UNKN CIRC CONCR "DIA 0260/0450 LEN=0035 INSTALLED UNKN 063580 FT 063580 FT 1 0 00359 0 00 0738+14 LENGTH (AH 2774 BK 2 024 "DIA CIRC CONCR 2774 BK 2299) C 0260/0000 0250/2060 LEN=0035 INSTALLED UNKN 018 "DIA CIRC CONCR 0250/1265 LEN=0030 INSTALLED UNKN OIB "DIA CIR PLASTIC 0250/0979 LEN=0040 INSTALLED UNKN 061281 FT 061281 FT 0 00359 0 00 0715+15 LENGTH (AH 2299 BK 2 018 "DIA CIRC CONCR C 0250/0000 2299 BK 2289) 0240/2165 LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC 0240/1940 LEN=0040 INSTALLED 1999 015 "DIA CIRC METAL 0240/1120 LEN=0030 INSTALLED 1999 058992 FT 058992 FT 1 0 00359 0 00 0692+33 CS 0240/0000 LENGTH (AH 2289 BK 2912) 018 "DIA CIR PLASTIC 0230/1338 LEN=0040 INSTALLED 1999 012 "DIA CIRC METAL 0230/0825 LEN=0035 INSTALLED UNKN "DIA CIRC METAL 0230/0055 LEN=0035 INSTALLED 1999 056080 FT 056080 FT 1 0 00359 0 00 0663+21 SNOOKS RD (T352) LENGTH (AH 2912 BK 2678) 018 "DIA CIRC CONCR **E** 0230/0000 0220/2450 LEN = 0035INSTALLED 1999 018 "DIA CIR PLASTIC 0220/2215 LEN=0040 INSTALLED 1999

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 171 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: GREENE T TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 RIGHT MUN: GREENE T 015 "DIA CIRC METAL 0220/1005 LEN=0035 INSTALLED 1999 053402 FT 053402 FT 1 0 00359 0 00 0636+69 030 "DIA CIRC METAL INSTALLED UNKN LEN=0030 E 0220/0000 LENGTH(AH 2678 BK 2660) 015 "DIA CIRC METAL 0210/1810 LEN=0030 INSTALLED UNKN CIRC CONCR 018 "DIA 0210/0450 LEN=0040 INSTALLED 1999 024 "DIA CIRC CONCR 0210/0320 LEN=0028 INSTALLED 2002 050742 FT 050742 FT 1 0 00359 0 00 0610+09 LENGTH (AH 2660 BK 2351) **E** 0210/0000 "DÌA CIRC METAL 015 0200/2330 LEN = 0040INSTALLED 1999 015 "DIA CIRC METAL 0200/1365 LEN=0050 INSTALLED 1999 015 "DIA CIR PLASTIC 0200/0504 LEN=0040 INSTALLED 2011 048391 FT 048391 FT 1 0 00359 0 00 0586+58 "DIA CIRC CONCR 018 LEN=0045 INSTALLED 1999 **□** 0200/0000 LENGTH(AH 2351 BK 2713) 018 "DIA CIRC CONCR 0190/1300 LEN=0035 INSTALLED UNKN NC VALLEY RD GREENE 0190/1206 LOGANTON B 015 "DIA CIR PLASTIC 0190/0410 LEN=0032 INSTALLED 2011 045678 FT 045678 FT 1 0 00359 0 00 0559+45 NC MAIN ST 0190/0000 LENGTH(AH 2713 BK 2637) 018 "DIA CIR PLASTIC

0180/2616 LEN=0040 INSTALLED 2006

EXTRACT DATE: 1: PRINT DATE: 1:	2/18/2023 ROADWAY 2/19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE NUMBER: 170 COUNTY: CLINTON	
DIR: B LEFT MUN: LOGAN	TOTAL LEN: 20.07	3 MI.	DIST: RIGHT MUN: LO	OGANTON B	
HUBER ST (BORO)	0180/2004		0180/2060	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 199	9
LUMBER ST	·	== ==	0180/1740	UNNAMED AL (BORO)	
(BORO)	0180/1481	==   ==	0180/1401	LUMBER ST (BORO) HOPPLE HOLLOW RUN	
		>   <	0180/1243	STRUCTURE LENGTH 10 F	T <b>3</b>
WATER ST (BORO)	0180/0975	==   ==	0180/1108	( B O R O )	
		== ==	0180/0834 0180/0558	ĤALL ŜT	
		-++-	0180/0545	Ö15 "DIA CIR PLASTIC LEN=0050 INSTALLED 200 GRAVEL ST	0
	043041 FT	==  ==	0180/0275 0180/0021 043041 FT NC E	Ò1B "DIA CIR PLASTIC LEN=0040 INSTALLED 201	6
			© 0180/0000 0170/2224	(SRO477 SEG 0300/0000) LENGTH(AH 2637 BK 2241 006 "DIA CIR PLASTIC	)
		== ==	0170/1962	UNNAMED AL (BORO) 018 "DIA CIRC METAL	
		== ==	0170/1710 0170/1689	WOOD ST	N
			0170/1674 0170/1435	LEN=0035 INSTALLED 199 018 "DIA CIRC CONCR LEN=0030 INSTALLED 199	_
			0170/1350	020"H 28"W ELLIP METAL	
			0170/1130	O1B "DIA CIRC CONCR	_

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 169 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 20.073 MI. SR: 880 DIST: 02-3 MUN: LOGANTON B RIGHT MUN: LOGANTON B BUGGY SHOP LN 0170/0623 (BORO) NC WEST MAIN ST 040800 FT 1 0 00359 0 00 040800 FT 0482+03 LOGANTON GREENE LENGTH (AH 2241 BK 2460) **E** 0170/0000 "DÌA CIRC METAL 0 1 5 0160/2215 LEN = 0030INSTALLED 1999 018 "DIA CIRC CONCR 0160/1805 LEN = 0030INSTALLED 1999 01B"H 01"W ++UNKNOWN++ LEN = 00300160/1638 INSTALLED 1999 030 "DIA CIR PLASTIC 0160/1390 LEN = 0060INSTALLED 2011 024 "DIA CIR PLASTIC 0160/1105 LEN=0035 INSTALLED 2010 038340 FT 038340 FT 0 00359 0 0 0 LENGTH (AH 2460 BK 1756) **5** 0160/0000 "DÌA CIRC CONCR 018 LEN=0030 0150/1555 INSTALLED 1999 "DIA 018 CIRC CONCR 0150/1150 LEN = 0.050INSTALLED UNKN 018 "DIA CIRC METAL 0150/0565 LEN=0030 INSTALLED UNKN 036584 FT 036584 FT 1 0 00359 0 00 0439+85 SCHRACH RD (T351) LENGTH (AH 1756 BK 2944) **E** 0150/0000 "DÌA CIRC CONCR 024 0140/2930 LEN = 0.130INSTALLED UNKN "DIA 024 CIRC CONCR 0140/2755 LEN = 0030INSTALLED UNKN 024 "DIA CIR PLASTIC 0140/2520 LEN=0180 INSTALLED 2014 CIR PLASTIC 018 "DIA 0140/1714 LEN=0040 INSTALLED 2010 018 "DIA CIRC CONCR 0140/1485 LEN=0030 INSTALLED UNKN 024 "DIA CIRC CONCR 0140/0765 LEN = 0030INSTALLED UNKN 024 "DIA CIR PLASTIC LEN=0035 0140/0509 INSTALLED 1999 01B "DIA CIRC CONCR

0140/0260 LEN=0030

INSTALLED 1999

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 168 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT 20.073 MI. SR: 880 TOTAL LEN: DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T "DIA CIRC CONCR 024 0140/0078 LEN=0030 INSTALLED UNKN 033640 FT 033640 FT 1 0 00359 0 00 0410+32 STOVER RD (T350) LENGTH (AH 2944 BK 3662) **5** 0140/0000 "DÍA CIRC CONCR 018 0130/3645 LEN = 0030INSTALLED UNKN 024 "DIA CIR PLASTIC 0130/3215 LEN=0030 INSTALLED 1999 018 "DIA CIRC CONCR 0130/2515 LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR LEN = 00300130/1640 INSTALLED UNKN 027"H 32"W ELLIP CONC 0130/0940 LEN=0030 INSTALLED UNKN GREENE 0130/0247 LOGAN T "DIA 018 CIRC CONCR 0130/0240 LEN = 0030INSTALLED UNKN 029978 FT 029978 FT 1 0 00359 0 00 0373+43 "DIA CIRC CONCR INSTALLED UNKN LEN = 00300130/0000 LENGTH(AH 3662 BK 2363) 018 "DIA CIRC CONCR 0120/1852 LEN=0035 INSTALLED 1999 030 "DIA CIR PLASTIC 0120/1668 LEN=0040 INSTALLED 2013 015"H 21"W ELLIP METAL LEN = 00350120/1580 INSTALLED 1999 "DIA 018 CIRC CONCR 0120/1420 LEN = 0030INSTALLED UNKN "DIA 0120/1120 LEN=0030 INSTALLED 1999 "DIA CIRC CONCR 0 1 B 0120/0815 LEN = 0060INSTALLED UNKN 024 "DIA CIRC CONCR 0120/0390 LEN=0040 INSTALLED 1998 027615 FT 027615 FT 1 0 00359 0 00 0350+10 CAMPGROUND RD ′ T 3 4 7 ) **5** 0120/0000 LENGTH (AH 2363 BK 1664) "DÌA CIR PLASTIC 024 0110/1655 LEN=0060 INSTALLED 1999 01B "DIA

CIRC CONCR

INSTALLED 1999

0110/1280 LEN=0030

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 167 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: B LEFT MUN: LOGAN T TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 RIGHT MUN: LOGAN T 012 "DIA CIRC CONCR 0110/0580 LEN = 0030INSTALLED 1999 "DIA 018 CIR UNKNOWN 0110/0365 025951 FT LEN=0030INSTALLED UNKN 025951 FT 0 00359 0 00 0333+46 VILLAGE: BOONESVILLE "DIA CIR PLASTIC 018 LEN=0040 INSTALLED 2013 ES 0110/0000 LENGTH (AH 1664 BK 2520) 012 "DÍA CIRC CONCR 0100/2225 LEN=0030 INSTALLED 1999 018 "DIA CIRC CONCR 0100/1295 LEN=0030 INSTALLED 1999 018 "DIA CIRC CONCR 0100/0385 LEN=0030 INSTALLED 1999 023431 FT 023431 FT 0 00359 0 00 0308+05 **5** 0100/0000 LENGTH (AH 2520 BK 2578) 024 "DÍA CIRC CONCR 0090/2360 LEN = 0030INSTALLED UNKN 024 "DIA CIRC CONCR 0090/1370 LEN=0030 INSTALLED UNKN CIRC CONCR 024 "DIA 0090/0495 LEN=0040 INSTALLED UNKN 020853 FT 020853 FT 1 0 00359 0 00 0282+44 **E** 0090/0000 LENGTH (AH 2578 BK 2128) "DÌA CIRC CONCR 024 0080/1598 LEN = 0030INSTALLED 1999 "DIA CIRC CONCR 0080/0996 LEN = 0030INSTALLED 1999 018 "DIA CIRC CONCR 0080/0588 LEN=0030 INSTALLED 1999 1 0 00359 0 00 0261+16 018725 FT 018725 FT COVERED BR TONER LN SR2007 SEG 0010/1976) 0080/0000 **E** 0080/0000 (TWP) LENGTH (AH 2128 BK 2616) 012 "DIA CIRC CONCR 0070/1531 LEN=0030 INSTALLED 1999

018 "DIA

0070/0665 LEN=0030 INSTALLED 1999

CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 166 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: LOGAN T TOTAL LEN: 20.073 MI. DIST: 02-3 SR: 880 RIGHT MUN: LOGAN T "DIA CIRC CONCR 018 0070/0385 LEN = 0030INSTALLED 1999 016109 FT 016109 FT 1 0 00359 0 00 0235+00 LENGTH (AH 2616 BK 2335) **E** 0070/0000 012 "DÍA CIRC CONCR 0060/2335 LEN = 0030INSTALLED 1999 018 "DIA CIRC METAL 0060/1844 LEN=0030 INSTALLED 1999 013774 FT 00359 0 00 0211+65 013774 FT 1 0 018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKŅ ER 0060/0000 LENGTH (AH 2335 BK 2804) 018 "DIA CIRC CONCR 0050/1900 LEN=0030 INSTALLED 1999 "DIA CIRC CONCR 018 0050/1419 LEN = 0030INSTALLED 1999 018 "DIA CIRC CONCR LEN = 00300050/0727 INSTALLED 1999 "DIA CIRC CONCR 0050/0330 010970 FT LEN=0030 INSTALLED 1999 1 0 00359 010970 FT 0 00 0183+98 C 0050/0000 LENGTH (AH 2804 BK 2958) 030 "DÍA CIRC CONCR 0040/2496 LEN=0050 INSTALLED 1999 018 "DIA CIRC CONCR 0040/1515 LEN=0045 INSTALLED 1999 SUMMER MT RD (T537)0040/0975 == BMSEN 18/0880/0040/0000 1 0 00359 0 00 0153+90 0040/0140 008012 FT 008012 FT FISHING CREEK BMSBG 18/0880/0040/0000 E 0040/0000 LENGTH (AH 2958 BK 1965)

OLD HILL RD

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 165 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON 20.073 MI. SR: 880 DIR: TOTAL LEN: DIST: 02-3 LEFT MUN: LOGAN T RIGHT MUN: LOGAN T (T537) 006047 FT 006047 FT 1 0 00359 0 00 0134+37 NARROWS ST VILLAGE: TYLERSVILLE (SR2002 SEG 0180/2556) 0030/0000 **E** 0030/0000 LENGTH (AH 1965 BK 2905) 018 "DÍA CIRC CONCR 0020/2888 LEN=0065 INSTALLED 1999 015 "DIA CIRC METAL LEN=0035 INSTALLED 1999 0020/1935 WINTER RD 0020/1758 (T345)"ĎIA 018 CIR PLASTIC LEN = 0.050INSTALLED 2006 0020/1729 018 "DIA CIRC METAL 0020/1372 LEN=0040 INSTALLED UNKN "DIA CIR PLASTIC 0020/0629 INSTALLED 2008 LEN=0048 "DIA 0 1 5 CIRC METAL 0020/0321 LEN = 0035INSTALLED UNKN 0020/0021 BMSEN 18/0880/0020/0000 003142 FT 2 0 18006 0 02 0465+91 003142 FT SPANGLERS RUN BMSBG 18/0880/0020/0000 **5** 0020/0000 LENGTH (AH 2905 BK 3142) " D [ A 0 1 5 CIRC 0010/2815 LEN=0035 INSTALLED 1999 0 1 5 "DIA CIRC CONCR LEN=0040 0010/2510 INSTALLED 1999 "DIA CIRC CONCR 018 LEN=0045 INSTALLED 1999 0010/2160 "DIA 072 CIRC METAL 0010/1646 LEN=0075 INSTALLED 1999 "DIA 018 CIR PLASTIC LEN = 0.060INSTALLED 2010 0010/1557 "DIA 0 1 5 CIRC METAL LEN = 00400010/1140 INSTALLED UNKN "DIA 018 CIRC METAL LEN=0040 0010/1135 INSTALLED 1999 "DIA CIR PLASTIC 018 0010/0680 LEN=0040 INSTALLED 2010 "DIA 018 CIR PLASTIC 0010/0242 LEN=0044 INSTALLED 2010 000000 FT 000000 FT 2 0 18006 0 02 0497+45 NC VALLEY RD INTER-BK REBERSBURG MOUNTAIN RD SR0880 SEG 0050/2535) MFC BEGIN BK-CENTRE 🛌 0010/0000 LENGTH(AH 3142 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 164 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 LEFT MUN: GALLAGHER T RIGHT MUN: GALLAGHER T

092881 FT



EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 163 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: B TOT LEFT MUN: GALLAGHER T TOTAL LEN: 17.591 MI. DIST: 02-3 664 SR: RIGHT MUN: GALLAGHER T 0380/1991 LEN=0036 INSTALLED 1994 018 "DIA CIR PLASTIC 0380/1799 LEN = 0035INSTALLED 2009 "DIA 018 CIR PLASTIC LEN=0010 0380/1450 INSTALLED 2007 015 "DIA CIRC METAL LEN=0037 0380/0903 INSTALLED UNKN 015 "DIA CIRC METAL 0380/0642 LEN=0036 INSTALLED UNKN 090755 FT 090755 FT 2 0 18012 0 03 0726+68 C380/0000 LENGTH (AH 2126 BK 2589) 020 "DIA CIRC METAL 0370/1902 LEN=0036 INSTALLED 1994 MCHENRY 0370/1786 CUMMINGS "DIA CIRC METAL 0 1 5 0370/1407 LEN=0032 INSTALLED 1994 088166 FT 088166 FT 2 0 18012 0 03 LENGTH (AH 2589 **5** 0370/0000 BK 2399) 018 "DÍA CIR PLASTIC 0360/2338 LEN = 0035INSTALLED 1994 018 "DIA CIR PLASTIC 0360/2214 LEN=0048 INSTALLED 1994 015 "DIA CIRC METAL 0360/1256 LEN=0034 INSTALLED 1994 2 0 18012 0 03 0676+20 VILLAGE: HANEYVILLE 085767 FT 085767 FT **□** 0360/0000 LENGTH(AH 2399 BK 2729) 015 "DIA CIRC METAL 0350/1448 LEN=0034 INSTALLED UNKN 015 "DIA CIRC CONCR 0350/0349 LEN=0039 INSTALLED UNKN 015 "DIA CIRC CONCR 0350/0030 LEN=0053 INSTALLED UNKN

083038 FT

083038 FT 2 0 18012 0 02 0634+85

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 162 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOT LEFT MUN: GALLAGHER T TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 RIGHT MUN: GALLAGHER T **□ 0350/0000 LENGTH(AH 2729 BK 2505)** OIB "DIA CIRC CONCR 0340/2197 LEN = 0037INSTALLED 1994 "DIA 0 1 5 CIRC CONCR LEN = 00430340/1966 INSTALLED 1994 018 "DIA CIRC CONCR 0340/1756 LEN=0042 INSTALLED 1994 015 "DIA CIRC CONCR 0340/0977 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0340/0579 LEN=0048 INSTALLED UNKN 080533 FT 2 0 080533 FT 18012 0 02 0609+80 LENGTH (AH 2505 BK 2508) **E** 0340/0000 015 "DÍA CIRC CONCR 0330/2476 LEN = 0042INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0040 INSTALLED 1994 0330/2105 015 "DIA CIRC CONCR 0330/1863 LEN=0044 INSTALLED 1994 015 "DIA CIRC CONCR 0330/0559 LEN=0040 INSTALLED 1998 015 "DIA CIRC CONCR 0330/0315 LEN = 0038INSTALLED UNKN 015 "DIA CIRC CONCR 0330/0031 LEN=0044 INSTALLED UNKN 078025 FT 078025 FT 2 0 18012 0 02 0584+72 **□** 0330/0000 LENGTH(AH 2508 BK 2462) "DIA CIRC CONCR 0320/1548 LEN=0038 INSTALLED UNKN CIRC CONCR 015 "DIA 0320/0614 LEN=0038 INSTALLED UNKN 015 "DIA CIRC CONCR 0320/0311 LEN=0038 INSTALLED UNKN 075563 FT 075563 FT 2 0 18012 0 02 0560+10 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN **5** 0320/0000 LENGTH (AH 2462 BK 2504) 0 1 5 "DÍA CIRC CONCR LEN=0038 0310/2225 INSTALLED UNKN 015 "DIA CIRC CONCR

0310/1930 LEN=0036 INSTALLED UNKN

015 "DIA CIRC CONCR

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 161 EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 MUN: GALLAGHER T RIGHT MUN: GALLAGHER T 0310/1615 LEN=0045 INSTALLED UNKN QUEENS RUN RD (T404)0310/1144 015 "DIA CIRC CONCR 0310/1100 LEN=0049 INSTALLED 1994 OTT FORK RD == 0310/1058 (FRST) 015 "DIA CIRC CONCR 0310/0315 LEN=0041 INSTALLED UNKN 073059 FT 073059 FT 2 18012 0 02 0535+06 ۵ "DIA CIRC CONCR 018 LEN=0065 INSTALLED UNKN 0310/0000 LENGTH (AH 2504 BK 2755) "DÍA CIRC 0 1 5 CONCR 0300/2388 LEN = 0052INSTALLED 1994 "DIA 0 1 5 CIRC CONCR 0300/2094 LEN=0041 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0300/1814 LEN=0036 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0034 INSTALLED UNKN 0300/1475 MIDDLEHILL RD (FRST) 0300/1439 "ĎIA 015 CIRC CONCR 0300/0942 LEN = 0048INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0300/0759 LEN=0048 INSTALLED 1994 "DIA CIRC 0 1 5 CONCR 0300/0254 LEN = 0038INSTALLED 1994 070304 FT 070304 FT 2 0 18012 0 02 0507+51 LENGTH (AH 2755 BK 2286) **E** 0300/0000 0 1 5 "DÍA CIRC CONCR 0290/2278 LEN=0040 INSTALLED 1994 "DIA 0 1 5 CIRC CONCR 0290/2075 LEN = 0035INSTALLED 1994 "DIA CIRC CONCR 0290/1915 LEN=0056 INSTALLED 1994 "DIA CIRC CONCR 0 1 5 LEN=0036 INSTALLED 1994 0290/1515 CUMMINGS WATSON T 0290/1483 "DIA 0 1 5 CIRC CONCR 0290/1235 LEN=0035 INSTALLED UNKN "DIA CIRC METAL 018 0290/0920 LEN = 0040INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0290/0620 LEN=0032 INSTALLED UNKN 015 "DIA CIRC CONCR

0290/0293 LEN=0032

INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 160 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 17.591 MI. TOTAL LEN: DIST: 02-3 SR: 664 MUN: GALLAGHER T RIGHT MUN: GALLAGHER T 068018 FT 068018 FT 2 0 18012 0 02 0484+65 015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN **6** 0290/0000 LENGTH (AH 2286 BK 2724) WATSON 0280/2634 GALLAGHER 015 "DIA CIRC CONCR 0280/2418 LEN=0050 INSTALLED UNKN 015 "DIA CIRC CONCR 0280/2175 LEN=0036 INSTALLED 1994 "DIA 0 1 5 CIRC CONCR 0280/1764 LEN=0040 INSTALLED UNKN SPRINGERS CORNERS (T447) == 0280/1374 "DIA CIRC CONCR 0280/0765 LEN = 0032INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0280/0249 LEN = 0032INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0280/0003 LEN = 0033INSTALLED 1994 065294 FT 065294 FT 2 0 18012 0 02 0457+41 **E** 0280/0000 LENGTH (AH 2724 BK 2210) "DÍA 0 1 5 CIRC CONCR 0270/1913 LEN=0032 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0270/1600 LEN = 0032INSTALLED UNKN 0 1 5 "DIA CIRC CONCR LEN = 00320270/1243 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0270/0946 LEN=0008 INSTALLED 2006 "DIA CIRC CONCR 018 0270/0579 LEN=0120 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0270/0150 LEN = 0030INSTALLED UNKN 063084 FT 063084 FT 2 0 18012 0 02 0435+94 LENGTH (AH **2** 0270/0000 2210 BK 2736) 015 "DÍA CIRC CONCR LEN = 00300260/2546 INSTALLED 1994 "DIA CIRC CONCR 0 1 5 0260/1992 LEN=0036 INSTALLED 1994 "DIA 0 1 5 CIRC CONCR 0260/1685 LEN=0044 INSTALLED 1994 0 1 5 "DIA CIRC CONCR 0260/1432 LEN = 0038INSTALLED 1994 "DIA 0 1 5 CIRC CONCR 0260/1048 LEN=0036 INSTALLED UNKN CHURCH RD 0260/1012 (T529)

Ò 1 5

"ĎIA CIRC CONCR

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 159 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOT LEFT MUN: GALLAGHER T TOTAL LEN: 17.591 MI. DIST: 02-3 664 SR: RIGHT MUN: GALLAGHER T 0260/0750 LEN=0040 INSTALLED UNKN CHATHAM RUN STRUCTURE LENGTH BMSID 18/0664/0260/0092 0260/0092 060348 FT 2 0 18012 0 02 0409+36 060348 FT HOLLOW RD (T410)0260/0000 ES 0260/0000 LENGTH(AH 2736 BK 2453) 015 "DIA CIRC CONCR 0250/1526 LEN = 0034INSTALLED UNKN 072 "DIA CIRC METAL LEN=0040 INSTALLED UNKN TRIBUTARY PINE CREEK STRUCTURE LENGTH 0250/1196 BMSID 18/0664/0250/1196 015 "DIA CIRC CONCR LEN=0036 INSTALLED 1994 0250/0521 018 "DIA CIRC CONCR 0250/0242 LEN=0035 INSTALLED UNKN 057895 FT 057895 FT 2 0 18012 0 02 0384+85 E 0250/0000 LENGTH (AH 2453 BK 2488) CIRC CONCR 015 "DIA 0240/0385 LEN = 0034INSTALLED UNKN "DIA 018 CIR PLASTIC 0240/0150 INSTALLED UNKN LEN=0028 055407 FT 18012 055407 FT 0 02 0359+97 C 0240/0000 LENGTH (AH 24BB BK 2490) "DÌA CIR PLASTIC 0230/2223 LEN=0029 INSTALLED 1994 O1B "DIA CIR PLASTIC 0230/1867 LEN=0040 INSTALLED 2022 "DIA CIR PLASTIC 0230/0815 LEN=0040 INSTALLED 2022 "DIA CIR PLASTIC 018 INSTALLED 2022 0230/0414 LEN = 0040052917 FT 052917 FT 2 0 18012 0 02 0335+07 LENGTH(AH 2490 BK 2607) **E** 0230/0000 018 "DÍA CIR PLASTIC

0220/2211 LEN=0040 INSTALLED 2022

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 158 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 MUN: GALLAGHER T RIGHT MUN: GALLAGHER T 018 "DIA CIR PLASTIC 0220/1911 LEN=0040 INSTALLED 2022 "DIA CIR PLASTIC 0 1 B 0220/1620 LEN = 0040INSTALLED 2022 "DIA 018 CIR PLASTIC 0220/1060 LEN=0040 INSTALLED 2022 018 "DIA CIR PLASTIC 0220/0810 INSTALLED UNKN LEN=0028 018 "DIA CIR PLASTIC 0220/0505 LEN = 0026INSTALLED UNKN "DIA CIR PLASTIC 018 0220/0205 LEN=0029 INSTALLED UNKN 050310 FT 2 0 050310 FT 18012 0 02 0309+00 LENGTH (AH 2607 BK 2380)  $\blacksquare$  0220/0000 018 "DÍA CIR PLASTIC 0210/2380 LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC 0210/0716 LEN=0032 INSTALLED 1994 047930 FT 047930 FT 2 0 18012 0 02 0285+20 CR 0210/0000 LENGTH (AH 2380 BK 2480) "DIA CIR PLASTIC INSTALLED 1994 0200/1500 LEN = 0034024 "DIA CIR PLASTIC 0200/1310 LEN=0034 INSTALLED 1994 "DIA CIR PLASTIC 018 0200/1014 LEN=0045 INSTALLED 1994 "DIA 018 CIR PLASTIC 0200/0623 LEN = 0034INSTALLED UNKN 0 1 B "DIA CIR PLASTIC 0200/0189 LEN = 0040INSTALLED 1999 045450 FT 045450 FT 2 0 18012 0 02 0260+40 LENGTH (AH 2480 BK 2383) **E** 0200/0000 "DÌA CIR PLASTIC 018 0190/2375 LEN=0040 INSTALLED 1999 "DIA CIR PLASTIC 018 0190/1646 LEN = 0033INSTALLED UNKN "DIA CIR PLASTIC 018 0190/1147 LEN=0045 INSTALLED UNKN "DIA 018 CIR PLASTIC 0190/0876 LEN=0040 INSTALLED UNKN 01B "DIA CIR PLASTIC

0190/0532 LEN=0033 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 157 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOT LEFT MUN: GALLAGHER T TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 RIGHT MUN: GALLAGHER T 043067 FT 043067 FT 2 0 18012 0 02 0236+55 024 "DIA CIR PLASTIC LEN=0045 INSTALLED 2006 LENGTH (AH 2383 BK 2754) **E** 0190/0000 "DÌA CIR PLASTIC 0180/2336 LEN = 0035INSTALLED 1994 018 "DIA CIR PLASTIC LEN=0032 INSTALLED 1994 0180/1891 "DIA CIR PLASTIC 0180/1229 LEN=0029 INSTALLED 1994 018 "DIA CIR PLASTIC 0180/1098 LEN = 0033INSTALLED 1994 018 "DIA CIR PLASTIC 0180/0798 LEN=0031 INSTALLED 1992 "DIA CIR PLASTIC 0180/0077 LEN=0048 INSTALLED 1994 040313 FT 2 0 18012 0 02 0209+00 040313 FT LITTLE PLUM RUN RD (SR1003 SEG 0090/2851) ES 0180/0000 LENGTH (AH 2754 BK 3149) "DIA CIRC CONCR 0170/0266 LEN=0032 INSTALLED UNKN 037164 FT 037164 FT 2 0 18012 0 01 0175+16 LENGTH (AH 3149 BK 2725) O1B "DIA CIRC CONCR **5** 0170/0000 0160/2208 LEN=0032 INSTALLED 1994 GALLAGHER 0160/0927 WOODWARD T 034439 FT 034439 FT 2 0 18012 0 01 ES 0160/0000 LENGTH (AH 2725 BK 1970) 015 "DIA CIRC CONCR

0150/0745 LEN=0048 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 156 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: B TO LEFT MUN: WOODWARD T TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 RIGHT MUN: WOODWARD T 032469 FT 032469 FT 18012 **E** 0150/0000 LENGTH (AH 1970 BK 2713) "DÍA 0 1 5 CIRC CONCR 0140/2381 LEN=0048 INSTALLED 1994 015 "DIA CIRC CONCR 0140/2101 LEN=0048 INSTALLED 1994 015 "DIA CIRC CONCR 0140/1793 LEN=0035 INSTALLED 1994 029756 FT 029756 FT 2 0 18012 0 00 0098+24 G 0140/0000 LENGTH (AH 2713 BK 2340) "DIA CIRC METAL LEN=0032 INSTALLED UNKN 0130/1675 OIB "DIA CIR PLASTIC 0130/1470 LEN=0032 INSTALLED UNKN 027416 FT 027416 FT 2 0 18012 0 00 0074+84 LENGTH (AH 2340 BK 2481) **E** 0130/0000 " D [ A 018 CIRC METAL INSTALLED UNKN 0120/2212 LEN=0040 "DIA 018 CIR PLASTIC LEN=0050 INSTALLED 2016 0120/1949 "DIA CIRC METAL 0 1 5 0120/1661 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC METAL INSTALLED 2016 0120/1363 LEN = 0050"DIA CIR PLASTIC 018 0120/1094 LEN = 0050INSTALLED 2016 HONEYSUCKLE LN 0120/0668 (TWP Ò18 "ĎIA CIRC METAL 0120/0424 LEN = 0036INSTALLED UNKN "DIA CIR PLASTIC 0120/0233 LEN=0010 INSTALLED 2018 024935 FT 024935 FT 2 0 18012 0 00 0050+03C 0 1 2 0 / 0 0 0 0 LENGTH (AH 2481 BK 2644) "DÌA CIR PLASTIC 018 0110/2623 INSTALLED 2007 LEN = 0050OIB "DIA CIR PLASTIC 0110/2294 LEN=0040 INSTALLED 2007 018 "DIA CIR PLASTIC

0110/1551 LEN=0040 INSTALLED 2008

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 155 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 17.591 MI. DIST: 02-3 SR: 664 MUN: WOODWARD T RIGHT MUN: WOODWARD T 018 "DIA CIR PLASTIC INSTALLED 2008 0110/1231 LEN=0034 "DIA 018 CIR PLASTIC 0110/0894 LEN = 0010INSTALLED 2008 022291 FT 022291 FT 18012 0 00 0023+59 LENGTH (AH 2644 BK 2359) **5** 0110/0000 "DÌA CIRC METAL 018 INSTALLED UNKN 0100/2350 LEN=0033 "DIA CIR PLASTIC 018 0100/2010 LEN=0030 INSTALLED 2008 "DIA 018 CIR PLASTIC LEN=0033 0100/1693 INSTALLED UNKN 018 "DIA CIRC METAL LEN=0045 0100/1218 INSTALLED 1997 "DIA 0 1 B CIR PLASTIC 0100/0660 LEN = 0010INSTALLED 2004 "DIA CIR PLASTIC 0 1 8 0100/0373 LEN=0045 INSTALLED 2016 "DIA 018 CIRC METAL 0100/0340 LEN=0030 INSTALLED UNKN WALNUT DR (T579) 0100/0326 2 0 18012 0 00 0000+00 019932 FT 019932 FT GERMAN (T513) CROAK HOLLOW RD 0100/0000 LENGTH (AH 2359 BK 2979) (T512) **5** 0100/0000 "DÌA CIRC 018 CONCR 0090/2946 LEN=0035 INSTALLED 1997 "DIA CIRC CONCR 018 0090/2646 LEN=0032 INSTALLED UNKN 020"H 28"W ELLIP METAL 0090/2215 LEN=0042 INSTALLED UNKN 024 "DIA CIR PLASTIC 0090/2105 LEN=0046 INSTALLED UNKN "DIA CIR PLASTIC 018 0090/1673 LEN = 0045INSTALLED 2016 "DIA 018 CIR PLASTIC 0090/1455 LEN=0033 INSTALLED UNKN 015"H 20"W ELLIP METAL 0090/0756 LEN=0040 INSTALLED UNKN "DIA CIR PLASTIC 018 0090/0131 LEN=0060 INSTALLED UNKN 016953 FT 0 00 1199+95 016953 FT 1 0 00359 VILLAGE: SWISSDALE **E** 0090/0000 LENGTH(AH 2979 BK 2334) 024 "DÍA CIR PLASTIC 0080/2274 LEN=0050 INSTALLED UNKN 024 "DIA CIR PLASTIC

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                ROADWAY MANAGEMENT SYSTEM
                                                                   PAGE NUMBER:
                                                                                   154
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY: CLINTON
 DIR:
LEFT
                     TOTAL LEN:
                                  17.591 MI.
                                                         DIST: 02-3
                                                                         SR:
                                                                               664
      MUN: WOODWARD T
                                                 RIGHT MUN: WOODWARD T
                                                    0080/2007 LEN=0035 INSTALLED 1994
                                                               ARBUTUS DR
                                            ==
                                                    0080/1803
                                                               (T409)
                                                                   "ĎIA
                                                               018
                                                                         CIR PLASTIC
                                                    0080/1611
                                                               LEN = 0038
                                                                         INSTALLED UNKN
                                                                   "DIA
                                                               036
                                                                         CIR PLASTIC
                                                    0080/1317
                                                               LEN = 0035
                                                                         INSTALLED 1994
                                                                   "DIA
                                                               018
                                                                         CIRC
                                                                              METAL
                                                    0080/1263 LEN=0030
                                                                         INSTALLED 1994
                                                                   "DIA
                                                                         CIR PLASTIC
                                                               018
                                                    0080/0882
                                                               LEN=0041
                                                                         INSTALLED UNKN
                                                                   "DIA
                                                               018
                                                                         CIR PLASTIC
                                                    0080/0410
                                                               LEN=0025
                                                                         INSTALLED 1997
                                                               036
                                                                   "DIA
                                                                         CIRC CONCR
                                                    0080/0052
                                                               LEN=0052 INSTALLED UNKN
                                                                   00359 0 00 1176+71
                         014619 FT
                                                    014619 FT
                                                               1 0
                                                               OAK BROOK
                                                                          LN
                                                                T406)
                                                               LENGTH (AH 2334 BK 2641)
                                                  6 0080/0000
                                                                   "DÌA CIRC CONCR
                                                               018
                                                    0070/2062
                                                               LEN=0034
                                                                         INSTALLED 1994
                                                                   "DIA
                                                                        CIRC CONCR
                                                               024
                                                    0070/1751
                                                               LEN=0036 INSTALLED 1994
                                                                 TO OAK HOLLOW RD
                                                               LC
                                                    0070/1726
                                                               (CONN)
                                                               OAK HOLLOW RD
                                            ==
                                                    0070/1475
                                                               (T407)
                                                                  "ĎIA CIR PLASTIC
                                                               Ò 1 B
                                                               LEN = 0039
                                                                         INSTALLED UNKN
                                                    0070/1214
                                                                  "DIA
                                                                         CIRC METAL
                                                               018
                                                    0070/0674
                                                               LEN=0028
                                                                         INSTALLED UNKN
                                                               036 "DIA
                                                                         CIR PLASTIC
                                                    0070/0273
011978 FT
                                                               LEN=0040
                                                                         INSTALLED 2009
1 0 00359 0 00 1150+39 011978 FT
WOODWARD MEADOWS RD
(PRDR)
                          0070/0000
                                                  5 0070/0000
                                                               LENGTH (AH 2641
                                                                                BK 1834)
                                                               018 "DÍA
                                                                        CIR PLASTIC
                                                    0060/1548 LEN=0040
                                                                         INSTALLED 2010
                                                               024 "DIA
                                                                         CIRC CONCR
                                                    0060/1260 LEN=0045
                                                                         INSTALLED UNKN
                                                               024 "DIA
                                                                         CIR PLASTIC
                                                    0060/0889 LEN=0048
                                                                         INSTALLED UNKN
WOODLAND DR
                          0060/0526
(T581)
                                                               018 "DIA CIR PLASTIC
                                                               LEN=0034 INSTALLED 2022
                                                    0060/0493
                                                               CIDER PRESS RD
                                                    0060/0458
                                                               (T410)
                                                                  "ĎIA
                                                               036
                                                                         CIRC METAL
```

0060/0032 LEN=0027 INSTALLED 1994


EXTRACT DATE: 12/18/ PRINT DATE: 12/19/	'2023 ROADWAY '2023 SLD COUNT	MANAGE!	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 153 CLINTON
DIR: B TO LEFT MUN: WOODWARD T	TAL LEN: 17.59	1 MI.	DIST:		SR: 664
	010144 FT		010144 FT	1 0 00359 PARK DR	0 00 1132+11
		==	<b>5</b> 0060/0000	LENGTH (AH	I 1834 BK 3257)
		-++-	0050/2024	018 "DIA	INSTALLED UNKN CIRC CONCR
			0050/1747	HILLSIDE	INSTALLED UNKN DR
			0050/1245	018 "DIA LEN=0002 018 "DIA	CIRC CONCR INSTALLED 2005 CIRC CONCR
		-++-	0050/0880	L E N = 0 0 4 5	INSTALLED UNKN
HICKORY DR		==	0050/0242	N LAUREL (T529)	LN
(T566)	0050/005B 006887 FT		0050/0026 006887 FT	REEDS RUN	0664/0050/0000 0 00 1099+65
SHIRK HOLLOW RD (T402)	0040/2163	= =	<b>5</b> 0050/0000	LENGTH (AH	(0664/0050/0000 I 3257 BK 2371)
		-++-	0040/2084	018 "DIA	CIRC METAL INSTALLED UNKN CIRC METAL
			0040/2002	LEN=0060 024 "DIA LEN=0030	INSTALLED 1999 CIRC METAL INSTALLED UNKN
		-++-	0040/1174	015 "DIA LEN=0040 MILL HILL	CIRC CONCR INSTALLED 1994
			0040/1126	(SR1020 S	SEG 0010/0000) CIRC METAL
			0040/0802	021 "DIA	INSTALLED 1994 CIRC CONCR INSTALLED UNKN
KING ST (T506) RIVERSIDE TERRACE	0040/0386	==			
( † 5 0 5 )	0040/0185	==	0040/0080	0 2 4 " D I A L E N = 0 0 8 0	CIR PLASTIC INSTALLED 2022
	004516 FT	-TT-		1 0 00359	0 00 1076+19

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                   152
                                ROADWAY MANAGEMENT SYSTEM
                                                                   PAGE NUMBER:
                                                                COUNTY: CLINTON
                              SLD COUNTY/SR - ANNUAL PRINT
 DIR:
LEFT
                     TOTAL LEN:
                                  17.591 MI.
                                                        DIST: 02-3
                                                                         SR:
                                                                              664
      MUN: WOODWARD T
                                                RIGHT MUN: WOODWARD T
                                                 □ 0040/0000 LENGTH(AH 2371 BK 0954)
                                                                  "DÌA
                                                                        CIRC CONCR
                                                    0030/0706
                                                               LEN = 0035
                                                                         INSTALLED 1994
                                                                   "DIA
                                                               018
                                                                         CIRC CONCR
                                                    0030/0498
                                                               LEN = 0035
                                                                         INSTALLED UNKN
                                                                   "DIA
                                                               0 1 B
                                                                         CIRC CONCR
                                                    0030/0296
003562 FT
                                                               LEN = 0035
                                                                         INSTALLED UNKN
                         003562 FT
                                                                   00359
                                                                 D
                                                                          0 00 1066+75
                                                                   "DIA CIRC CONCR
                                                               LEN=0035
                                                                        INSTALLED UNKN
                                                 E 0030/0000 LENGTH (AH 0954 BK 2589)
                                                               018
                                                                  "DÌA CIRC CONCR
                                                              LEN=0035
                                                    0020/2458
                                                                        INSTALLED 1989
LOCKS AV
                                        = =
                          0020/1854
                                                               018 "DIA
                                                                        CIRC CONCR
                                                    0020/1608 LEN=0070
                                                                         INSTALLED 1989
                                                               024 "DIA
                                                                         CIRC METAL
                                                    0020/0860
                                                              LEN=0046
                                                                         INSTALLED 1994
                                                                   "DIA
                                                                         CIRC CONCR
                                                               018
                                                    0020/0745 LEN=0075
                                                                         INSTALLED UNKN
LOCKPORT HEIGHTS RD
(T411)
                          0020/0706
                                                                  "DIA
                                                                         CIRC METAL
                                                    0020/0623
                                                              LEN = 0060
                                                                         INSTALLED 1994
                                                               018 "DIA
                                                                         CIR PLASTIC
                                                              LEN=0045
                                                                         INSTALLED 2022
                                                    0020/0281
                                                                   "DIA
                                                                         CIRC CONCR
                                                               018
                                                    0020/0227 LEN=0070 INSTALLED 1994
                         000973 FT
                                                    000973 FT 1
                                                                 0
                                                                  00359
                                                                          0 00 1041+13
                                                         NC COUDERSPORT
FARRANDSVILLE RD
                                                                          PΚ
                                                 5 0020/0000
                          0020/0000
                                                               LENGTH (AH 2589 BK 0973)
(SR1001 SEG 0010/0000)
                                                    0010/0910
                                                              BMSEN 18/0664/0010/0088
                                                               WOODWARD
                                                    0010/0499
                                                              LOCK HAVEN C
                                                                   00359 0 00 1032+32
                                                                 BR SUSQUEHANNA RIVER
                                                                     18/0664/0010/0088
                                                    0010/0088 BMSBG
                                                               018
                                                                  "DIA CIRC CONCR
                                                    0010/0060 LEN=0024 INSTALLED 1985
                                                                 0 00359 0 00 1031+40
                         000000 FT
                                                    000000 FT 1
                                                         NC VETERANS BR
                                                               WATER ST
                                                               (CITY)
                                                    INTER-BK
                                                               JAY SŤ
                                                               (SR0120 SEG 1040/0000)
WATER ST
                                                               MFC BEGIN = D
(SR0120 SEG 1040/0000)
                          0010/0000
                                                 ĸc= 0010/0000 LENGTH(AH 0973 BK 0000)
```

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 151 PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: 15.500 MI. DIST: 02-3 SR: 477 LEFT MUN: GREENE T RIGHT MUN: GREENE T

081841 FT



EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 150 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: GREENE T 15.500 MI. DIST: 02-3 SR: 477 TOTAL LEN: RIGHT MUN: GREENE T 079341 FT 079341 FT 2 0 18017 0 00 0024+96 0370/0000 LENGTH (AH 2500 BK 2541) 015 "DIA CIRC METAL 0360/1848 LEN = 0033INSTALLED UNKN 015 "DIA CIRC METAL 0360/1565 LEN=0030 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0360/1007 LEN=0033 INSTALLED UNKN 012"H 20"W ELLIP METAL 0360/0794 LEN=0045 INSTALLED 2002 "DIA 0 1 5 CIRC METAL 0360/0356 LEN = 0035INSTALLED UNKN "DIA CIR PLASTIC 0 1 5 0360/0020 LEN=0045 INSTALLED 2006 2 0 18017 0 00 0050+60 076800 FT 076800 FT ER 0360/0000 LENGTH (AH 2541 BK 2391) BULL RUN STRUCTURE LENGTH 0350/1352 BMSID 18/0477/0350/1352 074409 FT 074409 FT 2 0 18017 0 00 0074+53 WINTER RD T347) NC BULL RUN RD == ES 0350/0000 LENGTH (AH 2391 BK 2562) 015 "DIA CIRC METAL 0340/0617 LEN = 0023INSTALLED UNKN 014"H 16"W ELLIP 0340/0247 LEN = 0028INSTALLED UNKN 18017 071847 FT 071847 FT 2 0 0 00 0100+15 LENGTH (AH 2562 BK 2615) 015 "DIA CIRC METAL **E** 0340/0000 0330/2488 LEN = 0028INSTALLED UNKN 0 1 5 "DIA CIRC METAL LEN=0030 0330/2178 INSTALLED UNKN 024 "DIA CIR PLASTIC 0330/1523 LEN=0040 INSTALLED 2007

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	023 ROADWAY 023 SLD COUNT	MANAGEM Y/SR - A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 149 CLINTON
DIR: B LEFT MUN: GREENE T	AL LEN: 15.50	O MI.	RIGHT MUN: GI	02-3 REENE T	SR: 477
	069232 FT		0330/0010 069232 FT 0330/0000	2 0 18017 LENGTH (AF 018 "DIA	1 2615 BK 2399) CIRC METAL
WINTER RD (SR2002 SEG 0210/0000)	0320/2009		0320/2045 NC W	LEN=0030 INTER RD	INSTALLED UNKN
	066833 FT		0320/0534 066833 FT 5 0320/0000	LEN=0041 2 0 18017	'W ELLIP METAL INSTALLED 2007 7 0 00 0150+19 H 2399 BK 2587)
PADOT STOCKPILE #08 RD (GOVT)	0310/1387	POI	0310/1704 0310/1387		CIRC METAL INSTALLED UNKN ADOT STOCKPILE
	064246 FT	-+	0310/0507 0310/0090 064246 FT 0310/0000	018 "DIA LEN=0040 2 0 18017	B CIR PLASTIC INSTALLED 2007 7 0 00 0176+06 H 2587 BK 2889)
			0300/2091	FISHING (	/0477/0300/2042 7 0 00 0184+62 CREEK /0477/0300/2042
S MAPLE ST (BORO) N MAPLE ST	0300/0731	==		015"H 21'	W ELLIP METAL INSTALLED 2007
(BORO) E SOUTH ST	0300/0459	==   ==	0300/0195	W SOUTH S	S T
(BORO)	0300/0148 061357 FT		061357 FT	(SKOBBO S	7 0 00 0205+05 SEG 0180/0000) H 2889 BK 2755)

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	23 ROADWAY 23 SLD COUNT	Y MANAGEM Y/SR – A	MENT SYSTEM	PAGE NUMBER: 148 COUNTY: CLINTON
DIR: B TOTA LEFT MUN: LOGANTON B	L LEN: 15.50	OO MI.	RIGHT MUN: L	02-3 SR: 477 OGANTON B
		==  == ==  ==	0290/2584 0290/2375 0290/2329	(BORO) ANTHONY ST (BORO) 015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2008
WATER ST		==	0290/1725 0290/1332	MEADOW LN (BORO) 018 "DIA CIRC METAL LEN=0048 INSTALLED UNKN
(BORO)	0290/1251		0290/1131	024 "DIA CIRC METAL LEN=0041 INSTALLED UNKN
	058602 FT		058602 FT	1 0 00359 0 00 0504+44 PEPPER RUN RD (T362) LOGANTON
			0290/0000 0280/1276	GREENE T LENGTH (AH 2755 BK 1365) BMSEN 18/0477/0280/1255 0 0 00000 0 00 0000+00 M   LL CREEK BMSBG 18/0477/0280/1255
	057237 FT		0280/0240 057237 FT	015 "DIA CIR PLASTIC LEN=0038 INSTALLED UNKN 1 0 00058 7 01 0572+01
			0280/0000	LENGTH (AH 1365 BK 2696) 015 "DIA CIRC CONCR
S HOPPLE HOLLOW RD (T415)	0270/1346		-	024 "DIA CIRC METAL LEN=0068 INSTALLED UNKN
( )	22.07.040		0270/0931	030 "DIA CIRC CONCR LEN=0068 INSTALLED UNKN TO 8008/0750 SH (CONN) RAMP B RD
RAMP D RD (SR8008 SEG 0750/0000)	0270/0854		0270/0875	(SR8008 SEG 0010/0965)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 147 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 15.500 MI. SR: 477 DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T 024 "DIA CIRC CONCR 0270/0704 LEN=0068 INSTALLED UNKN LR 1009 EB ID 18/0080/1850/2217 0270/0619 O P LR 1009 WB 0270/0484 O P ID 18/0080/1851/2266 TO 8008/0250 SH (CONN) 0270/0295 **036** "ĎIA CIRC CONCR 0270/0235 LEN=0120 INSTALLED UNKN RAMP C RD 0270/0234 (SR8008 SEG 0500/0824) ŘAMP A RD 0270/0221 (SR8008 SEG 0250/0000) 054541 FT 054541 FT 00058 7 01 0544+79 **5** 0270/0000 LENGTH (AH 2696 BK 1248) "DÍA CIRC CONCR 0 1 5 0260/1177 LEN=0090 INSTALLED UNKN "DIA 018 CIRC CONCR 0260/0828 LEN=0044 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0260/0523 LEN=0048 INSTALLED UNKN 015 "DIA CIRC CONCR 0260/0264 LEN=0050 INSTALLED UNKN 053293 FT 053293 FT 1 0 00058 7 01 0532+31 ROCKEY RD NC MILL ST (T416)0260/0000 E 0260/0000 LENGTH (AH 1248 BK 1417) PINE LOGANTON RD (T414) 0250/0588 051876 FT 051876 FT 0 00058 7 01 LENGTH (AH 1417 BK 1996) C 0 2 5 0 / 0 0 0 0 018 "DÍA CIR PLASTIC 0240/1996 LEN=0040 INSTALLED 2006 "DIA 018 CIR PLASTIC 0240/1874 LEN = 0040INSTALLED 2006 "DIA CIR PLASTIC 018 0240/1695 LEN=0030 INSTALLED 2000 018 "DIA CIRC METAL 0240/0459 LEN=0030 INSTALLED UNKN 049880 FT 049880 FT 1 0 00058 7 01 0498+22 SPORTSMANS RD (T362) == **53** 0240/0000 LENGTH (AH 1996 BK 1887) 024 "DIA CIR PLASTIC

0230/0993 LEN=0040 INSTALLED 2000

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 146 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 15.500 MI. DIST: 02-3 SR: 477 MUN: GREENE T RIGHT MUN: GREENE T "DIA CIR PLASTIC INSTALLED 2009 0230/0173 LEN=0040 047993 FT 047993 FT 1 0 00058 7 01 0479+13 **□** 0230/0000 LENGTH(AH 1887 BK 2328) 015 "DIA CIRC METAL 0220/1410 LEN=0032 INSTALLED UNKN BRUNGARD RD 0220/0527 045665 FT (T412)045665 FT 0 00058 7 01 0456+05 VILLAGE: ROSECRANS □ 0220/0000 LENGTH(AH 2328 BK 2113) "DIA CIR PLASTIC 0210/1297 LEN=0100 INSTALLED 1993 "DIA 018 CIRC METAL 0210/1069 LEN=0038 INSTALLED 1993 028"H 20"W METAL ARCH 0210/0878 LEN = 0037INSTALLED 2004 "DIA 0 1 5 CIRC METAL LEN=0032 0210/0588 INSTALLED 1993 "DIA 0 1 5 CIRC METAL 0210/0192 LEN = 0038INSTALLED UNKN 043552 FT 043552 FT 00058 0 01 0435+82 **E** 0210/0000 LENGTH (AH 2113 BK 2403) "DÌA CIRC CONCR 0 1 5 0200/2246 LEN=0048 INSTALLED UNKN "DIA 018 CIR PLASTIC 0200/1928 LEN=0050 INSTALLED 2004 "DIA 0 1 5 CIRC METAL 0200/1592 LEN=0044 INSTALLED UNKN "DIA 024 CIR PLASTIC 0200/1458 LEN=0047 INSTALLED UNKN "DIA 0200/1307 LEN=0034 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0200/0879 LEN=0042 INSTALLED UNKN "DIA 0 1 5 CIRC METAL 0200/0548 LEN=0047 INSTALLED UNKN "DIA 036 CIRC METAL 0200/0273 LEN=0066 INSTALLED UNKN 041149 FT 041149 FT 00058 D 01 0411+79 **E** 0200/0000 LENGTH (AH 2403 BK 2307) "DÍA CIR PLASTIC 024 0190/2273 LEN=0058 INSTALLED UNKN 018 "DIA CIR PLASTIC 0190/1902 LEN=0040 INSTALLED 2004

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 145 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 15.500 MI. SR: 477 DIST: 02-3 MUN: GREENE T RIGHT MUN: GREENE T "DIA CIRC METAL 015 0190/1564 LEN=0045 INSTALLED UNKN 01B "DIA CIR PLASTIC 0190/1123 LEN=0040 INSTALLED 2004 GREENE 0190/0931 LAMAR T RIANSARES RD == 0190/0854 (FRST) 024 "DIA CIR PLASTIC 0190/0820 LEN=0057 INSTALLED UNKN 012"H 18"W ELLIP INSTALLED UNKN 0190/0015 LEN = 0046038842 FT 038842 FT 1 0 00058 7 01 0388+72 LENGTH(AH 2307 BK 2361) **5** 0190/0000 " D [ A 0 1 5 CIRC METAL 0180/1965 LEN = 0040INSTALLED 1993 "DIA CIRC 0 1 5 0180/1431 LEN = 0050INSTALLED 1993 "DIA 0 1 5 CIRC CONCR LEN=0045 0180/1116 INSTALLED 1993 "DIA CIR PLASTIC 030 0180/0845 LEN=0050 INSTALLED 1993 018"H 12"W ELLIP METAL LEN=0043 0180/0517 INSTALLED 1993 "DIA CIR PLASTIC 0.18 0180/0266 LEN = 0046INSTALLED 2004 BMSEN 18/0477/0180/0000 1 0 00058 7 01 0365+15 0180/0019 036481 FT 036481 FT SPRUCE RUN BMSBG 18/0477/0180/0000 5 0180/0000 LENGTH (AH 2361 BK 1333) SPRUCE RUN RD (T361)0170/1298 015 "DIA CIRC METAL 0170/1235 LEN=0040 INSTALLED UNKN CIRC METAL "DIA 0170/0410 LEN=0044 INSTALLED UNKN 035148 FT 1 0 00058 035148 FT 7 01 0352+07 LENGTH (AH 1333 BK 1396) 018 "DIA CIR PLASTIC **5** 0170/0000 0160/1356 LEN=0044 INSTALLED 2004 0 1 5 "DIA CIRC METAL LEN=0055 0160/0915 INSTALLED 2002 033752 FT 033752 FT 1 0 00058 7 0 1 0338+11 **E** 0160/0000 LENGTH(AH 1396 BK 1528)

036 "DÍA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 144 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT TOTAL LEN: 15.500 MI. DIST: 02-3 SR: 477 MUN: LAMAR T RIGHT MUN: LAMAR T 0150/1235 LEN=0041 INSTALLED UNKN 018 "DIA CIRC METAL 0150/1048 LEN = 0053INSTALLED 2004 "DIA 018 CIR PLASTIC 0150/0500 LEN=0048 INSTALLED 2004 "DIA 018 CIR PLASTIC 0150/0336 LEN=0040 INSTALLED 2004 "DIA CIR PLASTIC 0 1 8 LEN=0048 0150/0154 INSTALLED 2004 032224 FT 032224 FT 1 0 00058 7 01 0322+83 **E** 0150/0000 LENGTH (AH 1528 BK 2441) 018 "DÍA CIR PLASTIC 0140/2051 LEN=0045 INSTALLED 2004 024 "DIA CIR PLASTIC LEN=0040 INSTALLED 2004 0140/1680 OIB "DIA CIR PLASTIC 0140/1207 LEN=0040 INSTALLED 2004 015 "DIA CIRC METAL 0140/0384 LEN=0045 INSTALLED UNKN 017"H 13"W ELLIP 0140/0189 LEN=0043 INSTALLED 2004 029783 FT 029783 FT 00058 7 01 0298+42 0 LENGTH (AH **E** 0140/0000 2441 BK 2508) 0 1 5 "DÍA CIRC METAL 0130/2129 LEN = 0036INSTALLED 1999 "DIA 018 CIR PLASTIC 0130/1949 LEN=0039 INSTALLED UNKN 018 "DIA CIR PLASTIC 0130/1252 LEN=0035 INSTALLED UNKN "DIA CIR PLASTIC 0130/0310 LEN=0048 INSTALLED UNKN 0 1 B "DIA CIR PLASTIC 0130/0111 LEN = 0035INSTALLED 2004 027275 FT 027275 FT 0 00058 1 7 01 0273+34 LENGTH (AH 2508 BK 29 018 "DIA CIR PLASTIC 0130/0000 2508 BK 2982) 0120/2736 LEN=0035 INSTALLED 2004 "DIA CIRC METAL 0120/1827 LEN=0042 INSTALLED UNKN "DIA 0 1 B CIRC METAL 0120/1229 LEN=0038 INSTALLED UNKN "DIA CIRC METAL 0 1 5

0120/0840 LEN=0024 INSTALLED UNKN

020"H 30"W ELLIP METAL

EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2 DIR: B TOT LEFT MUN: LAMAR T		MANAGEM Y/SR - A	IENT SYSTEM ANNUAL PRINT DIST: RIGHT MUN: LA	COUNTY:	NUMBER: 143 CLINTON SR: 477
	024293 FT	-++-	0120/0255 024293 FT 0120/0000 0110/1643	LEN=0032 1 0 00058 LENGTH(AF	INSTALLED UNKN 3 7 01 0243+52 H 2982 BK 2190) CIRC METAL INSTALLED UNKN
HAVEN PINES RD (T364)	0 1 1 0 / 0 0 9 4 0 2 2 1 0 3 F T	==	022103 FT © 0110/0000	1 0 00058 LENGTH (AF	3 7 01 0221+62 1 2190 BK 2433)
	019670 FT		019670 FT 6 0100/0000	1 0 00058 LENGTH (AF	3 7 01 0197+29 H 2433 BK 2858)
BEAGLE RD (T353)	0090/1026	= = =	0090/0996	AUCTION R (SR2008 S	RD SEG 0080/2206)
	016812 FT		016812 FT 6 0090/0000	1 0 00058 LENGTH (AF	3 7 01 0168+71 H 2858 BK 3140)
	013672 FT		0080/0042 013672 FT	VILLAGE: LONG RUN	/0477/0080/0000 3 7 01 0137+35 ROTE /0477/0080/0000
		$\Rightarrow$	<b>5</b> 0080/0000	ĪËNĞTH (Af	3140 BK 1536)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 142 PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON

DIR: LEFT TOTAL LEN: 15.500 MI. MUN: LAMAR T

RIGHT MUN: LAMAR T

DIST: 02-3 SR: 477


012136 FT

0 00058 7 01 0098+54 009872 FT E END MOUNTAIN R D 0060/0000 (T359)

**BOLOPUE RD** (TWP)

0050/0954

008047 FT



TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 141 EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 15.500 MI. SR: 477 DIST: 02-3 MUN: LAMAR T RIGHT MUN: LAMAR T 024 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN 0040/0189 DAVY RD 0040/0134 (T360)MILL KACE STRUCTURE LENGTH 10 FT BMSID 18/0477/0040/0105 BMSEN 18/0477/0040/0000 1 0 00058 7 01 0059+38 0040/0105 0040/0043 005896 FT 005896 FT LONG RUN BMSBG 18/0477/0040/0000 LENGTH (AH 2151 BK 1593) 01B "DIA CIRC CONCR 0040/0000 LEN = 00250030/1546 INSTALLED UNKN 018 "DIA CIRC CONCR 0030/1458 LEN=0029 INSTALLED UNKN UNNAMED AL (TWP) 0030/1414 UNNAMED AL == 0030/1242 (TWP ) GARBRICK RD TWP 0030/1226 ÁNDREWS RD == 0030/1010 (TWP) UNNAMED AL 0030/0806 (TWP) == UNNAMED AL (TWP) 0030/0787 == 015 "DIA CIRC METAL 0030/0700 LEN=0080 INSTALLED 2001 UNNAMED AL (TWP 0030/0481 UNNAMÉD AL 0030/0374 (TWP == FIREHÓUSE RD 0030/0231 (TWP) RBR 0030/0063 BMSEN 18/0477/0030/0000 004303 FT 004303 FT 1 0 00058 7 01 0043+76 P 3 LONG RUN RBR BMSBG 18/0477/0030/0000 LENGTH (AH 1593 BK 1977) **5** 0030/0000 0 1 5 "DÍA CIRC CONCR LEN=0056 0020/1698 INSTALLED 1997 024 "DIA CIRC METAL


0020/1554 LEN=0046

INSTALLED UNKN

EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2	023 ROADWAY 023 SLD COUNT	MANAGEM Y/SR - A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 140 CLINTON
DIR: B TOT LEFT MUN: LAMAR T	AL LEN: 15.50	O MI.	RIGHT MUN: LA	02-3 MAR T	SR: 477
		====	0020/0942 0020/0842 0020/0640	(CONN) 018 "DIA LEN=0045 018 "DIA	DGE RD  CIRC METAL INSTALLED 2001 CIRC METAL
HANSON QUARRY RD (PRDR)	0020/0526	POI	0020/0596	BMSEN 18	INSTALLED 2001 ANSON QUARRY /0477/0020/0168 B 7 01 0025+48
	002326 FT		0020/0168 002326 FT	BMSBG 18, 1 0 00058 V LLAGE:	/0477/0020/0168 B 7 01 0023+75
LIZARDVILLE RD (T539) LC TO T539 (CONN)	0020/0000 0010/213B		<b>5</b> 0020/0000	(SR2006 S	SEG 0010/3187) H 1977 BK 2326)
	<b>,</b>		0010/1807 0010/1645	RAMP E RI	SEG 0010/0507)
RAMP D RD (SR8001 SEG 0750/0000)	0010/1310		0010/1145 0010/1094	BMSEN 18, 1 0 00058	CIRC METAL INSTALLED UNKN /0477/0010/0795 B 0 00 0371+99
		==	0010/0795 0010/0675 0010/0547	TO 8001/0 (CONN) RAMP A RI (SR8001 S	D SEG 0250/0000)
	000000 FT		0010/0458 0010/0451 000000 FT NC LO	LEN=0250 RAMP B RI (SR8001 S 1 0 00058 018 "DIA LEN=0068	SEG 0500/0835) B 0 00 0383+05 CIRC CONCR INSTALLED 1993 D
		00 00	<b>5</b> 0010/0000	(SROO64 S	VALLEY DR SEG 0150/0000) N = D H 2326 BK 0000)

DIR: B TOTAL LEN: 16.847 MI. DIST: 02-3 SR: 220 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK T

AH-LYCOMING (41)088954 FT SR 0220 SH INTER-AHD (SR0220 SEG 0011/0000) 0361/3447 RAMP S RD (SR8013 SEG 0500/0000) 0361/2976 036 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0361/2648 LR 266 OP ID 18/0044/0010/0000 0361/2503 O18 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0361/2439 RAMP R RD (SR8013 SEG 0250/0443) 0361/2041



088804 FT INTER-AHD SR 0220 SH 0360/3186 (SR0220 SEG 0010/0000)

RAMP U RD 0360/2609 (SR8013 SEG 0750/0435)

030 "DIA CIRC CONCR 0360/2330 LEN=0075 INSTALLED UNKN LR 266 0360/2208 OP ID 18/0044/0010/0000

018 "DIA CIRC CONCR 0360/2118 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR 0360/1700 LEN=0075 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 138 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOTALEFT MUN: PINE CREEK T 16.847 MI. TOTAL LEN: DIST: 02-3 SR: 220 RIGHT MUN: PINE CREEK RAMP T RD (SR8013 SEG 0010/0000) SIGN: 4 CHORD TRUSS 0360/1664 SIGN: 4 CHORD TRUSS BMSID 18/0220/0360/1457 0361/1736 BMSID 18/0220/0360/1457 0360/1457 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0361/0961 018 "DIA CIRC CONCR 0360/0251 LEN=0075 INSTALLED UNKN 0 01044 0 00 0599+72 085507 FT 085618 FT 01044 0 00 0601+76 0 1 LENGTH (AH 3186 BK 2426) 018 "DIA CIRC CONCR LENGTH (AH 3447 BK 2466) 0361/0000 E **5** 0360/0000 LEN=0150 INSTALLED UNKN 0350/2157 BRANCH PINE CREEK BRANCH PINE CREEK STRUCTURE LENGTH STRUCTURE LENGTH 8 F T BMSID 18/0220/0350/2134 0351/2458 0350/2134 BMSID 18/0220/0350/2134 MILEPOST 120.00 0351/2036 \_ \_\_ 120.00 \_ 0350/1792 MILEPOST \_ 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0351/1844 PINE CREEK PINE CREEK AVIS BOROUGH B 0351/1322 0350/1129 AVIS BOROUGH B 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0351/1244 LR 23 0350/0872 OP ID 18/1016/0050/0944 LR 23 OP ID 18/1016/0050/0944 024"H 36"W ELLIP CONC 0351/1032 LEN=0090 INSTALLED UNKN 0351/0920 036 "DIA CIRC CONCR 0350/0772 LEN=0100 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0351/0320 \_\_\_ "DIA CIRC CONCR 018 0350/0037 LEN=0075 INSTALLED UNKN 1 0 01044 0 00 0575+06 083041 FT 083192 FT 1 0 01044 0 00 0577+50 LENGTH (AH 2466 BK 2890) 0351/0000 LENGTH (AH 2426 BK 2482) **E** 0350/0000 018 "DÍA CIRC CONCR 0340/2037 LEN=0075 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0341/2757 TRIB SUSQUEHANNA RIVER TRIB SUSQUEHANNA RIVER STRUCTURE LENGTH STRUCTURE LENGTH 10 FT 10 FT BMSID 18/0220/0340/1413 0341/2148 036 "DIA CIRC CONCR 0340/1413 BMSID 18/0220/0340/1413 INSTALLED UNKN 0341/2022 036 "DIA CIRC CONCR 0340/1321 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                   136
                                ROADWAY MANAGEMENT SYSTEM
                                                                    PAGE NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY: CLINTON
 DIR:
                     TOTAL LEN:
                                  16.847 MI.
                                                         DIST: 02-3
                                                                         SR:
                                                                               220
 LEFT MUN: PINE CREEK T
                                                 RIGHT MUN: PINE CREEK
LEN=0020 INSTALLED UNKN 0321/1420
                                                               018 "DIA CIRC CONCR
                                                    0320/1263 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0321/0823
RAMP N RD
(SR8009 SEG 0250/1093)
072 "DIA CIRC CONCR
                          0321/0492
LEN=0150 INSTALLED UNKN 0321/0400
                                       ___
                                                               072 "DIA CIRC CONCR
                                                    0320/0375
                                                               LEN=0150
                                                                         INSTALLED 2003
                                                                    "DIA
                                                               018
                                                                         CIRC CONCR
                                                    0320/0090
                                                               LEN = 0075
                                                                         INSTALLED UNKN
                                                    075447 FT
                                                                    01044 0 00 0500+29
                                                               1 0
                                                               RAMP P RD
 0 01044 0 00 0498+66 075454 FT
                                                                (SR8009 SEG 0010/0000)
LENGTH (AH 2476 BK 3363) 0321/0000 E
                                                 0320/0000
                                                               LENGTH (AH 2592 BK 3516)
                                                               072 "DIA CIRC METAL
                                                    0310/2909
                                                               LEN=0150 INSTALLED UNKN
                                                    0310/2526
                                                                      MILEPOST
                                                                                  118.00
      MILEPOST
                   118.00 0311/2518
                                      _
                                          _
                                                                    "DIA CIRC CONCR
                                                               018
                                                    0310/2310 LEN=0080
                                                                         INSTALLED UNKN
                                                               0 1 B
                                                                    "DIA
                                                                         CIRC CONCR
                                                    0310/1706 LEN=0085 INSTALLED UNKN
                                                    0310/1030
                                                               BMSEN 18/0220/0310/0000
BMSEN 18/0220/0311/0000 0311/1030
PINE CREEK
                                                               PINE CREEK
WAYNE T
                          0311/0550
                                                    0310/0550
                                                               WAYNE T
  0 01044 0 00 0465+06 072091 FT
                                                    071931 FT
                                                                 0 01044 0 00 0465+06
TWP
    RD #425
                                                               TWP
                                                                    RD #425
                                                               BMSBG 18/0220/0310/0000
BMSBG 18/0220/0311/0000
LENGTH(AH 3363 BK 1871) 0311/0000
                                                               LENGTH (AH 3516 BK 1772)
                                                  🖂 0310/0000
                                                               0 1 B
                                                                   "DÍA CIR PLASTIC
                                                    0300/1584
                                                               LEN = 0020
                                                                         INSTALLED 2001
                                                               018 "DIA
                                                                         CIRC METAL
                                                    0300/1046 LEN=0150
                                                                         INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0125 INSTALLED UNKN 0301/0503
                                                               BMSEN 18/0220/0300/0000
BMSEN 18/0220/0301/0000 0301/0465
                                                    0300/0499
                                                               1 0 01044 0 00 0447+07
  0 01044 0 00 0446+63 070220 FT
                                                    070159 FT
ACCESS ROAD
                                                               ACCESS ROAD
BMSBG 18/0220/0301/0000
LENGTH(AH 1871 BK 2330)
                                                               BMSBG 18/0220/0300/0000
                          0301/0000
                                                  ES 0300/0000 LENGTH(AH 1772 BK 2024)
   " D [ A
              METAL
         CIRC
LEN=0100
         INSTALLED UNKN
                          0291/2208
018 "DIA
         CIRC METAL
         INSTALLED UNKN 0291/1708
LEN=0100
```

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 135 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: DIST: 02-3 SR: TOTAL LEN: 16.847 MI. 220 LEFT MUN: WAYNE T RIGHT MUN: WAYNE T MILEPOST 117.00 0291/1395 \_ \_ 018 "DIA CIRC CONCR INSTALLED UNKN 0291/1216 LEN=0100 \_ 0290/1069 MILEPOST 117.00 \_ \_ 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0291/0718 018 "DIA CIRC CONCR 0290/0357 LEN=0075 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0291/0169 1 0 01044 0 00 0422+83 067890 FT 068135 FT 1 0 01044 0 0 0 0426+83 LENGTH (AH 2330 BK 3369) 0291/0000 🖂 ES 0290/0000 LENGTH (AH 2024 BK 3750) CROSSOVER RD (CONN) 0281/3035 CROSSOVER RD 1 0280/3090 (CONN) Ò 3 D "DIA CIRC CONCR 0280/3057 LEN=0075 INSTALLED UNKN 036 "DIA CIRC CONCR LEN = 0.100INSTALLED UNKN 0281/2989 018 "DIA CIRC CONCR INSTALLED UNKN 0281/2299 LEN=0090 \_\_\_ 048 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0281/1724 04B "DIA CIRC CONCR 0280/1662 LEN=0075 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0150 INSTALLED UNKN 0281/1071 O18 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0280/1041 RAMP M RD (SR8007 SEG 0750/0994) 0280/1031 RAMP K RD (SR8007 SEG 0500/0000) 0281/0917 024 "DIA CIRC CONCR 0280/0687 LEN=0125 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0281/0669 BMSEN 18/0220/0281/0000 0281/0159 0280/0153 BMSEN 18/0220/0280/0000 1 0 01044 0 00 0399+31 1 0 01044 0 00 0390+73 064521 FT 064385 FT LR 18032 LR 18032 BMSBG 18/0220/0281/0000 BMSBG 18/0220/0280/0000 LENGTH (AH 3369 BK 0835) 0281/0000 0280/0000 LENGTH (AH 3750 BK 1718) 0270/1264 一 **-**= MILEPOST 116.0D RAMP L R D 0270/0909 (SR8007 SEG 0010/0000) 024 "DIA CIRC CONCR 0270/0500 LEN=0075 INSTALLED 1993

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                ROADWAY MANAGEMENT SYSTEM
                                                                                   134
                                                                   PAGE NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY: CLINTON
 DIR:
                                                        DIST: 02-3
                                                                         SR:
                                                                              220
                     TOTAL LEN:
                                  16.847 MI.
 LEFT MUN: WAYNE T
                                                RIGHT MUN: WAYNE T
      MILEPOST
                  116.00 0271/0383
                                          __
                                      _
018 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0271/0167
                                      _ -
RAMP J RD
(SR8007 SEG 0250/0817)
                          0271/0158
  0 01044 0 00 0380+85 063686 FT
                                                    062667 FT 1 0 01044 0 00 0371+82
LENGTH (AH 0835 BK 3314) 0271/0000 ES
                                                 E 0270/0000 LENGTH(AH 1718
                                                                               BK 2138)
LEN=0075 INSTALLED UNKN 0261/2932
024 "DIA CIRC CONCR
LEN=0075
         INSTALLED UNKN 0261/2217
018 "DIA
         CIRC CONCR
         INSTALLED UNKN 0261/1887
LEN = 0075
                                                    0260/1293 BMSEN 18/0220/0260/1245
1 0 01044 0 00 0363+14
BMSEN 18/0220/0261/1508 0261/1556
  0 01044 0 00 0363+15
MCELHATTAN CREEK
                                                               MCELHATTAN CREEK
BMSBG 18/0220/0261/1508 0261/1508
018 "DIA CIRC METAL.....
                                                    0260/1245 BMSBG 18/0220/0260/1245
LEN = 0075
         INSTALLED UNKN 0261/1336
018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0261/0981
                                                               018 "DIA CIRC CONCR
                                                    0260/0642 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0261/0533
018 "DIA CIRC METAL
LEN=0100 INSTALLED UNKN 0261/0080
1 0 01044 0 00 0347+65 060372 FT
BR W BR SUSQUEHANNA R
STRUCTURE LENGTH
                     9 F T
BMSID 18/0220/0250/2342
                                                    060529 FT 1 0 01044 0 00 0350+44
                                                              LENGTH (AH 2138 BK 2623)
BR W BR SUSQUEHANNA R
LENGTH(AH 3314 BK 2470) 0261/0000 ---
                                                 E 0260/0000
                                                               STRUCTURE LENGTH
                                                    0250/2342 BMSID 18/0220/0250/2342
018 "DIA CIRC METAL
         INSTALLED UNKN 0251/2109
LEN=0100
018 "DIA
         CIRC CONCR
LEN=0100
         INSTALLED UNKN 0251/1606
                                                               021 "DIA CIRC CONCR
                                                    0250/1423 LEN=0075 INSTALLED UNKN
033 "DIA
         CIRC CONCR
LEN=0075 INSTALLED UNKN 0251/1090
                                      _ .
                                          115.00 0251/0917
      MILEPOST
                                          _
                                                               036 "DIA CIRC CONCR
                                                    0250/0913 LEN=0075 INSTALLED UNKN
                                                    0250/0764
                                                                     MILEPOST
                                           _
                                              _
030 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0251/0478
```

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT	PAGE NUMBER: 133 COUNTY: CLINTON
DIR: B TOTAL LEN: 16.847 MI. DIST: LEFT MUN: WAYNE T RIGHT MUN: W	02-3 SR: 220 VAYNE T
1 0 01044 0 00 0322+95 057902 FT LENGTH(AH 2470 BK 2630) 0251/0000 [5]	031 "DIA CIRC CONCR 6 LEN=0075 INSTALLED UNKN 7 1 0 01044 0 00 0324+20 8 LENGTH (AH 2623 BK 2450)
LEN=0060 INSTALLED UNKN 0241/2182 0240/1857	024 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
LEN=0060 INSTALLED UNKN 0241/1735 0240/1403	024 "DIA CIRC CONCR 6 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0241/1215 0240/0951	024 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0241/0766	O3O "DIA CIRC CONCR
024 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0241/0410	PLEN=0075 INSTALLED UNKN
1 0 01044 0 00 0296+59 055272 FT	LEN=0075 INSTALLED UNKN 1 0 01044 0 00 0299+75 1 LENGTH(AH 2450 BK 2023)
O30 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0231/2415	
	030 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
	060 "DIA CIRC CONCR LEN=0075 INSTALLED 1993
024 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0231/0817 ————————————————————————————————————	O18 "DIA CIRC CONCR
0230/0390	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 024 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0231/0310	024 "DIA CIRC CONCR 5 LEN=0075 INSTALLED UNKN
1 0 01044 0 00 0272+21 052830 FT LENGTH(AH 2442 BK 2382) 0231/0000 🔄	T 1 0 01044 0 00 0279+52 D LENGTH(AH 2023 BK 2970)

EXTRACT DATE: 12/18/202 PRINT DATE: 12/19/202	3 ROADWAY 3 SLD COUNTY	MANAGEME Y/SR - AN	NT SYSTEM NUAL PRINT	PAGE COUNTY:	NUMBER: 132 CLINTON
DIR: B LEFT MUN: WAYNE T	LEN: 16.847	7 MI. R	DIST: IGHT MUN: WA	02-3 YNE T	SR: 220
			0220/2498	I FN=0075	CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN	0221/2185	++-     -++-	0220/1680	018 "DIA	CIRC CONCR INSTALLED UNKN
LEN=0080 INSTALLED UNKN CROSSOVER RD (CONN) 018 "DIA CIRC CONCR	0221/1781	<del>&lt;&gt;</del>	0220/1596	CROSSOVER (CONN)	RD
LEN=0080 INSTALLED UNKN  024 "DIA CIRC CONCR  LEN=0080 INSTALLED UNKN	·	† <del>-     -     -     -       -           </del>	0220/1354	0 1 8 " D I A L E N = 0 0 7 5	CIRC CONCR INSTALLED UNKN
024 "DIA CIRC METAL LEN=0100 INSTALLED UNKN	·	<u> </u>	0220/1007	0 2 4 " D I A L E N = 0 0 7 5	CIRC CONCR INSTALLED UNKN
024 "DIA CIRC METAL LEN=0100 INSTALLED UNKN	•	+-	0220/0607		CIRC CONCR INSTALLED UNKN
1 0 01044 0 00 0248+39 0 LENGTH(AH 2382 BK 2967)	50448 FT 0221/0000 🖙	-++	050463 FT	LEN=0080 1 0 01044	CIRC CONCR INSTALLED UNKN 0 00 0249+82 1 2970 BK 3208)
WAYNE CASTANEA T	0211/2493 —	<del>                                     </del>	0210/2549	O3D "DIA	T CIRC CONCR INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN	0211/2070 -	<b>┼</b> ├-┊│ │ <b>│</b>	·	030 "DIA	CIRC CONCR INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN MILEPOST 113.00	•		0210/1490		EPOST 113.00
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN BMSEN 18/0220/0211/0000	0211/1275		•	L E N = 0 1 0 0	O 2 2 0 / 0 2 1 0 / 0 0 0 0
BM32N 10/0220/0211/0000	0211/12/1		0210/12/5	DWSEN 187	. 0220/0210/0000

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 131 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TO LEFT MUN: CASTANEA T 16.847 MI. SR: TOTAL LEN: DIST: 02-3 220 RIGHT MUN: CASTANEA T 1 0 01044 0 00 0218+38 047481 FT 047255 FT 1 0 01044 0 00 0217+69 LR 18013 LR 18013 BMSBG 18/0220/0211/0000 BMSBG 18/0220/0210/0000 LENGTH (AH 2967 BK 2093) 0211/0000 **⊑** 0210/0000 LENGTH (AH 3208 BK 1817) LEN=0050 INSTALLED UNKN 0201/2092 \_\_\_ 018 "DIA CIRC CONCR 0200/1772 LEN=0040 INSTALLED 1993 018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0201/1474 SIGN: CENTER MOUNTD BMSID 18/0220/0201/0969 0201/0969 04B "DIA CIRC CONCR 0200/0604 LEN=0150 INSTALLED 2003 018 "DIA CIRC METAL LEN=0090 INSTALLED UNKN 0201/0854 ⋜┼┼⋤ BMSEN 18/0220/0201/0689 0201/0794 0200/0535 BMSEN 18/0220/0200/0430 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0201/0711 1 0 01044 0 00 0204+82 0 01044 0 00 0204+82 TWP RD 375 RD 375 BMSBG 18/0220/0201/0689 0201/0689 0200/0430 BMSBG 18/0220/0200/0430 018 "DIA CIRC CONCR 0200/0418 LEN=0040 INSTALLED UNKN 045438 FT 1 0 01044 0 00 0197+94 045388 FT 1 0 01044 0 00 0200+53 LENGTH (AH 2093 BK 2223) 0201/0000 5 LENGTH (AH 1817 BK 2362) **5** 0200/0000 018 "DÍA CIRC METAL 0190/2137 LEN=0200 INSTALLED 1993 018 "DIA CIRC METAL 0190/1437 LEN=0100 INSTALLED UNKN 018 "DIA CIRC METAL 0190/0700 LEN = 0.100INSTALLED UNKN 1 0 01044 0 00 0175+33 043165 FT 043076 FT 1 0 01044 0 00 0175+76 LENGTH (AH 2223 BK 2622) 0191/0000 LENGTH (AH 2362 BK 2706) **5** 0190/0000 018 "DÍA CIRC METAL 0180/2570 LEN=0100 INSTALLED UNKN MILEPOST 112.00 0181/2524 \_ 0180/2490 MILEPOST 112.00 \_ "DIA CIRC METAL 018 0180/2237 LEN = 0100INSTALLED UNKN "DIA CIRC METAL 018 LEN = 01000180/1890 INSTALLED UNKN CIRC METAL 0 1 5 "DIA LEN=0100 INSTALLED UNKN 0180/1543 "DIA CIRC METAL 018 0180/1195 LEN=0100 INSTALLED UNKN 018 "DIA CIRC METAL

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 130 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: 16.847 MI. SR: TOTAL LEN: DIST: 02-3 220 LEFT MUN: CASTANEA T RIGHT MUN: CASTANEA T 0180/0848 LEN=0150 INSTALLED UNKN 042 "DIA CIRC METAL LEN=0080 INSTALLED 1993 0181/0740 048 "DIA CIRC METAL 0180/0659 LEN = 0113INSTALLED UNKN "DIA 018 CIRC METAL 0180/0500 LEN = 0050INSTALLED UNKN "DIA 0 1 8 CIRC METAL 0180/0151 LEN=0150 INSTALLED UNKN 040370 FT 1 0 01044 0 00 0149+11 040543 FT 1 D 01044 0 00 0148+71 LENGTH (AH 2622 BK 2112) 0181/0000 🖂 **E** 0180/0000 LENGTH (AH 2706 BK 2284) BMSEN 18/02207017171482 0171/1662 BMSEN 18/0220/0170/1656 0170/1836 1 0 01044 0 00 0142+71 0 01044 0 00 0142+82 T-378 HANNA S LR 18013 LR 18013 T-378 HANNA BMSBG 18/0220/0171/1482 0171/1482 BMSBG 18/0220/0170/1656 0170/1656 "DIA CIRC METAL 0 1 B 0170/1649 LEN = 0.150INSTALLED UNKN SIGN: 4 CHORD TRUSS BMSID 18/0220/0170/1437 0170/1437 RAMP H RD 0170/1295 (SR8005 SEG 0750/0480) SIGN: 4 CHORD TRUSS BMSID 18/0220/0170/1437 0171/1252 RAMP F RD (SR8005 SEG 0500/0000) 0171/1004 04B "DIA CIRC METAL 0170/0989 LEN = 0.100INSTALLED 2003 BMSEN 18/0220/0171/0469 0171/0652 1 0 01044 0 00 0132+64 0170/0826 BMSEN 18/0220/0170/0643 01044 0 00 0132+54 0 LR 58 SPUR G LR 58 SPUR G BMSBG 18/0220/0171/0469 0170/0643 BMSBG 18/0220/0170/0643 0171/0469 018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN 0171/0441 038086 FT 1 0 01044 0 00 0125+87 RAMP G RD 1 0 01044 0 00 0127+99 038431 FT (SR8005 SEG 0010/0000) LENGTH (AH 2112 BK 2968) 0171/0000 ES 0170/0000 LENGTH(AH 2284 BK 2643) RAMP E (SR8005 SEG 0250/0776) 0161/2876 018 "DIA CIRC METAL LEN=0120 INSTALLED UNKN 0161/2866 "DIA CIRC METAL 0160/2505 LEN=0100 INSTALLED UNKN SIGN: 3 CHORD TRUSS 0160/2299 BMSID 18/0220/0160/2299 SIGN: 3 CHORD TRUSS BMSID 18/0220/0160/2299 0161/2414 MILEPOST 111.00 0161/2286 018 "DIA CIRC METAL

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT	PAGE NUMBER: 128 COUNTY: CLINTON
DIR: B TOTAL LEN: 16.847 MI. DIST: LEFT MUN: CASTANEA T RIGHT MUN: CA	02-3 SR: 220 ASTANEA T
CASTANEA BALD EAGLE T 0141/2117 - + - 0140/2060	LEN=0150 INSTALLED UNKN CASTANEA BALD EAGLE T
MILEPOST 110.00 0141/1982 0140/1857	MILEPOST 110.00 024 "DIA CIRC CONCR LEN=0135 INSTALLED 2002
027 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0141/1573	024 "DIA CIRC CONCR
0140/1454	024 "DIA CIRC CONCR
024 "DIA CIRC METAL LEN=0090 INSTALLED UNKN 0141/0662	LEN=0175 INSTALLED UNKN
0140/0544	O18 "DIA CIRC CONCR
1 0 01044 0 00 0049+14 030533 FT LENGTH(AH 2625 BK 2398) 0141/0000 5 0140/0000	1 0 01044 0 00 0049+58 LENGTH(AH 2794 BK 2579) 018 "DIA CIRC METAL
018 "DIA CIRC METAL LEN=0090 INSTALLED UNKN 0131/2178	LEN=0175 INSTALLED 2002
LEN=0100 INSTALLED UNKN 0131/1876	
018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0131/1273	048 "DIA CIRC METAL LEN=0120 INSTALLED 2003
018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0131/0968	
LEN=0100 INSTALLED UNKN 0131/0695 BMSEN 18/0220/0131/0557 0131/0663 1 0 01044 0 00 0030+55 TWP RD 373	BMSEN 18/0220/0130/0625 1 0 01044 0 00 0030+55 TWP RD 373
BMSBG 18/0220/0131/0557 0131/0557 0130/0625 0130/0625	BMSBG 18/0220/0130/0625 012"H 24"W ELLIP CONC LEN=0080 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0131/0214	1 0 01044 0 00 0023+79 LENGTH(AH 2579 BK 2319)

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                ROADWAY MANAGEMENT SYSTEM
                                                                                    126
                                                                    PAGE NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                 COUNTY: CLINTON
 DIR: B
                     TOTAL LEN:
                                  16.847 MI.
                                                         DIST: 02-3
                                                                          SR:
                                                                               220
 LEFT MUN: BALD EAGLE T
                                                 RIGHT MUN: BALD EAGLE
LEN=0060 INSTALLED UNKN 0111/0855
BMSEN 18/0220/0111/0456 0111/0561
1 0 01063 0 00 0235+92
                                                    0110/0631 BMSEN 18/0220/0110/0526
1 0 01063 0 00 0235+92
PRIVATE DR
                                                                PRIVATE DR
BMSBG 18/0220/0111/0456 0111/0456
                                                    0110/0526 BMSBG 18/0220/0110/0526
                                                                024 "DIA CIRC METAL
                                                    0110/0469 LEN=0060 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0090 INSTALLED UNKN 0111/0392
                                                                BALD EAGLE
                                                    0110/0365 MILL HALL B
018 "DIA CIRC METAL
LEN=0100 INSTALLED UNKN 0111/0039
1 0 01063 0 00 0230+94 023068 FT
BALD EAGLE
MILL HALL B
                                                               1 0 01063
                                                    022917 FT
                                                                           0 00 0229+91
                                                  0110/0000 LENGTH (AH 2673 BK 2432)
024 "DIA CIRC CONCR
LENGTH (AH 2605 BK 2542) 0111/0000
                                                    0100/2205 LEN=0060 INSTALLED UNKN
036 "DIA CIRC METAL
LEN = 0.100
         INSTALLED UNKN 0101/2225
018 "DIA
          CIRC METAL
LEN = 0.150
         INSTALLED UNKN 0101/1886
                                       _ =
                                                                024 "DIA CIRC METAL
                                                    0100/1550 LEN=0060 INSTALLED UNKN
030 "DIA CIRC METAL
LEN=0150 INSTALLED UNKN 0101/1557
                                                    0100/1329
                                                                      MILEPOST
                                                                                   108.00
                                           _
                                               _
MILL HALL
                                                                MILL HALL
BALD EAGLE T
                                                    0100/1316 BALD EAGLE T
                           0101/1350
      MILEPOST
                  108.00 0101/1332
                                       _
                                           _
018 "DIA CIRC METAL
LEN=0060
          INSTALLED UNKN 0101/1177
                                       _ -
018 "DIA
          CIRC METAL
LEN=0060
         INSTALLED UNKN 0101/0818
1 0 01063 0 00 0205+78 020526 FT
                                                    020485 FT 1 0 01063 0 00 0205+59
LENGTH (AH 2542 BK 2510) 0101/0000
                                                  ES 0100/0000 LENGTH (AH 2432 BK 2577)
018 "DÍA CIRC METAL
LEN=0060 INSTALLED UNKN 0091/2340
                                                                066 "DIA CIRC CONCR
                                                    0090/1891 LEN=0050 INSTALLED 1973
018 "DIA
          CIRC METAL
LEN=0060
          INSTALLED UNKN 0091/1801
066 "DIA
          CIRC CONCR
         INSTALLED 1973 0091/1782
LEN=0075
BALD EAGLE
                                                                BALD EAGLE
LAMAR T
                           0091/1095
                                                    0090/1110 LAMAR T
                                                                BMSEN 18/0220/0090/0589
```

```
TRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                  1 2 5
 EXTRACT
                               ROADWAY MANAGEMENT SYSTEM
                                                                  PAGE
                                                                        NUMBER:
                             SLD COUNTY/SR - ANNUAL PRINT
                                                               COUNTY:
                                                                        CLINTON
 DIR: B
LEFT MUN: LAMAR T
                                                                        SR:
                                                                             220
                    TOTAL LEN:
                                  16.847 MI.
                                                        DIST: 02-3
                                                RIGHT MUN: LAMAR T
                                                              018 "DIA CIRC CONCR
BMSEN 18/0220/0091/0574 0091/0859
1 0 01063 0 00 0186+35
                                                   0090/0874
                                                              LEN=0050
                                                                       INSTALLED UNKN
                                                              1 0 01063 0 00 0186+35
FISHING CREEK
                                                              FISHING CREEK
                                                              BMSBG 18/0220/0090/0589
BMSBG 18/0220/0091/0574 0091/0574
                                                   0090/0589
                                                                  "DIA
                                                              018
                                                                       CIRC METAL
                                                   0090/0340
                                                              LEN = 0060
                                                                       INSTALLED UNKN
                                                              1 0 01063 0 00 0179+82
 0 01063 0 00 0180+94 018016 FT
                                                   017908 FT
LENGTH (AH 2510 BK 2008) 0091/0000
                                                 rcs 0090/0000 LENGTH(AH 2577 BK 1900)
   "DÍA CIRC CONCR
LEN=0075 INSTALLED UNKN 0081/1815
RAMP B RD
(SR8001 SEG 0500/0000)
                          0081/1587
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0081/1468
                                                              012"H 18"W ELLIP CONC
                                                   0080/1388 LEN=0090
                                                                       INSTALLED UNKN
                                                              060 "DIA CIRC METAL
                                                   0080/1095
                                                              LEN=0125 INSTALLED UNKN
                                                              RAMP D RD
                                                   0080/1066 (SR8001 SEG 0750/0799)
060 "DIA
         CIRC METAL
LEN=0100
         INSTALLED 1993 0081/1013
                                                              024 "DIA CIRC CONCR
                                                   0080/0950
                                                              LEN=0200 INSTALLED UNKN
                                                   0080/0552
                                                                    MILEPOST
                                                                                 107.00
                                          _
                                                                    LR 58
     LR 58
  ID 18/0477/0010/0795 0081/0602
                                                   0080/0543 OP ID 18/0477/0010/0795
      MILEPOST
                  107.00 0081/0555
                                          _
018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN
                          0081/0527
RAMP A RD
(SR8001 SEG 0250/0617)
                          0081/0251
Ò 18 "DIA CIRC CONCR
LEN=0070
         INSTALLED 2002 0081/0240
                                      ___
                                                              O1B "DIA CIRC CONCR
                                                   0080/0184
                                                              LEN=0100 INSTALLED UNKN
                                                              RAMP E RD
                                                               SR8001 SEG 0020/0689)
                                                   0080/0172
            00 0161+10 016008 FT
                                                   016008 FT
                                                                  01063
1 0 01063
          0
                                                                0
                                                                         0 00 0161+10
MFC BEGIN
          = B
                                                              MFC
                                                                  BEGIN
                                                                         = B
LENGTH (AH 2008 BK 2613) 0081/0000
                                                 E 0080/0000
                                                              LENGTH (AH 1900 BK 2613)
                                                              RAMP C`RD
                                                   0070/2300
                                                              (SR8001 SEG 0010/0000)
                                                              Ò 18
                                                                  "DIA CIRC CONCR
                                                   0070/2076
                                                              LEN=0075
                                                                        INSTALLED UNKN
                                                   0070/2032
                                                              BMSEN 18/0220/0070/1728
                                                                0 01063 0 00 0134+76
                                                              LR 58
                                                   0070/1728 BMSBG 18/0220/0070/1728
```

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 124 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 16.847 MI. SR: 220 DIST: 02-3 MUN: LAMAR T RIGHT MUN: LAMAR T "DIA CIRC CONCR 018 0070/1263 LEN=0090 INSTALLED UNKN "DIA 042 CIRC CONCR 0070/0803 LEN=0090 INSTALLED UNKN 042 "DIA CIRC CONCR 0070/0328 LEN = 0090INSTALLED UNKN 013395 FT 013395 FT 01063 0 00 0134+97 0 LENGTH (AH 2613 BK 2 018 "DIA CIRC CONCR 2613 BK 2517) **5** 0070/0000 0060/2501 LEN = 0075INSTALLED UNKN "DIA CIRC CONCR 018 0060/2214 LEN=0075 INSTALLED UNKN "DIA CIRC CONCR 018 LEN = 0075INSTALLED UNKN 0060/1912 "DIA CIRC CONCR 018 LEN=0075 0060/1616 INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0075 0060/1315 INSTALLED UNKN 060 "DIA CIRC CONCR 0060/0897 LEN=0150 INSTALLED UNKN 010878 FT 010878 FT 01063 0 00 0109+77 1 0 060 "DIA CIRC CONCR LEN=0150 INSTALLED 2003 G 0060/0000 LENGTH (AH 2517 BK 2410) "DIA CIRC CONCR 018 LEN = 00750050/1442 INSTALLED UNKN "DIA CIRC CONCR 018 0050/1096 LEN=0075 INSTALLED UNKN 060 "DIA CIRC CONCR 0050/0233 LEN = 0075INSTALLED UNKN 008468 FT 1 0 01063 008468 FT 0 00 0085+31 **E** 0050/0000 LENGTH (AH 2410 BK 2495) "DIA CIRC CONCR 0040/1807 LEN=0075 INSTALLED UNKN "DIA CIRC CONCR 018 0040/1584 LEN=0075 INSTALLED UNKN "DIA CIRC CONCR 018 0040/1263 LEN=0075 INSTALLED UNKN "DIA CIRC CONCR 018 0040/0934 LEN = 0075INSTALLED UNKN "DIA 060 CIRC CONCR 0040/0361 LEN=0080 INSTALLED UNKN 005973 FT 005973 FT 1 0 01063 0 00 0060+38

**5** 0040/0000

LENGTH (AH

018 "DÍA CIRC CONCR

2495 BK 1385)

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	223 ROADWAY 223 SLD COUNT	MANAGEM Y/SR - A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 123 CLINTON
DIR: B TOTA LEFT MUN: LAMAR T	AL LEN: 16.84	7 MI.	DIST: RIGHT MUN: LA	02-3 MAR T	SR: 220
		-+-	•	RAMP D RE	INSTALLED UNKN ) SEG 0750/0900)
	004588 FT		0030/0152 004588 FT	SR 2008	0220/0030/0000 000047+53
RAMP C RD (SR8015 SEG 0260/0000)	0020/1920		<b>5</b> 0030/0000	BMSBG 18, LENGTH(A	/0220/0030/0000 H 1385 BK 2174)
	002071320	=	0020/1797	0 6 0 " D I A L E N = 0 2 0 0	CIRC METAL INSTALLED 2015
RAMP B RD (SR8015 SEG 0250/1240)	0020/1050		0020/0950	RAMP D RE	SEG 0010/0000)
		-++-	0020/0785	L E N = 0 1 2 2	CIRC CONCR INSTALLED UNKN
	002414 FT	-++-	002414 FT	1 0 01063	CIRC CONCR INSTALLED 2014 3 0 00 0025+19 4 2174 BK 2414)
			0010/1463	SIGN: CE BMSID 18	ENTER MOUNTD /0220/0010/1464
	000000 FT		0 0 1 0 / 0 7 3 3 0 0 1 0 / 0 4 8 6 0 0 1 0 / 0 2 3 3 0 0 0 0 0 0 F T NC F F	RAMP       C       R         (SR8006       S         OP       ID       18         OP       ID       18         OP       ID       18         1       O       01063         RANK       D       O         RAMP       B       R         (SR8006       S         RAMP       D       R         RAMP       D       R	SEG 0250/0000) SEG 0500/1062) 1009 WB 1009 EB 1009 EB 10080/1774/1340 SO 00 0003+22 REILLY HW SEG 0010/1113) SEG 0750/0000) N GAP RD
	000000 FT		© 0010/0000 000000 FT 7004/0000	LTH AH OC	02414 BK 000100 (07)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 1 2 2 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 17.086 MI. 150 TOTAL LEN: DIST: 02-3 SR: MUN: PINE CREEK T RIGHT MUN: PINE CREEK 089954 FT 090212 FT 7418/0000 INTER-AHD LENGTH (AH 0356 BK 2115) AVIS EXIT (T300) RAMP Q RD ÁVIS ÍNTER RD (SR8009 SEG 0750/0000) 0410/2115 0410/2115 (SR8009 SEG 0010/1307) "DIA CIRC CONCR 018 0410/2003 LEN=0071 INSTALLED UNKN LR 1044 NB OΡ ID 18/0220/0320/1296 0410/1908 LR 1044 SB OP ID 18/0220/0321/1458 018 "DIA CIRC CONCR 0410/1818 LEN=0060 INSTALLED UNKN 0410/1634 TO 8009/0250 SH 0410/1603 (CONN) ÁVIS ÍNTER RD (SR8009 SEG 0500/1398) 0410/1569 ÀVIS INTER RD 0410/1511 (SR8009 SEG 0250/0000) "DIA CIRC CONCR 066 0410/1351 LEN = 0060INSTALLED UNKN "DIA CIRC CONCR 018 LEN=0055 0410/1051 INSTALLED UNKN 018 "DIA CIRC CONCR 0410/0548 LEN=0055 INSTALLED UNKN TO 1016/0010 SH (CONN) 0410/0104 == 0 00023 7 00 0022+25 087839 FT 088097 FT AVIS RD (SR1016 SEG 0010/0000) 0410/0000 **E** 0410/0000 LENGTH (AH 2115 BK 0571) 018 "DIA CIRC CONCR 0400/0385 LEN = 0020INSTALLED UNKN MOUNTAIN VIEW ESTATES 0400/0116 (PRDR) "ĎIA 0 4 B CIRC CONCR LEN = 00350400/0057 INSTALLED UNKN 087268 FT 087526 FT 1 0 00023 0 00 0375+44 **⊑** 0400/0000 LENGTH(AH 0571 BK 3491) PROSPECT AV = = (T480)0390/3356 "DIA CIRC CONCR 0390/2483 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 018 0390/2013 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0035 0390/1628 INSTALLED UNKN DEERWOOD VILLAGE 0390/1529 (PRDR)

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	23 ROADWAY 23 SLD COUNT	Y MANAGEM TY/SR – A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 121 CLINTON
DIR: B TOTA LEFT MUN: PINE CREEK T	L LEN: 17.08	B6 MI.	DIST: RIGHT MUN: P	02-3 NE CREEK	SR: 150 T
SPONG HOLLOW RD (T442)	0390/1311	==	0390/1287	060 "DIA	CIRC CONCR INSTALLED UNKN
MAPLE AV (T539)	0390/0725	==	0390/126/	018 "DIA	CIRC CONCR
	083777 FT	-++-	0390/0383 084035 FT 0390/0000	LEN=0090 1 0 0002 LENGTH (A 018 "DIA	INSTALLED UNKN   3
KRYDER HOLLOW RD (T440)	0380/1450	<b>-++-</b> ==	0380/1577	L E N = 0 0 5 0	INSTALLED 2009
	·	-++-	0380/1384	072 "DIA LEN=0035 ISLAND R (T565)	CIRC CONCR INSTALLED UNKN D
			0380/0956	0 1 8 " D I A L E N = 0 0 7 5 0 1 8 " D I A	CIRC CONCR INSTALLED UNKN CIRC METAL
			0380/0700	LEN=0075 018 "DIA LEN=0035 015 "DIA	INSTALLED UNKN CIRC CONCR INSTALLED UNKN CIRC CONCR
	082176 FT	-++-	0380/0281 082434 FT	LEN=0035 1 0 0002 018 "DIA	INSTALLED UNKN 3 0 00 0324+52 CIRC CONCR
			© 0380/0000 0370/1997	LEN=0035 LENGTH(A 018 "DIA LEN=0035	INSTALLED UNKN H 1601 BK 2402) CIRC CONCR INSTALLED UNKN
			0370/1651	018 "DIA LEN=0035 018 "DIA	CIRC CONCR INSTALLED UNKN CIRC CONCR
			0370/1340	LEN=0035 018 "DIA LEN=0060 018 "DIA	INSTALLED UNKN CIRC CONCR INSTALLED UNKN CIRC CONCR
	079774 FT		0370/0793	LEN=0040 018 "DIA LEN=0035	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
	U/3//4		080032 FT	1 0 0002 CHURCH H (T434) LENGTH(A	
MOUNTAIN HAVEN VILLAGE (PRDR)	0360/2370		0360/2403	018 "DÌA LEN=0040	CIRC CONCR INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 120 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON 17.086 MI. DIR: TOTAL LEN: DIST: 02-3 SR: 150 LEFT MUN: PINE CREEK T RIGHT MUN: PINE CREEK 036 "DIA CIRC CONCR 0360/1684 LEN=0035 INSTALLED UNKN M0360/0291 CAVC 077629 FT 383 1 0 00023 0 00 0276+77 077371 FT CHATHAM RUN MILL RD 0360/0000 **E** 0360/0000 LENGTH (AH 2403 BK 2173) (T435) 048 "DÍA CIRC CONCR 0350/1601 LEN=0035 INSTALLED UNKN HARLEY DR 0350/1316 (T433)PINE CREEK 0350/1080 DUNNSTABLE CHATHAM RUN STRUCTURE LENGTH 24 FT 0350/0937 BMSID 18/0150/0350/0937 00023 0 00 0250+26 075198 FT 075456 FT 0 MFC BEGIN = D **6350/0000** LENGTH(AH 2173 BK 0975) PLUM RUN PLUM RUN STRUCTURE LENGTH STRUCTURE LENGTH 31 FT 31 FT BMSID 18/0150/0344/0497 BMSID 18/0150/0344/0497 PARK AV PARK AV (SR1005 SEG 0050/0759) (SR1005 SEG 0050/0759) MCELHATTAN DR MCELHATTAN DR 0000 Óά İÒÒ (SR1005 SEG 0050/0759) (SR1005 SEG 0050/0759) 0344/0497 0345/0497 \_ 0 00000 0 00 0000+00 074223 FT 0 00000 0 00 0000+00 074481 FT 0 MFC MFC BEGIN = DBEGIN = D LENGTH (AH 0975 BK 2013) 0345/0000 Est 0344/0000 LENGTH (AH 0975 BK 2013) STEWART RD 0340/0819 (T428) 072210 FT 072468 FT 1 0 00023 0 0 0 0224+87 E= 0340/0000 LENGTH(AH 2013 BK 2779) 015 "DIA CIRC METAL

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 1 1 9 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 17.086 MI. DIST: 02-3 SR: 150 MUN: DUNNSTABLE T RIGHT MUN: DUNNSTABLE 0330/0462 LEN=0035 INSTALLED UNKN 015 "DIA CIRC CONCR 0330/0290 LEN = 0035INSTALLED UNKN 069431 FT 069689 FT 1 0 00023 0 00 0197+08 0330/0000 2779 BK 2243) LENGTH (AH "DÌA 0 1 5 CIRC CONCR 0320/2233 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 018 0320/1638 LEN=0035 INSTALLED UNKN "DIA CIR PLASTIC 0320/0536 LEN=0060 INSTALLED 2017 018 "DIA CIR PLASTIC 0320/0186 LEN=0060 INSTALLED 2017 067188 FT 067446 FT 00023 0 00 0174+78 2243 BK 2213) **5** 0320/0000 LENGTH (AH "DÌA CIR PLASTIC 018 0310/2209 LEN=0060 INSTALLED 2017 048 "DIA CIRC METAL 0310/1854 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 018 0310/1722 LEN = 0035INSTALLED UNKN TOBACCO SHED RD BAIRD RD (T426)0310/1649 0310/1649 (T425) "ĎIA 018 CIR PLASTIC 0310/1439 LEN = 0060INSTALLED 2017 "DIA CIR PLASTIC 018 INSTALLED 2017 0310/1138 LEN=0060 "DIA CIRC CONCR 0 1 5 0310/0857 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 018 0310/0320 LEN = 0035INSTALLED UNKN 064975 FT 065233 FT 00023 0 0 00 0152+65 **5** 0310/0000 LENGTH (AH 2213 BK 2770) O1B "DÍA CIRC CONCR 0300/2502 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 024 LEN = 00350300/1804 INSTALLED UNKN 024 "DIA CIRC CONCR 0300/1278 LEN=0035 INSTALLED UNKN E GUARDLOCK DR (T519) 0300/1103 == "ĎIA CIRC CONCR 0300/0915 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0013 0300/0609 INSTALLED 2006 018 "DIA CIR PLASTIC

0300/0363 LEN=0010

INSTALLED 2006

EXTRACT DATE: 12 PRINT DATE: 12			MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 118 CLINTON
DIR: B LEFT MUN: DUNNST	TOTAL LEN: 17.08	6 MI.	DIST: RIGHT MUN: DU	D 2 - 3 JNNSTABLE	SR: 150 T
	062205 FT	-++-	0300/0097 062463 FT 0300/0000	0 1 8 " D I A L E N = 0 0 0 7 1 0 0 0 0 2 3 L E N G T H ( A H 0 1 8 " D I A	0 00 0124+95
		-++-	0290/2522	L E N = 0 0 4 0 D U N N S T A B L	INSTALLED UNKN .E
			0290/2317	015 "DIA	T CIRC CONCR
		-++-	•	FARGUS IS	INSTALLED UNKN SLAND ST
		==	0290/2017	(T475) 018 "DIA	CIRC CONCR
			0290/1970	015 "DIA	INSTALLED UNKN
			0290/1788	LEN=0035	INSTALLED UNKN
PINE RIDGE DR		-++-	0290/1001		INSTALLED UNKN
(T500)	0290/0961	==		E GUARDLO	OCK DR
		==	0290/0830	(T519) 024 "DIA	CIRC CONCR
		-++-	0290/0495	LEN=0035 024 "DIA	INSTALLED UNKN CIRC CONCR
HILLSIDE DR		-++-	0290/0307	L E N = 0 0 3 5	INSTALLED UNKN
(T514) 1 0 00023 0 00 00	0290/0303 098+95 059591 FT	==	059849 FT		
EVERGREEN LN (T515) HOLLY DR	0290/0000	==	<b>5</b> 0290/0000	LENGTH (AH	l 2614 BK 3648)
HOLLY DR (T516)	0280/3357	==			
		-++-	0280/3081	0 1 5 " D I A L E N = 0 0 4 0	CIRC CONCR INSTALLED UNKN
DICHEV CT		-++-	0280/2935	0 1 8 " D I A L E N = 0 0 5 0	CIRC CONCR INSTALLED UNKN
RICHEY ST (T502)	0280/2576	==		018 "DIA	CIRC METAL
N ALLEGHANY ST		-++-	0280/2124	LEN=0050 S ALLEGHA	CIRC METAL INSTALLED UNKN
(T403)	0280/2109	== ==	0280/2109	(T403)	
ORIOLE DR		-++-	0280/1618	$\vec{L} \vec{E} \vec{N} = 0 \vec{0} \vec{5} \vec{0}$	ĬNSTALLED ÜNKN
(T525)	0280/1596	==	0280/1005	0 1 B " D I A L E N = 0 0 4 0	CIRC CONCR INSTALLED UNKN

EXTRACT DATE: 12/18/202 PRINT DATE: 12/19/202 DIR: B TOTAL LEFT MUN: WOODWARD T		Y MANAGEN TY/SR – A B6 MI.	TENT SYSTEM ANNUAL PRINT DIST: RIGHT MUN: W	
MILL HILL RD (SR1020 SEG 0010/0777)	0280/0761 055943 FT		<b>E</b> 0280/0000	CHURCH ST (T399) RIVER ST (T477) LENAPE TR (T476) UNNAMED AL (TWP) 1 0 00023 0 00 0062+85 OODWARD AV LENGTH(AH 3648 BK 1,269)
(	05 <b>4674</b> FT		0270/1162 0270/0543 0270/0094 054932 FT	WOODWARD
RACE ST (CITY)	0260/1022	==	0260/0618	RACE ST (CITY) HICKORY AL (CITY) 012 "DIA CIR PLASTIC
	052501 FT	== == ==	0260/0035 052759 FT 0260/0000 0250/1254 0250/1130	LEN=0040 INSTALLED UNKN 1 0 00023 0 00 0027+82 GRANT ST (CITY) LENGTH(AH 2173 BK 1489) UNNAMED AL (CITY) 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
UNNAMED AL (CITY)	0250/1125	= =   00 00 = = = =	0250/0780 0250/0758 0250/0710	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN HANNA ST (TBC) 015 "DIA CIR UNKNOWN LEN=0040 INSTALLED UNKN WASHINGTON ST
		I I	0250/0419	(6111)

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                   1 1 6
                                ROADWAY MANAGEMENT SYSTEM
                                                                   PAGE
                                                                        NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY: CLINTON
 DIR: B TOTA
LEFT MUN: LOCK HAVEN C
                                  17.086 MI.
                     TOTAL LEN:
                                                        DIST: 02-3
                                                                         SR:
                                                                              150
                                                 RIGHT MUN: LOCK HAVEN
                                                               FROM 0150/0240 SH
                                                    0250/0047
051270 FT
                                                               (CONN)
                                            = ±
 0 00023 0 00 0012+95
                         051012 FT
HENDERSON ST
(CITY)
MAIN ST
                                                         NC MAIN ST
(SR0150 SEG 0241/0891)
                                                               MFC BEGIN = D
 MAIN ST
                          INTER-AHD
                                                 ES 0250/0000 LENGTH (AH 1489 BK 1268)
(SR0150 SEG 0250/0000)
                          0241/0891
                                                               015 "DIA CIRC CONCR
                                                    0240/1260
                                                               LEN=0070 INSTALLED UNKN
                                                               FOR SR 0150N TO 0150S
                                           = = !
                                                               (CONN)
                                                    0240/1245
                                                               TO 0150/0250 SH
                                                    0240/1179
                                                               (CONN)
                                                               UNNAMED AL
                                                               (CITY)
                                                    0240/1063
                                                                SIGN'STRUCTURE
                                                    0240/0975
                                                               BMSID 18/0150/0240/0975
                                                               LC FROM CHURCH ST
                                                    0240/0917 (CONN)
                                              ⊏≔
         CIRC METAL
018 "DIA
LEN=0040 INSTALLED UNKN
                          0241/0876
FOR SR 0150N TO 0150S
(CONN)
                          0241/0869
                                                               CHURCH ST
                                              ==
                                                               (CITY)
                                                    0240/0825
LOCUST AL
                                                               LOCUST AL
(CITY)
                          0241/0607
                                                    0240/0610 (CITY)
                                          ===
Ò15 "ĎIA
         CIRC METAL
LEN=0040
         INSTALLED UNKN 0241/0601
                                                               006 "DIA CIRC CONCR
                                                    0240/0278
                                                               LEN=0020 INSTALLED UNKN
                                                                SIGN STRUCTURE
                                                    0240/0235
                                                               BMSID 18/0150/0240/0235
                                                               0 1 B
                                                                   "DIA CIRC CONCR
                                                    0240/0084
                                                               LEN=0050 INSTALLED UNKN
                                                    050002 FT
                                                                 0 00058 3 00 0018+72
                                                                   ST
                                                                SR0120 SEG 1060/0000)
                                                                SR0120 SEG 1061/0000)
    00023 0 00 0004+02 050121 FT
     NC MAIN ST
                                                               PAUL MACK BL
    ST
JAY
                                                               (SR0120 SEG 1061/0000)
(SR0120 SEG 1050/0000)
                                                                (SR0120 SEG 1060/0000)
                                         OOOO
                                              ÒÒ
                                                 0240/0000
LENGTH (AH 0891 BK 1968)
                          0241/0000 📻
                                                               LENGTH (AH 1268 BK 1847)
                                                               018 "DÍA CIRC CONCR
                                                    0230/1822 LEN=0047 INSTALLED UNKN
018 "DIA
         CIRC METAL
LEN=0045 INSTALLED UNKN 0231/1935
```

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                ROADWAY MANAGEMENT SYSTEM
                                                                                   1 1 5
                                                                   PAGE NUMBER:
                             SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY: CLINTON
                     TOTAL LEN:
 DIR:
                                  17.086 MI.
                                                        DIST: 02-3
                                                                         SR:
                                                                              150
 LEFT MUN: LOCK HAVEN C
                                                 RIGHT MUN: LOCK HAVEN
                                                               015 "DIA
                                                                        CIRC CONCR
                                                    0230/1707 LEN=0035
                                                                         INSTALLED UNKN
                                                               018 "DIA
                                                                        CIRC CONCR
                                                    0230/1446 LEN=0060
                                                                        INSTALLED UNKN
GROVE ST
                                       Óά
                                         ΝĎ
(CITY)
                                                               GROVE ST
                          0231/153B
                                                    0230/1421 (CITY)
015 "DIA CIRC METAL
LEN=0045 INSTALLED UNKN 0231/1496
                                                               FALLON AL
                                                    0230/1144 (CITY)
015 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN 0231/1017
VESPER ST
                                                               VESPER ST
                                       Óΰ
                                          |0000
                                                               (CITY)
(CITY)
                                                    0230/0867
                          0231/0983
012 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0231/0950
MILL ST
(CITY)
MAIN ST
                                                               MILL ST
(CITY)
                          0231/0694
                                      ==
                                                    0230/0579 (CITY)
LC FRÓM MAIN ST
                                      = =
(CITY)
                          0231/0515
 SIGN'STRUCTURE
BMSID 18/0150/0231/0412 0231/0412
                                                               018 "DIA CIRC CONCR
                                                    0230/0340 LEN=0060 INSTALLED UNKN
                                                               LIBERTY ST
                                                    0230/0312
                                                               (CITY)
                                                                  · · · Ď I A
                                                               015
                                                                        CIRC CONCR
                                                    0230/0268 LEN=0060 INSTALLED UNKN
WILLARD'S AL
(CITY)
                          0231/0194
to οί5ο/ο23ο sh
(CONN)
                          0231/0155
                                          ==
                                                               FROM 0150/0231 SH
                                                    0230/0149
                                                               (CONN)
                                           ==
                                                               Ò 15 "DIA CIRC CONCR
                                                              LEN=0030 INSTALLED UNKN
                                                    0230/0065
                                                               CORNING ST
                                                               (CITY)
                                                    0230/0033
                                                    048155 FT
                                                                 0 00058 3 00 0000+00
1 0 00058 0 00 0618+41 048153 FT
                                                               BELLEFONTE AV
CHURCH ST
                                                               (SRO150 SEG 0231/0000)
(SR0150 SEG 0230/0000)
                                                         NC CHÜRCH ST
CHURCH ST
                                                               CHURCH ST
                                                               (CITY)
(CITY)
                                         0000
                                              άò
MFC BEGIN = C
                                                               MFC BEGIN = C
```

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 114 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B TOTA LEFT MUN: LOCK HAVEN C TOTAL LEN: 17.086 MI. DIST: 02-3 SR: 150 RIGHT MUN: LOCK HAVEN LENGTH (AH 1968 BK 1096) 0231/0000 E 0230/0000 LENGTH (AH 1847 BK 1096) 018 "DÍA CIRC CONCR 0220/0950 LEN=0146 INSTALLED UNKN 018 "DIA CIRC CONCR 0220/0801 LEN=0045 INSTALLED UNKN FIRST ST (CITY) NONAME AL 0220/0686 (CITY) 0220/0618 (AAR 526911J)#TRKS 01 PARK ST 0220/0586 (CITY) PARK ST (CITY) 0220/0356 OOB"H'12"W CON BOX CUL 0220/0233 LEN=0058 INSTALLED UNKN 047059 FT 1 0 00058 0 00 0607+56 047057 FT COMMERCE ST (CITY) **5** 0220/0000 LENGTH (AH 1096 BK 0951) 018 "DÌA CIR UNKNOWN LEN=0045 INSTALLED UNKN 0210/0935 "DIA 018 CIR UNKNOWN 0210/0852 LEN=0045 INSTALLED UNKN "DIA CIR UNKNOWN 0 1 B 0210/0813 LEN=0045 INSTALLED UNKN NONAME AL (CITY) 0210/0791 ŠPRINĠ ST 0210/0600 (CITY) JONES ST (CITY) 0210/0397 JONES ST (CITY) 0210/0352 O1B "DIA CIRC CONCR 0210/0312 LEN=0045 INSTALLED UNKN S FAIRVIEW ST 0210/0111 (CITY) Ò 15 "DIA CIRC CONCR 0210/0017 LEN=0075 INSTALLED UNKN 0 00058 0 046108 FT 00 0598+11 046106 FT FAIRVIEW ST LENGTH (AH 0951 BK 1527) 018 "DIA CIRC CONCR (SR1024 SEG 0010/0000) 0210/0000 **5** 0210/0000 0200/1489 LEN=0030 INSTALLED UNKN NONAME AL 0200/1479 (CITY) HIGHLAND ST 0200/1339 (CITY)

EXTRACT DATE: 12 PRINT DATE: 12	/18/2023 ROADWA /19/2023 SLD COUN	Y MANAGEI TY/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 113 CLINTON
DIR: B LEFT MUN: LOCK H	TOTAL LEN: 17.0	86 MI.	DIST: RIGHT MUN: LO	02-3 OCK HAVEN	SR: 150 C
N HIGHLAND ST (CITY)	0200/1179	==			
•	•	-++-	0200/1169	018 "DIA LEN=0035 S SUMMIT	CIRC CONCR INSTALLED UNKN
N SUMMIT ST		==	0200/0940	(CITY)	L
(CITY)	0200/0778	==  ==	0200/0778	O15 "DIA	CIRC CONCR
			0200/0756	LEN=0030 015 "DIA LEN=0030	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
		==	0200/0567	PEARL ST	
		==	0200/0417	ŘOBINÍAL (CITY) 015 "DIA	CIRC CONCR
N HAMPTON ST (CITY)		-++-	0200/0143		INSTALLED UNKN
(CITY)	0200/0121 044579 FT	==	044581 FT	1 0 0005	8 0 00 0582+87 H 1527 BK 2898)
NONAME AL (CITY)	0190/2740	==		•	•
DADTON ST	·	-++-	0190/2533	0 2 4 " D I A L E N = 0 0 5 0	CIRC CONCR INSTALLED UNKN
BARTON ST (CITY)	0190/2466	==		SECOND A	v
		00 00	0190/2405	(TBC)	
		-++-	0190/2200	018 "DIA LEN=0045 THIRD AV	CIRC CONCR INSTALLED UNKN
ŊONAMĘ AL		==	0190/2154	(TBC)	
(CITY)	0190/2059	==	0190/1816	FREDRICK (CITY)	S T
		===	0190/1816 0190/1814	018 "DIA LEN=0045	CIRC CONCR INSTALLED UNKN
IRWIN ST (CITY)	0190/1744	==	•	ELLEFONTE	AV
CRANFORD AL		-++-	0190/1719	0 2 4 " D I A L E N = 0 0 5 0	CIRC CONCR INSTALLED 2000
(BORO)	0190/1394	==		LOCK HAV	E N
ALLISON ST			0190/1223	FLEMINGT	ON B

EXTRACT DATE: 12 PRINT DATE: 12	/18/2023 ROADWAY /19/2023 SLD COUNT	MANAGEM Y/SR – A		PAGE NUMBER: 112 NTY: CLINTON
DIR: B LEFT MUN: LOCK H	TOTAL LEN: 17.08		DIST: 02-3 RIGHT MUN: LOCK H	SR: 150 AVEN C
(BORO)	0190/1198	==	0190/1159 LEN= 018 0190/0633 LEN= P NE	"DIA CIRC CONCR 0040 INSTALLED UNKN AL
	041681 FT	==	0190/0624 (BOR HERR 0190/0352 (BOR 041683 FT 1 0 0190/0000 LENG 018	0) ST 0) 00058 0 00 0553+67 TH(AH 2898 BK 2200) "DIA CIRC CONCR
		== == ==	M   DD 0180/1909 (BOR STUR 0180/1678 (BOR	O) DEVANT ST O)
		==	YORK 0180/1437 (BOR BRES 0180/1207 (BOR	O) SLER ST
		-++-	0180/1092 LEN= 018 0180/0985 LEN= SUGA	0040 INSTALLED UNKN "DIA CIRC OTHER 0040 INSTALLED UNKN R AL
HUSTON ST		00 00	0180/0764 LEN= HUST (TBC	"ĎIA CIRC OTHER 0040 INSTALLED UNKN ON ST
(BORO)	0180/0734		0180/0734 018 0180/0468 LEN=	"DIA CIRC OTHER 0040 INSTALLED UNKN RY AV
		== ==	0180/0307 LEN= CANA 0180/0253 (BOR	H 36"W ELLIP CONC 0040 INSTALLED UNKN L ST 0)
FLEMINGTON ALLISON T	0180/0065		0180/0111 LEN=	"ĎIA CIRC CONCR 0040 INSTALLED UNKN N 18/0150/0180/0000 00058 0 00 0531+95
	039481 FT		NC HIGH S PENN BMSB	T A CANAL

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 1 1 1 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 17.086 MI. DIST: 02-3 SR: 150 MUN: ALLISON RIGHT MUN: BALD EAGLE BMSEN 18/0150/0170/1496 0170/1705 ALLISON FLEMINGTON BALD EAGLE T 0170/1684 0170/1684 BALD EAGLE 0 00058 0 00 0507+74 BRIDGE CLOSED BALD EAGLE CREEK 0170/1496 BMSBG 18/0150/0170/1496 "DIA 0 1 5 CIRC 0170/1225 LEN=0045 INSTALLED 2000 0 1 5 "DIA CIRC METAL 0170/1014 LEN=0050 INSTALLED 2000 "DIA CIRC CONCR LEN = 0.0450170/0622 INSTALLED 2000 0 1 5 "DIA CIRC METAL 0170/0340 LEN=0060 INSTALLED 2000 DRAKETOWN RD (T373)0170/0314 ı bıa CIR PLASTIC 018 0170/0265 LEN=0055 INSTALLED 2010 037431 FT 00 0507+74 037433 FT 0 00058 0 MFC BEGIN = C **5** 0170/0000 LENGTH (AH 2050 BK 1700) 024 "DIA CIRC CONCR 0160/1589 LEN = 0072INSTALLED UNKN 015 "DIA CIRC CONCR LEN=0040 INSTALLED 2000 MILLBROOK PLAZA RD MILLBROOK PLAZA RD (PRDR) (PRDR) ŘÍNG ÁRTHUR DR RING ÁRTHUR DR 0000 ÓΟ lòò (PRDR) (PRDR) 0161/1324 0160/1324 018 "DIA CIRC CONCR 0160/1066 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 018 0160/1008 LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR 0160/0808 LEN=0040 INSTALLED UNKN LC TO WAL-MART DR 0161/0698 (CONN) == WAL-MART SUPERCENTER WAL-MART SUPERCENTER RD (PRDR) (PRDR) LOWESÍ R D LOWES RD OOOO ÓΟ 位的 (PRDR) (PRDR) 0161/0596 0160/0596 1 0 00058 0 00 0494+50 035721 FT 035733 FT 1 0 00058 0 00 0494+50 COUNTRY CLUB LN COUNTRY CLUB LN (T382) (T382)

```
TRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                   1 1 0
 EXTRACT
                                ROADWAY MANAGEMENT SYSTEM
                                                                    PAGE
                                                                         NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY:
                                                                         CLINTON
 DIR:
                     TOTAL LEN:
                                  17.086 MI.
                                                         DIST: 02-3
                                                                         SR:
                                                                               150
 LEFT
      MUN: BALD EAGLE T
                                                 RIGHT MUN: BALD EAGLE
MILL HALL RD
                                                               MILL HALL RD
(SR2015 SEG 0020/1616)
                                                                (SR2015 SEG 0020/1616)
(SR2015 SEG 0021/1822)
(SR2015 SEG 0021/1822)
LENGTH(AH 1710 BK 0555)
                                                  0160/0000
                          0161/0000 📻
                                                               LENGTH (AH 1700 BK 0568)
015 "DÌA
         CIRC CONCR
LEN=0040 INSTALLED UNKN 0153/0471
                                                               TO 2015/0021 SH
                                               ==
                                                    0152/0401
                                                                (CONN)
                                                               Ò24 "ĎIA
                                                                         CIRC CONCR
                                                               LEN=0040
                                                                         INSTALLED UNKN
                                                    0152/0367
                                                                    "DIA
                                                                         CIRC CONCR
                                                               024
                                                    0152/0207
                                                               LEN=0070
                                                                         INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0153/0100
  0 00058 0 00 0488+79 035166 FT
                                                                 0 00058 0 00
                                                    035165 FT 1
                                                                               0488+79
(APRA) GLENN O HAWBAKER
                                                                APRA) GLENN O HAWBAKER
PENNSÝLVANIA AV
                                                                TBK) PENNSYLVANIA AV
                                                                (T486)
(T486)
                                       2000
LENGTH (AH 0555 BK 0517)
                          0153/0000
                                                  5 0152/0000
                                                               LENGTH (AH 0568 BK 0516)
                                                               018 "DÍA CIRC CONCR
                                                    0150/0471
                                                               LEN=0090
                                                                         INSTALLED UNKN
                                                               036
                                                                    "DIA
                                                                         CIRC METAL
                                                                         INSTALLED UNKN
                                                    0150/0144
                                                               LEN=0050
   00219
           0 01
                0347+46 034649
                                                    034649 FT
                                                                 D
                                                                    00219
                                                                          0 00 0347+46
MFC BEGIN
                                                                   BEGIN
                                                                          = C
LENGTH (AH 0517 BK 2161) 0151/0000 Est
                                                  5 0150/0000
                                                               LENGTH (AH 0516 BK 2161)
                                                    0140/1558
                                                               BMSEN 18/0150/0140/1308
                                                               O 1 B "DIA CIRC CONCR
                                                               LEN=0040 INSTALLED UNKN
                                                    0140/1557
                                                                   00219 0 01 0338+63
                                                               018
                                                                    "DIA CIRC CONCR
                                                               LEN=0040 INSTALLED UNKN
                                                               FISHING CREEK
                                                    0140/1308 BMSBG 18/0150/0140/130B
                                                          NC HOGAN BLVD
                                                               N WATER ST
                                         80
                                                                (SR0064 SEG 0190/1378)
                                                    0140/1246
                                                                         CIRC METAL
                                                               030 "DIA
                                                    0140/0390
                                                               LEN = 0040
                                                                         INSTALLED UNKN
  0 00219 0
                0325+46 032488 FT
                                                    032488 FT
             0 1
COUNTY CLUB LN
                                         = =
                                                  5 0140/0000
                                                               LENGTH(AH 2161 BK 1985)
(T382)
                          0140/0000
                                                               WILLOW
                                                    0130/1590
                                                                (BORO)
                                                               BALD ÉAGLE
                                                    0130/1548 MILL HALL B
```

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 109 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: B TOTA LEFT MUN: BALD EAGLE T TOTAL LEN: 17.086 MI. DIST: 02-3 SR: 150 RIGHT MUN: BALD EAGLE 018 "DIA CIRC CONCR 0130/1535 LEN=0040 INSTALLED UNKN MILL HALL BALD EAGLE T 0130/0550 HOMESTEAD DR 0130/0392 (T383) PADOT STOCKPILE #09 RD0130/0131  $\mathbf{P} \oplus \mathbf{I}$ (APRA) PADOT STOCKPILE 1 0 00219 0 01 0305+51 (GOVT) 0130/0131 030503 FT 030503 FT BEECH CREEK AV (T379) LENGTH (AH 1985 BK 2437) == **6** 0130/0000 0120/2110 BMSEN 18/0150/0120/1895 0 00219 0 01 0300+40 BALD EAGLE CREEK 0120/1895 BMSBG 18/0150/0120/1895 "DIA' CIRC CONCR 024 0120/1385 LEN=0082 INSTALLED 1999 TO 2020/0010 SH 0120/1117 (CONN) CRYSTAL BEACH RD 0120/1007 (T377) LUSK RUN RD (SR2020 SEG 0010/0000) 0120/0935 0120/0935 024 "DIA CIRC CONCR INSTALLED 1999 0120/0933 LEN=0054 018 "DIA CIRC CONCR 0120/0685 LEN=0055 INSTALLED 1999 "DIA CIRC CONCR 0120/0394 LEN=0040 INSTALLED 1999 028066 FT 028066 FT 00219 0 0 01 0278+70 **5** 0120/0000 LENGTH (AH 2437 BK 2807) 0 1 B "DÍA CIRC CONCR 0110/2800 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 018 LEN=0055 INSTALLED UNKN 0110/2455 "DIA CIRC CONCR 018 0110/2169 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0110/1760 LEN=0040 INSTALLED 2000 015 "DIA CIRC CONCR LEN=0060 0110/1400 INSTALLED UNKN CRYSTAL BEACH RD == 0110/1341 (T377)WAGNERS LN (PRDR) 0110/0762 015 "DIA CIRC CONCR

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	) 2 3 ) 2 3 S L I	ROADWAY D COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 108 CLINTON
DIR: B TOTALLET MUN: BALD EAGLE	AL LEN:	17.08	6 MI.	DIST: RIGHT MUN: B	02-3 ALD EAGLE	SR: 150 T
	0 2 5 2 5 9	FT	-++-	0110/0441 025259 FT	015 "DIA	INSTALLED UNKN 9 O O1 O251+22 CIRC CONCR INSTALLED UNKN
CHARLIE DR (PRDR)	0100/	2029	==	<b>⊑</b> ■ 0110/0000	L ENGTH (A	INSTALLED UNKN H 2807 BK 2089)
ĻAUREL RUN RD			-+	0100/0700	0 1 8 " D I A L E N = 0 0 3 0	CIRC METAL INSTALLED 1997
(SR2019 SEG 0010/0000)	0100/	0657	=	0100/0633	015 "DIA	CIRC METAL INSTALLED UNKN CIRC CONCR INSTALLED UNKN
	023170	FT	-++-	0100/0133 023170 FT 5 0100/0000	1 0 0021 LENGTH (A 015 "DIA	9 0 01 0230+48 H 2089 BK 2606) CIRC CONCR
				0090/2322		INSTALLED UNKN /0150/0090/1607 9 0 01 0205+42
				0090/1607 0090/1269	BMSBG 18 018 "DIA	ON O 150 O 0 90 O 1607 CIRC CONCR INSTALLED UNKN CIRC CONCR
	020564	FΤ	-++-	0090/0873 0090/0546 020564 FT	LEN=0040 015 "DIA LEN=0040	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
			-+-	0090/0000 0080/2728	LENGTH (A 015 "DIA LEN=0030 015 "DIA	H 2606 BK 2796) CIRC CONCR INSTALLED UNKN CIRC CONCR
			-++-	0080/2480 0080/2398	0 1 5 " D I A L E N = 0 0 3 0	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
			-++-	0080/1724	BALD EAG BEECH CR	LE EEK T
1 0 00219 0 01 0177+60 MASDEN HOLLOW RD	017768	FT		017768 FT		


EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2	O 2 3 ROADWAY O 2 3 SLD COUNT	MANAGEM Y/SR – A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 107 CLINTON
DIR: B TOT LEFT MUN: BALD EAGLE	AL LEN: 17.08 T	6 MI.	DIST: RIGHT MUN: BA	02-3 LD EAGLE	S R: 150 T
(T336)	0080/0000	=	<b>5</b> 0080/0000	LENGTH (AH	l 2796 BK 2293)
			0070/1670	1 0 00219	0150/0070/1625
		RBR	0070/1624	P3 MASDEN RU BMSBG 18/	0150/0070/1625
		-++-	0070/1320	LEN=0040 015 "DIA	CIRC CONCR INSTALLED 2000 CIRC CONCR
	015475 FT	-++-	0070/0841 015475 FT	LEN=0040 1 0 00219	INSTALLED UNKN
ŢELEPHONE LN			<b>5</b> 0070/0000	LENGTH (AH	I 2293 BK 2566)
(T329)	0060/1706	==	0060/1694	0 1 8 " D I A L E N = 0 0 3 0	CIRC CONCR INSTALLED UNKN
		-++-	0060/1204	015 "DIA	CIRC CONCR INSTALLED UNKN
			0060/0345	LEN=0040	CIRC CONCR INSTALLED UNKN '0150/0060/0000
	012909 FT	$\prod$	012909 FT	1 0 00219 PETERS HO	0 01 0129+01 0LLOW
			<b>5</b> 0060/0000	LENGTH (AH	(0150/0060/0000   2566 BK 2523)
		-++-	0050/1410	LEN=0045	CIRC CONCR INSTALLED UNKN
HAAGEN LN		-++-	0050/1170	0 1 5 " D I A L E N = 0 0 4 5	CIRC CONCR INSTALLED UNKN
(T327)	0050/0589	==	0050/0570	015 "DIA LEN=0045	CIRC CONCR
	010386 FT		0050/0020 010386 FT	1 0 00219 TRIB TO B	IALD EAGLE CREE
		<b>+</b>	<b>5</b> 0050/0000	LENGTH (AH	(0150/0050/0000 I 2523 BK 2416)
		-++-	0040/1777	LEN=0030 015 "DIA	CIRC CONCR INSTALLED UNKN CIRC CONCR
		-++-	0040/1202	L E N = 0 0 3 0	INSTALLED UNKN

EXTRACT DATE: 12/1 PRINT DATE: 12/1	8/2023 ROADWAY 9/2023 SLD COUNT	MANAGEM Y/SR – A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 106 CLINTON
DIR: B LEFT MUN: BEECH CR	TOTAL LEN: 17.08 EEK T	6 MI.	DIST: RIGHT MUN: BE	02-3 EECH CREE	SR: 150 K T
			0040/1138	LEN=0030 015 "DIA	CIRC CONCR
	007970 FT		007970 FT	LENGTH (A MAPLE AV	A CIRC CONCR I INSTALLED UNKN AH 2416 BK 2212)
MASDEN LN		===	0030/1824 0030/1800 0030/1425	(T330) 018 "DIA LEN=0030 018 "DIA LEN=0040 LC TO MA	) INSTALLED UNKN CIR PLASTIC INSTALLED 2005
(T326)	0030/1375	==   ==	0030/1375	(CONN)	CIRC CONCR INSTALLED UNKN
		POI	0030/0350	LEN=0030 (APRA) T THE ULTR (PRDR) 018"H 00	) INSTALLED UNKN HF ULTRA GROUP
STONEHOUSE LN (TWP)	0030/0130 005758 FT	==	005758 FT	1 0 0021 LENGTH (A	9 0 01 0057+39 AH 2212 BK 2448) A CIRC CONCR
INDUSTRIAL BARK BD		==	0020/1942	BEVERLY (BORO) 01B "DIA	INSTALLED UNKN DR CIRC CONCR INSTALLED UNKN
INDUSTRIAL PARK RD (T598) GRAHAMS LN (TWP)	0020/1845 0020/1771	==		018 "DIA	
GRAHAMS LN (TWP)	0020/1005	=	0020/1639	LEN=0040 018 "DIA	CIRC CONCR
(	002071003	-++-	0020/0887	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A	CIRC CONCR INSTALLED UNKN CIRC CONCR

EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2	023 ROADWAY 023 SLD COUNT	MANAGEM Y/SR - A	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 105 CLINTON
DIR: B TOT LEFT MUN: BEECH CREEK	AL LEN: 17.08 T	66 MI.	DIST: 0 RIGHT MUN: BEE	)2-3 ECH CREEK	SR: 150 CT
	003310 FT	-++-	003310 FT 1 W	I	NSTALLED UNKN   0 01 0032+88
			NC EAG B	(T325) GLE VALLE BEECH CRE BEECH CRE	EK
		-+==	<b>⊡</b> 0020/0000 L	ENGTH (AH D15 "DIA	I 2448 BK 3310) CIRC CONCR
			0	EN = 0045 18 "DIA EN = 0085	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
PETERS AV (BORO)	0010/2538	==		) 15 "DIA	CIRC CONCR
		<b></b>	· K	(AY ST	INSTALLED UNKN
		-++-	0010/1947 L	(BORO) 18 "DIA EN=0080 AAPLE AV	CIRC CONCR INSTALLED UNKN
		==	0010/1630 (	(BORO) )48"H 48"	W ELLIP CONC
CHURCH ST (BORO) GRANT ST	0010/1320	==	5515,152,	. L N = 0 0 0 7	TROTALLED ONK
(BORO)	0010/1087	==	0 0010/0781 L	) 18 "DIA	CIR PLASTIC INSTALLED 1997
VESPER ST (BORO)	0010/0764	==  -	,		
		-++-	0010/0677 L	_ E N = 0 0 2 5 1   L L S T	CAST IRON INSTALLED UNKN
HARRISON ST (BORO)	0010/0369	==  ==	0010/0649 (	(BORO)	
MONUMENT OVISTON RD (SR2024 SEG 0060/1469)	0010/0206		0010/0149 B	3 M S E N 18/	0150/0010/0000
	000000 FT		000000 FT 1 NC MAI	I 0 00219 IN ST	00+00000+00
			<b>(</b> B	BEECH CRE	E VALLEY RD EG 0430/1820) EK 0150/0010/0000
			M	AFC BEGIN BK-CENTR	I = C

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE NUMBER: COUNTY: CLINTON ROADWAY MANAGEMENT SYSTEM 104 SLD COUNTY/SR - ANNUAL PRINT

DIR: B LEFT MUN: LEIDY T DIST: 02-3 RIGHT MUN: LEIDY T TOTAL LEN: 34.941 MI. SR: 144



EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 103 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: 144 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T 0740/1785 LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR 0740/1533 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0035 0740/1192 INSTALLED UNKN "DIA 018 CIRC CONCR 0740/0874 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 018 0740/0584 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 018 0740/0277 LEN=0040 INSTALLED 2005 179805 FT 179805 FT 0 00545 0 00 0407+03 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN 0740/0000 LENGTH (AH 2857 BK 1934) "DÍA CIRC CONCR 0 1 B 0730/1604 LEN=0044 INSTALLED UNKN O18 "DIA CIRC CONCR 0730/0815 LEN=0030 INSTALLED UNKN BMSEN 18/0144/0730/0389 0730/0410 0 00545 0 00 0391+73 ELM CAMP RUN BMSBG 18/0144/0730/0389 1 0 00545 0 00 0387+70 0730/0389 177871 FT 177871 FT 1 0 "DIA CIR PLASTIC INSTALLED 2005 LEN = 00350730/0000 LENGTH(AH 1934 BK 2891)
024 "DIA CIRC CONCR 0720/2302 LEN=0035 INSTALLED UNKN 024 "DIA CIRC CONCR 0720/2002 LEN = 0040INSTALLED UNKN "DIA 018 CIRC CONCR INSTALLED 2004 0720/1656 LEN=0040 "DIA 018 CIR PLASTIC 0720/1396 LEN=0048 INSTALLED UNKN "DIA CIRC CONCR 024 0720/1091 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0 1 B 0720/0803 LEN=0035 INSTALLED UNKN 018 "DIA CIRC CONCR 0720/0504 LEN = 0030INSTALLED UNKN "DIA 024 CIRC CONCR 0720/0253 LEN=0035 INSTALLED UNKN 174980 FT 174980 FT 00545 D 0 00 0358+77 **5** 0720/0000 LENGTH (AH 2891 BK 2625) "DÌA 018 CIR PLASTIC 0710/2488 LEN=0040 INSTALLED 2006 01B"H 36"W CONCR ARCH

0710/2199 LEN=0045 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 102 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: 144 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T "DIA 018 CIR PLASTIC 0710/1735 LEN=0040 INSTALLED 2006 "DIA CIR PLASTIC 0 1 B 0710/1434 LEN=0035 INSTALLED 2006 "DIA CIRC CONCR 0710/1124 LEN=0040 INSTALLED UNKN "DIA CIR PLASTIC 018 0710/0827 LEN=0036 INSTALLED UNKN 018 "DIA CIR PLASTIC 0710/0415 LEN=0040 INSTALLED UNKN "DIA CIRC METAL 018 0710/0228 LEN = 0035INSTALLED UNKN 172355 FT 172355 FT 00545 0 0 00 0332+52 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN **5** 0710/0000 LENGTH (AH 2625 BK 2274) "DÌA CIRC 018 CONCR 0700/1942 LEN=0045 INSTALLED UNKN "DIA 018 CIRC CONCR 0700/1632 LEN=0030 INSTALLED UNKN "DIA 018 CIRC CONCR 0700/1365 LEN=0044 INSTALLED UNKN 018 "DIA CIRC CONCR 0700/0995 LEN=0030 INSTALLED UNKN "DIA 018 CIRC CONCR 0700/0727 LEN = 0040INSTALLED UNKN "DIA 018 CIRC CONCR 0700/0440 LEN=0045 INSTALLED UNKN "DIA CIRC 018 METAL 0700/0196 LEN = 0040INSTALLED UNKN 170081 FT 170081 FT 1 0 00545 0 00 0309+62 LENGTH (AH **E** 0700/0000 2274 BK 2484) "DÌA 018 CIR PLASTIC 0690/2433 LEN = 0035INSTALLED 2006 "DIA 024 CIRC CONCR 0690/2250 LEN = 0038INSTALLED UNKN "DIA CIR PLASTIC 0690/1948 LEN=0035 INSTALLED 2006 "DIA CIR PLASTIC 0 1 B 0690/1648 LEN=0035 INSTALLED 2007 018 "DIA CIR PLASTIC 0690/1355 LEN=0035 INSTALLED 2007 "DIA 018 CIR PLASTIC 0690/1061 LEN=0040 INSTALLED UNKN "DIA CIR PLASTIC 018 0690/0804 LEN = 0043INSTALLED UNKN "DIA 018 CIR PLASTIC 0690/0553 LEN=0040 INSTALLED UNKN 018 "DIA

CIR PLASTIC

INSTALLED UNKN

0690/0307 LEN=0048

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 101 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: 144 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T "DIA CIR PLASTIC 0690/0053 LEN=0045 INSTALLED UNKN 167597 FT 00545 167597 FT 00 0284+58 n 0 **690/0000** LENGTH (AH 2484 "DÍA CIR PLASTIC 0680/2273 LEN = 0050INSTALLED UNKN "DIA CIR PLASTIC 018 LEN=0060 INSTALLED UNKN 0680/1858 "DIA 018 CIRC CONCR 0680/1658 LEN = 0050INSTALLED UNKN "DIA CIRC CONCR 018 0680/1383 LEN=0050 INSTALLED UNKN "DIA CIRC 018 CONCR LEN = 0070INSTALLED UNKN 0680/1050 018 "DIA CIRC CONCR 0680/0774 LEN=0050 INSTALLED UNKN "DIA 018 CIRC CONCR 0680/0436 LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR 0680/0133 LEN=0050 INSTALLED UNKN 165112 FT 0 00545 0 00 0259+73 165112 FT HAMMERSLEY FORK AV (T545) 0680/0000 E 0680/0000 LENGTH(AH 2485 BK 2993) == BMSEN 18/0144/0670/1865 1 0 00545 0 00 0248+60 0670/1972 HAMMERSLEY FORK 0670/1865 BMSBG 18/0144/0670/1865 HAMMERSLEY FORK AV (T545) 0670/1520 "DIA CIR PLASTIC 0670/1490 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR 0670/1040 LEN = 0055INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0670/0737 LEN=0035 "DIA 018 CIR PLASTIC 0670/0385 LEN=0065 INSTALLED UNKN "DIA CIRC CONCR 018 LEN=0060 INSTALLED UNKN 0670/0112 162119 FT 1 0 00545 162119 FT 0 00 0229+72 **E** 0670/0000 LENGTH (AH 2993 BK 2325) 012"H 18"W ELLIP METAL INSTALLED UNKN 0660/1761 LEN = 0070DAUGHERTY RUNSTRUCTURE LENGTH 0660/1302 BMSID 18/0144/0660/1302

"DIA CIRC CONCR

INSTALLED UNKN

0 1 5

0660/0820 LEN=0044

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE 100 ROADWAY MANAGEMENT SYSTEM NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: 144 DIST: 02-3 MUN: LEIDY T RIGHT MUN: LEIDY T "DIA CIRC CONCR 018 0660/0433 LEN=0040 INSTALLED UNKN "DIA CIR PLASTIC 0 1 5 0660/0317 LEN=0044 INSTALLED UNKN 159794 FT 159794 FT 00545 D 0 00 0206+47 0660/0000 LENGTH (AH 2325 BK 2778) 018 "DÍA CIRC CONCR 0650/2742 LEN=0060 INSTALLED UNKN "DIA CIRC CONCR 036 0650/2120 LEN=0046 INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0035 0650/1786 INSTALLED UNKN 018 "DIA CIRC CONCR 0650/1280 LEN=0055 INSTALLED UNKN 024 "DIA CIRC CONCR 0650/0900 LEN = 0.050INSTALLED UNKN "DIA CIRC CONCR 048 0650/0808 LEN=0070 INSTALLED UNKN INDIAN CAMP RUN STRUCTURE LENGTH 10 FT BMSID 18/0144/0650/0625 0650/0625 024 "DIA CIRC CONCR 0650/0305 LEN=0056 INSTALLED UNKN 157016 FT 157016 FT 1 0 00545 0 00 0178+70 "DIA CIR PLASTIC LEN=0058 INSTALLED UNKN 0650/0000 LENGTH(AH 2778 BK 2404) 0640/1828 LEN=0043 INSTALLED UNKN 018 "DIA CIR PLASTIC 0640/1496 LEN=0035 INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0060 0640/1188 INSTALLED UNKN "DIA 024 CIRC CONCR 0640/0875 LEN=0050 INSTALLED UNKN KETTLE CREEK RD (SR4001 SEG 0320/0775) 0640/0540 FOR SR 0144 AND 4001 = = 0640/0372 (CONN) BMSEN 18/0144/0640/0000 1 0 00545 0 00 0154+52 0640/0307 154612 FT 154612 FT KETTLE CREEK BMSBG 18/0144/0640/0000 LENGTH(AH 2404 BK 3374) 0640/0000 LENGTH (AH "DÌA 0 1 B CIR PLASTIC LEN=0025 0630/3014 INSTALLED UNKN "DIA CIR PLASTIC

018

INSTALLED 2007

018 "DIA CIR PLASTIC

0630/2642 LEN=0050

0600/0900 LEN=0042 INSTALLED UNKN

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	D 2 3 ROADWAY D 2 3 SLD COUNT	Y MANAGEM TY/SR – A	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 98 CLINTON
DIR: B LEFT MUN: LEIDY T	AL LEN: 34.94	41 MI.	RIGHT MUN: L	02-3 EIDY T	SR: 144
		-++-	0600/0552	0 2 4 " D I A L E N = 0 0 3 0 0 1 B " D I A	CIRC METAL INSTALLED UNKN CIR PLASTIC
	144258 FT	-++-	0600/0290 144258 FT	LEN=0030 1 0 0054 018 "DIA	INSTALLED
		-++-	<b>5</b> 0600/0000	L E N = 0 0 3 8 L E N G T H ( A   0 2 4 " D   A	INSTALLED UNKN
		-++-	0590/2113	LEN=0050 018 "DIA	INSTALLED UNKN CIRC METAL
		-++-	•	LEN=0038 018 "DIA	INSTALLED UNKN
		-++-	•	LEN=0040 018 "DIA	INSTALLED UNKN CIRC METAL
		-++-	0590/1143	LEN=0034 018 "DIA	INSTALLED UNKN CIRC METAL
		-++-	0590/0797	LEN=0044 024 "DIA	INSTALLED UNKN CIRC METAL
1 0 00545 0 00 0026+81 LIEDY VILLAGE RD	141797 FT	-++-	0590/0457 141797 FT	LEN=0035	Î N S TA L L E D UN KN
(PRDR)	0590/0000	==	<b>5</b> 0590/0000	LENGTH (A	H 2461 BK 2674)
		-++-	0580/1800	0 2 4 " D I A L E N = 0 0 3 9	CIRC METAL INSTALLED UNKN
RED HILL RD (T311)	0580/1158	==			
	139123 FT	-+	0580/0018 139123 FT	LEN=0060 1 0 0054	CIR PLASTIC INSTALLED 2022 5 0 00 0000+00
				STEWARD	HILL RD
		= =	<b>5</b> 0580/0000		H 2674 BK 1640)
		-++-	0570/0832	018 "DIA LEN=0075	CIR PLASTIC INSTALLED 2015
	137483 FT	-++-	0570/0220 137483 FT 5 0570/0000	1 0 0041	CIR PLASTIC INSTALLED 2011 0 0 00 0446+38 H 1640 BK 2053)
				012"H 18 LEN=0050	"W ELLIP METAL"
			•	018 "DIA LEN=0024	CIR PLASTIC INSTALLED 2003
RED HILL RD			2227,		

ES 0530/0000 LENGTH(AH 2211 BK 2493)

ROADWAY MANAGEMENT SYSTEM 96 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON 34.941 MI. SR: 144 DIST: 02-3 RIGHT MUN: LEIDY T "DIA CIR PLASTIC 0520/1997 LEN=0035 INSTALLED 2007 "DIA CIRC CONCR 0 1 B 0520/1638 LEN = 0034INSTALLED UNKN "DIA CIRC CONCR 0520/1312 LEN = 0038INSTALLED UNKN 024 "DIA CIR PLASTIC INSTALLED UNKN 0520/1106 LEN=0036 024 "DIA CIRC METAL 0520/0738 LEN=0032 INSTALLED UNKN "DIA CIR PLASTIC 0520/0114 LEN=0038 INSTALLED UNKN 00410 0 00 0327+02 125619 FT 1 0 "DIA CIRC METAL LEN=0035 INSTALLED UNKN LENGTH (AH 2493 BK 2590) 018 "DIA CIR PLASTIC **5** 0520/0000 0510/2415 LEN = 0030INSTALLED UNKN 012"H 18"W ELLIP METAL 0510/2219 LEN=0045 INSTALLED UNKN 024 "DIA CIRC CONCR 0510/2100 LEN = 0030INSTALLED UNKN "DIA 018 CIRC CONCR 0510/1728 LEN=0040 INSTALLED UNKN 024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN 0510/1578 "DIA CIRC CONCR 018 0510/1224 LEN=0034 INSTALLED UNKN "DIA CIRC CONCR 018 0510/0916 LEN=0036 INSTALLED UNKN "DIA CIRC CONCR 018 0510/0616 LEN = 0033INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0510/0317 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 0510/0016 LEN = 0040INSTALLED 1996 123029 FT 00410 1 0 0 00 0301+01 **5** 0510/0000 LENGTH (AH 2590 BK 2324) "DÌA CIRC CONCR 018 0500/2057 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 018 0500/1744 LEN = 0034INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0500/1555 LEN = 0034INSTALLED UNKN "DIA CIRC CONCR 018 0500/1140 LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR

DIR: LEFT TOTAL LEN: MUN: LEIDY T 125619 FT LC TO TAMARACK TOWER RD (CONN) 0520/0000 TAMARACK TOWER RD (FRST) 0510/2156 123029 FT

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023

PAGE

NUMBER:

018 "DIA CIRC CONCR

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: DIST: 02-3 144 MUN: LEIDY T RIGHT MUN: LEIDY T 0500/0841 LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR 0500/0452 LEN = 0030INSTALLED UNKN "DIA 036 CIRC CONCR LEN=0055 0500/0232 INSTALLED UNKN 00410 120705 FT 120705 FT Ω 0 00 0277+67 0500/0000 LENGTH (AH 2324 BK 2647) "DÌA CONCR CIRC 018 0490/2386 LEN = 0033INSTALLED UNKN 024 "DIA CIRC CONCR 0490/2040 LEN=0042 INSTALLED UNKN "DIA 018 CIRC CONCR 0490/1733 LEN=0040 INSTALLED UNKN "DIA CIR UNKNOWN 0490/1080 LEN = 0037INSTALLED UNKN "DIA 018 CIRC CONCR 0490/0830 LEN=0055 INSTALLED UNKN "DIA 024 CIRC CONCR 0490/0315 LEN=0038 INSTALLED UNKN 118058 FT 118058 FT 00410 0 00 0251+09 "DIA CIRC CONCR 018 LEN=0040 INSTALLED UNKŅ LENGTH(AH 2647 BK 2536) **53** 0490/0000 "DÌA CIRC CONCR 018 0480/2117 LEN=0040 INSTALLED UNKN BIG BASIN RD (FRST) 0480/1972 == "DIA CIRC CONCR 0480/1743 LEN=0036 INSTALLED UNKN "DIA CIRC CONCR 018 0480/1400 LEN=0046 INSTALLED UNKN CIRC CONCR "DIA 018 0480/0796 LEN = 0045INSTALLED UNKN 0 1 B "DIA CIRC CONCR 0480/0548 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 0480/0288 LEN=0055 INSTALLED UNKN 115522 FT 115522 FT 00410 1 0 0 00 0225+62 **E** 0480/0000 LENGTH (AH 2536 BK 2662) "DÌA CIRC CONCR 018 0470/2595 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 018 0470/2085 LEN = 0036INSTALLED UNKN "DIA 0 1 B CIRC CONCR LEN=0040 0470/1630 INSTALLED UNKN "DIA CIRC CONCR 018 0470/1281 LEN=0036 INSTALLED UNKN

ROADWAY MANAGEMENT SYSTEM

0440/1562 LEN=0035

INSTALLED UNKN

EXTRACT

DIR: LEFT

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE NUMBER: COUNTY: CLINTON ROADWAY MANAGEMENT SYSTEM SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT B MUN: NOYES T TOTAL LEN: 34.941 MI. DIST: 02-3 SR: 144 RIGHT MUN: NOYES T "DIA CIRC CONCR 018 0440/1207 LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR 0440/0855 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0440/0702 LEN=0045 INSTALLED UNKN "DIA 018 CIRC CONCR 0440/0363 105476 FT LEN = 0043INSTALLED UNKN 105476 FT 00410 0 00 0124+73 1 0 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN LENGTH (AH 2509 BK 2641) 01B "DIA CIRC CONCR **5** 0440/0000 0430/2322 LEN=0036 INSTALLED UNKN 018 "DIA CIR PLASTIC 0430/2004 LEN=0052 INSTALLED 2007 "DIA CIRC CONCR 018 0430/1706 LEN=0035 INSTALLED UNKN "DIA CIR PLASTIC 018 0430/1415 LEN=0036 INSTALLED UNKN QUARTER MILE RD (FRST) 0430/0787 "DIA CIRC CONCR 0430/0640 LEN=0035 INSTALLED UNKN BMSEN 18/0144/0430/0000 043070057 102835 FT 102835 FT 1 0 00410 0 00 0098+33 DRURY RUN BMSBG 18/0144/0430/0000 BMSBG 18/0144/0430/0000 BMSBG 18/0144/0430/0000 0 1 8 "DÍA CIRC CONCR 0422/2262 LEN = 0036INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0048 0422/2171 INSTALLED UNKN O18 "DIA CIRC CONCR 0422/1217 LEN=0042 INSTALLED UNKN 024 "DIA CIRC CONCR 0422/0550 LEN=0072 INSTALLED UNKN 100515 FT 100515 FT 1 0 00410 0 00 0075+13 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN **5** 0422/0000 LENGTH (AH 2320 BK 2495) 0 1 B "DÍA CIRC CONCR LEN=0040 0410/2210 INSTALLED UNKN "DIA CIRC CONCR 018 0410/1877 LEN=0040 INSTALLED UNKN

093017 FT

7384/0000 LTH AH 000100 BK 001282

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 9 1 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: DIST: 02-3 144 MUN: RENOVO RIGHT MUN: RENOVO INTER-AHD HURON AV (SR0120 SEG 0440/1650) B|RCH|ST (BORO) HURON AV 0380/1282 (SR0120 SEG 0440/1650) ÒĪB "DIA CIRC CONCR 0380/1238 LEN=0042 INSTALLED UNKN 0380/0936 BMSEN 18/0144/0380/0332 NC BIRCH ST RENOVO 0380/0639 SOUTH RENOVO B 2 0 18004 0 00 0918+98 W BR SUSQUEHANNA RIVER 0380/0332 BMSBG 18/0144/0380/0332 SUSQUEHANNA AV (BORO) 0380/0311 015 "DIA CIRC CONCR 0380/0282 LEN=0065 INSTALLED UNKN 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN 0380/0175 PINE ST (BORO) 2 0 18004 0 00 0917+46 0380/0170 091735 FT 091735 FT PENNSYLVANIA AV BORO) NC FOURTH ST == 🛌 0380/0000 LENGTH(AH 1282 BK 2253) 015 "DÍA CIRC CONCR 0370/2020 LEN=0034 INSTALLED UNKN THIRD ST 0370/1735 (BORO) "DIA CIRC CONCR 015 0370/1721 LEN = 0034INSTALLED UNKN 01B "DIA CIRC CONCR 0370/1496 LEN=0034 INSTALLED UNKN SECOND ST (BORO) 0370/1236 "ĎIA **018** CIRC CONCR 0370/1220 LEN = 0035INSTALLED UNKN 018 "DIA CIRC CONCR 0370/0783 LEN = 0035INSTALLED UNKN F | RST ST 0370/0739 (BORO) NC PENNSYLVANIA AV HALL ST 0370/0667 (T549)**SOUTH'RENOVO** 0370/0636 NOYES T

0	0
- 94	

PAGE NUMBER:

COUNTY: CLINTON

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 DIR: B TOTAL LEFT MUN: SOUTH RENOVO B 34.941 MI. DIST: 02-3 TOTAL LEN: SR: 144 RIGHT MUN: SOUTH RENOVO B PETES RUN STRUCTURE LENGTH 0370/0630 BMSID 18/0144/0370/0630 "DIA 018 CIRC CONCR LEN=0035 0370/0577 INSTALLED UNKN 024 "DIA CIRC CONCR 0370/0521 089482 FT LEN=0060 INSTALLED UNKN 089482 FT 2 0 18004 0 00 0896+62 LENGTH(AH 2253 BK 3401) **5** 0370/0000 "DÌA CIR PLASTIC 018 0360/3322 LEN=0042 INSTALLED UNKN PETES RUN RD (TWP 0360/3249 == "ĎIA 018 CIR PLASTIC 0360/2654 LEN = 0030INSTALLED 2010 "DIA 0 1 B CIR PLASTIC 0360/2265 LEN = 0040INSTALLED 2010 "DIA CIR PLASTIC 018 0360/1834 LEN=0040 INSTALLED 2010 "DIA 018 CIR PLASTIC 0360/1686 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 018 0360/1497 LEN=0040 INSTALLED 2011 "DIA CIR PLASTIC LEN=0045 0360/1322 INSTALLED UNKN "DIA 0 1 B CIR PLASTIC LEN=0045 0360/1084 INSTALLED UNKN 018 "DIA CIR PLASTIC 0360/0660 LEN=0042 INSTALLED UNKN 086081 FT 086081 FT 2 0 18004 0 00 0862+40 O18 "DIA CIRC METAL LEN=0035 INSTALLED UNKN **5** 0360/0000 LENGTH (AH 3401 BK 2393) "DÌA CIR PLASTIC 018 0350/2000 LEN=0045 INSTALLED UNKN MAPLE ST (TWP) 0350/1952 "DIA CIRC METAL 0 1 B 0350/1726 LEN=0035 INSTALLED UNKN FOLEY ST (T466) 0350/1463 "DIA CIRC METAL 0350/1192 LEN=0030 INSTALLED UNKN "DIA CIRC METAL 018 0350/0923 LEN=0042 INSTALLED UNKN KELLEY ST (T467) 0350/0706 018 "DIA CIR PLASTIC 0350/0660 LEN=0040 INSTALLED 2006

ROADWAY MANAGEMENT SYSTEM

SLD COUNTY/SR - ANNUAL PRINT

EXTRACT DATE: 12/ PRINT DATE: 12/	18/2023 ROADWAY 19/2023 SLD COUNT	MANAGEN Y/SR - /	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 89 CLINTON
DIR: B LEFT MUN: NOYES T		1 MI.	DIST: RIGHT MUN: NO	02-3	SR: 144
	083688 FT		0350/0394 0350/0177 083688 FT	LEN=0042 018 "DIA LEN=0048 2 0 18004 018 "DIA LEN=0036 LENGTH(AI	INSTALLED UNKN H 2393 RK 1417)
	082271 FT		0340/1046 0340/0746 0340/0250 082271 FT 0340/0000	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A L E N = 0 0 4 0 2 0 1 8 0 0 4	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN 4 0 00 0824+30 H 1417 BK 3409)
			0330/2591	LEN=0045	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN
BARNEY'S RUN RD (TWP )	0330/1180	==	•		
	078862 FT		0330/1145 0330/1015 0330/0635 0330/0260 078862 FT 0330/0000	LEN=0045 018 "DIA LEN=0050 018 "DIA LEN=0055 2 0 18004 LENGTH(AI	CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN CIR PLASTIC INSTALLED UNKN CIRC METAL INSTALLED UNKN CIRC METAL INSTALLED UNKN 4 0 00 0789+98 H 3409 BK 2540)
			0320/0495 0320/0140 0320/0025	018 "DIA LEN=0035 024"H 48" LEN=0045 018 "DIA LEN=0050 018 "DIA LEN=0050	
	076322 FT		076322 FT 5 0320/0000	2 0 18004 LENGTH (AI	4 0 00 0764+58 H 2540 BK 2428)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 TOTAL LEN: 34.941 MI.

ROADWAY MANAGEMENT SYSTEM

SLD COUNTY/SR - ANNUAL PRINT

DIST: 02-3 RIGHT MUN: NOYES T

073894 FT

DIR: LEFT

MUN: NOYES T

071444 FT

068987 FT

0310/2031 024 "DIA 0310/1444 LEN = 0035INSTALLED UNKN 024 "DIA 0310/1089 LEN = 0050INSTALLED UNKN 018 "DIA CIRC METAL LEN=0035 0310/0978 INSTALLED UNKN 024 "DIA CIRC METAL 0310/0653 LEN=0045 INSTALLED UNKN "DIA CIRC METAL 018 0310/0300 LEN=0045 INSTALLED UNKN 0310/0065 BMSEN 18/0144/0310/0000 073894 FT 2 0 18004 0 00 0740+30 HALLS RUN BMSBG 18/0144/0310/0000

BMSBG 18/0144/0310/0000

BMSBG 18/0144/0310/0000 018 "DIA CIRC METAL

CIRC METAL 018 "DIA 0300/0882 LEN=0040 INSTALLED UNKN "DIA CIRC METAL 018 0300/0579 LEN=0040 INSTALLED UNKN 0 1 B "DIA CIRC METAL 0300/0307 LEN = 0050INSTALLED UNKN 071444 FT 2 0 18004 0 00 0715+80 018 "DIA CIR PLASTIC

0300/1674 LEN=0040 INSTALLED UNKN

LEN=0035 INSTALLED UNKN **□** 0300/0000 LENGTH(AH 2450 BK 2457)

018 "DIA CIRC METAL 0290/1725 LEN=0040 INSTALLED UNKN

036 "DIA CIR PLASTIC 0290/0525 LEN = 0040INSTALLED 2012 068987 FT 2 0 18004 0 00 0691+25 018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN

E= 0290/0000 LENGTH(AH 2457 BK 2515)

0280/1226 BMSEN 18/0144/0280/1217 2 0 18004 0 00 0678+28 DRAKE RUN 0280/1217 BMSBG 18/0144/0280/1217

2666 BK 2332)

018 "DÍA CIR PLASTIC

PAGE

COUNTY:

**⊑** 0250/0000 LENGTH(AH

NUMBER:

CLINTON

TOTAL LEN: 34.941 MI. SR: 144 DIST: 02-3 MUN: NOYES T RIGHT MUN: NOYES T "DIA 018 CIR PLASTIC 0280/0675 LEN=0045 INSTALLED 2012 "DIA CIR PLASTIC 0 1 B 0280/0325 LEN = 0050INSTALLED 2012 066472 FT 066472 FT 2 0 18004 0 00 0666+06 018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2012 LENGTH (AH 2515 BK 2616) **E** 0280/0000 "DÌA CIRC METAL 018 0270/2025 LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL 0270/1612 LEN=0035 INSTALLED UNKN 018 "DIA CIRC METAL 0270/0914 LEN=0040 INSTALLED UNKN 01B "DIA CIR PLASTIC 0270/0573 LEN=0035 INSTALLED 2012 063856 FT 063856 FT 2 0 18004 0 00 0639+81 "DIA CIRC METAL 036 LEN=0040 INSTALLED UNKN **5** 0270/0000 LENGTH (AH 2616 BK 2295) "DÌA CIRC METAL 0 1 5 0260/2135 LEN=0055 INSTALLED UNKN "DIA CIRC METAL 018 LEN=0035 0260/1699 INSTALLED UNKN "DIA CIRC METAL 018 0260/1065 LEN=0045 INSTALLED UNKN 018 "DIA CIRC METAL 0260/0821 LEN=0045 INSTALLED UNKN "DIA 018 CIR PLASTIC 0260/0426 LEN = 0040INSTALLED 2012 061561 FT 061561 FT 2 0 18004 0 00 0616+78 **5** 0260/0000 LENGTH (AH 2295 BK 2666) 018 "DÌA CIRC METAL 0250/2084 LEN = 0035INSTALLED UNKN "DIA CIR PLASTIC 0250/1484 LEN=0040 INSTALLED 2012 "DIA CIRC METAL 018 0250/1180 LEN=0035 INSTALLED UNKN "DIA 018 CIR PLASTIC 0250/0826 LEN=0050 INSTALLED UNKN "DIA CIR PLASTIC 018 0250/0715 LEN=0040 INSTALLED 2012 "DIA CIRC METAL 018 0250/0175 LEN=0035 INSTALLED UNKN 18004 058895 FT 058895 FT 2 0 0 00 0590+02

ROADWAY MANAGEMENT SYSTEM

SLD COUNTY/SR - ANNUAL PRINT

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023

DIR: LEFT

"DÍA

LEN=0050

01B "DIA

CIR

PLASTIC

INSTALLED UNKN

INSTALLED UNKN

CIR PLASTIC

018

0210/1890 LEN=0050

0210/2167

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM EXTRACT SLD COUNTY/SR - ANNUAL PRINT

TOTAL LEN:

34.941 MI.

DIR: LEFT MUN: NOYES T

056563 FT

053945 FT

051468 FT

PAGE

0180/0989 LEN=0040

NUMBER:

INSTALLED 2010

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. SR: 144 DIST: 02-3 MUN: NOYES T RIGHT MUN: NOYES T CIR PLASTIC "DIA 0210/1133 LEN=0040 INSTALLED UNKN "DIA 018 CIR PLASTIC 0210/0581 LEN = 0050INSTALLED UNKN "DIA 018 CIRC METAL 0210/0077 LEN = 0.050INSTALLED UNKN 049103 FT 049103 FT 2 0 18004 0 00 0491+74 LENGTH (AH **5** 0210/0000 2365 BK 2601) "DÌA CIR PLASTIC 018 0200/2070 LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC 0200/0938 LEN=0040 INSTALLED 2018 "DIA CIR PLASTIC 0200/0313 LEN=0060 INSTALLED UNKN 2 0 18004 0 00 0465+64 046502 FT 046502 FT **E** 0200/0000 LENGTH (AH 2601 BK 2569) "DÌA CIRC METAL 018 0190/2517 LEN=0060 INSTALLED UNKN BARNEY'S RIDGE RD 0190/1927 (FRST) PETE'S RUN RD 0190/1878 (FRST) \_ " Ď I A 0 1 B CIR PLASTIC 0190/1480 LEN=0034 INSTALLED UNKN "DIA CIR PLASTIC 018 0190/0907 LEN=0060 INSTALLED UNKN BEECH CREEK RD 0190/0554 (FRST) == 2 0 043933 FT 043933 FT 18004 0 0 0 0439 + 85**5** 0190/0000 LENGTH (AH 2569 BK 2584) BEECH CREEK RD == 0180/2466 (FRST) "ĎIA CIR PLASTIC 0180/2160 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 0 1 B LEN=0040 0180/1748 INSTALLED 2010 018 "DIA CIR PLASTIC 0180/1652 LEN=0035 INSTALLED 2010 "DIA 018 CIR PLASTIC LEN=0035 0180/1514 INSTALLED 2010 "DIA CIR PLASTIC 018 0180/1412 LEN = 0040INSTALLED 2010 "DIA 018 CIR PLASTIC 0180/1246 LEN=0040 INSTALLED 2010 01B "DIA CIR PLASTIC

ROADWAY MANAGEMENT SYSTEM

EXTRACT DATE: 12/ PRINT DATE: 12/	18/2023 ROADWAY 19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: CLINTON	8 4
DIR: B LEFT MUN: NOYES T	TOTAL LEN: 34.94	1 MI.	RIGHT MUN: NO	02-3 YES T	SR: 144	
		-++-	0180/0783	0 1 8 " D I A L E N = 0 0 4 0	CIR PLAST INSTALLED	I C 2 O 1 D
	041349 FT	-++-	0180/0043 041349 FT 5 0180/0000	LEN=0040 2 0 18004	CIR PLAST INSTALLED 4 0 00 041 1 2584 BK	2 0 1 0 3 + 9 2
			0170/1682 0170/1202	LEN=0040 018 "DIA	CIR PLASTINSTALLEDCIR PLASTINSTALLED	2010 IC
CHUCK KEIPER TR (FRST)	0170/0457	= = = = =	0170/0457	SWAMP BRA (FRST) 018 "DIA	ANCH RD CIR PLAST	ıc
	039016 FT	-++-	0170/0134 039016 FT 5 0170/0000	LEN=0040 2 0 18004 LENGTH(AF	NSTALLED   0 00 039   2333 BK	2010 0+50 2659)
			0160/2274 0160/1974	LEN=0035 018 "DIA	CIRC CONCINSTALLED CIRC CONCINSTALLED	UNKN R
			0160/15/4	018 "DIA	CIRC CONC INSTALLED CIRC CONC	R UNKN
			0160/1415 0160/1066	LEN=0040 018 "DIA	INSTALLED CIRC CONC INSTALLED	UNKN R
		-++-	•	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A	CIRC CONC INSTALLED CIRC META	R UNKN L
			0160/0525 0160/0199	LEN=0040 018 "DIA LEN=0035	INSTALLED CIRC META INSTALLED	UNKN
	036357 FT	-++-	0160/0154 036357 FT 5 0160/0000	015 "DIA LEN=0060 2 0 18004 LENGTH(AF	CIRC META INSTALLED 4 0 00 036 1 2659 BK	UNKN 3+82 1461)
		-++-	0150/1196	0 1 8 " D I A L E N = 0 0 4 0	CIR PLAST INSTALLED	2010
	034896 FT		034896 FT	018 "DIA LEN=0040	CIR PLAST	1 C 2 O 1 O
			<b>23</b> 0 100 7 000 0	22110111(A)		_ + 0 0 )

018 "DIA CIR PLASTIC

018 "DIA

LEN = 0035

ĸc= 0110/0000 LENGTH(AH 2402 BK 2488)

2 0

0110/0305

025110 FT

CIR PLASTIC INSTALLED 2010

18004 0 00 0250+74

018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2010

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: B LEFT MUN: NOYES T TOTAL LEN: 34.941 MI. DIST: 02-3 SR: 144 RIGHT MUN: NOYES T 0140/1528 LEN=0035 INSTALLED 2010 018 "DIA CIR PLASTIC 0140/1016 LEN=0040 INSTALLED 2010 "DIA 018 CIR PLASTIC 0140/0418 LEN=0040 INSTALLED 2010 032443 FT 032443 FT 2 0 18004 0 00 0324+54 **5** 0140/0000 LENGTH (AH 2453 BK 24 018 "DIA CIR PLASTIC BK 2480) 0130/2313 LEN=0035 INSTALLED 2010 "DIA CIR PLASTIC 0130/1332 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 0130/0672 LEN=0035 INSTALLED 2010 029963 FT 029963 FT 2 0 18004 0 0.0 0299+64 **E** 0130/0000 LENGTH (AH 2480 BK 2451) 018 "DÍA CIR PLASTIC 0120/2214 LEN=0050 INSTALLED 2010 NOYES 0120/2050 BEECH CREEK T "DIA CIR PLASTIC 018 0120/1795 LEN=0060 INSTALLED 2010 PENROSE RD 0120/1262 (FRST) == PENROSE RD == 0120/1204 (FRST) Ò18 "DIA CIR PLASTIC 0120/0732 LEN=0035 INSTALLED 2010 "DIA CIR PLASTIC 018 0120/0208 LEN=0035 INSTALLED 2010 027512 FT 2 0 027512 FT 18004 0 00 0274+72 "DIA CIR PLASTIC 018 LEN=0035 INSTALLED 2010 E 0120/0000 LENGTH (AH 2451 BK 2402) "DIA CIR PLASTIC 0110/0550 LEN = 0035INSTALLED 2010

025110 FT

INSTALLED 2012

PAGE NUMBER:

0070/0593 LEN=0040

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 34.941 MI. DIST: 02-3 SR: 144 MUN: BEECH CREEK T RIGHT MUN: BEECH CREEK T "DIA CIR PLASTIC 018 0100/2146 LEN=0045 INSTALLED UNKN "DIA CIR PLASTIC 0 1 B 0100/1898 LEN=0040 INSTALLED 2010 "DIA 0100/1680 LEN = 0040INSTALLED 2010 018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2010 0100/1384 018 "DIA CIR PLASTIC 0100/0852 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 018 0100/0604 LEN=0040 INSTALLED 2010 "DIA CIR PLASTIC 0100/0265 LEN = 0045INSTALLED 2010 022622 FT 022622 FT 2 0 18004 0 00 0225+89 "DIA CIR PLASTIC LEN=0040 INSTALLED 2010 LENGTH (AH 2488 BK 2626) HICKS RD **5** 0100/0000 JEWS RUN RD (FRST) 0090/2465 0090/2465 (FRST) == "DIA 018 CIR PLASTIC 0090/0819 LEN = 0040INSTALLED 2012 "DIA CIR PLASTIC 018 0090/0415 LEN=0040 INSTALLED UNKN 019996 FT 2 0 18004 019996 FT 0 00 0199+67 E 0090/0000 LENGTH (AH 2626 BK 2495) 024 "DIA CIRC METAL LEN=0050 0080/1477 INSTALLED UNKN 018 "DIA CIRC METAL 0080/0844 LEN=0040 INSTALLED 2004 017501 FT 017501 FT 0 18004 0 00 0174+76 LENGTH (AH 2495 BK 2500) **E** 0080/0000 018 "DÍA CIR PLASTIC 0070/2230 LEN=0040 INSTALLED 2012 "DIA 018 CIR PLASTIC 0070/1866 LEN=0040 INSTALLED 2012 "DIA CIRC METAL 0070/1434 LEN=0035 INSTALLED UNKN "DIA 018 CIRC METAL 0070/1008 LEN=0035 INSTALLED UNKN 024 "DIA CIR PLASTIC

ROADWAY MANAGEMENT SYSTEM

EXTRACT DATE: 12/18 PRINT DATE: 12/19	/2023 ROADWA /2023 SLD COUN	Y MANAGEM TY/SR - A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: CLINTON	8 1
DIR: B LEFT MUN: BEECH CRE	DTAL LEN: 34.9 EK T	41 MI.	RIGHT MUN: BI	02-3 EECH CREE	SR: 144 K T	
	015001 FT	-+-	0070/0098 015001 FT 0070/0000 0060/2326	0 1 8 " D I A L E N = 0 0 4 0 2 0 1 8 0 0 L E N G T H ( A 0 1 8 " D I A L E N = 0 0 3 5	H 2500 BK 2 CIR PLASTI INSTALLED	UNKN 9+79 2557) C 2012
		-+	0060/1762 0060/1435 0060/1151	0 1 8 " D I A L E N = 0 0 4 0 0 1 8 " D I A L E N = 0 0 4 5 0 1 8 " D I A L E N = 0 0 4 0	CIRC METAL INSTALLED CIR PLASTI INSTALLED CIR PLASTI INSTALLED	U N K N C U N K N C 2 0 1 2
	012444 FT	-++-	0060/0585 0060/0320 012444 FT	0 1 B " D I A L E N = 0 0 4 0 0 1 B " D I A L E N = 0 0 3 5 2 0 1 B 0 0 0 1 B " D I A L E N = 0 0 3 5	CIR PLASTI INSTALLED	2012 C 2012 +26 C
		-++-	0060/0000 0050/2073 0050/1667	LENGTH (A) 018 "DIA LEN=0040 018 "DIA		2466)  C  2012  C  2012
		 	0050/1257 0050/0881 0050/0497 0050/0340	LEN=0040 018 "DIA LEN=0040 018 "DIA LEN=0040 DEHASS R (FRST)	INSTALLED CIR PLASTI INSTALLED CIR PLASTI INSTALLED D	C 2012 C
	009978 FT		0050/0201 009978 FT 0050/0000 0040/2383	0 1 8 " D I A L E N = 0 0 4 0 2 0 1 8 0 0 L E N G T H ( A I 0 1 8 " D I A L E N = 0 0 4 0	H 2466 BK 2 CIRC METAL INSTALLED	2012 9+63 2658)
		-++- -++-	0040/1820	018 "DIA	CIRC METAL INSTALLED CIR PLASTI INSTALLED CIR PLASTI INSTALLED CIR PLASTI	UNKN C 2012 C 2012
FISHER FIRE RD (FRST)	0040/1047	==	0040/1181	L E N = 0 0 4 0 0 1 B " D I A L E N = 0 0 4 0		2012 C 2012

BK-CENTRE (14)

BM-CENTRE (14)

DIR: B TOTAL LEN: 49.479 MI. LEFT MUN: CASTANEA T DIST: 02-3 SR: 120 RIGHT MUN: CASTANEA T

PAUL MACK BL (SR2012 SEG 0015/0000) 261215 FT INTER-AHD 1081/0702

 $\Box$ 

261251 FT INTER-AHD PAUL MACK BL 1080/0702 (SR2012 SEG 0014/0000) LR 1044

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT SR: TOTAL LEN: 49.479 MI. DIST: 02-3 120 MUN: CASTANEA RIGHT MUN: CASTANEA T 1080/0680 OP ID 18/0220/0171/0469 OP ID 18/0220/0171/0469 1081/0680 018 "DIA CIRC CONCR 1080/0634 LEN=0075 INSTALLED UNKN 1080/0550 MFC BEGIN = DTO 8005/0250 SH FROM 8005/0500 SH (CONN) 1081/0401 1080/0401 (CONN) Ò18 "ĎIA CIRC CONCR LEN=0060 INSTALLED UNKN 1081/0325 O18 "DIA CIRC CONCR 1080/0281 LEN=0050 INSTALLED UNKN RAMP F RD (SR8005 SEG 0500/0669) 1081/0227 RAMP E RD (SR8005 SEG 0250/0000) CASTANEA CASTANEA LOCK HAVEN C 1081/0033 1080/0033 LOCK HAVEN C 0 00058 8 00 0024+00 260513 FT 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 260549 FT 0 00058 8 00 0024+00 LENGTH (AH LENGTH (AH 0702 BK 1624) 1081/0000 1080/0000 0702 BK 1658) SIGN: 3 CHORD TRUSS SIGN: 3 CHORD TRUSS BMSID 18/0120/1070/1428 1070/1428 BMSID 18/0120/1070/1428 1071/1428 018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN 1071/1186 BMSEN 18/0120/1070/1023 0 0 00000 0 00 0000+00 BMSEN 18/0120/1071/1023 1071/1176 1070/1176 0 00058 8 00 0034+05 NITTANY & BALD EAGLE RR NITTANY & BALD EAGLE RR BMSBG 18/0120/1071/1023 1071/1023 1070/1023 BMSBG 18/0120/1070/1023 018 "DIA CIRC CONCR INSTALLED UNKN LEN=0040 1071/1000 SIGN: 3 CHORD TRUSS SIGN: 3 CHORD TRUSS BMSID 18/0120/1070/0830 1071/0804 BMSID 18/0120/1070/0830 1070/0830 RAMP A RD (SR8012 SEG 0760/1165) 1070/0716 RAMP B RD (SR8012 SEG 0500/0000) 1071/0647 Ò 18 "DIA CIRC CONCR INSTALLED UNKN LEN=0040 1071/0431 (SR8012 SEG 0750/0000) 1070/0368 SIGN: 3 CHORD TRUSS SIGN: 3 CHORD TRUSS BMSID 18/0120/1070/0260 1071/0260 1070/0260 BMSID 18/0120/1070/0260 BMSEN 18/0120/1070/0000 1071/0108 1070/0108 BMSEN 18/0120/1070/0000 0 00058 8 00 0034+05 258889 FT 258891 FT 0 00058 8 00 0034+05 WALNUT ST WALNUT ST BMSBG 18/0120/1070/0000 LENGTH(AH 1658 BK 1137) BMSBG 18/0120/1070/0000 1071/0000 LENGTH (AH 1624 BK 1135) **[]** 1070/0000 BMSEN 18/0120/1060/0702 1 0 00058 8 00 0036+70 BMSEN 18/0120/1060/0702 1 0 00058 8 00 0036+70 1060/0870 1061/0870 NORFOLK SOUTHERN RAI RR NORFOLK SOUTHERN RAI RR

```
TRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                                                                     77
 EXTRACT
                                ROADWAY MANAGEMENT SYSTEM
                                                                    PAGE
                                                                         NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                 COUNTY:
                                                                         CLINTON
 DIR:
                     TOTAL LEN:
                                   49.479 MI.
                                                         DIST: 02-3
                                                                          SR:
                                                                               120
 LEFT
      MUN: LOCK HAVEN C
                                                 RIGHT MUN: LOCK HAVEN
BMSBG 18/0120/1060/0702 1061/0702
                                                     1060/0702 BMSBG 18/0120/1060/0702
 SIGN: 3 CHORD TRUSS
                                                                 SIGN: 3 CHORD TRUSS
BMSID 18/0120/1060/0554
                                                     1060/0554
                                                                BMSID 18/0120/1060/0554
                          1061/0565
BMSEN 18/0120/1060/0352 1061/0437
                                                     1060/0437
                                                                BMSEN 18/0120/1060/0352
  0 00058 8 00 0041+00
                                                                  0 00058 8 00 0041+00
BALD EAGLE STREET
                                                                BALD EAGLE STREET
BMSBG 18/0120/1060/0352 1061/0352
1 0 00058 8 00 0045+41 257754 FT
                                                               BMSBG 18/0120/1060/0352
1 0 00058 8 00 0045+41
                                                     1060/0352
                                                    257754 FT 1
                                                          NC PAUL MACK BL
     NC PAUL MACK BL
CHURCH ST
                                                                CHURCH ST
(SR0150 SEG 0240/0000)
                                                                (SRO150 SEG 0240/0000)
                                               ÒÒ
                                          100001
MFC BEGIN = C
                                                                    BEGIN = C
                                                  1060/0000
LENGTH (AH 1135 BK 0402) 1061/0000
                                                                LENGTH (AH 1137 BK 0402)
                                                                   "DÌA CIR PLASTIC
                                                                018
                                                     1050/0215
                                                               LEN=0012 INSTALLED UNKN
                                                                WILLARDS AL
                                                                (CITY)
                                                     1050/0203
                                                                   "DIA CIR PLASTIC
                                                                018
                                                     1050/0021
                                                                LEN=0016 INSTALLED UNKN
                          257352 FT
                                                     257352 FT
                                                               1 0 00058 8 00 0049+45
                                                                MAIN ST
                                                                (SR0150 SEG 0241/0000)
                                         80
                                                  1050/0000
                                                               LENGTH (AH 0402 BK 0394)
                                                                OIB "DIA CIR PLASTIC
                                                     1040/0383
                                                               LEN=0028 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                     1040/0217 LEN=0015 INSTALLED UNKN
                                                                JORDON ST
                                                                (CITY)
                                                     1040/0198
                                                                   ` " Ď I A
                                                                          CIRC CONCR
                                                                015
                                                     1040/0188
                                                               LEN = 0020
                                                                          INSTALLED UNKN
                                                                036 "DIA
                                                                          CIRC CONCR
                                                     1040/0045
                                                               LEN = 0100
                                                                          INSTALLED UNKN
  0 00023 0 00 0000+00 256958 FT
                                                     256958 FT
WATER ST
(CITY)
JAY SÍ
                                                          NC JAY ST
                                         (SR0664 SEG 0010/0000)
                           1040/0000
                                                  ES 1040/0000 LENGTH (AH 0394 BK 2624)
                                                                UNNAMED AL
                                                     1030/2409
                                                                (CITY)
                                                                Ò 15 "DIA CIRC CONCR
                                                               LEN=0030
                                                                         INSTALLED UNKN
                                                     1030/2237
                                                                GROVE ST
                                                                (CITY)
                                                     1030/2189
                                                                004 "DIA CIR PLASTIC
                                                               LEN=0030 INSTALLED UNKN
```

1030/1945

FALLON AL

76

PAGE

NUMBER:

ROADWAY MANAGEMENT SYSTEM

EXTRACT

MUN: LOCK HAVEN C

DIR: LEFT

```
EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023
                                ROADWAY MANAGEMENT SYSTEM
                                                                                    7 5
                                                                   PAGE
                                                                        NUMBER:
                              SLD COUNTY/SR - ANNUAL PRINT
                                                                COUNTY: CLINTON
 DIR:
LEFT
                     TOTAL LEN:
                                  49.479 MI.
                                                        DIST: 02-3
                                                                         SR:
                                                                              120
      MUN: LOCK HAVEN C
                                                RIGHT MUN: LOCK HAVEN
                                                 E 1020/0000 LENGTH (AH 1753 BK 1209)
                                                               MAIN SÌ
                                            ==
                                                               (CITY)
CHURCH ST
                                                    1010/0938
                                            ==
                                                    1010/0598
                                                               (CITY)
                                                                AAR 526909H)#TRKS 01
                                                    1010/0550
                                         RAILROAD ST
                                            ==
                                                    1010/0504
251372 FT
                                                                CITY
                         251372 FT
                                                                 0 00105 0
                                                                            04 2531+14
                                                               FAIRVIEW ST
                                                               (SR1024 SEG 0010/3424)
                                                         NC WATER ST
                                                               WATER ST
                                         99
                                                               (CITY)
                                                 1010/0000
                                                               LENGTH (AH 1209 BK 2071)
                                                                  "DÌA
                                                               018
                                                                        CIRC CONCR
                                                    1000/1822 LEN=0030
                                                                         INSTALLED UNKN
                                                                  "DIA
                                                               072
                                                                        CIRC CONCR
                                                    1000/1729 LEN=0050 INSTALLED UNKN
                                                               LOCK HAVEN UNIVERSITY
                                                    1000/1630
                                                               (CITY)
                                            ==
                                                               ÒÌB "DIA CIRC CONCR
                                                               LEN=0030 INSTALLED UNKN
                                                    1000/1460
                                                               LOCK HAVEN UNIVERSITY
                                            ==
                                                    1000/1265
                                                               (CITY)
                                                                   "DIA
                                                               Ò 1 B
                                                                         CIRC
                                                    1000/1228
                                                              LEN = 0030
                                                                        INSTALLED UNKN
                                                                  "DIA
                                                                        CIRC CONCR
                                                               018
                                                    1000/0920 LEN=0030
                                                                         INSTALLED UNKN
                         249301 FT
                                                    249301 FT
                                                                 0 00105 0 04 2510+46
                                                               HILL ST
                                                               (SR2020 SEG 0080/0383)
                                                               LENGTH (AH 2071 BK 0876)
                                                 1000/0000
                                                                   "DÍA
                                                                        CIRC
                                                               036
                                                    0990/0789
                                                               LEN=0200
                                                                         INSTALLED UNKN
                                                                   "DIA
                                                                         CIRC CONCR
                                                               0 1 B
                                                               LEN=0030
                                                    0990/0565
                                                                         INSTALLED UNKN
                         248425 FT
                                                    248425 FT
                                                              1 D
                                                                   00105 0 04 2501+70
                                                                   "DIA CIRC CONCR
                                                               018
                                                               LEN=0030 INSTALLED UNKN
                                                         NC SUSQUEHANNA AV
                                                 □ 0990/0000 LENGTH(AH 0876 BK 1850)
ARMENTA DR
(TWP)
                          0980/1704
                                                               018 "DIA CIRC CONCR
                                                    0980/1634 LEN=0030
                                                                        INSTALLED UNKN
```

EXTRACT DATE: 12 PRINT DATE: 12	1/18/2023 ROADWAY 1/19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 74 CLINTON
DIR: B LEFT MUN: LOCK H	TOTAL LEN: 49.47 IAVEN C	9 MI.	DIST: RIGHT MUN: LO	02-3 OCK HAVEN	S R: 120 C
ARMENTA DR			0980/0920 0980/0435	LEN=0030 SUGAR RUN	CIRC CONCR INSTALLED 2002 N RD SEG 0230/1908)
(TWP)	0980/0392 246575 FT	==	0980/0185 246575 FT	LOCK HAVE ALLISON 1 1 0 00105 SUGAR RUN STRUCTURE	T 5
		>   <	<b>5</b> 0980/0000	LENGTH (AF	/0120/0980/0000 H 1850 BK 2572)
			0970/1634 0970/1446 0970/1146	0 1 B " D I A L E N = 0 0 6 0 0 1 B " D I A L E N = 0 0 6 0 0 1 B " D I A L E N = 0 0 5 6	CIRC CONCR INSTALLED 2000 CIRC CONCR INSTALLED 2000 CIRC CONCR INSTALLED 2000
	244003 FT		0970/0481 244003 FT 0970/0000 0960/2741	1 0 00105 LENGTH (AF 015 "DIA LEN=0072	1 2572 BK 2741) CIRC CONCR INSTALLED 2000
		===	0960/2328 0960/1829 0960/1545	0 1 5 "D   A LEN=0072 SULLIVAN (T393) 048 "D   A LEN=0061	CIRC CONCR INSTALLED 2000 RUN RD CIRC CONCR INSTALLED 2003
	241262 FT	=++=	0960/0867 0960/0443 241262 FT	015 "DIA LEN=0044 1 0 00105 015 "DIA	CIRC CONCR
			0960/0000 0950/2056 0950/1829 0950/1571	L E N = 0 0 7 2 L E N G T H ( A H 0 1 5 " D I A L E N = 0 0 6 0 0 1 8 " D I A L E N = 0 0 6 4 0 1 5 " D I A L E N = 0 0 5 2 0 1 5 " D I A	INSTALLED 2000 1 2741 BK 2399) CIRC CONCR INSTALLED 2000 CIRC CONCR INSTALLED 2000 CIRC CONCR INSTALLED 2000 CIRC CONCR INSTALLED 2000 CIRC CONCR

015 "DIA CIRC CONCR

0920/1548 LEN=0061 INSTALLED 2000

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: 120 DIST: 02-3 MUN: ALLISON RIGHT MUN: ALLISON T 0950/1329 LEN=0056 INSTALLED 2000 036"H 60"W CON BOX CUL 0950/0956 LEN=0050 INSTALLED "DIA 018 CIRC CONCR 0950/0627 LEN=0052 INSTALLED 2000 "DIA 0 1 5 CIRC CONCR 0950/0343 LEN = 0052INSTALLED 2000 238863 FT 238863 FT 00105 0 03 2405+43 1 ۵ "DIA CIRC CONCR 0 1 5 LEN=0056 INSTALLED 2000 E 0950/0000 LENGTH(AH 2399 BK 2113) 024 "DÍA CIRC CONCR LEN=0064 INSTALLED 2000 0940/1799 ALLISON BALD EAGLE 0940/1489 015 "DIA CIRC CONCR 0940/1288 LEN = 0056INSTALLED 2000 "DIA CIRC CONCR 0 1 5 0940/1175 LEN = 0052INSTALLED 2000 "DIA 0 1 5 CIRC CONCR 0940/0776 LEN=0052 INSTALLED 2000 "DIA CIRC CONCR 0 1 5 0940/0479 LEN=0056 INSTALLED 2000 "DIA CIRC CONCR 0 1 5 0940/0233 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0940/0144 LEN = 0040INSTALLED 2000 "DIA CIRC CONCR 018 0940/0003 LEN=0048 INSTALLED 2000 236750 FT 236750 FT 1 0 00105 0 03 2384+30 □ 0940/0000 LENGTH(AH 2113 BK 2963) 024 "DIA CIRC CONCR 0930/2159 LEN=0096 INSTALLED 2000 "DIA CIRC CONCR 0930/0862 LEN=0080 INSTALLED 2000 "DIA 0 1 5 CIRC CONCR 0930/0611 LEN = 0040INSTALLED UNKN "DIA 024 CIRC CONCR 0930/0294 LEN = 0068INSTALLED 2000 233787 FT 233787 FT 00105 0 03 2354+85 0 "DIA CIRC CONCR LEN=0056 INSTALLED 2000 **53** 0930/0000 LENGTH(AH 2963 BK 2346)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT

TOTAL LEN: 49.479 MI.

DIR: LEFT DIST: 02-3 SR: 120
RIGHT MUN: BALD EAGLE T

PAGE NUMBER:

COUNTY: CLINTON

MUN: BALD EAGLE T "DIA CIRC CONCR 030 0920/1421 LEN=0061 INSTALLED 2000 "DIA CIRC CONCR 018 0920/0838 LEN = 0056INSTALLED 2000 024 "DIA CIRC CONCR 0920/0709 LEN = 0056INSTALLED 2000 024 "DIA CIRC CONCR LEN=0056 INSTALLED 2000 0920/0295 231441 FT 231441 FT 00105 0 03 2331+39 1 0 "DIA CIRC CONCR INSTALLED 2000 LEN=0040 **5** 0920/0000 LENGTH (AH 2346 BK 2343) "DÎA CIRC CONCR 0 1 5 LEN = 00480910/2003 INSTALLED 2000 0 1 5 "DIA CIRC CONCR 0910/1824 LEN = 0064INSTALLED 2000 "DIA CIRC CONCR 0 1 5 LEN=0064 0910/1663 INSTALLED 2000 015 "DIA CIRC CONCR 0910/1275 LEN=0053 INSTALLED 2000 "DIA CIRC CONCR 0910/0197 LEN = 0.050INSTALLED UNKN 024 "DIA CIRC METAL 0910/0143 LEN=0061 INSTALLED 2002 229098 FT 229098 FT 0 00105 0 03 2307+96 018 "DIA CIRC CONCR INSTALLED UNKN LEN=0040 ES 0910/0000 LENGTH (AH 2343 BK 2594) "DIA CIRC CONCR 0900/1315 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0900/0710 INSTALLED UNKN LEN=0040 "DIA CIRC CONCR 0 1 B 0900/0267 LEN=0045 INSTALLED UNKN 226504 FT 226504 FT 1 0 00105 0 03 2281+74 LENGTH (AH 2594 BK 2477) **5** 0900/0000 018 "DÍA CIRC CONCR 0890/2460 LEN=0040 INSTALLED UNKN 024 "DIA CIRC METAL 0890/2281 LEN = 0061INSTALLED 2002 015 "DIA CIRC CONCR 0890/1659 LEN=0070 INSTALLED UNKN GRIMES RUN

SCOOTAC RD

BMSEN 18/0120/0860/1162 1 0 00105 0 03 2192+33

(FRST)

0860/1582

0860/1290

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 7 1 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 49.479 MI. TOTAL LEN: DIST: 02-3 SR: 120 MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE STRUCTURE LENGTH 0890/1319 BMSID 18/0120/0890/1319 "DIA CIRC CONCR 0 1 B 0890/0729 LEN = 0075INSTALLED UNKN "DIA CIRC CONCR 0890/0350 LEN=0064 INSTALLED UNKN 224027 FT 224027 FT 00105 0 03 2256+97 0 "DIA CIRC CONCR LEN=0064 INSTALLED UNKN LENGTH (AH 2477 BK 2914) **E** 0890/0000 "DÌA CIRC CONCR 018 0880/2590 LEN=0066 INSTALLED UNKN "DIA CIRC CONCR 0 1 B 0880/2000 LEN=0070INSTALLED UNKN "DIA CIRC CONCR 0880/1209 LEN=0074 INSTALLED UNKN 018 "DIA CIRC CONCR 0880/0610 LEN=0067 INSTALLED UNKN 018 "DIA CIRC CONCR 0880/0435 LEN=0064 INSTALLED UNKN BALD EAGLE 0880/0193 COLEBROOK 221113 FT 221113 FT 0 03 2227+77 0 00105 **6** 0880/0000 LENGTH (AH 2914 BK 2238) " D [ A 0 1 5 CIRC CONCR 0870/1994 LEN=0067 INSTALLED UNKN 0 1 5 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 0870/1548 "DIA CIRC CONCR 012 0870/0961 LEN=0064 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0870/0658 LEN=0067 INSTALLED UNKN "DIA CIRC CONCR 018 0870/0005 LEN = 0021INSTALLED UNKN 218875 FT 218875 FT 1 0 00105 0 03 2205+39 **63** 0870/0000 2238 BK 2468) LENGTH (AH "DÌA CIRC CONCR 0 1 B LEN=0025 0860/2468 INSTALLED UNKN 018 "DIA CIRC CONCR 0860/2245 LEN=0044 INSTALLED UNKN "DIA 018 CIRC CONCR 0860/1942 LEN=0044 INSTALLED UNKN "DIA CIRC CONCR 018 0860/1630 LEN=0050 INSTALLED UNKN ROADWAY MANAGEMENT SYSTEM

SLD COUNTY/SR - ANNUAL PRINT

DIR: LEFT TOTAL LEN: 49.479 MI. MUN: COLEBROOK T

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023

DIST: 02-3 SR: 120

PAGE NUMBER:

COUNTY: CLINTON

ĸc= 0840/0000 LENGTH(AH 2677 BK 2382)

RIGHT MUN: COLEBROOK T TANGASCOOTACK CREEK 0860/1162 BMSBG 18/0120/0860/1162 "DIA CIRC CONCR 0 1 B 0860/1030 LEN = 0050INSTALLED UNKN "DIA 018 CIRC CONCR 0860/0680 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 018 LEN=0045 0860/0322 INSTALLED UNKN 216407 FT 216407 FT 1 0 00105 0 03 2180+71 LENGTH (AH 2468 BK 2292) **E** 0860/0000 "DÌA CIRC 018 CONCR 0850/2053 LEN = 0035INSTALLED UNKN "DIA 0 1 2 CIRC CONCR LEN=0045 0850/1519 INSTALLED UNKN "DIA CIRC CONCR 018 0850/1040 LEN=0045 INSTALLED UNKN COLEBROOK 0850/1028 BALD EAGLE 024 "DIA CIRC CONCR 0850/0773 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR INSTALLED UNKN 0850/0517 LEN = 0040EAGLETON RD (FRST) 0850/0140 l= ± 214115 FT 214115 FT 1 0 00105 0 02 2158+04 "DIA CIRC CONCR INSTALLED 1993 LEN = 00400850/0000 LENGTH(AH 2292 BK 2677)
018 "DIA CIRC CONCR 0840/2667 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR 0840/2350 LEN=0060 INSTALLED 2002 HOLLAND RUN STRUCTURE LENGTH BMSID 18/0120/0840/2034 0840/2034 0 1 B "DIA CIRC CONCR 0840/1539 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0840/1267 LEN=0035 INSTALLED UNKN BALD EAGLE 0840/1187 GRUGAN T 015 "DIA CIRC CONCR 0840/0812 LEN = 0035INSTALLED UNKN 012 "DIA CIRC CONCR 0840/0604 LEN=0035 INSTALLED UNKN 211438 FT 211438 FT 1 0 00105 0 02 2131+27 024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN

69

024 "DÌA CIRC CONCR

INSTALLED UNKN

0800/2051 LEN=0015

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. DIST: 02-3 SR: 120 MUN: GRUGAN T RIGHT MUN: GRUGAN T "DIA CIRC CONCR 0 1 B 0830/1444 LEN=0024 INSTALLED UNKN "DIA CIRC CONCR 018 0830/1237 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 018 0830/0924 LEN=0035 INSTALLED UNKN "DIA 018 CIRC CONCR 0830/0668 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 018 0830/0078 LEN = 0030INSTALLED UNKN 209056 FT 209056 FT 00105 02 2106+89 n 0 **E** 0830/0000 2382 BK 2663) LENGTH (AH "DÌA CIRC 018 0820/2540 LEN = 0025INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0040 0820/2258 INSTALLED UNKN "DIA 024 CIRC CONCR 0820/2037 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC METAL 0820/1814 LEN = 0060INSTALLED UNKN "DIA 0 1 2 CIRC CONCR LEN=0040 INSTALLED UNKN 0820/1585 "DIA 012 CIRC CONCR 0820/1139 LEN=0040 INSTALLED UNKN "DIA 024 CIRC CONCR 0820/0755 LEN=0065 INSTALLED UNKN "DIA CIRC CONCR 018 0820/0511 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 018 0820/0250 LEN = 0060INSTALLED UNKN 206393 FT 206393 FT 0 00105 0 02 2079+95 0820/0000 2663 LENGTH (AH BK 2270) CIRC "DÌA CONCR 0 1 5 0810/2222 LEN = 0040INSTALLED UNKN "DIA 018 CIRC CONCR 0810/1900 LEN=0040 INSTALLED UNKN CIRC CONCR "DIA 018 0810/1072 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 018 0810/0569 LEN = 0040INSTALLED UNKN 204123 FT 204123 FT 00105 0 02 2057+25 0 "DIA CIRC CONCR LEN = 0040INSTALLED UNKN **□** 0810/0000 LENGTH(AH 2270 BK 2542)

"DIA

"DIA

018 "DIA CIRC CONCR

LEN=0030

CIRC CONCR

CIRC CONCR

INSTALLED UNKN

INSTALLED UNKN

0 1 B

018

0770/1258 LEN=0040

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM SLD COUNTY/SR - ANNUAL PRINT

49.479 MI.

DIST: 02-3 RIGHT MUN: GRUGAN T

0800/0499

0800/0129

201581 FT

0790/2581

0790/2145

0790/1818

0790/1444

0790/0933

0790/0420

198982 FT

0780/2129

0780/0832

0780/0515

196545 FT

0770/2270

0770/2005

0770/1485

**⊑** 0780/0000

**5** 0790/0000

**E** 0800/0000

DIR: LEFT TOTAL LEN: MUN: GRUGAN T

201581 FT

198982 FT

196545 FT

PAGE

COUNTY:

NUMBER:

CLINTON

015 "DÍA CIRC CONCR

0740/2416 LEN=0040 INSTALLED UNKN

TOTAL LEN: 49.479 MI. SR: DIST: 02-3 120 RIGHT MUN: GRUGAN T 0770/1025 LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR 0770/0782 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR 0770/0518 LEN = 0040INSTALLED UNKN 194010 FT 194010 FT D 00105 0 02 1956+69 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN **□** 0770/0000 LENGTH(AH 2535 BK 2892) "DĨA CIRC CONCR 018 0760/2537 LEN=0040 INSTALLED UNKN "DIA 0 1 2 CIRC CONCR 0760/2275 LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR 0760/1968 LEN=0040 INSTALLED UNKN "DIA 0 1 B CIRC CONCR INSTALLED UNKN 0760/1610 LEN = 0040"DIA CIRC CONCR 018 0760/1197 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR 0760/0906 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0760/0672 LEN=0040 INSTALLED UNKN "DIA 012 CIRC CONCR 0760/0524 LEN=0040 INSTALLED UNKN "DIA 0.18 CIRC CONCR 0760/0235 LEN = 0040INSTALLED UNKN 191118 FT 191118 FT 0 00105 0 02 1927+77 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN **⊫** 0760/0000 LENGTH (AH 2892 BK 2255) "DÌA 0 1 5 CIRC CONCR 0750/1950 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 012 0750/1674 LEN = 0040INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0750/1422 LEN = 0050INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0750/1170 LEN=0070 INSTALLED UNKN TEATS RUN STRUCTURE LENGTH BMSID 18/0120/0750/0894 0750/0894 "DIA 0 1 5 CIRC CONCR 0750/0733 LEN=0040 INSTALLED UNKN "DIA CIRC 0 1 2 CONCR 0750/0154 LEN = 0040INSTALLED UNKN 188863 FT 00105 188863 FT 1 0 0 02 1905+23 **E** 0750/0000 LENGTH(AH 2255 BK 2462)

ROADWAY MANAGEMENT SYSTEM

SLD COUNTY/SR - ANNUAL PRINT

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023

MUN: GRUGAN T

DIR: LEFT

CIRC CONCR

CIRC CONCR

CIRC CONCR

CIRC CONCR

CIRC

INSTALLED UNKN

INSTALLED UNKN

CONCR

INSTALLED UNKN

INSTALLED UNKN

INSTALLED UNKN

"DIA

"DIA

"DIA

"DIA

LEN=0035

LEN=0045

LEN=0035

LEN=0035

015 "DIA

0 1 5

0 1 5

0 1 5

0 1 5

0720/1295 LEN=0040

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM SLD COUNTY/SR - ANNUAL PRINT

> 49.479 MI. TOTAL LEN:

DIST: 02-3 RIGHT MUN: GRUGAN T

0740/1588

0740/1307

0740/0701

0740/0401

186401 FT

0730/1785

0730/1377

0730/1325

0730/0925

0730/0610

0730/0307

184171 FT

0720/2802

0720/2411

0720/2100

0720/1905

0720/1725

0720/1539

0720/1417

**5** 0730/0000

**5** 0740/0000

BAKER RUN BOAT LAUNCH (TWP)

MUN: GRUGAN

DIR: LEFT

0740/1830

186401 FT

PAGE COUNTY:

DIR: LEFT TOTAL LEN: 49.479 MI. MUN: GRUGAN T

SR: DIST: 02-3 RIGHT MUN: GRUGAN T

036

LEN = 0035

"DIA CIRC CONCR

INSTALLED UNKN

"DIA CIRC CONCR 018 0720/1045 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 0 1 B 0720/0765 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0720/0338 181075 FT LEN=0035 INSTALLED UNKN 181075 FT 0 00105 0 02 1827+42 GRUGAN RUN STRUCTURE LENGTH BMSID 18/0120/0720/0000 **⊫** 0720/0000 LENGTH(AH 3096 BK 3220) "DÌA CIRC CONCR 018 0710/2838 LEN=0050 INSTALLED UNKN "DIA 024 CIRC CONCR 0710/2660 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0 1 B 0710/2630 LEN = 0035INSTALLED UNKN 036 "DIA CIRC CONCR 0710/2324 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0710/2076 LEN=0045 INSTALLED UNKN "DIA CIRC CONCR 036 0710/1746 LEN=0045 INSTALLED UNKN "DIA 036 CIRC CONCR 0710/1470 LEN=0050 INSTALLED UNKN 018"H 24"W ELLIP 0710/0909 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 015 LEN=0035 0710/0598 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0710/0207 LEN=0035 INSTALLED UNKN 177855 FT 177855 FT 00105 0 02 1794+99 **E** 0710/0000 LENGTH (AH 3220 BK 2583) 021"H 30"W ELLIP 0700/2351 LEN = 0035INSTALLED UNKN 024 "DIA CIRC CONCR LEN = 00350700/1983 INSTALLED UNKN "DIA CIRC CONCR 018 LEN = 0035INSTALLED UNKN 0700/1759 "DIA CIRC CONCR 018 0700/1389 LEN=0035 INSTALLED UNKN " DIA 018 CIRC CONCR 0700/1102 LEN = 0035INSTALLED UNKN 018"H 24"W ELLIP METAL 0700/0840 LEN = 0035INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0700/0302 LEN=0035 INSTALLED UNKN 175272 FT 00105 0 02 1769+16 1 0

INSTALLED UNKN

INSTALLED UNKN

CIRC CONCR

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 EXTRACT ROADWAY MANAGEMENT SYSTEM SLD COUNTY/SR - ANNUAL PRINT

> TOTAL LEN: 49.479 MI.

> > ==

DIST: 02-3 RIGHT MUN: GRUGAN T

0670/1418

0670/0850 LEN=0040

LEN=0040

015 "DIA

DIR: LEFT MUN: GRUGAN 172887 FT

63

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: DIST: 02-3 120 MUN: GRUGAN RIGHT MUN: GRUGAN T "DIA CIRC CONCR 024 0670/0582 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0 1 B 0670/0243 LEN = 0.040INSTALLED UNKN 167857 FT 167857 FT 00105 0 02 1694+73 GREEN CREEK STRUCTURE LENGTH BMSID 18/0120/0670/0000 **⊑** 0670/0000 LENGTH(AH 2379 BK 2639) "DĪA 018 CIRC CONCR 0660/2157 LEN=0035 INSTALLED UNKN "DIA 018 CIRC CONCR LEN=0045 0660/1907 INSTALLED UNKN "DIA 024 CIRC CONCR LEN=0045 0660/1712 INSTALLED UNKN "DIA 0 1 B CIRC CONCR INSTALLED UNKN 0660/1504 LEN = 0040"DIA CIRC 0 1 5 CONCR 0660/1026 LEN=0040 INSTALLED UNKN 024 "DIA CIRC CONCR 0660/0576 LEN=0035 INSTALLED UNKN "DIA 018 CIRC CONCR 0660/0491 LEN=0035 INSTALLED UNKN "DIA 018 CIRC CONCR 0660/0430 LEN=0035 INSTALLED UNKN "DIA 030 CIRC CONCR 0660/0176 LEN = 0035INSTALLED UNKN 165218 FT 165218 FT 00105 0 02 1668+34 0 2639 BK 2927) LENGTH (AH **5** 0660/0000 "DÍA CIRC CONCR 018 0650/2670 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 036 0650/2263 LEN=0035 INSTALLED UNKN "DIA 018 CIRC CONCR 0650/2025 LEN = 0040INSTALLED UNKN "DIA 0 1 B CIRC CONCR 0650/1682 LEN = 0040INSTALLED UNKN "DIA CIRC CONCR 0 1 B INSTALLED UNKN 0650/1326 LEN=0040 GREEN RUN STRUCTURE LENGTH 0650/0923 BMSID 18/0120/0650/0923 "DIA 0 1 5 CIRC CONCR 0650/0490 LEN=0035 INSTALLED UNKN "DIA CIRC 0 1 5 CONCR 0650/0269 LEN = 0035INSTALLED UNKN 162291 FT 1 0 00105 0 02 1639+01 162291 FT 0650/0000 LENGTH(AH 2927 BK 2771) GRUGAN

0640/2760 CHAPMAN T

CIRC METAL

LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR

0640/2703

0640/2420

0640/2124

0640/1631

0640/1370

0640/1112

0640/0758

0640/0539

0640/0281 159520 FT

0630/2400

0630/1047

0630/0746

0630/0297

156874 FT

0620/1896

0620/1361

0620/0641

015 "DIA

**⊑** 0630/0000 0620/2199

0640/0000

DIR: LEFT TOTAL LEN: 49.479 MI. DIST: 02-3 MUN: GRUGAN RIGHT MUN: GRUGAN T

159520 FT 156874 FT

TWP

475

BMSBG 18/0120/0594/0000

EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2	0 2 3 R O A D W A 0 2 3 S L D C O U I	AY MANAGE NTY/SR —	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 60 CLINTON
DIR: B TOT LEFT MUN: CHAPMAN T	AL LEN: 49.4	479 MI.	DIST: RIGHT MUN: C	02-3 HAPMAN T	SR: 120
HUFF RUN RD			0594/0000 0584/1220	L E N G T H ( A O 4 B " D I A L E N = O 1 5 O	H 2981 BK 1538) CIRC CONCR INSTALLED UNKN
(T580)	0584/0796	==	0584/0650	0 1 8 " D I A L E N = 0 0 8 1 0 2 4 " D I A	INSTALLED UNKN
			0584/0304 0584/0177	LEN=0050 024 "DIA	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
	145552 FT		0584/0042 145552 FT	0 1 5 " D I A L E N = 0 0 5 0 1 0 0 0 1 0	C   RC   C O N C R   I N S T A L L E D   U N K N 5   O 0 2   1 4 6 6 + 0 0
			0584/0000 0580/0511	LENGTH (A 036 "DIA	RAIL HW H 1538 BK 0580) CIRC CONCR INSTALLED UNKN
	144972 FT		0580/0305 144972 FT	024 "DIA LEN=0065 1 0 0010	CIRC CONCR INSTALLED UNKN
		-++-	<b>5</b> 0580/0000	LEN=0055 LENGTH(A 036 "DIA	INSTALLED UNKN H 0580 BK 2315) CIRC CONCR
		= # = =	0570/1822 0570/1445	012 "DIA LEN=0030	INSTALLED UNKN
HYNER RUN RD (SR1014 SEG 0010/0000)	0570/1215	-++- =  ==	0570/1229 0570/1215	HYNER RI	INSTALLED UNKN
			0570/0581	BMSEN 18 1 0 0010 HYNER RU	/0120/0570/0546 5 0 02 1442+53
	1 <b>4 2 6 5 7</b> F T		0570/0546 142657 FT 5 0570/0000	BMSBG 18 1 0 0010	/0120/0570/0546 5 0 02 1436+95 H 2315 BK 2678)
		-+	0560/1390	0 1 5 " D I A L E N = 0 0 4 0 D R Y R U N	CIRC CONCR INSTALLED UNKN
		>  <	0560/1328	STRUCTUR	E LENGTH 14 FT /0120/0560/1328
DRY RUN RD (FRST)	0560/0653	==			

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 59 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: B LEFT MUN: CHAPMAN TOTAL LEN: 49.479 MI. DIST: 02-3 SR: 120 RIGHT MUN: CHAPMAN T 139979 FT 139979 FT 1 0 00105 0 02 1410+18 VILLAGE: HYNER **□ 0560/0000 LENGTH(AH 2678 BK 2267)** 015 "DIA CIRC CONCR 0550/1260 LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR 0550/0894 LEN=0035 INSTALLED UNKN 137712 FT 137712 FT 1 0 00105 0 02 1387+50 5 0550/0000 LENGTH(AH 2267 BK 2718) 018 "DIA CIR PLASTIC INSTALLED 2022 0540/1909 LEN=0050 015 "DIA CIRC CONCR 0540/1591 LEN=0035 INSTALLED UNKN 015 "DIA CIRC CONCR 0540/0990 LEN=0035 INSTALLED UNKN O1B "DIA CIRC CONCR 0540/0100 LEN=0040 INSTALLED UNKN 134994 FT 134994 FT 1 0 00105 0 02 1360+32 E 0540/0000 LENGTH(AH 2718 BK 2845) 018 "DIA CIRC CONCR 0530/2175 LEN=0035 INSTALLED UNKN TRIB W BR SUSQUEHANNA R STRUCTURE LENGTH 12 FT 0530/1616 BMSID 18/0120/0530/1616 015 "DIA CIRC CONCR 0530/1128 LEN=0035 INSTALLED UNKN 132149 FT 132149 FT 1 0 00105 0 01 1325+07 530/0000 LENGTH(AH 2845 BK 2403) "DIA CIRC METAL 0520/0483 LEN=0090 INSTALLED UNKN 129746 FT 129746 FT 1 D 00105 0 01 1301+03 024 "DIA CIRC CONCR

LEN=0040 INSTALLED UNKN

5 0520/0000 LENGTH(AH 2403 BK 2722)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE COUNTY: 58 NUMBER: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. DIST: 02-3 SR: 120 MUN: CHAPMAN RIGHT MUN: CHAPMAN T 018 "DIA CIRC CONCR 0510/1688 LEN=0075 INSTALLED INSTALLED UNKN JACK PAULHAMUS PKWY (T551) 0510/1600 0510/1600 0510/1294 (APRA) TO PADOT STOCKPI BMSEN 18/0120/0510/1162 1 0 00105 0 01 1285+45 YOUNG WOMENS CREEK 0510/1162 BMSBG 18/0120/0510/1162 SCHOOLHOUSE RD REESE RD (T314)0510/0812 0510/0812 (T313)"ĎIA **0** 1 5 CIRC CONCR LEN=0070 0510/0790 INSTALLED UNKN "DIA CIRC CONCR 018 0510/0315 127024 FT LEN=0100 INSTALLED 2002 00105 0 01 1273+81 127024 FT 0 "DIA CIRC CONCR MAPLE AV (T517) LEN=0100 INSTALLED 1993 0510/0000 LENGTH (AH 2722 BK 2058) **⊑** 0510/0000 RANSDOŘF AV (T518) 0500/1771 Ò18"H´24"W ELLIP METAL 0500/1616 LEN = 0070INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0500/1146 LEN=0046 INSTALLED UNKN MAIN ST (TBC ) 0500/1006 "DIA CIR PLASTIC INSTALLED 2003 0500/0954 LEN=0060 SUMMERSON ST 0500/0926 (T571) ´ " Ó I A CIRC CONCR INSTALLED 2008 0500/0592 LEN=0048 SUMMERSON MTN RD REESE RD (T313)0500/0564 0500/0564 (T313) "DIA CIRC CONCR 0500/0324 = 0040INSTALLED 2008 124966 FT 124966 FT 00105 0 01 1253+23 VILLAGE: NORTH BEND "DIA CIRC CONCR LEN=0045 INSTALLED UNKN LENGTH (AH 2058 BK 2429) **5** 0500/0000 "DÌA 018 CIRC CONCR INSTALLED 2008 0490/2095 LEN=0045

POI

"DIA

LEN=0050

CIRC CONCR

(APRA) THOMPSON LOGGING

THOMPSON LOGGING RD

INSTALLED UNKN

0 1 B

0490/1310

5	7

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE COUNTY: ROADWAY MANAGEMENT SYSTEM NUMBER: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. DIST: 02-3 SR: 120 MUN: CHAPMAN RIGHT MUN: CHAPMAN T 0490/0698 (PRDR) 024 "DIA CIRC CONCR LEN=0055 0490/0028 INSTALLED 2008 122537 FT 122537 FT 0 00105 0 01 1228+94 **E** 0490/0000 LENGTH (AH 2429 BK 3113) "DÍA CIRC CONCR 018 0480/2859 LEN=0046 INSTALLED 2008 BUCKTAIL AV 0480/2640 (T558)"ĎIA Ò 1 B CIRC CONCR 0480/2596 LEN=0045 INSTALLED UNKN "DIA CIRC CONCR 0 1 B 0480/2011 LEN = 0035INSTALLED UNKN THOMPSON LN (T499) 0480/1374 ASPEN RD (T499)0480/1358 "ĎIA **018** CIRC CONCR 0480/1356 LEN=0050 INSTALLED 2008 "DIA CIRC CONCR 018 0480/1020 LEN=0046 INSTALLED 2008 "DIA CIRC CONCR 0 1 5 0480/0527 LEN=0046 INSTALLED UNKN HOMAN ST (T450) 0480/0416 "DIA CIRC CONCR 0480/0393 LEN=0030 INSTALLED UNKN SMITH LUMBER CO RD 0480/0050 119424 FT  $\mathbf{P} \oplus \mathbf{I}$ (APRA) SMITH LUMBER CO 1 0 00105 0 01 1197+89 (PRDR) 0480/0050 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKŅ G 0480/0000 LENGTH (AH 3113 BK 2492) MILTON ST (T498)0470/2159 CIRC CONCR 018 "DIA 0470/2151 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 018 0470/1878 LEN=0040 INSTALLED UNKN "DIA 018 CIRC CONCR 0470/1632 LEN=0040 INSTALLED UNKN FRANKLIN ST (T439) 0470/1607 018 "DIA CIRC CONCR 0470/1593 LEN=0050 INSTALLED 2008 018 "DIA CIRC CONCR 0470/1455 LEN=0043 INSTALLED 200B 024 "DIA CIRC CONCR

EXTRACT DATE: 12/ PRINT DATE: 12/	18/2023 ROADWAY 19/2023 SLD COUNT	MANAGE Y/SR -	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 56 CLINTON
DIR: B LEFT MUN: CHAPMAN	TOTAL LEN: 49.47	9 MI.	DIST: RIGHT MUN: CH	02-3 IAPMAN T	SR: 120
			0470/1019 0470/0996	LEN=0030 024 "DIA	INSTALLED UNKN CIRC CONCR INSTALLED UNKN
FAIRVIEW LN (TWP)	0470/0763	==	•		
		-++-		LEN=0070 024 "DIA	CIRC CONCR INSTALLED UNKN CIRC CONCR
			0470/0383	LEN=0053 018 "DIA	CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED UNKN
			•	CHAPMAN	
	116932 FT		116932 FT	1 0 00105 V LLAGE:	0 01 1172+75 FARWELL
			□ 0470/0000 0460/2455	1 0 00105	2492 BK 2481) 0120/0460/2402 0 01 1148+00
			0460/2402	BMSBG 18/ 018 "DIA	0 1 2 0 / 0 4 6 0 / 2 4 0 2 C   R P L A S T   C
		-++-	0460/2385	LEN=0040 036 "DIA	INSTALLED 2006 CIRC CONCR
LAUREL ST (BORO)	0460/1777	= =	0460/1800		INSTALLED 1999
PONDA ST		-++-	0460/1564	L E N = 0 0 4 0	CIRC CONCR INSTALLED 1999
(BORO)	0460/1507	==	0460/1136	0 1 8 " D I A L E N = 0 0 3 0	CIRC CONCR INSTALLED UNKN
		-++-	0460/0673	0 1 8 " D I A L E N = 0 0 4 0	CIRC CONCR INSTALLED 2008
	114451 FT	-++-	0460/0052 114451 FT 0460/0000	0 1 B " D I A L E N = 0 0 3 2 1 0 0 0 1 0 5 L E N G T H ( A H	CIRC CONCR INSTALLED 2008 5 0 01 1148+00 1 2481 BK 2312)
DELAWARE ST		-++-	0450/2070	0 1 8 " D I A L E N = 0 0 3 3	CIRC CONCR INSTALLED UNKN
(BORO)	0450/1964	= =		018 "DIA	CIRC CONCR
		***	0450/1956 0450/1654	BMSEN 18/ 1 0 00105	CIRC CONCR INSTALLED UNKN '0120/0450/1187 i 0 01 1137+42
		<b>———</b>	0450/1187	ACCESS ROBMSBG 18/	AD 0120/0450/1187

_	_
•	J

NINTH ST

"DIA

CIRC CONCR

INSTALLED UNKN

(BORO)

015

0440/0796 LEN=0020

0440/0828

DATE: 12/18/2023 DATE: 12/19/2023 NUMBER: EXTRACT ROADWAY MANAGEMENT SYSTEM PAGE PRINT SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 49.479 MI. SR: 120 TOTAL LEN: DIST: 02-3 MUN: RENOVO RIGHT MUN: RENOVO "DIA CIRC CONCR 018 INSTALLED UNKN 0450/1105 LEN = 0030"DIA CIRC CONCR 018 0450/0554 LEN = 0030INSTALLED UNKN 015 "DIA CIRC CONCR 0450/0348 LEN=0070 INSTALLED 2002 FIFTEENTH ST (BORO) 0450/0325 CIRC CONCR 018 "DIA 0450/0312 LEN=0040 INSTALLED UNKN HAZEL ST BORO) 0450/0161 1124+88 112139 FT 0 00105 0 01 112139 FT FOURTEENTH ST (BORO) 0450/0000 🛌 0450/0000 LENGTH(AH 2312 BK 2472) == THIRTÉENTH ST 0440/2139 (BORO) 018 "DIA CIRC CONCR 0440/2109 LEN=0035 INSTALLED UNKN ASH ST (BORO) 0440/1972 TWELFTH ST == 0440/1808 (BORO) "ĎIA CIRC CONCR 018 0440/1786 LEN=0030 INSTALLED UNKN FOURTH ST BIRCH ST (SR0144 SEG 0380/1282) (BORO) 0440/1650 0440/1650 015 "DIA CIRC CONCR LEN = 0025INSTALLED UNKN 0440/1609 ELEVENTH ST 0440/1488 (BORO) "ĎIA 015 CIRC CONCR LEN = 0025INSTALLED UNKN 0440/1454 BEECH ST 0440/1320 (BORO) "ĎIA CIRC CONCR INSTALLED UNKN 0440/1190 LEN = 0035TENTH ST 0440/1157 BORO) "ĎIA 015 CIRC CONCR LEN = 0025INSTALLED UNKN 0440/1130 LARCH ST 0440/0992 (BORO) "ĎIA 018 CIRC CONCR 0440/0860 LEN = 0035INSTALLED UNKN

PAGE

0430/0775 LEN=0025

NUMBER:

INSTALLED 1993

DATE: 12/18/2023 DATE: 12/19/2023 PRINT SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: 120 DIST: 02-3 MUN: RENOVO RIGHT MUN: RENOVO OAK ST == 0440/0662 (BORO) ÈIGHTH ST (BORO) 0440/0496 "ĎIA 015 CIRC CONCR 0440/0343 LEN=0025 INSTALLED UNKN CEDAR ST 0440/0333 BORO) SEVENTH ST (BORO) 0440/0166 "ĎIA Ò 15 CIRC CONCR 0440/0137 LEN = 0025INSTALLED UNKN "DIA CIRC CONCR 015 0440/0019 LEN = 0025INSTALLED UNKN 109667 FT 109667 FT 00105 D 0 01 1100+07 SPRUCE ST BORO) LENGTH (AH 2472 BK 2356) 015 "DIA CIRC CONCR **E** 0440/0000 0430/2225 LEN=0020 INSTALLED UNKN S | XTH ST (BORO) 0430/2180 "ĎIA Ò 15 CIRC CONCR LEN=0025 0430/2161 INSTALLED UNKN LOCUST ST 0430/2014 (BORO) F | F T H S T = = 0430/1851 (BORO) " 6 I A CIRC CONCR 015 LEN = 0025INSTALLED UNKN 0430/1827 PINE ST (BORO) 0430/1685 015 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN 0430/1673 FOURTH ST 0430/1518 (BORO) "Ď I A CIRC CONCR LEN=0025 0430/1380 INSTALLED UNKN 012 "DIA CIRC CONCR 0430/1248 LEN=0025 INSTALLED UNKN MYRTLE ST (BORO) 0430/1228 "DIA CIRC CONCR 024 0430/1077 LEN=0025 INSTALLED UNKN CHAMPLAIN AVE THIRD ST (BORO) 0430/1044 0430/1044 (BORO) "ĎIA 015 CIRC CONCR LEN=0025 0430/0978 INSTALLED UNKN 015 "DIA CIRC CONCR

ROADWAY MANAGEMENT SYSTEM

EXTRACT

	007 B04BW41		MENT EVETEN	2405		
EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2 DIR: B TOT		Y MANAGE TY/SR – 79 MI.	MENT SYSTEM ANNUAL PRINT DIST:	PAGE COUNTY:	CLINTON SR: 120	5 3
LÉFT MUN: RENOVO B		1.1	RIGHT MUN: RE	018 "DIA	CIRC CONCR	
ST CLAIR AV (BORO)	0430/0558		0430/0584	L E N = 0 0 4 0	INSTALLED	UNKN
	107311 FT		107311 FT 5 0430/0000	1 0 00105 LENGTH (AH	0 00 1075 1 2356 BK 2	+05 395)
		#	0422/1455	BMSEN 18/	0120/0422/ 0000000 0UTHERN RA	1253
STOUTS HILL AV (BORO)	0422/1228	= =	0422/1253	BMSBG 18/	0120/0422/	1253
	·		0422/1154	OIB "DIA	CIRC CONCR INSTALLED CIRC CONCR	
			0422/0756	018 "DIA LEN=0075	INSTALLED CIRC CONCR INSTALLED	UNKN
	104916 FT	-++-	0422/0207 104916 FT - 0422/0000	LEN=0075	INSTALLED O DO 1050	U N K N + 6 4
BREWERY RUN AV (BORO)	0410/1356	==		BREWERY R	a II N	
		>	0410/1245	STRUCTURE	LENGTH 1 0120/0410/	2 F T 1 2 4 5
TAMARACK RD (SR0144 SEG 0390/0000)	0410/0448		0410/0331	BMSEN 18/	/0120/0410/ 5 0 00 1032	0308
				DRURY RUN BMSBG 18/ RENOVO	0 00 1032	
GRATZMAR AV (T314)	0410/0208	==	0410/0308	NOYES T		
	102640 FT	-++-	0410/0024 102640 FT	018 "DIA LEN=0055 1 0 00105 RON AV	CIRC CONCR INSTALLED 5 0 00 1028	U N K N + 1 0
			<b>⊑</b> 0410/0000	LENGTH (AH	1 2276 BK 2	733)

024 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 PAGE NUMBER: COUNTY: CLINTON ROADWAY MANAGEMENT SYSTEM SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT TOTAL LEN: 49.479 MI. DIST: 02-3 SR: 120 MUN: NOYES T RIGHT MUN: NOYES T 0400/1654 LEN=0025 INSTALLED UNKN 015 "DIA CIRC CONCR 0400/1257 LEN = 0025INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN=0025 0400/0731 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0400/0243 LEN = 0025INSTALLED UNKN 099907 FT 099907 FT 00105 D 0 00 1000+49 **5** 0400/0000 LENGTH (AH 2733 BK 2644) "DÌA CIRC CONCR 0 1 5 0390/2242 LEN=0025 INSTALLED UNKN 036"H 00"W MULT CONCR 0390/1363 LEN = 0.050INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0390/0829 LEN = 0025INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0390/0363 097263 FT LEN=0025 INSTALLED UNKN 097263 FT 00105 0 00 0973+58 ٥ "DIA CIRC CONCR LEN=0025 INSTALLED UNKN 5 0390/0000 LENGTH(AH 2644 BK 2697) 0 1 5 "DÌA CIRC CONCR 0380/2294 LEN = 0030INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0380/1618 LEN=0030 INSTALLED UNKN CIRC CONCR 015 "DIA 0380/0860 LEN=0030 INSTALLED UNKN 015 "DIA CIRC METAL 0380/0522 LEN=0040 INSTALLED UNKN "DIA 024 CIR PLASTIC 0380/0305 LEN = 0012INSTALLED 2004 094566 FT 094566 FT 00105 0 00 0946+35 ם VILLAGE: DRURY "DIA CIRC CONCR LEN = 0030INSTALLED UNKN 0380/0000 LENGTH (AH 2697 BK 2039) 015 "DIA CIRC CONCR 0370/1885 LEN = 0030INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0370/1730 LEN = 0030INSTALLED UNKN 0 1 5 "DIA CIRC CONCR 0370/1433 LEN=0030 INSTALLED UNKN ELIZABETH ST (T319) 0370/1078 015 "DIA CIRC CONCR 0370/1049 LEN=0030 INSTALLED UNKN

015 "DIA CIRC METAL

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM EXTRACT PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: 120 DIST: 02-3 MUN: NOYES T RIGHT MUN: NOYES T 0340/1308 LEN=0040 INSTALLED 2016 027 "DIA CIRC CONCR LEN=0034 0340/1057 INSTALLED 2016 "DIA 018 CIRC CONCR 0340/0792 LEN=0041 INSTALLED 2016 "DIA 0 1 B CIRC CONCR 0340/0659 LEN = 0036INSTALLED 2016 "DIA 0 1 8 CIRC CONCR 0340/0368 LEN = 0040INSTALLED 2016 084648 FT 084648 FT 00105 0 00 0846+78 0 "DIA CIRC CONCR 021 LEN=0030 INSTALLED 2016 0340/0000 LENGTH(AH 2682 BK 2742) 018 "DÍA CIRC CONCR LEN=0035 0330/2468 INSTALLED 2016 "DIA 0 1 B CIRC CONCR 0330/2181 LEN = 0033INSTALLED 2016 018 "DIA CIRC CONCR 0330/1919 LEN=0040 INSTALLED 2016 021 "DIA CIRC CONCR 0330/1624 LEN=0034 INSTALLED 2016 "DIA CIRC CONCR 015 0330/1031 LEN=0025 INSTALLED UNKN 015 "DIA CIRC CONCR 0330/0408 LEN = 0025INSTALLED UNKN 081906 FT 081906 FT 0 00105 0 00 0819+42 1 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN **E** 0330/0000 LENGTH(AH 2742 BK 2359) DRY RUN STRUCTURE LENGTH 0320/1944 BMSID 18/0120/0320/1944 015 "DIA CIRC METAL LEN = 00250320/0817 INSTALLED UNKN "DIA CIRC METAL 0 1 5 0320/0290 LEN = 0025INSTALLED UNKN 079547 FT 079547 FT 00105 1 0 0 00 0795+88 0 1 5 "DIA CIRC METAL LEN=0025 INSTALLED UNKN E= 0320/0000 LENGTH(AH 2359 BK 2513) "DIA 015 CIRC CONCR 0310/1914 LEN=0055 INSTALLED 2002 024 "DIA CIRC CONCR 0310/1563 LEN=0040 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 49 PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: 120 DIST: 02-3 MUN: NOYES T RIGHT MUN: NOYES T 0310/0797 LEN=0040 INSTALLED UNKN SCHOOL LN (T308) 0310/0367 077034 FT 0 00105 0 00 0770+80 077034 FT TBK) KETTLE CREEK RD LENGTH (AH 2513 BK 2813) BMSEN 18/0120/0300/2531 1 0 00105 0 00 0741+74 0310/0000 0300/2745 0310/0000 (T306) KETTLE CREEK 0300/2531 BMSBG 18/0120/0300/2531 BITUMEN RD 0300/2484 (T307)015 "DIA CIRC CONCR 0300/1364 LEN = 0035INSTALLED 1998 "DIA 0 1 5 CIRC CONCR LEN = 00370300/1058 INSTALLED 1998 "DIA 0 1 5 CIRC CONCR 0300/0754 LEN=0036 INSTALLED 1998 "DIA CIRC CONCR 0 1 5 0300/0216 LEN = 0039INSTALLED 1998 074221 FT 074221 FT 00105 0 00 0742+67 0 VILLAGE: WESTPORT 024 "DIA CIRC CONCR LEN = 0035INSTALLED 1998 13 BK 2348) **⊑** 0300/0000 LENGTH(AH 28 "DÍA CIRC CONCR 018 LEN=0040 0290/2085 INSTALLED 1998 "DIA CIRC CONCR 0 1 5 0290/1801 LEN=0061 INSTALLED 1998 "DIA CIRC CONCR 018 0290/1630 LEN=0040 INSTALLED 2002 "DIA CIRC CONCR 0 1 5 0290/1104 LEN = 0037INSTALLED 1998 "DIA 024 CIRC CONCR 0290/0850 LEN=0034 INSTALLED 1998 "DIA CIRC CONCR 0 1 5 0290/0564 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0290/0385 LEN = 0035INSTALLED UNKN 071873 FT 071873 FT 00105 0 00 0719+19 0 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN **5** 0290/0000 LENGTH (AH 2348 BK 2788) "DÌA CIRC CONCR 0 1 5 LEN=0040 0280/2271 INSTALLED 1998 "DIA CIRC CONCR 0 1 5 0280/1860 LEN=0043 INSTALLED 1998

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 48 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: DIST: 02-3 120 MUN: NOYES T RIGHT MUN: NOYES T 0280/1696 LEN=0040 INSTALLED 1998 01B "DIA CIRC CONCR 0280/0898 LEN=0040 INSTALLED 1998 015 "DIA CIRC CONCR 0280/0397 LEN = 0035INSTALLED 1998 024 "DIA CIRC CONCR 0280/0236 LEN=0045 INSTALLED UNKN 069085 FT 069085 FT 1 0 00105 0 00 0691+30 "DIA CIRC CONCR LEN = 0035INSTALLED UNKN LENGTH (AH 015 "DIA C 0280/0000 2788 BK 2420) CIRC CONCR LEN = 0033INSTALLED 1998 0270/1953 0 1 5 "DIA CIRC CONCR 0270/1601 LEN = 0034INSTALLED 1998 "DIA 0 1 5 CIRC CONCR 0270/1084 LEN=0036 INSTALLED 1998 "DIA 0 1 5 CIRC CONCR 0270/0832 LEN=0034 INSTALLED 1998 "DIA 0 1 5 CIRC 0270/0412 LEN=0037 INSTALLED 1998 066665 FT 066665 FT 00105 0 0 00 0667+10 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN LENGTH(AH 2420 BK 2116) **5** 0270/0000 "DÌA CIRC 0 1 5 CONCR 0260/2019 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0260/1756 LEN=0035 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0260/1560 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0260/1273 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0260/0955 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0260/0685 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0260/0542 LEN=0035 INSTALLED UNKN 064549 FT 064549 FT 1 0 00105 0 00 0645+69 MILLIGAN RUN STRUCTURE LENGTH BMSID 18/0120/0260/0000 **5** 0260/0000 LENGTH (AH 2116 BK 2769) "DÌA 0 1 5 CIRC CONCR LEN=0035 0250/2285 INSTALLED UNKN "DIA CIRC CONCR 0 1 5

0250/1967 LEN=0040

INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 47 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: SLD COUNTY/SR - ANNUAL PRINT CLINTON TOTAL LEN: 49.479 MI. DIST: 02-3 SR: 120 MUN: NOYES T RIGHT MUN: NOYES T 0250/1560 LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR 0250/1300 LEN=0040 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0250/0750 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0250/0505 LEN=0035 INSTALLED UNKN 061780 FT 061780 FT 00105 1 ۵ 0 00 0617+97 "DIA CIRC CONCR 0 1 5 LEN = 0035INSTALLED UNKN **□** 0250/0000 LENGTH(AH 2769 BK 2428) 0 1 5 "DÍA CIRC CONCR LEN = 00350240/2080 INSTALLED UNKN "DIA 024 CIRC CONCR LEN=0035 0240/1860 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR LEN = 00350240/1525 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0240/1312 LEN=0035 INSTALLED UNKN 015 "DIA CIRC CONCR 0240/0915 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 015 0240/0476 LEN = 0075INSTALLED UNKN LC TO COOKS RUN 0240/0267 == COOKS RUN RD 0240/0199 059352 FT 059352 FT 1 0 00105 0 00 0593+47 060"H 72"W CON BOX CUL LEN=0045 INSTALLED UNKN E 0240/0000 LENGTH(AH 2428 BK 2826) 0230/1810 BMSEN 18/0120/0230/1748 1 0 00105 0 00 0564+96 COOKES RUN 0230/1748 BMSBG 18/0120/0230/1748 015 "DIA CIRC CONCR 0230/0715 LEN=0035 INSTALLED UNKN 056526 FT 056526 FT 00105 0 00 0565+09 0 015 "DIA CIRC CONCR LEN = 0035INSTALLED UNKN **5** 0230/0000 LENGTH (AH 2826 BK 2889) "DÌA CIRC CONCR 0 1 5 LEN=0035 0220/2558 INSTALLED UNKN

01B"H 01"W ++UNKNOWN++

0220/2255 LEN=0035 INSTALLED UNKN

DIR: LEFT

(CONN)

(FRST)

46

TRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM EXTRACT PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT TOTAL LEN: 49.479 MI. SR: DIST: 02-3 120 MUN: NOYES T RIGHT MUN: NOYES T 018"H 01"W + + UNKNOWN + + 0220/1606 LEN = 0035INSTALLED UNKN "DIA 024 CIR UNKNOWN 0220/1315 LEN=0035 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0220/0857 LEN=0035 INSTALLED UNKN "DIA CIRC 0 1 5 CONCR 0220/0320 LEN = 0035INSTALLED UNKN 053637 FT 053637 FT 00105 0 00 0536+32 0 "DIA CIRC CONCR 0 1 5 LEN=0035 INSTALLED UNKN LENGTH (AH **E** 0220/0000 2889 BK 2259) "DÍA CONCR 0 1 5 CIRC 0210/1956 LEN=0035 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0210/1479 LEN = 0035INSTALLED UNKN "DIA CIRC 0 1 5 CONCR 0210/0960 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0210/0706 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0210/0455 051378 FT LEN = 0035INSTALLED UNKN 051378 FT 0 00 0513+83 0 00105 "DIA CIRC CONCR LEN = 0035INSTALLED UNKN **☑** 0210/0000 LENGTH(AH 2259 BK 2472) "DÌA CIRC CONCR 0 1 5 LEN=0035 0200/2249 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0200/2030 LEN=0035 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0200/1835 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0200/1508 LEN = 0045INSTALLED UNKN NOYES EAST KEATING T 0200/1160 "DIA CIRC CONCR 0 1 5 LEN=0040 INSTALLED UNKN 0200/1041 "DIA CIR PLASTIC 030 0200/0577 LEN = 0034INSTALLED 2023 "DIA 024 CIR PLASTIC

048906 FT

0200/0225

048906 FT

0190/2380

**E** 0200/0000

LEN = 0026

LEN=0035

LENGTH (AH

0

030

0 1 5

0190/2205 LEN=0035

00105

"DÌA

"DIA

0 00

CIR

015 "DIA CIRC METAL

INSTALLED 2020

2472 BK 2482)

PLASTIC

INSTALLED UNKN

INSTALLED UNKN

CIRC CONCR

0489+21

120

INSTALLED UNKN

INSTALLED UNKN

INSTALLED UNKN

INSTALLED UNKN

INSTALLED UNKN

INSTALLED UNKN

0 00 0464+49

INSTALLED UNKN

INSTALLED UNKN

0 00 0446+32

INSTALLED UNKN

INSTALLED 2021

INSTALLED UNKN

INSTALLED UNKN

INSTALLED UNKN

CIR PLASTIC

CIRC CONCR

CIRC CONCR

2482 BK 1824)

CIRC CONCR

CIRC CONCR

CIRC CONCR

CIRC CONCR

CIRC CONCR

CIRC CONCR

SR:

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 49.479 MI. TOTAL LEN: DIST: 02-3 MUN: EAST KEATING T RIGHT MUN: EAST KEATING T 0190/1683 LEN=0040 015 "DIA LEN=0040 0190/1285 "DIA 0 1 5 0190/0930 LEN=0035 "DIA 0 1 5 0190/0795 LEN = 0035"DIA 0 1 5 LEN = 00350190/0493 "DIA 0 1 5 0190/0035 LEN=0035 046424 FT 046424 FT 0 00105 LENGTH (AH **E** 0190/0000 0 1 5 "DÍA CIRC CONCR 0180/1527 LEN = 0030015 "DIA 0180/1035 LEN=0045 044600 FT 044600 FT 1 0 00105 LENGTH (AH 1824 BK 3008) **E** 0180/0000 "DÌA CIRC METAL 018 0170/3008 LEN=0040 "DIA 018 LEN=0050 0170/2739 "DIA 0 1 5 0170/2200 LEN=0040 015 "DIA 0170/1989 LEN=0035

> 0170/0640 LEN = 0030041592 FT - 1 0 00105 0 00 0416+34 VILLAGE: KEATING 024"H 48"W CON BOX CUL

> > LEN=0030 INSTALLED UNKN **□** 0170/0000 LENGTH(AH 3008 BK 2653)

0170/1056

0 1 5

015 "DIA CIRC CONCR 0160/2009 LEN = 0035INSTALLED UNKN 015 "DIA CIRC CONCR 0160/1520 LEN=0035 INSTALLED UNKN 015 "DIA CIRC CONCR

UPPER STIMPSON RUN STRUCTURE LENGTH 0170/1083 BMSID 18/0120/0170/1083 KEATING MT RD

(SR4002 SEG 0150/2604) "DIA CIRC CONCR

00105 0 00 0316+20

INSTALLED UNKN

"DIA CIRC CONCR

031576 FT

1 0 0 1 5

LEN = 0035

031576 FT

DIR: LEFT

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT

PAGE NUMBER: COUNTY: CLINTON

DIR: B TOTAL LEN: 49.479 MI. LEFT MUN: EAST KEATING T

DIST: 02-3 SR: 120
RIGHT MUN: EAST KEATING T

□ 0130/0000 LENGTH(AH 2349 BK 2799) 015 "DÍA CIR PLASTIC 0120/2521 LEN=0008 INSTALLED 2004 "DIA 0 1 5 CIRC METAL 0120/2091 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC METAL 0120/1864 LEN = 0050INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0120/1620 LEN=0030 INSTALLED UNKN "DIA CIR PLASTIC LEN=0030 0120/0850 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0120/0508 LEN = 0035INSTALLED UNKN 028777 FT 028777 FT 1 0 00105 0 00 0288+00 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN LENGTH (AH 015 "DIA C 2799 BK 2313) **E** 0120/0000 CIRC CONCR 0110/1899 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 015 0110/1535 LEN=0035 INSTALLED UNKN 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN 0110/1220 "DIA CIR PLASTIC 0110/0541 LEN=0008 INSTALLED 2004 015 "DIA CIRC CONCR LEN = 00350110/0275 INSTALLED UNKN 026464 FT 026464 FT 1 0 00105 0 00 0264+87 LENGTH(AH 2313 BK 2376) **E** 0110/0000 "DÍA CIRC CONCR 0 1 5 0100/2052 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0 1 5 LEN=0040 INSTALLED UNKN 0100/1815 "DIA 0 1 B CIR PLASTIC LEN=0012 0100/1308 INSTALLED 2004 "DIA CIRC CONCR 0 1 5 LEN = 0035INSTALLED UNKN 0100/0995 "DIA CIRC CONCR 0 1 5 0100/0507 LEN=0045 INSTALLED UNKN 024088 FT 024088 FT 00105 0 00 0241+11 0 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN **5** 0100/0000 LENGTH (AH 2376 BK 2668) "DÌA 0 1 5 CIRC METAL LEN=0040 0090/2245 INSTALLED UNKN 015 "DIA CIRC CONCR 0090/1781 LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 4 2 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: LEFT 49.479 MI. TOTAL LEN: DIST: 02-3 SR: 120 MUN: EAST KEATING T RIGHT MUN: EAST KEATING T "DIA CIRC CONCR 0 1 5 0090/0962 LEN=0045 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0090/0733 LEN = 0.045INSTALLED UNKN "DIA CIRC CONCR 0090/0530 LEN = 0035INSTALLED UNKN 021420 FT 021420 FT 00105 0 00 0214+47 0 "DIA CONCR CIRC LEN=0035 INSTALLED UNKN LENGTH (AH 2668 BK 2445) **E** 0090/0000 "DÌA CIRC 0 1 5 CONCR 0080/2147 LEN = 0055INSTALLED UNKN "DIA CIRC CONCR 0 1 5 LEN = 0.0350080/1639 INSTALLED UNKN 0 1 5 "DIA CIRC CONCR 0080/1335 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0080/0938 LEN=0035 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0080/0439 LEN = 0035INSTALLED UNKN 018975 FT 018975 FT 00105 0 0 0 **5** 0080/0000 LENGTH (AH 2445 BK 2542) 018 "DÌA CIR PLASTIC 0070/2305 INSTALLED 2004 LEN=0008 048"H 48"W CON BOX CUL LEN = 00350070/2038 INSTALLED UNKN "DIA CIRC 0 1 5 CONCR 0070/1620 LEN=0035 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0070/1350 LEN=0035 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0070/1060 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0070/0520 LEN = 0035INSTALLED UNKN 016433 FT 016433 FT 0 00105 0 00 0164+41 MILL RUN STRUCTURE LENGTH BMSID 18/0120/0070/0000 LENGTH(AH 2542 BK 3538) **⊫** 0070/0000 "DÎA CIRC CONCR 018 0060/3190 LEN=0040 INSTALLED UNKN "DIA 024 CIRC CONCR 0060/2755 LEN=0045 INSTALLED UNKN "DIA CIRC CONCR 018 0060/2630 LEN = 0035INSTALLED UNKN "DIA 0 1 5 CIRC CONCR

LEN=0035

015 "DIA

INSTALLED UNKN

INSTALLED UNKN

CIRC CONCR

0060/2420

0060/2205 LEN=0040

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 4 1 PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: LEFT 49.479 MI. TOTAL LEN: DIST: 02-3 120 MUN: EAST KEATING T RIGHT MUN: EAST KEATING T "DIA CIRC CONCR 018 LEN=0040 INSTALLED UNKN 0060/1444 "DIA CIRC CONCR 0 1 5 0060/1210 LEN=0050 INSTALLED UNKN "DIA CIRC CONCR 0060/0860 LEN=0045 INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0060/0480 LEN=0035 INSTALLED UNKN 012895 FT 012895 FT 00105 0 00 0129+03 1 0 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN LENGTH (AH 3538 BK 2290) 015 "DIA CIRC CONCR 0060/0000 LEN = 0.0450050/2034 INSTALLED UNKN 0 1 5 "DIA CIRC CONCR LEN=0045 0050/1777 INSTALLED UNKN "DIA CIRC CONCR 0 1 5 0050/1549 LEN=0050 INSTALLED UNKN "DIA CIRC CONCR 0050/0940 LEN=0035 INSTALLED UNKN "DIA CIR PLASTIC 0 1 5 0050/0360 LEN = 0035INSTALLED UNKN 010605 FT 010605 FT 00105 0 00 0106+15 "DIA CIRC CONCR LEN = 0035INSTALLED UNKN E 0050/0000 LENGTH (AH 2290 BK 2489) "DÌA 0 1 5 CIRC CONCR LEN=0035 0040/2243 INSTALLED UNKN "DIA CIRC METAL 018 0040/1679 LEN=0040 INSTALLED UNKN "DIA CIRC CONCR 0040/1038 LEN = 0.050INSTALLED UNKN "DIA 0 1 5 CIRC CONCR 0040/0708 LEN = 0035INSTALLED UNKN "DIA CIRC CONCR 0040/0455 LEN = 0035INSTALLED UNKN BMSEN 18/0120/0040/0000 1 0 00105 0 00 0081+26 0040/0022 008116 FT 008116 FT MONTOUR RUN BMSBG 18/0120/0040/0000 **5** 0040/0000 LENGTH (AH 2489 BK 2961) 0 1 5 "DÌA CIRC CONCR LEN=0035 0030/2690 INSTALLED UNKN MONTOUR RD 0030/2537 (FRST) 015 "DIA CIR PLASTIC 0030/2260 LEN=0004 INSTALLED 2004

BK-CAMERON (12)

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT

COUNTY: CLINTON

DIR: E LEFT MUN: GREENE T TOTAL LEN: 23.996 MI. DIST: 02-3 SR: 80 RIGHT MUN: GREENE T

AH-UNION (59)126701 FT Z H CONFAIR MEMORIAL HW INTER-AHD 126573 FT INTER-AHD Z H CONFAIR MEMORIAL HW (SR0080 SEG 1945/0000) 018 "DIA CIRC METAL 1941/3223 1940/3907 (SR0080 SEG 1944/0000)  $\overline{}$ LEN=0120 INSTALLED 2001 1941/3175 FISHING CREEK STRUCTURE LENGTH 10 FT BMSID 18/0080/1940/3526 RWIS SITE/AT MP 194 1940/3526 **₩1940/2940** OIB "DIA CIRC METAL 1940/2894 LEN=0140 INSTALLED 2001 018 "DIA CIRC METAL INSTALLED 2001 1941/2756 LEN=0128 018 "DIA CIRC METAL LEN=0133 INSTALLED 2001 1941/2456 018 "DIA CIRC METAL 1940/2344 LEN=0191 INSTALLED 2001 "DIA CIRC METAL 018 1940/2044 LEN=0101 INSTALLED 2001 018 "DIA CIRC METAL INSTALLED 2001 1941/1956 LEN = 0132018 "DIA CIRC METAL LEN=0132 INSTALLED 2001 1941/1556 018 "DIA CIRC METAL 1940/1544 LEN=0202 INSTALLED 2001 018 "DIA CIRC METAL LEN=0125 INSTALLED 2001 1941/1256 ROADSIDE REST RD 1940/1055 (SR9204 SEG 0010/1603) 018 "DIA CIRC METAL INSTALLED 2001 1941/0956 LEN=0140 018 "DIA CIRC METAL LEN=0167 INSTALLED 2001 1941/0606 \_\_\_ FISHING CREEK STRUCTURE LENGTH 18 FT 1940/0492 BMSID 18/0080/1940/0492

**5** 1934/0000 LENGTH(AH 2634 BK 2640)

LENGTH (AH 2783 BK 2497) 1935/0000 E

EXTRACT DATE: 12/18/2023 ROADWAY PRINT DATE: 12/19/2023 SLD COUNTY	MANAGEMENT SYSTEM /SR — ANNUAL PRINT	PAGE COUNTY:	NUMBER: 37 CLINTON	
DIR: E TOTAL LEN: 23.996 LEFT MUN: GREENE T	MI. DIST: RIGHT MUN: GI	02-3 REENE T	SR: 80	
018 "DIA CIRC CONCR LEN=0112 INSTALLED 2001 1931/2344 ===	· <b></b>	0 <u>1 8 " D I A</u>	CIRC METAL INSTALLED 2001	
018 "DIA CIRC CONCR LEN=0096 INSTALLED 2001 1931/1894	· <b>_</b>			
		018 "DIA	CIRC METAL INSTALLED 2001 CIRC METAL INSTALLED 2001	
018 "DIA CIRC METAL LEN=0100 INSTALLED 2001 1931/1544	· <b></b>	018 "DIA	CIRC METAL	
018 "DIA CIRC METAL LEN=0132 INSTALLED 2001 1931/1094	1930/1278		INSTALLED 2001	ı
BRANCH FISHING CREEK	1930/0978	LEN=0124	CIRC METAL INSTALLED 2001 SHING CREEK LENGTH 14 FT	
STRUCTURE LENGTH 14 FT BMSID 18/0080/1931/0722 1931/0722 >	1930/0745	BMSID 18/ 018 "DIA	0080/1930/0745 CIRC METAL INSTALLED 2001	5
018 "DIA CIRC METAL LEN=0128 INSTALLED 2001 1931/0194 ===	· <b></b>	0 1 B " D I A	CIRC METAL	
1 0 01009 0 00 1179+88 118198 FT	1930/0178 117392 FT	MIL	CIRC METAL INSTALLED 2001 0 00 1173+47 EPOST 193.00	0
LENGTH (AH 2497 BK 2564) 1931/0000 ESP- 018 "DIA CIRC METAL LEN=0159 INSTALLED 2001 1925/2466		•	CIRC METAL	,
018 "DIA CIRC CONCR LEN=0113 INSTALLED 2001 1925/2166 ===	1924/2402	L E N = 0 1 4 0	INSTALLED 2001	1
CROSSOVER RD	1 11	L E N = 0 1 1 8 C R O S S O V E R	CIRC CONCR INSTALLED 2001 RD	1
(CONN)  1925/1843  018 "DIA CIRC CONCR  LEN=0098 INSTALLED 2001 1925/1814	1924/1775	,	CIRC METAL	
	1924/1753	LEN=0040 018 "DIA	INSTALLED 2001 CIRC CONCR INSTALLED 2001	
018 "DIA CIRC CONCR LEN=0130 INSTALLED 2001 1925/1376			CIRC METAL INSTALLED 2001	
	1924/1352	L E N = 0 1 1 2	INSTALLED 2001	1

1914/0890 LEN=0126 INSTALLED 2001

018 "DIA CIRC METAL

LEN=0140 INSTALLED 2001 1905/1665

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: E LEFT MUN: GREENE T TOTAL LEN: 23.996 MI. SR: 80 DIST: 02-3 RIGHT MUN: GREENE T 1904/1647 BMSEN 18/0080/1904/1414 1 0 01009 0 00 1055+50 LR 359 1904/1414 BMSBG 18/0080/1904/1414 OTB "DIA CIRC CONCR 1904/1391 LEN=0092 INSTALLED 2001 036 "DIA CIRC CONCR LEN=0132 INSTALLED 2001 1905/1348 018 "DIA CIRC CONCR 1904/1239 LEN=0104 INSTALLED 2001 DMS SIGN STRUCTURE 1904/1140 BMSID 18/0080/1904/1140 048 "DIA CIRC CONCR INSTALLED 2001 1905/0798 LEN = 0.100018 "DIA CIRC CONCR LEN=0080 INSTALLED 2001 1905/0704 018 "DIA CIRC CONCR 1904/0439 LEN=0129 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0080 INSTALLED 2001 1905/0198 104190 FT 1 0 01009 0 00 1041+79 1 0 01009 0 00 1047+96 104988 FT LENGTH (AH 2798 BK 2640) 1905/0000 🖂 **□** 1904/0000 LENGTH(AH 2513 BK 2663) 018 "DIA CIRC CONCR LEN=0090 INSTALLED 2001 1901/2489 054 "DIA CIRC CONCR LEN=0181 INSTALLED 2001 1901/2276 054 "DIA CIRC CONCR LEN=0218 INSTALLED 2001 1901/1751 030 "DIA CIRC CONCR 1900/2579 LEN=0178 INSTALLED 2001 BMSEN 18/0080/1901/1341 1901/1511 DRAINAGE STRUCTURE LENGTH 20 FT 1900/2503 BMSID 18/0080/1900/2503 1 0 01009 0 00 1036+28 LR 359 BMSBG 18/0080/1901/1341 1901/1341 024 "DIA CIRC CONCR 1900/2312 LEN=0092 INSTALLED 2001 CROSSOVER RD CROSSOVER RD (CONN) 1901/1296 **\*** 1900/2309 (CONN) √ 1900/2239 RWIS SITE/AT MP 190 "ĎIA CIRC CONCR 018 1900/1989 LEN=0092 INSTALLED 2001 018 "DIA CIRC CONCR 1900/1688 LEN=0089 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0116 INSTALLED 2001 1901/1285

DMS SIGN STRUCTURE

BMSID 18/0080/1901/1052 1901/1052

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: E LEFT MUN: GREENE 23.996 MI. SR: 80 TOTAL LEN: DIST: 02-3 RIGHT MUN: GREENE T 018 "DIA CIRC CONCR LEN=0092 INSTALLED 2001 1901/1035 024 "DIA CIRC CONCR 1900/0833 LEN=0088 INSTALLED 2001 024 "DIA CIRC CONCR 1900/0533 LEN=0096 INSTALLED 2001 036 "DIA CIRC CONCR 1900/0283 LEN=0116 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0090 INSTALLED 2001 1901/0277 1 0 01009 0 00 1021+69 102348 FT 01009 0 00 1015+07 101527 FT 1 0 MILEPOST 190.00 MILEPOST 190.00 LENGTH(AH 2640 BK 3409) 1901/0000 --- **□** 1900/0000 LENGTH(AH 2663 BK 2654) LEN=0046 INSTALLED 2001 1895/3409 018 "DIA CIRC CONCR INSTALLED 2001 1895/2881 LEN = 0092018 "DIA CIRC CONCR INSTALLED 2001 1895/2608 LEN=0088 024 "DIA CIRC CONCR 1894/2508 LEN=0060 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0092 INSTALLED 2001 1895/2335 048 "DIA CIRC CONCR LEN=0163 INSTALLED 2001 1895/1739 018 "DIA CIRC CONCR 1894/1703 LEN=0092 INSTALLED 2001 024 "DIA CIRC CONCR 1894/1358 LEN=0092 INSTALLED 2001 030 "DIA CIRC CONCR 1894/1183 LEN=0146 INSTALLED 2001 CIRC CONCR 018 "DIA LEN=0096 INSTALLED 2001 1895/0911 024 "DIA CIRC METAL 1894/0683 LEN=0244 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0056 INSTALLED 2001 1895/0596 048 "DIA CIRC METAL 1894/0104 LEN=0343 INSTALLED 2001 0 00 0987+68 098939 FT 098873 FT 1 0 01009 0 00 0988+72 1 0 01009 LENGTH (AH 3409 BK 2689) 1895/0000 ES E 1894/0000 LENGTH (AH 2654 BK 2640) LEN = 0368INSTALLED 2001 1891/2601 030 "DIA CIRC CONCR LEN=0089 INSTALLED 2001 1891/2055 \_\_\_ 024 "DIA CIRC CONCR 1890/1849 LEN = 0060INSTALLED 2001 030 "DIA CIRC CONCR 1890/1699 LEN=0124 INSTALLED 2001 018 "DIA CIRC CONCR

LEN=0092 INSTALLED 2001 1891/1356

INSTALLED 2001 1881/1310

INSTALLED 2001 1881/0910

LEN = 0056

LEN=0056

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: E LEFT MUN: GREENE T SR: 80 TOTAL LEN: 23.996 MI. DIST: 02-3 RIGHT MUN: GREENE T 018 "DIA CIRC CONCR LEN=0056 INSTALLED 2001 1881/0610 O1B "DIA CIRC CONCR 1880/0557 LEN=0092 INSTALLED 2001 030 "DIA CIRC CONCR LEN=0092 INSTALLED 2001 1880/0212 0907+94 090953 FT 090823 FT 01009 0 00 0908+29 0 01009 0 00 0 MILEPOST 188.00 MILEPOST 188.00 LENGTH (AH 2658 BK 2683) 1881/0000 === 💴 🛌 1880/0000 LENGTH(АН 2697 ВК 2481) 048 "DÍA CIRC CONCR LEN=0128 INSTALLED 2001 1875/2370 030 "DIA CIRC CONCR LEN=0121 1874/2214 INSTALLED 2001 030 "DIA CIRC CONCR LEN=0088 1874/1794 INSTALLED 2001 024 "DIA CIRC CONCR INSTALLED 2001 1874/1494 LEN=0088 036 "DIA CIRC CONCR LEN=0092 INSTALLED 2001 1875/1289 024 "DIA CIRC CONCR 1874/0947 LEN=0112 INSTALLED 2001 CROSSOVER RD CROSSOVER RD 1874/0143 (CONN) 1875/0173 (CONN) **\*** 0 01009 0 00 0881+17 088270 FT 088342 FT 1 0 01009 0 00 0883+57 LENGTH (AH 2683 BK 2608) 1875/0000 E ES 1874/0000 LENGTH (AH 2481 BK 2671) "DIA CIRC CONCR LEN=0092 INSTALLED 2001 1871/2493 030 "DIA CIRC CONCR 1870/1987 LEN=0100 INSTALLED 2001 042 "DIA CIRC CONCR 1870/1487 LEN=0092 INSTALLED 2001 060 "DIA CIRC CONCR LEN=0094 INSTALLED 2001 1871/1343 018 "DIA CIRC CONCR 1870/0787 LEN=0108 INSTALLED 2001 024 "DIA CIRC CONCR LEN=0084 INSTALLED 2001 1871/0493 024 "DIA CIRC CONCR 1870/0487 LEN=0104 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0084 INSTALLED 2001 1871/0143 085671 FT 1 01009 0 00 0856+91 0 1 0 01009 0 00 0854+95 085662 FT MILEPOST 187.00 LENGTH (AH 2608 BK 2608) 1871/0000 --- 🛌 1870/0000 LENGTH(AH 2671 BK 2582) \_ 187.00 1865/2576 MILEPOST \_\_ 048 "DIA CIRC CONCR 04B "DIA CIRC CONCR LEN=0104 INSTALLED 2001 1865/1457 1864/1550 LEN=0126 INSTALLED 2001

<del>\*</del>

1854/1593 (CONN)

1855/1581

(CONN)

036 "DIA CIRC METAL

O1B "DIA CIRC CONCR

015 "DIA CIRC METAL

EXT	R A C T R I N T	D A T	E :	1 2 1 2	/1	8 / 2 9 / 2	2 O 2 2 O 2	3	S	R L D	OA	D W A O U N	Y I	MAN. /SR	A G	E M E	T N T	S Y A L	YST PR	E M I N	т	С	0 U I	PAC	Ε (:	N U C L	M E	ER	: N		2 7	
D I R L E F	: E T MUN	1: G	REE	NE	Т	тот	ΓAL	L	ΕN	:	2	3.9	96	МІ		F	RIG	нт	M U	IS N:	T : G I	0 2 R E E	– 3 N E	Т		S R	:		80			
L E N =	0178	INS	TAL	. L E	D :	200	1	18	4 1	/ 1	1 7	2	-†	<u>                                     </u>				18/	10/	' n a	5.4	0 2 L E	4 '	" D I	A 7 2	CI	RC	; C	ΟÑ	C R	201	0 1
0 1 8 L E N =	"DIA 0086	CIR	CCC	CON	CR D	200	) 1	18	4 1	/0	77	0	-+		7				+ 0 /	03	J 4								ON			0 1
0 1 8 L E N =	"DIA	CIR	C C	ON	C R	200	1	18	<b>4</b> 1	<b>/</b> 0	47	7			-	<b> </b>		184	40/	06	3 3	ĽĖ	N = (	0 0 7	3	ĬN	ŠŤ	AL	ĹĖ	Ď "	20	0 1
	01009											•		-	┥-	_		069	75	0	FT	0 1 L E 1	0 (	O 1 C	009	0		0	06	97	+51	0
LENG	М Î Î ТН ( <b>А</b> Н	EPC 1 25	S T 4 2	ВК	184	4 . ( 6 9 7	7)	18	4 1	/0	0 0	0 📻	<b>-</b>	<b></b>	-	-	5	184	40/	00	0 0	L E 0 1	N G	М Т Н ( Т D I	AIL (AH	. E P I 2 C I	0 S 6 C R C	T 7 7	BK	18 2 CR	4 . ( 4 2	0 0
0 4 8 L E N =	"DIA	CIR	C N	4 E T	A L D	200	) 1	18	3 5	/ 2	1 0	0	_		7-	_		183	34/	2 4	2 1	LE	N = (	009	9 6	IN	ST	AL	LE	D	20	0 1
018	"DIA	CIR	1 C C	ЭN	<u>C</u> R							_		-	┥-	-		183	3 4 /	2 0	2 5	0 3 L E	6 ' N = (	" D I	8 8	CI	R C S T	AL	LE	C R D	20	0 1
L E N =						200	) 1	18	3 5	/ 1	50	D		-	╡-			183	34/	13	2 6	0 3 L E	0   N = 0	' D '	A 3 0	CI	R C S T	AL	ON	C R D	20	0 1
0 1 8 L E N =	0072	INS	TAL	LE	D :	200	1	18	3 5	/1	20	4	-+	-				107	- 4 /		7.1	0 1 L E	8 '	" D I	A	ÇΙ	RC	; C	ОЙ	C R	20	٥.
0 1 8 L E N =	" D I A 0 0 7 2	CIR	C C	ON	CR D:	200	) 1	18	3 5	/0	9 0	2	-+	<u> </u>	7				Í													
0 1 8 L E N = 0	" D   A	CIR	C C	P	C R	200	1	1 8	3 5	/0	6 3	n		_	┥-	<b> </b>		183	3 4 /	07	1 0	0 1 L E	N = (	7 0 0	7 1	ĬN	ST	AL	LE	D	20	0 1
018									<i>-</i>	, ,	00	u	I	<b>-</b>	┥-			183	3 4 /	0 4	3 5	0 1 L E	8 N	" D I	A 7 0	CI	R C S T	AL	ON	C R D	20	0 1
L E N =	0070	INS	TAL	. L E	D :								-+	<u>                                     </u>	╛.			183	34/	0 1	6 3	0 1 L E	B '	" D I	A 7 0	CI	R C	C	ON	C R	20	0 1
0 1 8 L E N = 1 1 0 L E N G	" D I A 0 0 7 4 0 1 0 0 9	CIR INS	C C TAL	0 N 2 L E 0 6	C R D : 7 1 -	2 0 0 + 4 6	) 1 5 0	1 8 6 7	3 5 2 9	/ 0 2	0 7 F T	9	-+	-					-													
LENG	T H ( A F	126	97	ВК	2 (	640	)	18	3 5	/0	00	0 📻		_	<u> </u>	_	5	183	3 4 / 3 0 /	00 25	0 0 6 4	1 L E O 1 L E	N G 7 8 1	TH (	( A H   A   5	C I I N	4 2 R C S T	1 C A L	B K O N L E	C R D	66 20	8) 01
														_	┫-	_		183	30/	' 1 <b>9</b>	3 2	0 2 L E	4 N = 0	" D I	A 2	C I	R C S T	M A L	I E T	A L D	20	0 1

024 "DIA CIRC METAL

1820/2326 LEN=0086 INSTALLED 2001

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM 26 PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: E LEFT MUN: GREENE T 23.996 MI. SR: 80 TOTAL LEN: DIST: 02-3 RIGHT MUN: GREENE T LEN=0168 INSTALLED 2001 1831/2151 084"H 84"W CON BOX CUL 072"H 72"W CON BOX CUL 1830/1234 LEN=0211 INSTALLED UNKN LEN=0251 INSTALLED UNKN 1831/1496 018 "DIA CIRC CONCR 1830/0732 LEN=0079 INSTALLED 2001 036 "DIA CIRC METAL LEN=0140 INSTALLED 2001 1831/0522 036 "DIA CIRC METAL 1830/0273 LEN=0150 INSTALLED 2001 BMSEN 18/0080/1831/0274 1831/0385 1830/0138 BMSEN 18/0080/1830/0027 024 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 1831/0280 1 0 01009 0 00 0648+49 1 0 01009 0 00 0646+78 FORESTRY RD FORESTRY RD BMSBG 18/0080/1831/0274 1831/0274 1 0 01009 0 00 0644+96 064652 FT BMSBG 18/0080/1830/0027 1 0 01009 0 00 0646+79 1830/0027 064661 FT MILEPOST 183.00 MILEPOST 183.00 LENGTH (AH 2668 BK 2705) DMS SIGN STRUCTURE LENGTH (AH 2640 BK 2402) 1831/0000 -- **□** 1830/0000 BMSID 18/0080/1824/2640 1824/2640 030 "DIA CIRC METAL 1824/2239 LEN=0140 INSTALLED 2001 036 "DIA CIRC METAL INSTALLED 2001 1825/1749 LEN=0168 030 "DIA CIRC METAL 1824/1639 LEN=0160 INSTALLED 2001 GREENE GREENE LAMAR T 1825/1214 1824/1237 LAMAR T "DIA CIRC CONCR 018 1824/1044 LEN=0085 INSTALLED 2001 CIRC CONCR 018 "DIA LEN=0086 INSTALLED 2001 1825/0857 O1B "DIA CIRC CONCR 1824/0769 LEN=0086 INSTALLED 2001 CIRC CONCR 018 "DIA LEN=0073 INSTALLED 2001 1825/0554 018 "DIA CIRC CONCR 1824/0494 LEN=0087 INSTALLED 2001 CIRC CONCR 018 "DIA INSTALLED 2001 1825/0254 LEN=0074 009 "DIA CIRC METAL 1824/0216 LEN=0086 INSTALLED 2001 0 01009 0 00 0620+96 062250 FT 061956 FT 01009 0 00 0619+53 0 LENGTH (AH 270 018 "DIA CIRC LENGTH (AH 2402 BK 2681) 1825/0000 🖂 **5** 1824/0000 2705 BK 2660) CONCR 1820/2604 LEN=0086 INSTALLED 2001 048 "DIA CIRC METAL LEN=0110 INSTALLED 2001 1821/2486 042 "DIA CIRC CONCR

EXTRACT DATE: 12/ PRINT DATE: 12/	8 / 2 0 2 3 R O A D 9 / 2 0 2 3 S L D C O	WAY MANAGEMENT SYSTEM UNTY/SR — ANNUAL PRINT	PAGE NUMBER: 25 COUNTY: CLINTON
DIR: E LEFT MUN: LAMAR T	TOTAL LEN: 23	.996 MI. DIST: RIGHT MUN: LA	
CROSSOVER RD (CONN) 018 "DIA CIRC CONC LEN=0111 INSTALLED 018 "DIA CIRC CONC	2001 1821/2390		CROSSOVER RD (CONN)
LEN=0092 INSTALLED	`2001 1821/2090	1820/2011	018 "DIA CIRC CONCR LEN=0088 INSTALLED 2001 018 "DIA CIRC CONCR
018 "DIA CIRC CONC LEN=0073 INSTALLED	2001 1821/1747		O18 "DIA CIRC CONCR
018 "DIA CIRC CONC LEN=0072 INSTALLED		-+	LEN=0087 INSTALLED 2001  018 "DIA CIRC CONCR LEN=0086 INSTALLED 2001
042 "DIA CIRC CONC	2001 1821/0829	-+	LEN=UUSG INSTALLED ZUUT
018 "DIA CIRC CONC LEN=0080 INSTALLED		1820/0594	036 "DIA CIRC CONCR LEN=0108 INSTALLED 2001
1 0 01009 0 00 059 MILEPOST 1	+58 059569 FT	1820/0180 059296 FT	018 "DIA CIRC CONCR LEN=0086 INSTALLED 2001 1 0 01009 0 00 0592+80 MILEPOST 182.00
LENGTH (AH 2681 BK	, ,	1814/2506	LENGTH (AH 2660 BK 2648) 018 "DIA CIRC CONCR LEN=0086 INSTALLED 2001
LEN=0066 INSTALLED  030 "DIA CIRC CONC LEN=0086 INSTALLED		1814/2206	018 "DIA CIRC CONCR LEN=0092 INSTALLED 2001
024 "DIA CIRC CONC LEN=0120 INSTALLED	1		018 "DIA CIRC CONCR LEN=0085 INSTALLED 2001
024 "DIA CIRC CONC LEN=0128 INSTALLED	R 2001 1815/1544	1814/1551	018 "DIA CIRC CONCR LEN=0080 INSTALLED 2001
030 "DIA CIRC CONC	, !	1814/1055	030 "DIA CIRC CONCR LEN=0084 INSTALLED 2001

LENGTH (AH 2640 BK 2504) 1811/0000 ESP- | DE-

024 "DIA CIRC CONCR

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: COUNTY: CLINTON SLD COUNTY/SR - ANNUAL PRINT DIR: E LEFT MUN: LAMAR T TOTAL LEN: 23.996 MI. DIST: 02-3 SR: 80 RIGHT MUN: LAMAR T 018 "DIA CIRC CONCR 1804/2491 LEN=0096 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0090 INSTALLED 2001 1805/2348 018 "DIA CIRC CONCR 1804/2188 LEN=0096 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0076 INSTALLED 2001 1805/2043 024 "DIA CIRC CONCR 1804/1864 LEN=0090 INSTALLED 2001 030 "DIA CIRC CONCR 1804/1572 LEN=0088 INSTALLED 2001 030 "DIA CIRC CONCR LEN=0076 INSTALLED 2001 1805/1471 018 "DIA CIRC CONCR 1804/1279 LEN=0092 INSTALLED 2001 018 "DIA CIRC CONCR INSTALLED 2001 1805/1143 LEN=0078 018 "DIA CIRC CONCR 1804/0979 LEN=0092 INSTALLED 2001 CIRC CONCR 018 "DIA LEN=0078 INSTALLED 2001 1805/0816 O1B "DIA CIRC CONCR 1804/0681 LEN=0092 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0078 INSTALLED 2001 1805/0499 O1B "DIA CIRC CONCR 1804/0378 LEN=0092 INSTALLED 2001 018 "DIA CIRC CONCR 1804/0083 LEN=0090 INSTALLED 2001 024 "DIA CIRC CONCR LEN=0124 INSTALLED 2001 1805/0037 1 0 01009 0 00 0516+56 051772 FT 051381 FT 1 0 01009 0 00 0513+87 LENGTH (AH 2504 BK 2640) 1805/0000 🖂 LENGTH (AH 2627 BK 2653) **5** 1804/0000 TRIB LÖNG RUN RUN TRIB LÖNG STRUCTURE LENGTH STRUCTURE LENGTH 1800/2388 BMSID 18/0080/1800/2388 BMSID 18/0080/1800/2388 1801/2274 024 "DIA CIRC CONCR LEN=0112 INSTALLED 2001 1801/2228 024 "DIA CIRC METAL 1800/2176 LEN=0204 INSTALLED 2001 CIRC CONCR 024 "DIA INSTALLED 2001 1801/1828 LEN = 0.104024 "DIA CIRC CONCR INSTALLED 2001 1801/1428 LEN=0092 024 "DIA CIRC CONCR 1800/1369 LEN=0076 INSTALLED 2001 024 "DIA CIRC CONCR LEN=0096 INSTALLED UNKN 1801/1014

1790/2211 LEN=0072 INSTALLED 2001

O1B "DIA CIRC CONCR

1784/0674 LEN=0096 INSTALLED 2001

LEN=0116

024 "DIA CIRC METAL

INSTALLED 2001

1774/2416

(CONN)

RAMP C

024 "DIA CIRC METAL

LEN=0316 INSTALLED 2001 1775/1988

EXTRACT DATE: 12/18 PRINT DATE: 12/19	/2023 ROADWAY MANAGEMEN /2023 SLD COUNTY/SR - ANN	T SYSTEM PAG UAL PRINT COUNTY	E NUMBER: 19 : CLINTON
DIR: E T LEFT MUN: LAMAR T	OTAL LEN: 23.996 MI.	DIST: 02-3 GHT MUN: LAMAR T	SR: 80
BMSEN 18/0080/1775/1 1 0 01009 0 00 0369+ LR 1063	429 1775/1541	1774/1798 LEN=034 1774/1466 BMSEN 1 1 0 010 LR 1063	6   NSTALLED 2001 8/0080/1774/1340 09 0 00 0369+00
BMSBG 18/0080/1775/1	429 1775/1429	1774/1340 BMSBG 1 018 "DI 1774/1310 LEN=003	8/0080/1774/1340 A CIRC CONCR 5 INSTALLED 2001
018 "DIA CIRC CONCR	-++-	1774/1275 LEN=017	A CIRC METAL O INSTALLED 2001
LEN=0078 INSTALLED UTRIB FISHING CREEK STRUCTURE LENGTH 15BMSID 18/0080/1775/0	FT	TRIB FI STRUCTU 1774/0935 BMSID 1	SHING CREEK RE LENGTH 16 FT 8/0080/1774/0935
RAMP A RD (SR8006 SEG 0250/119	6) 1775/0318	RAMP B 1774/0288 (SR8006	RD
018 "DIA CIRC CONCR LEN=0032 INSTALLED U 018 "DIA CIRC CONCR LEN=0104 INSTALLED 2		177470200 (380000	320 0010/0000,
1 0 01009 0 00 0355+ LENGTH(AH 2706 BK 25	15 035539 FT	1774/0025 LEN=010 035575 FT 1 0 010 1774/0000 LENGTH(	09 0 00 0355+60 AH 2609 BK 2705)
0 1 8 "DIA CIRC CONCR LEN=0 1 0 0 INSTALLED 2 0 1 8 "DIA CIRC CONCR	001 1771/2409	1770/2416 LEN=010	A CIRC CONCR O INSTALLED 2001
LEN=0096 INSTALLED 2	001 1771/2119	1770/2075 LEN=009 018 "DI	A CIRC CONCR
0 1 8 " D I A C I R C C O N C R L E N = 0 0 8 8 I N S T A L L E D 2	001 1771/1818	1770/1879 LEN=009	A CIRC CONCR
018 "DIA CIRC CONCR LEN=0082 INSTALLED 2 030 "DIA CIRC CONCR		1770/1480 ĒĖN=0ŌŻ	8 INSTALLED 2001
LEN=0072 INSTALLED 2		018 "DI 1770/1081 LEN=009 018 "DI	A CIRC CONCR
018 "DIA CIRC CONCR	; † -	1770/0830 LEN=008	U INSTALLED 2001

EXTRACT DATE: 12/18 PRINT DATE: 12/19	/2023 ROADWAY /2023 SLD COUNT	MANAGEMENT SYSTEM Y/SR — ANNUAL PRINT	PAGE NUMBER: 18 COUNTY: CLINTON
DIR: E T LEFT MUN: LAMAR T	OTAL LEN: 23.99	6 MI. DIST: RIGHT MUN: LA	02-3 SR: 80 AMAR T
LEN=0084 INSTALLED 2	001 1771/0821 -	1770/0538	048 "DIA CIRC CONCR LEN=0100 INSTALLED 2001
048 "DIA CIRC CONCR LEN=0100 INSTALLED 2	001 1771/0518 —	1770/0135	018 "DIA CIRC CONCR LEN=0082 INSTALLED 2001
036 "DIA CIRC CONCR LEN=0080 INSTALLED 2 1 0 01009 0 00 0329+	001 1771/011B <b>—</b> 55 032967 FT	032870 FT	1 0 01009 0 00 0328+64
MILEPOST 177 LENGTH (AH 2572 BK 26	. 0 0	1770/0000	MILEPOST 177.00 LENGTH(AH 2705 BK 2628) 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR LEN=0080 INSTALLED 2 030 "DIA CIRC CONCR	001 1765/2469 -	1764/2486	LEN=0082 INSTALLED 2001
LEN=0078 INSTALLED 2	001 1765/2169 —	1764/2137	018 "DIA CIRC CONCR LEN=0088 INSTALLED 2001
018 "DIA CIRC CONCR LEN=0076 INSTALLED 2	)	1764/1886	018 "DIA CIRC CONCR LEN=0088 INSTALLED 2001
018 "DIA CIRC CONCR	.01 1/65/1619 -	1764/1636	0 1 8 "DIA CIRC CONCR LEN=0090 INSTALLED 2001
LEN=0080 INSTALLED 2	001 1765/1419 🗕	1764/1336	018 "DIA CIRC CONCR LEN=0082 INSTALLED 2001
024 "DIA CIRC CONCR LEN=0078 INSTALLED 2			018 "DIA CIRC CONCR LEN=0082 INSTALLED 2001
O18 "DIA CIRC CONCR	001 1/65/1019 =	1764/0736	0 1 B "DIA CIRC CONCR LEN=0082 INSTALLED 2001
LEN=0084 INSTALLED 2	•	1764/0438	018 "DIA CIRC CONCR LEN=0080 INSTALLED 2001
018 "DIA CIRC CONCR LEN=0084 INSTALLED 2 1 0 01009 0 00 0303+ LENGTH(AH 2650 BK 26	)9 030317 FT	030242 FT	1 0 01009 0 00 0302+10
O36 "DIA CIRC METAL		1760/2613	1 0 01009 0 00 0302+10 LENGTH (AH 2628 BK 2640) 018 "DIA CIRC CONCR LEN=0126 INSTALLED 2001
LEN=0150 INSTALLED 2 BRANCH FISHING CREEK	001 1761/2560 🗕	<b>++-</b>	BRANCH FISHING CREEK

018 "DIA CIRC CONCR

1754/1777 LEN=0072 INSTALLED 2001

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PRINT DATE: 12/19/2023 SLD COUNTY/SR — ANNUAL PRINT	PAGE COUNTY:		6
DIR: E TOTAL LEN: 23.996 MI. DIST: LEFT MUN: LAMAR T RIGHT MUN: L	02-3 AMAR T	SR: 80	
LEN=0072 INSTALLED 2001 1755/1593	0 1 8 " D I A L E N = 0 0 7 2	CIRC CONCR INSTALLED 2	001
018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 1755/1343	018 "DIA	CIRC METAL	
018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 1755/1093		INSTALLED 2	001
018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 1755/0843	LEN=0072	CIRC CONCR INSTALLED 2	001
018 "DIA CIRC CONCR 1754/0751	0 1 8 " D I A L E N = 0 0 7 2	CIRC CONCR INSTALLED 2	001
LEN=0072 INSTALLED 2001 1755/0595	0 3 6 " D I A L E N = 0 0 7 2	CIRC CONCR INSTALLED 2	001
018 "DIA CIRC CONCR LEN=0094 INSTALLED 2001 1755/0343	1 0 0100	9 0 00 0249+ CIRC CONCR	2 4
1 0 01009 0 00 0251+62 025163 FT LENGTH(AH 2514 BK 2640) 1755/0000 😝	LEN=0096 LENGTH(A	INSTALLED U H 2649 BK 26 CIRC CONCR	N K N 4 0 )
048 "DIA CIRC CONCR LEN=0098 INSTALLED 2001 1751/2593	6 LEN=0096	INSTALLED 2	001
·	LAMAR PORTER T 018 "DIA	CIRC CONCR	
018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN 1751/2031		INSTALLED 2	
018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 1751/1801 1750/1643	S LEN=0072	CIRC CONCR INSTALLED 2	001
1750/1320	0 1 8 " D I A L E N = 0 0 7 2	CIRC CONCR INSTALLED 2	001
018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 1751/1516 BMSEN 18/0080/1751/1046 1751/1431 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 1751/1010	BMSEN 18	/0080/1750/0	787
LR 18007 TSR 342	LR 18007	9 0 00 0229+ TSR 342 /0080/1750/0	
-     -     -	018 "DIA	'CIRC'CONCR	

1740/1856 LEN=0072 INSTALLED 2001

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON DIR: E LEFT MUN: PORTER T 23.996 MI. DIST: 02-3 SR: 80 TOTAL LEN: RIGHT MUN: PORTER T 036 "DIA CIRC METAL LEN=0268 INSTALLED 2001 1731/0293 042 "DIA CIRC METAL 1730/0250 LEN=0323 INSTALLED 2001 BMSEN 18/0080/1731/0000 1731/0203 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 1731/0202 1 0 01009 0 00 0118+55 011837 FT LR 58 011769 FT 1 0 01009 0 00 0117+58 BMSBG 18/0080/1731/0000 MILEPOST 173.00 LENGTH (AH 2498 BK 2617) 1731/0000 🖂 **1730/0000** LENGTH (AH 2640 BK 2615) 1724/2589 BMSEN 18/0080/1724/2386 018 "DIA CIRC CONCR LEN=0262 INSTALLED 2001 1725/2402 0 00000 0 00 0000+00 LR 58 1724/2386 BMSBG 18/0080/1724/2386 RAMP A RD (SR8004 SEG 0250/1037) 1725/1849 018 "DIA CIRC CONCR 1724/1757 LEN=0198 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0204 INSTALLED 2001 1725/1742 042 "DIA CIRC CONCR 1724/1269 LEN=0224 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0180 INSTALLED 2001 1725/1253 RAMP C RD (SR8004 SEG 0010/0000) 1724/1150 DIB "DIA CIRC CONCR 1724/0962 LEN=0142 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0185 INSTALLED 2001 1725/0646 018 "DIA CIRC CONCR 1724/0611 LEN=0136 INSTALLED 2001 024 "DIA CIRC CONCR LEN=0178 INSTALLED 2001 1725/0297 036 "DIA CIRC METAL 1724/0253 LEN=0137 INSTALLED 2001 018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 1725/0130 1 0 01009 0 00 0091+59 009154 FT "DIA CIRC CONCR 018 0 01009 0 00 0092+24 009220 FT LEN=0036 INSTALLED 2001 LENGTH (AH 2615 BK 2642) LENGTH (AH 2617 BK 2640) 1725/0000 🖪 **E** 1724/0000 018 "DÍA CIRC CONCR 1720/2631 LEN=0726 INSTALLED 2001 018 "DIA CIRC CONCR

LEN=0072 INSTALLED 2001 1721/2463

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	23 ROADWAY MANAGEMENT SYSTEM 23 SLD COUNTY/SR — ANNUAL PRINT	PAGE NUMBER: 12 COUNTY: CLINTON
DIR: E LEFT MUN: PORTER T	L LEN: 23.996 MI. RIGHT MUN: P	02-3 SR: 80 ORTER T
		0 1 8 "DIA CIRC CONCR LEN=0072 INSTALLED 2001 0 1 8 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0072 INSTALLED 200	1721/2186	O18 "DIA CIRC CONCR
CROSSOVER RD (CONN)		LEN=0072 INSTALLED 2001 CROSSOVER RD
(CONN)	·	LEN=0072 INSTALLED 2001
018 "DIA CIRC CONCR		O 1 B "D I A C I R C C O N C R L E N = 0 0 9 0 I N S T A L L E D 2 0 0 1
LEN=0106 INSTALLED 200	1720/0966	018 "DIA CIRC CONCR LEN=0116 INSTALLED 2001
024 "DIA CIRC CONCR LEN=0120 INSTALLED 200	1721/0871	O18 "DIA CIRC CONCR
030 "DIA CIRC CONCR LEN=0119 INSTALLED 200	1721/0061	LEN=0132 INSTALLED 2001
1 0 01009 0 00 0065+84 MILEPOST 172.00	006580 FT       006512 FT	1 0 01009 0 00 0065+29 MILEPOST 172.00
LENGTH (AH 2640 BK 2639)	_	036 "DÍA CIRC CONCR LEN=0306 INSTALLED 2001
030 "DIA CIRC CONCR		036 "DIA CIRC CONCR LEN=0185 INSTALLED 2001
LEN=0134 INSTALLED 200	1715/2025	
018 "DIA CIRC CONCR LEN=0114 INSTALLED 200 018 "DIA CIRC CONCR		
LEN=0068 INSTALLED 2001 1 0 01009 0 00 0039+36 LENGTH(AH 2639 BK 2640) 018 "DIA CIRC CONCR	003941 FT       003843 FT	1 0 01009 0 00 0038+39 LENGTH(AH 2669 BK 2674)
018 "DÍA CIRC CONCR LEN=0072 INSTALLED 200	1711/2464	O1B "DIA CIRC CONCR
018 "DIA CIRC CONCR LEN=0076 INSTALLED 200	1711/2164 — 1710/2263	LEN=0084 INSTALLED 2001
LEN-UU/O INSTALLEU 200	·/··/2·0+ — Ţ	018 "DIA CIRC CONCR

EXTRACT DATE: 12/ PRINT DATE: 12/	/18/2023 ROADWAY /19/2023 SLD COUNT	MANAGEMENT SYSTEM Y/SR — ANNUAL PRINT	PAGE NUMBER: 11 COUNTY: CLINTON
DIR: E LEFT MUN: PORTER	TOTAL LEN: 23.99	RIGHT MUN: PO	DRTER T
018 "DIA CIRC CONC LEN=0078 INSTALLED	CR D 2001 1711/1915 <b>—</b>	1710/2005	LEN=0080 INSTALLED 2001 018 "DIA CIRC CONCR
018 "DIA CIRC CONC LEN=0078 INSTALLED	CR D 2001 1711/1652 <b>—</b>	1710/1758	LEN=0080 INSTALLED 2001
018 "DIA CIRC CONC LEN=0072 INSTALLED	CR D 2001 1711/1249 <b>—</b>	1710/1504	018 "DIA CIRC CONCR LEN=0080 INSTALLED 2001
018 "DIA CIRC CONC LEN=0094 INSTALLED	R 2001 1711/0969 -		018 "DIA CIRC CONCR LEN=0072 INSTALLED 2001
018 "DIA CIRC CONC LEN=0086 INSTALLED	CR 0 2001 1711/0689 <b>—</b>	<b>+</b>	018 "DIA CIRC CONCR
018 "DIA CIRC CONC LEN=0082 INSTALLED	CR D 2001 1711/0415 <b>—</b>		DEN=0094 INSTALLED 2001
018 "DIA CIRC CONC LEN=0076 INSTALLET 1 0 01009 0 00 001	CR D 2001 1711/0134 <b>—</b> I2+95 001301 FT	1710/0322 	LEN=0086 INSTALLED 2001
MILEPOST 1 LENGTH (AH 2640 BK 018 "DIA CIRC CONC	71.00  1301)   1711/0000 <mark> ⊑3</mark> 2−   R		MILEPOST 171.00 LENGTH(AH 2674 BK 1169)
LEN=0069 INSTALLED BMSEN 18/0080/1707 1 0 01009 0 00 000 T-339 DOTTERERS RE	9 + 4 1	1706/1150	BMSEN 18/0080/1706/1031 1 0 01009 0 00 0010+31 T-339 DOTTERERS RD
BMSBG 18/0080/1707	7/0934 1707/0934 🌙	-     - '	BMSBG 18/0080/1706/1031 036 "DIA CIRC METAL LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONC LEN=0040 INSTALLED 054 "DIA CIRC META LEN=0212 INSTALLED	) UNKN 1707/0920 🕳	<del>    -                                  </del>	
	·	1706/0849 000000 FT	036 "DIA CIRC METAL LEN=0254 INSTALLED 2001 1 0 01009 0 00 0000+00
Z H CONFAIR MEMORI	IR MEMORIAL HW IAL HW INTER-BK	INTER-BK	H CONFAIR MEMORIAL HW Z H CONFAIR MEMORIAL HW (SROOBO SEG 1704/1500)
(SR0080 SEG 1705/1 MFC BEGIN = A LENGTH(AH 1301 BK	0000) 1707/0000 🖼	<b>5</b> 1706/0000	MFC BEGIN = A BK-CENTRE (14) LENGTH(AH 1169 BK 0000)


DIR: B TOTAL LEN: B.622 MI. DIST: 02-3 SR: 64
LEFT MUN: BALD EAGLE T RIGHT MUN: BALD EAGLE T

EAGLE VALLEY RD 045523 FT (SR0150 SEG 0140/1246) 0190/1378

BEECH CREEK AV (BORO)

0190/0358

044145 FT



HOGAN BL 045523 FT (SR0150 SEG 0140/1246) 0190/1378 BALD EAGLE

BALD EAGLE
0190/1304 MILL HALL B
018 "DIA CIRC CONCR
0190/1301 LEN=0046 INSTALLED UNKN

018 "DIA CIRC CONCR 0190/0583 LEN=0050 INSTALLED UNKN

EXTRACT DATE: PRINT DATE:	12/18/2023 ROADWAY 12/19/2023 SLD COUNT	MANAGEN Y/SR - /	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: CLINTON	9
DIR: B LEFT MUN: MILL	TOTAL LEN: B.62 HALL B	2 MI.	RIGHT MUN: MI	02-3 LL HALL	SR: 64	
WEST PEALE AV (BORO)	0180/3012	==  ==	<b>5</b> 0190/0000	EAST PEAT (BORO) LENGTH(AI	LE AV H 1378 BK	3069)
RYLER'AV (BORO)	0180/2464	<del></del>	0180/2413	(AAR 506 012 "DIA LEN=0075	183W)#TRK CIRC MET INSTALLE	S 01 AL D UNKN
GIRARD ST (BORO)	0180/1480	==	0180/1452	0 1 8 " D I A L E N = 0 0 3 0 0 1 8 " D I A	CIRC CON INSTALLE CIRC CON	CR D UNKN CR
LOCUST AL (BORO)	0180/0810	== ==	0180/1136 0180/1109	LEN=0030 CHURCH S (BORO)	T CIRC CON	D UNKN
ROOK AL (BORO)	0180/0595	==	0180/0802	LEN=0030	INSTALLE	D UNKN
WEST ARCH ST	0180/0441	==	0180/0186	0 1 8 " D I A L E N = 0 0 3 0	CIRC CON	CR D UNKN
(BORO) WATER ST (BORO)	0180/0178 041076 FT 0180/0000	== ==	041076 FT	EAST ARCI (BORO) LENGTH(AI	H 3069 BK	3368)
		-++-	0160/3365 0160/3340 0160/3034 0160/2676	015 "DIA LEN=0050 018 "DIA LEN=0050 018 "DIA LEN=0050 018 "DIA LEN=0050 018 "DIA	CIRC CON INSTALLE CIRC MET INSTALLE CIRC CON INSTALLE CIRC CON	D UNKN AL D UNKN CR D UNKN CR UNKN
WATER ST (BORO)	0160/2306	= = =	0160/2336	L E N = 0 0 6 0	INSTALLE	D UNKN

CEDAR HEIGHTS RD

037708 FT

TOTAL LEN:

EXTRACT DATE: 12/18/2023 PRINT DATE: 12/19/2023

DIR: B TOT LEFT MUN: MILL HALL B

YOUNGS ADDITION RD

(T547)

0150/0290

035340 FT

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20	D 2 3 ROADWAY D 2 3 SLD COUNT	MANAGEM Y/SR - A	ENT SYSTEM NNUAL PRINT	PAGE COUNTY:	NUMBER: 7 CLINTON
DIR: B TOTA LEFT MUN: LAMAR T	AL LEN: 8.62	2 MI.	DIST: RIGHT MUN: LA	02-3 AMAR T	SR: 64
		IVI	0140/1303	(T541) UNKNOWN R (TWP)	≀ D
			0140/0616	MFC BEGIN	SEG 0180/0396)
			0140/0470	(CONN) 018 "DIA	CIRC CONCR INSTALLED UNKN
TO 2018/0120 SH (CONN)	0140/0135	==	3143,3173	(APRA) DU	JNKLE & GRIEB I
FROM 2018/0120 SH		POI	0140/0091	(PRDR)	GRIEB INC RD
(CONN) 2 0 18008 0 00 0306+60 JACKSONVILLE RD	0140/0071 032722 FT	==	032722 FT		
(SR2018 SEG 0120/3184)	0140/0000		© 0140/0000 0130/2750	1 0 00058	H 2618 BK 2811) /0064/0130/2650 B 0 00 0325+50
			0130/2650	CEDAR RUN BMSBG 18/	N 10064/0130/2650
ĶŖYDĘŖ RD	2472/4422	==	0130/1483	H   L L S T ( T 5 2 2 )	
(T321)	0130/1102	==	0130/0606	0 1 8 " D I A L E N = 0 0 5 0 (A P R A) _ G L	CIRC CONCR INSTALLED UNKN ICK FIRE EQUIP RE EQUIPMENT
		POI	0130/0475	(PRDR) 018 "DIA	CIRC CONCR
	029911 FT	-++-	0130/0252 029911 FT	1 0 00058	INSTALLED UNKN
			<b>5</b> 0130/0000	LENGTH (AH	H 2811 BK 2339)
		-++-	0120/1722	LEN=0080	CIRC CONCR INSTALLED UNKN
	027572 FT		027572 FT 0120/0000	1 0 00058 LENGTH (AH	3 0 00 0276+22 H 2339 BK 2567)

EXTRACT DATE: 12/18/2 PRINT DATE: 12/19/2 DIR: B TOT LEFT MUN: LAMAR T		Y MANAGEN TY/SR – A 22 MI.	MENT SYSTEM ANNUAL PRINT DIST: RIGHT MUN: L	PAGE COUNTY: 02-3 AMAR T	NUMBER: CLINTON SR: 64	6
MEDICAL CENTER RD (TWP)	0110/1514	==	0110/1059	0 1 5 " D I A L E N = 0 0 4 5	CIRC CONC INSTALLED	R U N K N
	025005 FT		025005 FT G 0110/0000	1 0 0005 LENGTH (A	8 0 00 025 H 2567 BK	0 + 2 7 2 6 6 4 )
		-+	0100/1978 0100/1965	015 "DIA	CIRC CONC INSTALLED	R U N K N
	022341 FT	==	022341 FT  0100/0000  0090/2127	( T 3 2 8 ) LENGTH ( A 0 1 8 " D I A	8 0 00 022 RD H 2664 BK CIRC CONC INSTALLED	2334) R
DOTTERER EQUIP INC RD (PRDR) DOTTERER EQUIP INC RD (PRDR)	0090/0572 0090/0392 020007 FT	== P <b>:</b>	0090/0392 020007 FT 0090/0000 0080/2360	(APRA) D 1 0 0005 LENGTH(A 015 "DIA LEN=0040	OTTERER EQ 8 O OO O19 H 2334 BK CIRC CONC INSTALLED	R
1 0 00058 0 00 0173+26	017334 FT	==	0080/0707 0080/0691 0080/0023 017334 FT	LEN=0040 CHICKS R (T336)	CIRC CONC	UNKN

EXTRACT DATE: 12/18/20 PRINT DATE: 12/19/20  DIR: B LEFT MUN: PORTER T  PEACH ORCHARD RD (T320)	D23 SLD COUNT	Y MANAGE! Y/SR - 1	MENT SYSTEM ANNUAL PRINT DIST: RIGHT MUN: PO	RTER T	NUMBER: 5 CLINTON SR: 64 H 2673 BK 2408)
	014926 FT		014926 FT = 0070/0000	1 0 00058 LENGTH (AF	B 0 00 0149+18 H 2408 BK 2658)
		== == P <b>=</b> ==	0060/1341 0060/1245 0060/1036 0060/0906 0060/0783	LEN=0080 P LOT TR/ (PRDR) P LOT TR/ (PRDR) (APRA) P  P LOT TR/ (PRDR)	
BROWNS HILL RD (T333) RAMP A RD (SR8004 SEG 0250/0000)	0060/0262 0060/0036 012268 FT	==	0060/0036 012268 FT 0060/0000 0050/2578 0050/2376	LEN=0060 LR 1 OP ID 18, 024 "DIA	SEG 0500/1428) B 0 00 0122+66
RAMP C RD (SR8004 SEG 0010/1130)	0050/1824	POE	0050/2105 0050/1824 0050/1738 0050/1575	LR 1 OP ID 187 RAMP D RI	1009 EB /0080/1724/2386 D SEG 0750/0000) N = D CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED 2002 A TRAVEL CENTER


EXTRACT DATE: 1 PRINT DATE: 1	2/18/2023 ROADWAY 2/19/2023 SLD COUNT	Y MANAGEMENT SYSTEM Y/SR - ANNUAL PRINT	PAGE NUMBER: 4 COUNTY: CLINTON
DIR: B LEFT MUN: PORTE	TOTAL LEN: B.62 RT	22 MI. DIST: RIGHT MUN: PO	02-3 SR: 64 DRTER T
		<del></del>	018 "DIA CIRC CONCR LEN=0070 INSTALLED 2002 (APRA) TA TRAVEL CENTER TA TRAVEL CENTER RD
(PRDR)	PLAZA R 0050/0940 PLAZA R	0050/0940	(PRDR)
(PRDR) (TBK) DOTTERERS	0050/0650 RD	00   00	(APRA) FLYING J TRAVEL
(ТЗЗЭ́)	0050/0132 009617 FT	0050/0132 009617 FT 0050/0000	1 0 00058 0 00 0095+34 LENGTH(AH 2651 BK 1630) 018 "DIA CIRC CONCR
		0040/1460	LEN=0061 INSTALLED 2002 (TBK)CLINTONDALE HILL R
		== 0040/1000	( T 3 4 Ó )
	007987 FT	0040/0000	1 0 00058 0 00 0079+20 LENGTH(AH 1630 BK 2665) 018 "DIA CIRC CONCR
		0030/2301	072"H 72"W CON BOX CUL
STONEHOUSE RD (T322)	0030/1342	==	036 "DIA CIRC METAL
		0030/1255	LEN=0061 INSTALLED UNKN 024 "DIA CIRC METAL
		0030/120000030/0992	LEN=0061   NSTALLED UNKN BMSEN 18/0064/0030/0876 1 0 00058 0 00 0061+91 B G F SH NG CREEK
		0030/0876	BMSBG 18/0064/0030/0876
		0030/0530	LEN=0060 INSTALLED UNKN 018 "DIA CIRC METAL
B L E T Z R D ( T 4 6 7 )	0030/0032	0030/0292	LEN=0060 INSTALLED UNKN
(1407)	0030/0032 005322 FT	005322 FT	1 0 00058 0 00 0053+22 SPRING RUN RD (T341)
		€ <b>5</b> 0030/0000	Š I L V Ė Ŕ A V (T 3 3 5 ) L E N G T H (A H 2 6 6 5 B K 2 8 0 7 )
		0020/2771	015 "DIA CIRC CONCR
STRAWBERRY LN (TWP )	0020/2430	==	

EXTRACT DATE: 12 PRINT DATE: 12	2/18/2023 ROADWA 2/19/2023 SLD COUN	Y MANAGEN TY/SR – /	MENT SYSTEM ANNUAL PRINT	PAGE COUNTY:	NUMBER: 3 CLINTON
DIR: B LEFT MUN: PORTEI	TOTAL LEN: B.6	22 MI.	DIST: RIGHT MUN: PO	02-3 0RTER T	SR: 64
		==	0020/2293	TOWNSHIP	A L
TANNERS LN (TWP )	0020/2013	==	·		
			0020/1389 0020/1143 0020/1116	0 1 8 " D I A L E N = 0 0 5 0 0 1 8 " D I A L E N = 0 0 5 0 B M S E N 1 8	CIRC CONCR INSTALLED UNKN CIRC CONCR INSTALLED 2016 /0064/0020/1019 8 0 00 0029+87
			002071110	FISHING '	CKEEN
			0020/1019	BMSBG 18,	/0064/0020/1019 CIR PLASTIC
		#	0020/0800	1 0 00058 B G F SH	ING CREEK
	002515 FT		0020/0488 002515 FT 0020/0000	1 0 0005	/0064/0020/0488 8 0 00 0025+07 H 2807 BK 2515) CIRC CONCR INSTALLED UNKN
				WASHINGTO	ON AV SEG 0010/0000)
N STRYKER RD (PRDR) S STRYKER RD (PRDR)	0010/1983 0010/1694	==	3313,2113		
(1.1.2.1.)	,	-++-	0010/1681	0 1 5 " D I A L E N = 0 0 7 0	CIRC CONCR INSTALLED UNKN
7		==	0010/0821	OAK ST (TWP) 018"DIA LEN=0050	CIRC CONCR INSTALLED UNKN
ZEIGLER RD (T468)	0010/0279 000000 FT	==	0010/0206 000000 FT	(T318) 1 0 0005	UN RD 8 0 00 0000+00
			NC SF INTER-BK	V   L L A G E : ! 0064 S H S R 0064 !	LAMAR SH
			<b>5</b> 0010/0000	BK-CENT LENGTH (A	RE (14) H 2515 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: CLINTON

DIR: B TOTAL LEN: .781 MI. DIST: 02-3 SR: 44 LEFT MUN: GRUGAN T RIGHT MUN: GRUGAN T

004122 FT



2

EXTRACT DATE: 12/18 PRINT DATE: 12/19	/2023 ROADWA /2023 SLD COUN	Y MANAGEN TY/SR - /	MENT SYSTEM ANNUAL PRINT	PAGE NUMBER: 1 COUNTY: CLINTON
DIR: B LEFT MUN: GRUGAN T	OTAL LEN: .7	81 MI.	DIST: RIGHT MUN: GR	
	002159 FT		002159 FT INTER-BK	1 0 00266 0 02 1283+69 COUDERSPORT PK (SR0044 SEG 0940/0934)
	002159 FT		002159 FT 7026/0000	BK-LYCOMING (41) LTH AH 001963 BK 020917 AH-LYCOMING (41) LTH AH 020917 BK 000615 COUDERSPORT PK
		- ++ -	0020/0615	(SR0044 SEG 0870/0000) GALLAGHER T 018 "DIA CIR PLASTIC
			•	LEN=0035 INSTALLED UNKN 024 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
	001544 FT			1 0 00266 0 01 1067+70 COUDERSPORT PK (SR0044 SEG 0864/2834) BK-LYCOMING (41)
	001544 FT		001544_FT	LTH AH 000615 BK 000100 AH-LYCOMING (41) LTH AH 000100 BK 001544 BMSEN 18/0044/0010/1156
				COUDERSPORT PK (SR0044 SEG 0460/0000) PINE CREEK T 1 0 00266 0 00 0007+36
SULPHUR RUN RD (T567)	0010/0956		0010/1156	PINE CREEK BMSBG 18/0044/0010/1156
(1007)	33.13,3333		•	O18 "DIA CIRC METAL LEN=0180 INSTALLED UNKN FROM 8013/0500 SH (CONN)
TO 8013/0250 SH (CONN)	0010/0302	== ==		RAMP S RD
	000000 FT		0010/0256 0010/0222 0010/0172 000000 FT	(SR8013 SEG 0500/0384) RAMP R RD (SR8013 SEG 0250/0000) BMSEN 18/0044/0010/0000 1 0 00266 0 00 0007+40
			INTER-BK	UDERSPORT PK P   NE CREEK RD (SR1022 SEG 0010/0725) LR 1044 NB BMSBG 18/0044/0010/0000
				MFC BEGIN = D BK-LYCOMING (41) LENGTH(AH 1544 BK 0000)