

Straight Line Diagram

(Including Drain Pipes)

Snyder
54

January 2024

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.



December 30, 2023

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2024 Pennsylvania Straight Line Diagrams (SLDs) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLDs are a graphical representation of State Routes (SRs) that PennDOT maintains. The information shown on the SLD is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SRs found on the list are linked to the actual pages that show the individual SLDs. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Ty Reed, Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2023 by the Commonwealth of Pennsylvania. All rights reserved.



Asset Management Division

Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a “grade” from “A” (excellent) to “E” (fail).

A **B** **C** **D** **E**

If your rating is not an “A,” please let us know what we could do better.

Name and Organization (optional)

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line)

Bureau of Operations
Asset Management Division – PennDOT Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Ty Reed

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

- | | |
|--|-----------|
| 1. Traffic Routes: Routes designated as Interstates, US or PA Routes | 0001-0999 |
| 2. Quadrant Routes (Non-Traffic Routes) | 1001-4999 |
| 3. Relocated Traffic Routes | 6000-6999 |
| 4. Turned Back, Abandoned, or Null Routes | 7000-7999 |
| 5. Interchanges | 8001-8999 |
| 6. WYE's | 9101-9199 |
| 7. Rest Areas | 9201-9299 |
| 8. Truck Escape Ramps | 9301-9399 |
| 9. Others | 9401-9499 |
| 10. Park and Rides | 9501-9599 |

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes



FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




FIGURE 2




FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

Undivided Roadways



FIGURE 4

Divided Roadways



FIGURE 5

Interstate Roadways



FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coinciding State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).




FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.



Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 1 OF 2


 SEGMENT MARKER	 AHEAD LEFT INTER STATE OWNED	 RAILROAD CROSSING	 INTERSTATE MILEPOST
 TURNBACK	 AHEAD LEFT INTER NON-STATE	 RAILROAD OVER-PASS	 MFC BEGIN
 NULL	 AHEAD RIGHT INTE STATE OWNED	 OVER-PASS	 MUNICIPAL BOUNDARY
 UNDIVIDED HIGHWAY	 AHEAD RIGHT INTE NON-STATE	 BRIDGE END	 VILLAGE BEGIN
 PHYSICALLY DIVIDED	 BACK LEFT INTER STATE OWNED	 BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACKWARD TO PREVIOUS SEGMENT BEGIN
 PAINT DIVIDED	 BACK LEFT INTER NON-STATE	 TUNNEL	
 INTERSECTION AHEAD	 BACK RIGHT INTER STATE OWNED	 SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
 INTERSECTION BACK	 BACK RIGHT INTER NON-STATE	 P3 BRIDGE	
 REFERENCE AHEAD/BACK	 T-LEFT INTERSEC STATE OWNED	 RETAINING WALL	
 DIVIDED CONNECTOR	 T-LEFT INTERSEC NON-STATE	 BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT'S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
 CROSS INTERSEC STATE OWNED	 T-RIGHT INTERSEC STATE OWNED	 PIPE (STAMPP)	
 CROSS INTERSEC NON-STATE	 T-RIGHT INTERSEC NON-STATE	 ROTARY INTERSEC	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 306
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: S TOTAL LEN: .164 MI. DIST: 03-5 SR: 9419
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

FOR SR 0011 AND 9419
 (CONN)

000864 FT

0010/0493
 000000 FT




000864 FT
 INTER-AHD MARINE CORPS LEAG MEM H
 0010/0864 (SR0011 SEG 0023/2214)

000000 FT 0 0 00000 0 00 0000+00
 NC RAMP Z RD
 INTER-BK MARINE CORPS LEAG MEM H
 (SR0011 SEG 0033/0409)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0864 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 305
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: N TOTAL LEN: .078 MI. DIST: 03-5 SR: 9415
 LEFT MUN: UNION T RIGHT MUN: UNION T


000410 FT



000205 FT

000410 FT MARINE CORPS LEAG MEM H
 (SR0011 SEG 0200/2661)
 0020/0205 (SR0011 SEG 0201/2641)
 000205 FT 0 0 00000 0 00 0000+00
 AQUEDUCT HOLLOW RD
 (T381)
 0020/0000 LENGTH(AH 0205 BK 0205)

000000 FT




0010/0205 AQUEDUCT HOLLOW RD
 (T381)
 000000 FT 0 0 00000 0 00 0000+00
 NC RAMP G RD
 MARINE CORPS LEAG MEM H
 (SR0011 SEG 0200/2661)
 (SR0011 SEG 0201/2641)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0205 BK 0000)

DIR: S TOTAL LEN: .185 MI. DIST: 03-5 SR: 9413
 LEFT MUN: UNION T RIGHT MUN: UNION T

000975 FT

000975 FT
 INTER-AHD RAMP F RD
 (SR9413 SEG 0010/0327)
 FOR SR 0011 AND 9413


000651 FT



0030/0324 (CONN)
 000651 FT 0 0 00000 0 00 0000+00
 NC RAMP D RD
 INTER-BK NORTH MAIN ST
 (T462)
 0030/0000 LENGTH(AH 0324 BK 0324)

TO 0011/0141 SH
 (CONN)

0020/0091
 000327 FT



INTER-AHD NORTH MAIN ST
 0020/0324 (T462)


FOR SR 0011 AND 9413
 (CONN)

0020/0000

000327 FT 0 0 00000 0 00 0000+00
 NC RAMP E RD
 INTER-BK RAMP F RD
 (SR9413 SEG 0010/0327)
 0020/0000 LENGTH(AH 0324 BK 0327)

FOR SR 0011 AND 9413
 (CONN)

0010/0327



INTER-AHD RAMP E RD
 0010/0327 (SR9413 SEG 0020/0000)
 NC RAMP F RD


0 0 00000 0 00 0000+00 000000 FT
 MARINE CORPS LEAG MEM H
 (SR0011 SEG 0151/0232) 0010/0000

INTER-BK MARINE CORPS LEAG MEM H
 000000 FT (SR0011 SEG 0151/0232)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0327 BK 0000)

OLD TRAIL RD
(T347)

000985 FT


0020/0135
000550 FT



000985 FT
INTER-AHD MARINE CORPS LEAG MEM H
0020/0435 (SR0011 SEG 0051/0000)

000550 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
MARINE CORPS LEAG MEM H
(SR0011 SEG 0041/2376)
(SR0011 SEG 0040/2388)
0020/0000 LENGTH(AH 0435 BK 0550)


000000 FT



MARINE CORPS LEAG MEM H
(SR0011 SEG 0040/2388)
0010/0550 (SR0011 SEG 0041/2376)
OLD TRAIL RD
0010/0350 (T347)
000000 FT 0 0 00000 0 00 0000+00
NC RAMP D RD
INTER-BK MARINE CORPS LEAG MEM H
(SR0011 SEG 0051/0134)
MFC BEGIN = F
0010/0000 LENGTH(AH 0550 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 302
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: N TOTAL LEN: .121 MI. DIST: 03-5 SR: 9407
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

000638 FT
 000000 FT



000638 FT AIRPORT RD
 0010/0638 (SR1015 SEG 0010/0281)
 000000 FT 1 0 00025 2 00 0000+00
 NC RAMP A RD
 INTER-BK SUSQUEHANNA TR
 (SR0522 SEG 0615/0430)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0638 BK 0000)


001152 FT



001152 FT SUSQUE. VALLEY MALL DR
 0750/0628 (SR1023 SEG 0020/0000)
 TRIB TO SUSQUEHANNA R
 STRUCTURE LENGTH 11 FT
 0750/0482 BMSID 54/9405/0750/0482
 000524 FT 1 0 00025 2 01 0000+00
 NC RAMP B RD
 INTER-BK SUSQUEHANNA TR
 (SR0011 SEG 0330/0349)
 0750/0000 LENGTH(AH 0628 BK 0524)

000524 FT

000000 FT




0500/0524 RAMP F RD
 (SR1023 SEG 0004/0089)
 TRIB TO SUSQUEHANNA RIV
 STRUCTURE LENGTH 12 FT
 0500/0288 BMSID 54/9405/0500/0288
 000000 FT 1 0 00025 2 02 0000+00
 NC RAMP C RD
 INTER-BK SUSQUEHANNA TR
 (SR0011 SEG 0331/0492)
 MFC BEGIN = F
 0500/0000 LENGTH(AH 0524 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 300
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .036 MI. DIST: 03-5 SR: 9403
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

000192 FT

000192 FT
 INTER-AHD

000000 FT




LINE NO 2 RD
 (T513)
 SR 0015 SH NB
 (SR0015 SEG 0080/0864)
 SR 0015 SH NB
 (SR0015 SEG 0080/0864)
 T. SUSQ. RIVER
 STRUCTURE LENGTH 12 FT
 BMSID 54/9403/0010/0054
 000000 FT 0 0 00000 0 00 0000+00
 NC SR 9403 SH
 SR 0015 SH SB
 (SR0015 SEG 0081/0683)
 SR 0015 SH SB
 (SR0015 SEG 0081/0683)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0192 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 299
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER


DIR: B TOTAL LEN: .064 MI. DIST: 03-5 SR: 9401
LEFT MUN: UNION T RIGHT MUN: UNION T

MARKET ST	000336 FT		000336 FT	
(SR2017 SEG 0010/0000)			INTER-AHD MARKET ST	
	000000 FT		0010/0336 (SR2017 SEG 0010/0164)	
			000000 FT 1 0 00229 2 01 0000+00	
			NC RAMP B RD	
			RAMP A RD	
			(SR9101 SEG 0010/0000)	
			MFC BEGIN = F	
			0010/0000 LENGTH(AH 0336 BK 0000)	



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 298
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: N TOTAL LEN: .090 MI. DIST: 03-5 SR: 9202
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T


000475 FT
 000000 FT



000475 FT
 INTER-AHD SR 0011 SH
 0010/0475 (SR0011 SEG 0040/1500)
 000000 FT 0 0 00000 0 00 0000+00
 NC ROADSIDE REST RD
 INTER-BK SR 0011 SH
 (SR0011 SEG 0040/1024)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0475 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 297
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: S TOTAL LEN: .091 MI. DIST: 03-5 SR: 9103
 LEFT MUN: PENN T RIGHT MUN: PENN T

000479 FT
 000000 FT




000479 FT
 INTER-AHD SR 0035 SH
 0250/0479 (SR0035 SEG 0320/2242)
 000000 FT 0 0 00000 0 00 0000+00
 NC SR 9103 SH
 INTER-BK MARKET ST
 (SR2017 SEG 0030/0286)
 MFC BEGIN = F
 0250/0000 LENGTH(AH 0479 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 296
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER

DIR: W TOTAL LEN: .044 MI. DIST: 03-5 SR: 9102
LEFT MUN: SELINGSGROVE B RIGHT MUN: SELINGSGROVE B


SR 0522 SH 000232 FT
(SR0522 SEG 0605/0464) 0010/0232

0 0 00000 0 00 0000+00 000000 FT
SUSQUEHANNA TR
(SR0522 SEG 0610/0200) 0010/0000



000232 FT
INTER-AHD SR 0522 SH
0010/0232 (SR0522 SEG 0605/0464)
NC SR 9102 SH
INTER-BK SUSQUEHANNA TR
000000 FT (SR0522 SEG 0610/0200)
MFC BEGIN = F
0010/0000 LENGTH(AH 0232 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 295
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .217 MI. DIST: 03-5 SR: 9101
 LEFT MUN: UNION T RIGHT MUN: UNION T

	001148 FT		001148 FT	
				INTER-AHD MARINE CORPS LEAG MEM H 0010/1148 (SR0011 SEG 0241/0625) 018 " DIA CIRC CONCR 0010/0664 LEN=0087 INSTALLED UNKN
	000000 FT		000000 FT	1 0 00229 2 00 0000+00 NC RAMP A RD INTER-BK MARKET ST (SR2017 SEG 0010/0000) MFC BEGIN = F
RAMP B RD (SR9401 SEG 0010/0000)	0010/0000		0010/0000	0010/0000 LENGTH(AH 1148 BK 0000)

DIR: S TOTAL LEN: .358 MI. DIST: 03-5 SR: 8015
 LEFT MUN: MONROE T RIGHT MUN: MONROE T


001888 FT

001307 FT




001888 FT AH-UNION (59)
 INTER-AHD CENTRAL SUSQ VALLEY THR
 0260/0581 (SR0147 SEG 0010/0000)
 001307 FT 0 0 00000 0 00 0000+00
 NC RAMP Q-1
 INTER-BK GRANGER HOLLOW RD
 (SR0015 SEG 0101/2480)
 0260/0000 LENGTH(AH 0581 BK 1307)

000000 FT




GRANGER HOLLOW RD
 (SR0015 SEG 0101/2268)
 0250/1307 (SR0015 SEG 0100/2181)
 0250/0837 BMS EN 54/8015/0250/0609
 0 0 00000 0 00 0000+00
 NO UNDERPASS INFORMATIO
 0250/0609 BMSBG 54/8015/0250/0609
 000000 FT 0 0 00000 0 00 0000+00
 NC RAMP R-1
 INTER-BK RAMP R-1
 (SR8003 SEG 0250/0753)
 MFC BEGIN = F
 BK-UNION (59)
 0250/0000 LENGTH(AH 1307 BK 0000)

006867 FT
 RAMP RD
 (SR8007 SEG 0760/0000) 0770/0165



006867 FT
 INTER-AHD CHARLES ATTIG MEM HW
 0770/0514 (SR0011 SEG 0410/0383)
 0770/0237 024 " DIA CIRC CONCR
 LEN=0296 INSTALLED UNKN
 SIGN: 4 CHORD TRUSS
 BMSID 54/8007/0770/0280
 0770/0149 0 0 00000 0 00 0000+00
 006353 FT RAMP RD
 INTER-BK (SR8007 SEG 0750/0155)
 0770/0000 LENGTH(AH 0514 BK 0250)




006353 FT



INTER-AHD BALDWIN BL
 (BORO)
 CHARLES ATTIG MEM HW
 (SR0011 SEG 0411/0052)
 (SR0011 SEG 0410/0052)
 0760/0250 0 0 00000 0 00 0000+00
 006103 FT RAMP RD
 INTER-BK (SR8007 SEG 0770/0165)
 0760/0000 LENGTH(AH 0250 BK 2532)

006103 FT

DIR: N TOTAL LEN: 1.301 MI. DIST: 03-5 SR: 8007
 LEFT MUN: SHAMOKIN DAM B RIGHT MUN: SHAMOKIN DAM B



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 291
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: N TOTAL LEN: .559 MI. DIST: 03-5 SR: 8005
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

002951 FT


002951 FT
 INTER-AHD SUSQUEHANNA TR
 0500/1473 (SR0011 SEG 0311/2884)

001478 FT

001478 FT 1 0 00025 2 03 0000+00
 NC RAMP D RD
 INTER-BK SUSQUEHANNA TR
 (SR0522 SEG 0615/1384)
 0500/0000 LENGTH(AH 1473 BK 1478)

000000 FT

INTER-AHD SUSQUEHANNA TR
 0010/1478 (SR0011 SEG 0320/0653)
 000000 FT 1 0 01084 2 04 0000+00
 NC RAMP E RD
 INTER-BK SUSQUEHANNA TR
 (SR0011 SEG 0310/1726)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 1478 BK 0000)



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 290
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: W TOTAL LEN: 1.148 MI. DIST: 03-5 SR: 8003
LEFT MUN: PENN T RIGHT MUN: PENN T





006060 FT

005302 FT



006060 FT
INTER-AHD SR 0035 SH
0500/0758 (SR0035 SEG 0341/0378)
005302 FT 1 0 01084 2 03 0000+00
NC RAMP D RD

DIR: W TOTAL LEN: 1.148 MI. DIST: 03-5 SR: 8003
 LEFT MUN: PENN T RIGHT MUN: PENN T

		INTER-BK MARINE CORPS LEAG MEM H (SR0011 SEG 0271/0875) 0500/0000 LENGTH(AH 0758 BK 1044)
004258 FT		INTER-AHD MARINE CORPS LEAG MEM H 0250/1044 (SR0011 SEG 0261/1469) 004258 FT 1 0 01084 2 02 0000+00 NC RAMP C RD INTER-BK SR 0035 SH (SR0035 SEG 0340/0357) 0250/0000 LENGTH(AH 1044 BK 1950)
002308 FT		INTER-AHD MARINE CORPS LEAG MEM H 0020/1950 (SR0011 SEG 0260/2084) 0020/0043 OP ID SR 11/15 NBL 002308 FT 1 0 01084 2 01 0000+00 NC RAMP B RD INTER-BK SR 0035 SH (SR0035 SEG 0340/0618) 0020/0000 LENGTH(AH 1950 BK 2308)
000000 FT		INTER-AHD SR 0035 SH 0010/2308 (SR0035 SEG 0341/0618) 0010/2273 OP ID SR 11/15 NBL 000000 FT 1 0 01084 2 00 0000+00 036 " DIA CIRC CONCR LEN=0075 INSTALLED UNKN NC RAMP A RD INTER-BK MARINE CORPS LEAG MEM H (SR0011 SEG 0260/0917) MFC BEGIN = F 0010/0000 LENGTH(AH 2308 BK 0000)

DIR: B TOTAL LEN: 8.427 MI. DIST: 03-5 SR: 4018
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

044493 FT

044493 FT CENTERVILLE ST
 0170/1358 (SR0104 SEG 0370/0000)

043135 FT

0170/0193 024 " DIA CIRC CONCR
 LEN=0053 INSTALLED UNKN
 0170/0069 018 " DIA CIRC CONCR
 LEN=0053 INSTALLED UNKN
 043135 FT 2 0 54029 0 00 0451+83
 VILLAGE: PENNS CREEK
 5 0170/0000 LENGTH(AH 1358 BK 3376)
 060 " DIA CIRC CONCR
 0160/3357 LEN=0055 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0160/2893 LEN=0050 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0160/2629 LEN=0057 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0160/2266 LEN=0053 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0160/1723 LEN=0047 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0160/1438 LEN=0046 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0160/1192 LEN=0047 INSTALLED UNKN


039759 FT

0160/0465 018 " DIA CIRC CONCR
 LEN=0047 INSTALLED UNKN
 015 " H 21 " W ELLIP METAL
 0160/0329 LEN=0044 INSTALLED UNKN
 0160/0031 BMSSEN 54/4018/0160/0000
 039759 FT 2 0 54029 0 00 0418+05
 TRIBUTARY PENNS CREEK
 BMSBG 54/4018/0160/0000
 5 0160/0000 LENGTH(AH 3376 BK 2538)

MOUNTAIN RD
 (T499)

0150/2091

0150/1494 018 " DIA CIRC CONCR
 LEN=0052 INSTALLED UNKN
 022 " H 36 " W ELLIP METAL
 0150/1490 LEN=0049 INSTALLED UNKN



DIR: B TOTAL LEN: 8.427 MI. DIST: 03-5 SR: 4018
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

Stationing	Length	Material	Notes
0150/1194		MATTSON LN (PRDR)	
0150/1095		018" DIA CIRC CONCR	LEN=0059 INSTALLED UNKN
0150/0225		018" DIA CIRC CONCR	LEN=0053 INSTALLED UNKN
037221 FT		2 0 54029 0 00 0392+59	
037221 FT		084" DIA CIRC METAL	LEN=0064 INSTALLED UNKN
0150/0000		LENGTH(AH 2538 BK 1696)	
0140/1458		015"H 21"W ELLIP METAL	LEN=0053 INSTALLED UNKN
0140/0927		018" DIA CIRC CONCR	LEN=0053 INSTALLED UNKN
0140/0396		018" DIA CIRC CONCR	LEN=0056 INSTALLED UNKN
035525 FT		2 0 54029 0 00 0375+58	
035525 FT		BUCKSEY RD (T626)	
0140/0000		LENGTH(AH 1696 BK 2529)	
0130/2495		018" DIA CIRC CONCR	LEN=0052 INSTALLED UNKN
032996 FT		032996 FT 2 0 54029 0 00 0350+27	
0130/0000		LENGTH(AH 2529 BK 2393)	
0120/0887		018" DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
030603 FT		2 0 54029 0 00 0326+33	
0120/0000		LENGTH(AH 2393 BK 2963)	
0110/1534		034"H 53"W ELLIP CONC	LEN=0040 INSTALLED 2017
0110/0820		027"H 42"W ELLIP CONC	LEN=0040 INSTALLED 2017
		ZERBE RD	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 286
COUNTY: SNYDER

DIR: B TOTAL LEN: 8.427 MI.
LEFT MUN: CENTER T

DIST: 03-5 SR: 4018
RIGHT MUN: CENTER T

Stationing	Right of Way	Structure	Material	Length	Notes
	0110/0431	(T620)			
	0110/0004	036"H 48"W	OTHER STRUC	LEN=0029	INSTALLED UNKN
027640 FT	027640 FT	2 0 54029 0 00	0296+59		
	0110/0000	LENGTH(AH 2963 BK 3964)			
	0100/3537	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED 2016
	0100/3024	030" DIA	CIR PLASTIC	LEN=0037	INSTALLED UNKN
	0100/2674	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED 2016
	0100/2479	043"H 68"W	ELLIP CONC	LEN=0040	INSTALLED 2017
	0100/1107	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED 2016
	0100/0484	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED 2016
2 0 54029 0 00 0256+85	023676 FT	HARTMAN RD			
SOX LN (PRDR)	0100/0000	(T612)			
	0100/0000	LENGTH(AH 3964 BK 2426)			
	0090/2084	WELKEL RD (TWP)			
	0090/0991	BMS EN 54/4018/0090/0974			
	0090/0974	2 0 54029 0 00 0242+20			
		BROOK RUN			
		BMSBG 54/4018/0090/0974			
MOYERS RD (T473)	0090/0270				
	0090/0216	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED 2016
021250 FT	021250 FT	2 0 54029 0 00	0232+41		
	0090/0000	CENTER ADAMS T			
	0090/0000	LENGTH(AH 2426 BK 3052)			
	0080/1980	018" DIA	CIR PLASTIC	LEN=0041	INSTALLED 1997
	0080/0843	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED 2016
		LC FOR RENARD RD			


DIR: B TOTAL LEN: 8.427 MI. DIST: 03-5 SR: 4018
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T

MOYERS RD
(T473)

GREY SQUIRREL RD
(T598)

Distance (FT)	Segment ID	Material / Notes
018198	0080/0357	(CONN) 018" DIA CIR PLASTIC
	0080/0235	LEN=0041 INSTALLED 1997
	018198	2 0 54029 0 00 0202+25
		RENARD RD (T603)
	0080/0000	LENGTH(AH 3052 BK 2001)
	0070/1066	060" DIA CIR PLASTIC
		LEN=0040 INSTALLED 2017
	0070/0724	DECKER RD (T400)
0070/0704		
016197		
	016197	2 0 54029 0 00 0182+07
		LAKE RD (T315)
	0070/0000	LENGTH(AH 2001 BK 3061)
	0060/2957	018" DIA CIR PLASTIC
		LEN=0040 INSTALLED 2016
	0060/0266	018" DIA CIR PLASTIC
		LEN=0051 INSTALLED UNKN
	0060/0151	024" DIA CIR PLASTIC
		LEN=0060 INSTALLED 2016
013136	013136	2 0 54029 0 00 0150+50
		VILLAGE: PORT ANN
	0060/0000	LENGTH(AH 3061 BK 2038)
	0050/0311	BMS EN 54/4018/0050/0289
		2 0 54029 0 00 0132+96
		MOYERS MILL
	0050/0289	BMS BG 54/4018/0050/0289
011098	011098	2 0 54029 0 00 0130+00
	0050/0000	LENGTH(AH 2038 BK 3021)
		018" DIA CIR PLASTIC

DIR: B TOTAL LEN: 8.427 MI. DIST: 03-5 SR: 4018
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T



0040/1882 LEN=0040 INSTALLED 2016

008077 FT

0040/0000

0030/2033 LEN=0040 INSTALLED 2002

0030/0700

0030/0688

005602 FT

0030/0000

0020/1582

003141 FT

0010/2315

0010/1274

0010/0461

000000 FT

0010/0000

008077 FT 2 0 54029 0 00 0099+72
 LENGTH(AH 3021 BK 2475)
 058"H 91"W ELLIP CONC

038"H 52"W ELLIP METAL
 LEN=0045 INSTALLED 2017

038"H 52"W ELLIP METAL
 LEN=0045 INSTALLED 2017

005602 FT 2 0 54029 0 00 0074+87
 018 "DIA CIR PLASTIC
 LEN=0060 INSTALLED 2016
 WALKER LAKE RD
 (T320)

LENGTH(AH 2475 BK 2461)

060 "DIA CIRC CONCR
 LEN=0040 INSTALLED 2002

003141 FT 2 0 54029 0 00 0050+11
 LENGTH(AH 2461 BK 3141)

018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2016


048"H 76"W ELLIP CONC
 LEN=0042 INSTALLED UNKN

018 "DIA CIR PLASTIC
 LEN=0036 INSTALLED UNKN

2 0 54029 0 00 0018+50
 VILLAGE: TROXELVILLE
 NC TR ROXELVILLE RD
 INTER-BK SR 0235 SH
 (SR0235 SEG 0250/0000)
 MFC BEGIN = D


LENGTH(AH 3141 BK 0000)

SR 0235 SH
 (SR0235 SEG 0250/0000) 0010/0000



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 282
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 5.533 MI. DIST: 03-5 SR: 4014
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

SR 0522 SH 029214 FT
 (SR0522 SEG 0350/0743) 0120/2394



029214 FT SR 0522 SH
 0120/2394 (SR0522 SEG 0350/0743)
 0120/2360 018 " DIA CIRC CONCR
 0120/1965 018 " DIA CIR PLASTIC
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.533 MI. DIST: 03-5 SR: 4014
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Length	Material	Installation
0120/1750	LEN=0040	024" DIA CIR PLASTIC	INSTALLED UNKN
0120/1312	LEN=0035	036" DIA CIR PLASTIC	INSTALLED UNKN
0120/0709	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 2002
0120/0233	LEN=0055	018" DIA CIR PLASTIC	INSTALLED 2002
0120/0060	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 1999
026820 FT	2 0 54033 0 00 0029+94	LENGTH(AH 2394 BK 2878)	
0120/0000	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 2017
0110/2614	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 2002
0110/2459	LEN=0048	018" DIA CIR PLASTIC	INSTALLED UNKN
0110/1901	LEN=0033	018" DIA CIR PLASTIC	INSTALLED 1999
0110/1387	LEN=0051	018" DIA CIR PLASTIC	INSTALLED 1999
0110/0251	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 1999
023942 FT	2 0 54033 0 00 0053+42	LENGTH(AH 2878 BK 2299)	
0110/0000			
0100/2117	BMS EN 54/4014/0100/2098	TR. TO MIDDLE CREEK	0 0 00000 0 00 0000+00
0100/2098	BMS BG 54/4014/0100/2098		
0100/1000	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 2017
0100/0215	LEN=0037	036" DIA CIR PLASTIC	INSTALLED UNKN
0100/0111			
0100/0089	LEN=0030	018" DIA CIR PLASTIC	INSTALLED UNKN
021643 FT	2 0 54033 0 00 0076+49	GREENHOUSE RD (T618)	
0100/0000	LEN=0040	018" DIA CIR PLASTIC	INSTALLED 2017
0090/3490	LEN=0040	018" DIA CIRC CONCR	INSTALLED 2017

SPRUCE HOLLOW RD (T624)

COUNTRY RD (T618)

DIR: B TOTAL LEN: 5.533 MI. DIST: 03-5 SR: 4014
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Length	Material	Installation
0090/2949	LEN=0030	030 "DIA CIR PLASTIC	INSTALLED UNKN
0090/2579	LEN=0038	024 "DIA CIR PLASTIC	INSTALLED UNKN
0090/2478	LEN=0040	018 "DIA CIR PLASTIC	INSTALLED 2017
0090/1886	LEN=0035	018 "DIA CIR PLASTIC	INSTALLED 1999
0090/1210	LEN=0035	018 "DIA CIR PLASTIC	INSTALLED 1999
0090/0555	LEN=0034	018 "DIA CIR PLASTIC	INSTALLED 1999
018061 FT	2 0 54033 0 00 0112+62	WALNUT RD (T614)	
0090/0000	LENGTH(AH 3582 BK 2359)	036 "DIA CIR PLASTIC	
0080/2023	LEN=0038	024 "DIA CIR PLASTIC	INSTALLED UNKN
0080/1002	LEN=0038	054 "H 78 "W ELLIP METAL	INSTALLED 1999
0080/0112	LEN=0046	018 "DIA CIR PLASTIC	INSTALLED UNKN
0080/0045	LEN=0040	018 "DIA CIR PLASTIC	INSTALLED UNKN
2 0 54033 0 00 0137+00	015702 FT		
ZION RD (T610)	0080/0000	LENGTH(AH 2359 BK 2241)	
0070/1046	LEN=0036	018 "DIA CIR PLASTIC	INSTALLED UNKN
0070/0743	LEN=0030	018 "DIA CIR PLASTIC	INSTALLED 1999
013461 FT	2 0 54033 0 00 0158+62	ROYERS BRIDGE RD (T604)	
CHESTNUT HILL RD (T606)	0070/0000	LENGTH(AH 2241 BK 3017)	
0060/2755	LEN=0040	060 "DIA CIR PLASTIC	INSTALLED 2012
0060/2072	LEN=0032	018 "DIA CIR PLASTIC	INSTALLED 2002
		018 "DIA CIR PLASTIC	

DIR: B TOTAL LEN: 5.533 MI. DIST: 03-5 SR: 4014
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

---	0060/1952	LEN=0078	INSTALLED UNKN
---		024 "DIA	CIR PLASTIC
---	0060/1626	LEN=0038	INSTALLED 1999
010444 FT	010444 FT	2 0 54033 0 00 0188+06	FRANKLIN BEAVER T
---	5 0060/0000	LENGTH(AH 3017 BK 2289)	018 "DIA CIR PLASTIC
---	0050/2278	LEN=0040	INSTALLED 2017
---	0050/1989	LEN=0040	INSTALLED 2017
---	0050/1752	SEIPLE RD (T602)	018 "DIA CIR PLASTIC
---	0050/1641	LEN=0040	INSTALLED 2017
---	0050/1353	LEN=0040	INSTALLED 2017
---	0050/1200	048 "DIA	CIR PLASTIC
		LEN=0035	INSTALLED 2012
008155 FT	008155 FT	2 0 54033 0 00 0210+88	036 "DIA CIR PLASTIC
---	5 0050/0000	LENGTH(AH 2289 BK 2988)	LEN=0040 INSTALLED 2022
---	0040/2430	018 "DIA	CIR PLASTIC
---	0040/2178	LEN=0040	INSTALLED 2002
---	0040/1956	018 "DIA	CIR PLASTIC
---	0040/1406	LEN=0038	INSTALLED UNKN
---	0040/1230	042 "DIA	CIR PLASTIC
---	0040/0897	LEN=0054	INSTALLED 1999
---	0040/0539	018 "DIA	CIR PLASTIC
---	0040/0231	LEN=0040	INSTALLED 1999
---	005167 FT	018 "DIA	CIR PLASTIC
---	0040/0000	LEN=0042	INSTALLED 1999
---	5 0040/0000	LENGTH(AH 2988 BK 3411)	018 "DIA CIR PLASTIC

2 0 54033 0 00 0240+67 005167 FT
 LONGER RD (T479)
 0040/0000

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 278
COUNTY: SNYDER

DIR: B TOTAL LEN: 5.533 MI.
LEFT MUN: BEAVER T

DIST: 03-5 SR: 4014
RIGHT MUN: BEAVER T

DECKER TREE FARM LN
(PRDR)

001756 FT

0020/1022

000061 FT









000061 FT

000000 FT

000000 FT

0030/3392	LEN=0066	INSTALLED 2002
0030/2963	COVERED BRIDGE RD (T600)	
0030/2622	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2016
0030/2009	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2016
0030/1622	018 " DIA CIR PLASTIC LEN=0045	INSTALLED 1999
0030/1340	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2002
001756 FT	2 0 54033 0 00 0274+36	BEAVER ADAMS T
0030/0000	LENGTH(AH 3411 BK 1695) 024 " DIA CIR PLASTIC	
0020/1335	LEN=0038	INSTALLED UNKN
0020/0985	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 2017
0020/0588	024 " DIA CIR PLASTIC LEN=0092	INSTALLED 2002
0020/0019	018 " DIA CIR PLASTIC LEN=0060	INSTALLED 1999
000061 FT	2 0 54033 0 00 0291+56	NC KI SSIMMEE RD MIDDLE RD (T401)
INTER-BK	DECKER RD (T400)	
0020/0000	LENGTH(AH 1695 BK 0100)	
000061 FT	000061 FT	
7014/0000	LENGTH(AH 0100 BK 0061) BMSBN 54/4014/0010/0000	
INTER-AHD	DECKER RD (T400)	
0010/0061	(T400)	
000000 FT	2 0 54033 0 00 0320+81	NC DECKER RD
INTER-BK	DECKER RD (T400)	
0010/0000	NORTH BRANCH MIDDLE CRK BMSBG 54/4014/0010/0000	
000000 FT	LENGTH(AH 0061 BK 0100)	
7008/0000	LENGTH(AH 0100 BK 0000)	

DIR: B TOTAL LEN: 6.701 MI. DIST: 03-5 SR: 4012
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

035381 FT		035381 FT 7184/0000	LENGTH(AH 0100 BK 0021) BMSSEN 54/4012/0180/0000
035360 FT		INTER-AHD 0180/0021 035360 FT INTER-BK	CREEK RD (T611) 2 0 54 023 0 10 0855+52
035360 FT		0180/0000 035360 FT 7174/0000	TRIBUTARY MIDDLE CREEK BMSBG 54/4012/0180/0000 LENGTH(AH 0021 BK 0100)
035339 FT		INTER-AHD 0170/0021 035339 FT INTER-BK	CREEK RD (T611) BEAVER T 2 0 54 023 0 09 0823+68
035339 FT		0170/0000 035339 FT 7164/0000	TRIBUTARY MIDDLE CREEK BMSBG 54/4012/0170/0000 LENGTH(AH 0021 BK 0100)
035318 FT		INTER-AHD 0160/0021 035318 FT INTER-BK	CREEK RD (T611) 2 0 54 023 0 08 0769+22
035318 FT		0160/0000 035318 FT 7154/0000	TRIBUTARY MIDDLE CREEK BMSBG 54/4012/0160/0000 LENGTH(AH 0021 BK 0100)
		INTER-AHD 0150/0011	CREEK RD (T611)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023


ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 276
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.701 MI.
LEFT MUN: BEAVER T


DIST: 03-5 SR: 4012
RIGHT MUN: BEAVER T

035307 FT



035307 FT 2 0 54023 0 07 0659+66
INTER-BK CREEK RD

035307 FT



0150/0000 LENGTH(AH 0011 BK 0100)

035307 FT 7144/0000
INTER-AHD CREEK RD

035242 FT



0140/0065 2 0 54023 0 06 0604+08
035242 FT NC CR
INTER-BK CREEK RD

035242 FT



0140/0000 LENGTH(AH 0065 BK 0100)

035242 FT 7134/0000
INTER-AHD CREEK RD

0130/2479 SR 0235 SH
(SR0235 SEG 0180/0000)
SPRING T

032763 FT



0130/0000 LENGTH(AH 2479 BK 2000)

0120/0830 018 " DIA CIR PLASTIC
LEN=0036 INSTALLED 2011
018 " DIA CIRC METAL

DIR: B TOTAL LEN: 6.701 MI. DIST: 03-5 SR: 4012
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

Stationing	Length	Description	Material	Installed
030763 FT	0120/0388	LEN=0034	INSTALLED	UNKN
	030763 FT	2 0 54023 0 05 0530+19		
	0120/0000	LENGTH(AH 2000 BK 2325)		
	0110/1364	018 " DIA CIR PLASTIC		
	0110/0869	LEN=0036 INSTALLED 2011		
	028438 FT	018 " DIA CIR PLASTIC		
	0110/0000	LEN=0028 INSTALLED UNKN		
2 0 54023 0 05 0506+86 028438 FT		SANDHILL RD		
SANDHILL RD (T467)	0110/0000	(T467)		
0110/0000	0110/0000	LENGTH(AH 2325 BK 3122)		
	0100/3116	018 " DIA CIR PLASTIC		
	0100/2077	LEN=0055 INSTALLED 2003		
	0100/1662	018 " DIA CIR PLASTIC		
	0100/1611	LEN=0055 INSTALLED UNKN		
		ETTINGER RD (T576)		
	0100/0375	018 " DIA CIR PLASTIC		
025316 FT	0100/0013	LEN=0036 INSTALLED UNKN		
	025316 FT	BMSBN 54/4012/0100/0000		
	0100/0000	2 0 54023 0 05 0475+60		
	0090/3097	TRIBUTARY MIDDLE CREEK		
	0090/2725	BMSBG 54/4012/0100/0000		
	0090/2578	LENGTH(AH 3122 BK 3562)		
	0090/2082	018 " DIA CIRC CONCR		
	0090/1853	LEN=0037 INSTALLED UNKN		
	0090/1528	024 " DIA CIR PLASTIC		
	0090/1424	LEN=0030 INSTALLED UNKN		
	0090/1033	018 " DIA CIR PLASTIC		
		LEN=0030 INSTALLED UNKN		
		018 " DIA CIRC CONCR		
		LEN=0030 INSTALLED UNKN		
		018 " DIA CIR PLASTIC		
		LEN=0030 INSTALLED UNKN		
		018 " DIA CIRC CONCR		
		LEN=0030 INSTALLED UNKN		
		024 " DIA CIRC CONCR		
		LEN=0030 INSTALLED UNKN		
		018 " DIA CIRC CONCR		
		LEN=0031 INSTALLED UNKN		
		024 " DIA CIRC CONCR		

DIR: B TOTAL LEN: 6.701 MI. DIST: 03-5 SR: 4012
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

Stationing	Notes	Material	Length	Status
0090/0753		024" DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
0090/0534		018" DIA CIRC CONCR	LEN=0033	INSTALLED UNKN
0090/0017		024" DIA CIRC CONCR	LEN=0032	INSTALLED UNKN
021754 FT		2 0 54023 0 05 0439+99		
0090/0000	5	LENGTH(AH 3562 BK 2993)		
0080/2586		024" DIA CIRC CONCR	LEN=0033	INSTALLED 2022
0080/2171		018" DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
0080/1828		018" DIA CIRC CONCR	LEN=0033	INSTALLED UNKN
0080/1092		018" DIA CIRC CONCR	LEN=0039	INSTALLED UNKN
018761 FT		018" DIA CIRC CONCR	LEN=0031	INSTALLED UNKN
0080/0229		2 0 54023 0 05 0410+07		
0080/0000	5	LENGTH(AH 2993 BK 2728)		
0070/2510		020"H 24"W ELLIP METAL	LEN=0036	INSTALLED UNKN
0070/2209		024" DIA CIR PLASTIC	LEN=0036	INSTALLED UNKN
0070/1910		018" DIA CIRC CONCR	LEN=0044	INSTALLED UNKN
SAWMILL RD (T469)				
0070/1472				
0070/1395		BMS EN 54/4012/0070/1370		
0070/1370		2 0 54023 0 05 0396+49		
0070/1220		TRIBUTARY MIDDLE CREEK		
		BMSBG 54/4012/0070/1370		
		036" DIA CIR PLASTIC	LEN=0036	INSTALLED UNKN
016033 FT				
016033 FT		MIDDLE CREEK RD		
		(SR4005 SEG 0050/1813)		
0070/0000	5	LENGTH(AH 2728 BK 2539)		
0060/2467		018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0060/1829		018" DIA CIR PLASTIC	LEN=0032	INSTALLED 2011
0060/1205		020"H 30"W ELLIP METAL	LEN=0045	INSTALLED UNKN

DIR: B TOTAL LEN: 6.701 MI. DIST: 03-5 SR: 4012
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

LOG LN
 (PRDR)

013494 FT

0050/0174
 010213 FT

007595 FT

---	0060/0931	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
^	0060/0013 013494 FT	BMS EN 54/4012/0060/0000 2 0 54023 0 04 0356+38 KREB GAP RUN BMSBG 54/4012/0060/0000 LENGTH(AH 2539 BK 3281)
---	0050/2136	018 "DIA CIR PLASTIC LEN=0032 INSTALLED 2011
---	0050/1807	018 "DIA CIR PLASTIC LEN=0032 INSTALLED 2011
---	0050/1283	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 2011
---	0050/0329	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1999
^	0050/0022 010213 FT	BMS EN 54/4012/0050/0000 2 0 54023 0 04 0323+55 KREB GAP RUN BMSBG 54/4012/0050/0000 LENGTH(AH 3281 BK 2618)
---	0040/2181	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2011
---	0040/1775	018 "DIA CIR PLASTIC LEN=0032 INSTALLED 2011
---	0040/1737	SPRING WEST BEAVER T
---	0040/1380	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1999
---	0040/0961	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2011
---	0040/0581	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2018
---	0040/0224 007595 FT	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2018 2 0 54023 0 04 0297+30 GILBERT RD (T558)
^	0040/0000	LENGTH(AH 2618 BK 2199)
---	0030/1858	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 2011
---	0030/1626	018 "DIA CIR PLASTIC LEN=0038 INSTALLED 1999

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 272
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.701 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4012
RIGHT MUN: WEST BEAVER T

MOUNTAIN VIEW DR
(PRDR)

0030/1262









005396 FT

003146 FT

000000 FT

0030/1393	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0030/1155	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0030/0950	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0030/0760	018 " DIA	CIRC METAL
	LEN=0042	INSTALLED UNKN
0030/0419	018 " DIA	CIRC METAL
	LEN=0040	INSTALLED UNKN
005396 FT	2 0 54023	0 04 0275+36
0030/0000	LENGTH(AH	2199 BK 2250)
0020/2232	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0020/1830	018 " DIA	CIR PLASTIC
	LEN=0034	INSTALLED 2011
0020/1435	018 " DIA	CIR PLASTIC
	LEN=0044	INSTALLED 2011
0020/1022	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0020/0568	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
003146 FT	2 0 54023	0 04 0252+92
	TRIBUTARY	ULSH GAP RUN
	STRUCTURE	LENGTH 25 FT
	BMSID 54/4	012/0020/0000
0020/0000	LENGTH(AH	2250 BK 3146)
0010/2756	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED 2011
0010/2230	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0010/1466	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0010/1088	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0010/0729	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2011
0010/0377	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED UNKN
000000 FT	2 0 54023	0 04 0221+62
	NC BA	ACK MOUNTAIN RD
	ULSH GAP	RD
	(SR4003	SEG 0120/0000)
INTER-BK	ULSH GAP	SRD
	(SR4003	SEG 0120/0000)
	MFC BEGIN	= D
0010/0000	LENGTH(AH	3146 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 271
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .000 MI. DIST: 03-5 SR: 4010
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

000000 FT		000000 FT	
000000 FT		7050/0000	LENGTH(AH 3022 BK 2475)
000000 FT		000000 FT	
000000 FT		7040/0000	LENGTH(AH 2475 BK 2062)
000000 FT		000000 FT	
000000 FT		7030/0000	LENGTH(AH 2062 BK 2902)
000000 FT		000000 FT	
000000 FT		7020/0000	LENGTH(AH 2902 BK 1770)
		000000 FT	
		7010/0000	LENGTH(AH 1770 BK 0000)

026408 FT		026408 FT 7184/0000	LENGTH(AH 0700 BK 0011) BMSSEN 54/4008/0182/0000
026397 FT		INTER-AHD 0182/0011 026397 FT	RIDGE RD (TB04) 2 0 54 024 0 00 0298+75 VILLAGE: BEAVER SPRINGS
026397 FT		NC R I INTER-BK	DGE RD RIDGE RD (TB04) TRIBUTARY MIDDLE CREEK
026397 FT		S 0182/0000	BMSBG 54/4008/0182/0000 LENGTH(AH 0011 BK 1178)
026397 FT		026397 FT	LENGTH(AH 1178 BK 3063)
026397 FT		026397 FT	LENGTH(AH 3063 BK 0556)
026299 FT		026397 FT 7164/0000	LENGTH(AH 0556 BK 0098) BMSSEN 54/4008/0162/0000
026299 FT		INTER-AHD 0162/0098 026299 FT	STAGE RD (TB25) 2 0 54 025 0 01 0404+38
026299 FT		S 0162/0000	MIDDLE CREEK BMSBG 54/4008/0162/0000 LENGTH(AH 0098 BK 3090)
026299 FT		026299 FT 7160/0000	LENGTH(AH 3090 BK 1285)
	INTER-AHD	STAGE RD (TB25) STULL RD	

DIR: B TOTAL LEN: 5.002 MI. DIST: 03-5 SR: 4008
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

2 0 54025 0 00 0358+82 025014 FT
 SHALE PIT RD
 (T574) 0150/0000

TROUP RD
 (T572) 0140/1100

TURKEY HILL RD
 (T570) 0130/1575
 LC FOR TURKEY HILL RD
 (CONN) 0130/1448

022016 FT

019482 FT

0150/1285	(SR4006 SEG 0080/3061)
0150/1254	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2012
0150/0669	036 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
0150/0429	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2001
025014 FT	
0150/0000	LENGTH(AH 1285 BK 2998)
0140/2320	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 2017
0140/1971	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2012
0140/1125	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2017
0140/1086	MFC BEGIN = D
0140/1072	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2017
0140/0570	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2001
0140/0320	036 "DIA CIR PLASTIC LEN=0050 INSTALLED 2001
0140/0086	BMSSEN 54/4008/0140/0000
022016 FT	2 0 54025 0 00 0328+41
0140/0000	MIDDLE CREEK BMSBG 54/4008/0140/0000 LENGTH(AH 2998 BK 2534)
0130/2060	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2001
0130/1575	TURKEY HILL RD (T570)
0130/1006	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0130/0370	013 "H 22 "W ELLIP METAL LEN=0040 INSTALLED 2001
0130/0090	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
019482 FT	2 0 54025 0 00 0301+97
0130/0000	LENGTH(AH 2534 BK 2439)
0120/2370	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2012
	024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.002 MI. DIST: 03-5 SR: 4008
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

	0120/2087	LEN=0030	INSTALLED	2001
		018 "DIA	CIR PLASTIC	
	0120/1575	LEN=0032	INSTALLED	2012
		024 "DIA	CIR PLASTIC	
	0120/1090	LEN=0040	INSTALLED	2001
		018 "DIA	CIR PLASTIC	
	0120/0275	LEN=0032	INSTALLED	2012
017043 FT	017043 FT	2 0 54025	0 00 0276+53	
	0120/0000	LENGTH(AH 2439 BK 2203)		
		024 "DIA	CIR PLASTIC	
	0110/2030	LEN=0040	INSTALLED	2001
		018 "DIA	CIR PLASTIC	
	0110/0920	LEN=0050	INSTALLED	2001
		015 "DIA	CAST IRON	
	0110/0695	LEN=0050	INSTALLED	UNKN
		018 "DIA	CIR PLASTIC	
	0110/0110	LEN=0040	INSTALLED	2001
		LC FOR HOSLER RD		
014840 FT	0110/0077	(CONN)		
	014840 FT	2 0 54025	0 00 0253+55	
		HOSLER RD		
		(T560)		
	0110/0000	LENGTH(AH 2203 BK 3429)		
		018 "DIA	CIR PLASTIC	
	0100/2980	LEN=0040	INSTALLED	2012
		018 "DIA	CIR PLASTIC	
	0100/2482	LEN=0040	INSTALLED	2012
		024 "DIA	CIR PLASTIC	
	0100/2105	LEN=0040	INSTALLED	2012
		SPRING		
	0100/1349	WEST BEAVER T		
		024 "DIA	CIR PLASTIC	
	0100/1181	LEN=0040	INSTALLED	2001
		024 "DIA	CIR PLASTIC	
	0100/0975	LEN=0040	INSTALLED	2017
		018 "DIA	CIR PLASTIC	
	0100/0828	LEN=0035	INSTALLED	2001
		018 "DIA	CIR PLASTIC	
	0100/0504	LEN=0033	INSTALLED	2001
		024 "DIA	CIR PLASTIC	
	0100/0222	LEN=0050	INSTALLED	2001
		018 "DIA	CIR PLASTIC	
	0100/0030	LEN=0040	INSTALLED	2012
	011411 FT			
2 0 54025 0 00 0219+20 011411 FT				
R GOSS RD				
(T558)	0100/0000			
	0100/0000	LENGTH(AH 3429 BK 1730)		

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 267
COUNTY: SNYDER

DIR: B TOTAL LEN: 5.002 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4008
RIGHT MUN: WEST BEAVER T

Stationing	Length	Material	Notes
009681 FT	0090/1480	024 " DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
	0090/1040	024 " DIA CIR PLASTIC	LEN=0040 INSTALLED 2012
	0090/0280	018 " DIA CIR PLASTIC	LEN=0050 INSTALLED 2017
	009681 FT	2 0 54025 0 00 0201+39	
	0090/0000	LENGTH(AH 1730 BK 2304)	
	0080/2008	018 " DIA CIR PLASTIC	LEN=0040 INSTALLED 2012
	0080/1864	030 " DIA CIR PLASTIC	LEN=0060 INSTALLED 2017
007377 FT	0080/0710	036 " DIA CIR PLASTIC	LEN=0065 INSTALLED 2012
	007377 FT	2 0 54025 0 00 0177+66	CONNER RD
	0080/0000	(T554)	LENGTH(AH 2304 BK 1762)
	0070/1734	018 " DIA CIR PLASTIC	LEN=0060 INSTALLED 2004
	0070/1280	018 " DIA CIR PLASTIC	LEN=0042 INSTALLED 2002
	0070/1108	018 " DIA CIR PLASTIC	LEN=0042 INSTALLED UNKN
	0070/0566	018 " DIA CIR PLASTIC	LEN=0056 INSTALLED UNKN
	0070/0352	024 " DIA CIR PLASTIC	LEN=0050 INSTALLED 2001
005615 FT	0070/0080	018 " DIA CIR PLASTIC	LEN=0050 INSTALLED 2012
	005615 FT	2 0 54025 0 00 0160+18	C GOSS RD
	0070/0000	(T550)	LENGTH(AH 1762 BK 2011)
	0060/1333	018 " DIA CIR PLASTIC	LEN=0050 INSTALLED 2001
	0060/0950	030 " DIA CIR PLASTIC	LEN=0042 INSTALLED 1998
	0060/0495	018 " DIA CIR PLASTIC	LEN=0040 INSTALLED 2017
	0060/0043	018 " DIA CIR PLASTIC	LEN=0050 INSTALLED 2001
2 0 54025 0 00 0140+14	003604 FT		
WALK SNOOK RD	0060/0000		
(T552)			LENGTH(AH 2011 BK 3561)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 266
COUNTY: SNYDER

DIR: B TOTAL LEN: 5.002 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4008
RIGHT MUN: WEST BEAVER T

Distance (FT)	Object ID	Description
	0050/3515	024 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0050/1707	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2012
000043 FT	000043 FT	2 0 54025 0 00 0103+87 VILLAGE: CROSSGROVE ULSH GAP RD (SR4003 SEG 0090/0000) INTER-BK STAGE RD (TB25) MFC BEGIN = E
000043 FT	0050/0000	LENGTH(AH 3561 BK 0100)
	000043 FT	
	7024/0000	LENGTH(AH 0100 BK 0033) BMSSEN 54/4008/0020/0000 INTER-AHD STAGE RD (TB25)
000010 FT	0020/0033	2 0 54025 0 00 0028+50 INTER-BK STAGE RD (TB25) ULSH GAP RUN BMSBG 54/4008/0020/0000
000010 FT	000010 FT	LENGTH(AH 0033 BK 0100)
	000010 FT	
	7014/0000	LENGTH(AH 0100 BK 0002)
000010 FT	000010 FT	
	7012/0000	LENGTH(AH 0002 BK 0010) BMSSEN 54/4008/0010/0000 INTER-AHD STAGE RD (TB25)
000000 FT	0010/0010	2 0 54025 0 00 0002+62 NC STAGE RD INTER-BK STAGE RD (TB25) TRIBUTARY ULSH GAP RUN BMSBG 54/4008/0010/0000
000000 FT	0010/0000	LENGTH(AH 0010 BK 0002)
	000000 FT	
	7010/0000	LENGTH(AH 0002 BK 0100)
000000 FT	000000 FT	
	7004/0000	LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: .033 MI. DIST: 03-5 SR: 4007
 LEFT MUN: BEAVER T RIGHT MUN: BEAVER T


000173 FT		000173 FT 7034/0000	LENGTH(AH 0100 BK 0122) BMSBN 54/4007/0030/0000 GAMELAND RD (T604)
000051 FT		INTER-AHD 0030/0122 000051 FT INTER-BK	2 0 54030 0 02 0092+38 GAMELAND RD (T604) MIDDLE CREEK BMSBG 54/4007/0030/0000
000051 FT		0030/0000 000051 FT 7024/0000	LENGTH(AH 0100 BK 0100) BMSBN 54/4007/0020/0000 GAMELAND RD (T604)
000011 FT		INTER-AHD 0020/0040 000011 FT INTER-BK	2 0 54030 0 01 0072+08 GAMELAND RD (T604) KERN RUN BMSBG 54/4007/0020/0000
000011 FT		0020/0000 000011 FT 7014/0000	LENGTH(AH 0100 BK 0100) BMSBN 54/4007/0010/0000 GAMELAND RD (T604)
000000 FT		INTER-AHD 0010/0011 000000 FT NC P INTER-BK	2 0 54030 0 00 0019+14 NE SWAMP RD GAMELAND RD (T604) TRIBUTARY KERN RUN BMSBG 54/4007/0010/0000
000000 FT		0010/0000 000000 FT 7008/0000	MFC BEGIN = D LENGTH(AH 0011 BK 0100) LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 4.199 MI. DIST: 03-5 SR: 4006
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

STAGE RD 022172 FT
 (SR4008 SEG 0150/1285) 0080/3061

2 0 54048 0 03 0198+41 019111 FT
 TURKEY HILL RD
 (T570) 0080/0000

017203 FT



022172 FT STAGE RD
 0080/3061 (T825)
 0080/2935 BMSSEN 54/4006/0080/2845
 2 0 54048 0 03 0226+80
 MIDDLE CREEK
 0080/2845 BMSBG 54/4006/0080/2845
 024 " DIA CIR PLASTIC
 0080/2816 LEN=0038 INSTALLED UNKN

0080/1344 024 " DIA CIR PLASTIC
 LEN=0038 INSTALLED UNKN
 0080/1092 015"H 21"W ELLIP METAL
 LEN=0028 INSTALLED 2022
 0080/0605 018 " DIA CIR PLASTIC
 LEN=0032 INSTALLED UNKN
 0080/0017 024 " DIA CIR PLASTIC
 019111 FT LEN=0042 INSTALLED UNKN

S 0080/0000 LENGTH(AH 3061 BK 1908)
 0070/1225 015"H 21"W ELLIP METAL
 LEN=0030 INSTALLED 2022

0070/0069 014"H 23"W ELLIP CONC
 017203 FT LEN=0040 INSTALLED 2023
 2 0 54048 0 03 0179+32
 GAPES RD
 (T568)
 S 0070/0000 LENGTH(AH 1908 BK 2882)
 0060/2827 015"H 21"W ELLIP METAL
 LEN=0030 INSTALLED 2022
 0060/2727 014"H 23"W ELLIP CONC
 LEN=0040 INSTALLED 2023

0060/1251 018 " DIA CIR PLASTIC
 LEN=0028 INSTALLED UNKN

DIR: B TOTAL LEN: 4.199 MI. DIST: 03-5 SR: 4006
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

HOSLER RD
(T560)

014321 FT

014321 FT 2 0 54048 0 03 0150+39
 5 0060/0000 LENGTH(AH 2882 BK 2425)
 015"H 21"W ELLIP METAL
 0050/1864 LEN=0026 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0050/1758 LEN=0025 INSTALLED UNKN
 038"H 54"W ELLIP METAL
 0050/1484 LEN=0048 INSTALLED UNKN

0050/1471

0050/1427 018 "DIA CIR CONC
 LEN=0044 INSTALLED UNKN
 0050/1142 BMS EN 54/4006/0050/1082
 2 0 54048 0 03 0136+84
 S. BR. MIDDLE CREEK
 0050/1082 BMSBG 54/4006/0050/1082

011896 FT

0050/0356 SPRING
 WEST BEAVER T
 011896 FT 2 0 54048 0 03 0126+05
 LES HUGHES RD
 (T560)
 5 0050/0000 LENGTH(AH 2425 BK 2816)
 036"H 60"W ELLIP METAL
 0040/2598 LEN=0037 INSTALLED 2001
 018 "DIA CIR CONC
 0040/1916 LEN=0042 INSTALLED UNKN
 014"H 23"W ELLIP CONC
 0040/1325 LEN=0032 INSTALLED 2023
 015"H 21"W ELLIP METAL
 0040/1205 LEN=0029 INSTALLED UNKN

009080 FT

0040/0057 BMS EN 54/4006/0040/0000
 009080 FT 2 0 54048 0 02 0097+63
 SOUTH BRANCH MIDDLE CRK
 BMSBG 54/4006/0040/0000
 5 0040/0000 LENGTH(AH 2816 BK 3126)
 030 "DIA CIR PLASTIC
 0030/2377 LEN=0060 INSTALLED UNKN

018 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 262
COUNTY: SNYDER


DIR: B TOTAL LEN: 4.199 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4006
RIGHT MUN: WEST BEAVER T

2 0 54048 0 03 0066+21 005954 FT
CONNER RD
(T554)

C GOSS RD
(T550)

STEELY RD
(T548)



0030/0649 LEN=0040 INSTALLED UNKN

005954 FT

5 0030/0000 LENGTH(AH 3126 BK 3073)

0020/1074 018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN

0020/1007

0020/0894 BMS EN 54/4006/0020/0835
2 0 54048 0 01 0028+50

0020/0835 BMSBG 54/4006/0020/0835
LOWELL RD

0020/0589 018 "DIA CIRC CONCR

002881 FT

0020/0170 LEN=0065 INSTALLED UNKN
002881 FT 2 0 54048 0 01 0028+50

5 0020/0000 LENGTH(AH 3073 BK 2881)

0010/2523 018 "DIA CIR PLASTIC

0010/2433 018 "DIA CIRC CONCR

0010/2048 018 "DIA CIR PLASTIC

0010/1712 018 "DIA CIR PLASTIC

0010/1224 018 "DIA CIR PLASTIC

0010/1195

0010/0200 BMS EN 54/4006/0010/0147
2 0 54048 0 00 0001+56

000000 FT

0010/0147 BMSBG 54/4006/0010/0147
000000 FT 2 0 54048 0 00 0000+00

5 0010/0000 LENGTH(AH 2881 BK 0000)
NC ST ULLSH GAP RD
(SR4003 SEG 0060/0000)
MFC BEGIN = E

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 261
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 1.567 MI. DIST: 03-5 SR: 4005
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

008272 FT




2 0 54026 0 00 0017+98 006459 FT

008272 FT	BACK MT RD
0050/1813	(SR4012 SEG 0070/0000)
	018 " DIA CIRC CONCR
0050/1440	LEN=0034 INSTALLED UNKN
0050/1003	BMSSEN 54/4005/0050/0970
	2 0 54026 0 00 0008+38
	KREBS GAP RUN
0050/0970	BMSBG 54/4005/0050/0970
	018 " DIA CIRC CONCR
0050/0628	LEN=0052 INSTALLED UNKN
	018 " DIA CIRC CONCR
0050/0183	LEN=0031 INSTALLED UNKN
006459 FT	

DIR: B TOTAL LEN: 1.567 MI. DIST: 03-5 SR: 4005
 LEFT MUN: SPRING T RIGHT MUN: SPRING T


KEPNER RD
 (T562)

0050/0000



0050/0000 LENGTH(AH 1813 BK 1945)
 018 " DIA CIRC CONCR
 0040/1732 LEN=0034 INSTALLED UNKN


004514 FT



0040/0055 BMS EN 54/4005/0040/0000
 004514 FT 2 0 54026 0 00 0037+55
 KREBS GAP RUN
 BMSBG 54/4005/0040/0000
 0040/0000 LENGTH(AH 1945 BK 2476)

2 0 54026 0 00 0062+28 002038 FT
 TURKEY HILL RD
 (T570)

0030/0000




0030/1631 015 " DIA CIRC CONCR
 LEN=0041 INSTALLED UNKN
 0030/1613 018 " DIA CIRC CONCR
 LEN=0070 INSTALLED UNKN
 SANDHILL RD
 (T467)
 0030/0938 018 " DIA CIRC CONCR
 LEN=0028 INSTALLED UNKN
 0030/0517 018 " DIA CIRC CONCR
 LEN=0029 INSTALLED UNKN
 0030/0176 018 " DIA CIRC CONCR
 LEN=0021 INSTALLED UNKN
 0020/2015 0030/0000 LENGTH(AH 2476 BK 2038)
 018 " DIA CIRC CONCR
 LEN=0064 INSTALLED UNKN

000000 FT










0020/0835 TRIBUTARY MIDDLE CREEK
 STRUCTURE LENGTH 10 FT
 BMSID 54/4005/0020/0835

000000 FT



0020/0181 TROUP RD
 (T572)
 000000 FT 2 0 54026 0 00 0082+68
 VILLAGE: MIDDLE CREEK
 NC MI DDDLE CREEK RD
 MIDDLE CREEK RD
 (TBC)
 INTER-BK TROUP RD
 (T572)
 0020/0000 LENGTH(AH 2038 BK 2875)
 000000 FT
 7010/0000 LENGTH(AH 2875 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 259
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 2.669 MI. DIST: 03-5 SR: 4004
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

014090 FT		014090 FT	
014090 FT		7110/0000	LENGTH(AH 0586 BK 2492)
014090 FT		014090 FT	
014090 FT		7100/0000	LENGTH(AH 2492 BK 2979)
014090 FT		014090 FT	
014090 FT		7090/0000	LENGTH(AH 2979 BK 2558)
014090 FT		014090 FT	
		7080/0000	LENGTH(AH 2558 BK 2781)
		014090 FT	
		7070/0000	LENGTH(AH 2781 BK 0118)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023


ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 258
COUNTY: SNYDER

DIR: B TOTAL LEN: 2.669 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4004
RIGHT MUN: WEST BEAVER T

014090 FT



014090 FT
7062/0000 LENGTH(AH 0118 BK 2001)
INTER-AHD RIDGE RD
0060/2001 (T804)
022 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
0060/1890 022 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
0060/1625 022 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
0060/1445 018 " DIA CIR PLASTIC
LEN=0036 INSTALLED UNKN
0060/1165 018 " DIA CIR PLASTIC
LEN=0037 INSTALLED 2002
0060/0965 022 " DIA CIR PLASTIC
LEN=0035 INSTALLED 2017
012089 FT 2 0 54024 0 00 0120+98
5 0060/0000 LENGTH(AH 2001 BK 2465)
018 " DIA CIR PLASTIC
LEN=0038 INSTALLED UNKN
0050/2430 022 " DIA CIR PLASTIC
LEN=0035 INSTALLED 2017
0050/2012 018 " DIA CIR PLASTIC
LEN=0037 INSTALLED UNKN
0050/1815 022 " DIA CIR PLASTIC
LEN=0031 INSTALLED 2017


012089 FT

2 0 54024 0 00 0096+51 009624 FT
LOWELL RD
(T461)
0050/0000

0050/0165 024 " DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
009624 FT
5 0050/0000 LENGTH(AH 2465 BK 2473)
028 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
0040/2295 022 " DIA CIR PLASTIC
LEN=0036 INSTALLED 2017
0040/2005 018 " DIA CIR PLASTIC
LEN=0037 INSTALLED 2002
0040/1660 022 " DIA CIR PLASTIC
LEN=0036 INSTALLED 2017
0040/1515 022 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2017
0040/1315 018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2002
0040/0990 018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2002
0040/0735 018 " DIA CIR PLASTIC
LEN=0034 INSTALLED 2002
0040/0239

DIR: B TOTAL LEN: 2.669 MI. DIST: 03-5 SR: 4004
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

007151 FT



007151 FT 2 0 54024 0 00 0071+69
 S 0040/0000 LENGTH(AH 2473 BK 3050)
 018 " DIA CIR PLASTIC
 0030/3045 LEN=0037 INSTALLED 2002
 022 " DIA CIR PLASTIC
 0030/2740 LEN=0040 INSTALLED 2017
 022 " DIA CIR PLASTIC
 0030/2540 LEN=0035 INSTALLED 2017
 018 "H 00 "W MULT PLSTIC
 0030/2345 LEN=0039 INSTALLED UNKN
 024 "H 00 "W MULT PLSTIC
 0030/1610 LEN=0036 INSTALLED 201B
 018 " DIA CIR PLASTIC
 0030/1255 LEN=0048 INSTALLED 2002
 030 " DIA CIR PLASTIC
 0030/0973 LEN=0038 INSTALLED 2002
 018 " DIA CIR PLASTIC
 0030/0795 LEN=0036 INSTALLED UNKN
 022 " DIA CIR PLASTIC
 0030/0350 LEN=0040 INSTALLED 2017
 004101 FT 2 0 54024 0 00 0041+09
 S 0030/0000 LENGTH(AH 3050 BK 2443)
 022 " DIA CIR PLASTIC
 0020/2115 LEN=0040 INSTALLED 2017
 022 " DIA CIR PLASTIC
 0020/0940 LEN=0030 INSTALLED 2017
 001658 FT 2 0 54024 0 00 0016+58
 S 0020/0000 LENGTH(AH 2443 BK 1658)
 018 " DIA CIR PLASTIC
 0010/1650 LEN=0038 INSTALLED UNKN
 WEST BEAVER
 0010/1631 MCCLURE B
 028 " DIA CIR PLASTIC
 0010/0330 LEN=0040 INSTALLED 2017
 022 " DIA CIR PLASTIC
 0010/0015 LEN=0080 INSTALLED 2017
 000000 FT 2 0 54024 0 00 0000+00
 NC R I DGE RD
 ULSH GAP RD
 (SR4003 SEG 0040/2103)
 MFC BEGIN = D
 S 0010/0000 LENGTH(AH 1658 BK 0000)

004101 FT

001658 FT

000000 FT

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 256
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: 7.642 MI. DIST: 03-5 SR: 4003
LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

040348 FT



040348 FT AH-MIFFLIN (44)
INTER-AHD NEW LANCASTER VALLEY RD
0180/1904 (SR1002 SEG 0360/2194)

DIR: B TOTAL LEN: 7.642 MI. DIST: 03-5 SR: 4003
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

038444 FT

036315 FT

0180/1060	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0180/0215	018 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0180/0005	018 " DIA CIR PLASTIC LEN=0055 INSTALLED UNKN
038444 FT	2 0 54034 0 00 0020+00 OLD LANCASTER VALLEY RD (FRST)
0180/0000	LENGTH(AH 1904 BK 2129) LC TO OLD LANCASTER VAL
0170/1981	(CONN)
0170/1750	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0170/1540	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0170/1295	018 " DIA CIR PLASTIC LEN=0050 INSTALLED 1996
0170/0975	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0170/0700	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 1996
0170/0300	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 1996
036315 FT	2 0 54034 0 00 0040+30 LOCUST RIDGE RD (FRST)
0170/0000	LENGTH(AH 2129 BK 3520) LC TO LOCUST RIDGE RD
0160/3394	(CONN)
0160/3370	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0160/2890	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0160/2425	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 1996
0160/2145	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0160/1935	018 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
0160/1585	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0160/1415	018 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
0160/1205	018 " DIA CIR PLASTIC LEN=0042 INSTALLED 1996
0160/0560	018 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 7.642 MI. DIST: 03-5 SR: 4003
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

032795 FT

030310 FT

027717 FT

0160/0415	018 " DIA	CIR PLASTIC
	LEN=0030	INSTALLED UNKN
0160/0260	018 " DIA	CIR PLASTIC
	LEN=0034	INSTALLED UNKN
0160/0150	018 " DIA	CIRC METAL
	LEN=0036	INSTALLED UNKN
0160/0020	018 " DIA	CIRC METAL
	LEN=0034	INSTALLED UNKN
032795 FT	2 0 54034	0 00 0075+57
0160/0000	LENGTH(AH	3520 BK 2485)
	018 " DIA	CIRC METAL
	LEN=0034	INSTALLED UNKN
0150/2316	018 " DIA	CIR PLASTIC
	LEN=0034	INSTALLED UNKN
0150/2160	018 " DIA	CIRC METAL
	LEN=0056	INSTALLED UNKN
0150/1940	015 "H 21"	W ELLIP METAL
	LEN=0036	INSTALLED UNKN
0150/1600	024 "H 36"	W ELLIP METAL
	LEN=0045	INSTALLED UNKN
0150/1300	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED UNKN
0150/0972	018 " DIA	CIRC METAL
	LEN=0040	INSTALLED UNKN
0150/0578	018 " DIA	CIRC METAL
	LEN=0036	INSTALLED UNKN
0150/0452	2 0 54034	0 00 0100+48
030310 FT	LENGTH(AH	2485 BK 2593)
0150/0000	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0140/2290	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED UNKN
0140/1645	018 " DIA	CIR PLASTIC
	LEN=0036	INSTALLED UNKN
0140/1215	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0140/0895	015 "H 21"	W ELLIP METAL
	LEN=0040	INSTALLED UNKN
0140/0595	015 "H 21"	W ELLIP METAL
	LEN=0040	INSTALLED UNKN
0140/0300	015 "H 21"	W ELLIP METAL
	LEN=0034	INSTALLED UNKN
0140/0030	2 0 54034	0 00 0126+47
027717 FT	LENGTH(AH	2593 BK 2467)
0140/0000	015 "H 21"	W ELLIP METAL
	LEN=0036	INSTALLED UNKN
0130/2175	018 " DIA	CIR PLASTIC
	LEN=0045	INSTALLED UNKN
0130/1480	018 " DIA	CIR PLASTIC
	LEN=0045	INSTALLED UNKN

DIR: B TOTAL LEN: 7.642 MI. DIST: 03-5 SR: 4003
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

Stationing	Notes	Material	Length	Installation	Remarks
0130/1110		036" DIA CIR PLASTIC	LEN=0032	INSTALLED	UNKN
0130/0640		018" DIA CIR PLASTIC	LEN=0040	INSTALLED	2005
0130/0405		018" DIA CIR PLASTIC	LEN=0032	INSTALLED	UNKN
025250 FT		2 0 54034 0 00 0151+20			
0130/0000		LENGTH(AH 2467 BK 3520)			
0120/3470		018" DIA CIR PLASTIC	LEN=0042	INSTALLED	UNKN
0120/3215		018" DIA CIR PLASTIC	LEN=0054	INSTALLED	UNKN
0120/2375		015" DIA CIRC METAL	LEN=0034	INSTALLED	UNKN
0120/2068		018" DIA CIR PLASTIC	LEN=0040	INSTALLED	2005
0120/1940		018" DIA CIR PLASTIC	LEN=0030	INSTALLED	2005
0120/1650		018" DIA CIR PLASTIC	LEN=0030	INSTALLED	2005
0120/1345		048" DIA CIR PLASTIC	LEN=0040	INSTALLED	UNKN
021730 FT		2 0 54034 0 00 0186+48			
0120/0730		BACK MOUNTAIN RD			
0120/0000		(SR4012 SEG 0010/0000)			
0110/0940		LENGTH(AH 3520 BK 2179)			
0110/0940		018" DIA CIRC CONCR	LEN=0040	INSTALLED	UNKN
0110/0380		018" DIA CIRC CONCR	LEN=0040	INSTALLED	2002
0110/0060		018" DIA CIRC CONCR	LEN=0045	INSTALLED	UNKN
0110/0051	==	019551 FT	2 0 54023 0 03 0184+58		
019551 FT		LENGTH(AH 2179 BK 3491)			
0100/2900		030" DIA CIR PLASTIC	LEN=0036	INSTALLED	UNKN
0100/2390		018" DIA CIRC CONCR	LEN=0040	INSTALLED	UNKN
0100/1890	==	WALK SNOOK RD			(T552)

PARTHEMER RD
(T536)

BROOKLET LN
(PRDR)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 252
COUNTY: SNYDER

DIR: B TOTAL LEN: 7.642 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4003
RIGHT MUN: WEST BEAVER T

		ULSH	GAP	RUN	
		STRUCTURE	LENGTH	16	FT
		BMSID	54/4003/0100/1767		
		0100/1767			
		0100/1060	024 " DIA	CIR	PLASTIC
			LEN=0070	INSTALLED	UNKN
		0100/0725	018 " DIA	CIRC	CONCR
			LEN=0036	INSTALLED	UNKN
		0100/0535	062 "H 48 "	W	OTHER STRUC
			LEN=0090	INSTALLED	UNKN
016060 FT		016060 FT	2 0 54023	0 03	0149+51
		0100/0000	LENGTH(AH	3491	BK 0801)
			018 " DIA	CIRC	CONCR
		0090/0370	LEN=0036	INSTALLED	1990
			018 " DIA	CIRC	CONCR
015259 FT		0090/0055	LEN=0060	INSTALLED	UNKN
		015259 FT	2 0 54023	0 03	0141+50
			VILLAGE:	CROSSGROVE	H
			STAGE RD		
STAGE RD (T825)		0090/0000	(SR4008	SEG	0050/0000)
			LENGTH(AH	0801	BK 3676)
		0080/3409	018 " DIA	CIR	PLASTIC
			LEN=0040	INSTALLED	UNKN
		0080/3040	018 " DIA	CIR	PLASTIC
			LEN=0060	INSTALLED	2002
		0080/2650	036 " DIA	CIR	PLASTIC
			LEN=0040	INSTALLED	UNKN
		0080/2385	018 " DIA	CIR	PLASTIC
			LEN=0045	INSTALLED	2017
		0080/1905	018 " DIA	CIR	PLASTIC
			LEN=0040	INSTALLED	2002
			TREASTER	RD	
		0080/1353	(T465)		
FAIRVIEW RD (SR4002 SEG 0060/3141)		0080/1340			
		0080/0120	018 " DIA	CIR	PLASTIC
			LEN=0060	INSTALLED	2018
011583 FT		011583 FT	2 0 54023	0 03	0104+57
			VILLAGE:	CROSSGROVE	HL
		0080/0000	LENGTH(AH	3676	BK 1400)
			036 " DIA	CIRC	CONCR
		0070/1370	LEN=0076	INSTALLED	UNKN
		0070/0671	STEELEY RD		
			(T548)		
			TR. S. BR. MIDDLE CREEK		
			STRUCTURE	LENGTH	10 FT

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 251
COUNTY: SNYDER

DIR: B TOTAL LEN: 7.642 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4003
RIGHT MUN: WEST BEAVER T

SHAWVER RD
(T459)

Stationing	Notes	Stationing	Notes
010183 FT		0070/0539	BMSID 54/4003/0070/0539
		010183 FT	2 0 54023 0 02 0089+93
		0070/0000	LENGTH(AH 1400 BK 1172)
		0060/0754	BMSSEN 54/4003/0060/0734
			2 0 54023 0 02 0085+76
			BEAVER CREEK
		0060/0734	BMSBG 54/4003/0060/0734
			018 "DIA CIR PLASTIC
		0060/0425	LEN=0040 INSTALLED 2022
			021 "DIA CIR PLASTIC
		0060/0300	LEN=0060 INSTALLED 2022
009011 FT		009011 FT	2 0 54023 0 02 0078+32
			STULL RD
			(SR4006 SEG 0010/0000)
		0060/0000	LENGTH(AH 1172 BK 2452)
			018 "DIA CIR PLASTIC
		0050/2360	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/2070	LEN=0040 INSTALLED UNKN
			015 "DIA CIR METAL
		0050/1740	LEN=0036 INSTALLED 2022
			018 "DIA CIRC METAL
		0050/1420	LEN=0044 INSTALLED 2022
			018 "DIA CIR PLASTIC
		0050/1120	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1011	LEN=0035 INSTALLED 2022
		0050/0572	BMSSEN 54/4003/0050/0527
			2 0 54023 0 01 0059+08
			S. B. MIDDLE CREEK
		0050/0527	BMSBG 54/4003/0050/0527
			015 "DIA CIRC METAL
		0050/0120	LEN=0040 INSTALLED 2005
			WEST BEAVER
		0050/0032	MCCLURE B
006559 FT		006559 FT	2 0 54023 0 01 0053+96
		0050/0000	LENGTH(AH 2452 BK 2962)
			030 "DIA CIR METAL
		0040/2790	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC METAL
		0040/2285	LEN=0040 INSTALLED UNKN
			RIDGE RD
		0040/2103	(SR4004 SEG 0010/0000)
		0040/1485	018 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2018

Stationing	Description	Material	Length	Notes
003597 FT	0040/0127	024" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	003597 FT	2 0 54023 0 01 0025+29		
	0040/0000	LENGTH(AH 2962 BK 2511)		
	0030/2405	024" DIA CIR PLASTIC	LEN=0040	INSTALLED 201B
	0030/1855	024" DIA CAST IRON	LEN=0034	INSTALLED UNKN
	0030/1420	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 201B
	0030/0385	018" DIA CIRC CONCR	LEN=0048	INSTALLED UNKN
	0030/0298	BMSSEN 54/4003/0030/0254		
	0030/0254	2 0 54023 0 00 0002+50		
		S. BR. OF MIDDLE CREEK		
		BMSBG 54/4003/0030/0254		
		SH GAP RD		
	INTER-BK	SR 0522 SH		
	001086 FT	(SR0522 SEG 0030/2178)		
		MFC BEGIN = D		
	0030/0000	LTH AH 002511 BK 000100		
	001086 FT			
	7020/0000	LTH AH 000100 BK 001086		
	INTER-AHD	SR 0522 SH		
		(SR0522 SEG 0030/2289)		
		SR 0522 SH		
	0010/1086	(SR0522 SEG 0030/2289)		
	0010/0565	018" DIA CIRC CONCR	LEN=0056	INSTALLED UNKN
	0010/0513	BMSSEN 54/4003/0010/0473		
		2 0 54066 1 00 0004+74		
		SOUTH BRANCH MIDDLE CRK		
	0010/0473	BMSBG 54/4003/0010/0473		
		BUBB ST		
	0010/0253	(BORO)		
	0010/0101	BMSSEN 54/4003/0010/0086		
		2 0 54066 1 00 0000+86		
		S. BR. OF MIDDLE CREEK		
	0010/0086	BMSBG 54/4003/0010/0086		
	000000 FT	2 0 54066 1 00 0000+00		
		NC ST		
		STUCK ST		
		SPECHT ST		
	INTER-BK	(SR3014 SEG 0030/0516)		
		STUCK ST		
		(BORO)		
		MFC BEGIN = E		
	0010/0000	LENGTH(AH 1086 BK 0000)		

DIR: B TOTAL LEN: 3.027 MI. DIST: 03-5 SR: 4002
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

015982 FT

015982 FT 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2000
 ULSH GAP RD
 (SR4003 SEG 0080/1340)
 0060/3141 018 " DIA CIR PLASTIC
 0060/2620 LEN=0032 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0060/2412 LEN=0040 INSTALLED 2012
 018 " DIA CIRC OTHER
 0060/2040 LEN=0045 INSTALLED UNKN
 013 "H 19 "W ELLIP METAL
 0060/1918 LEN=0045 INSTALLED 2022

012841 FT

0060/0247 036 " DIA CIRC METAL
 LEN=0070 INSTALLED UNKN
 012841 FT 2 0 54047 0 00 0174+86
 0060/0000 LENGTH(AH 3141 BK 2483)
 036 " DIA CIR PLASTIC
 0050/2227 LEN=0032 INSTALLED UNKN

010358 FT

0050/1261 018 " DIA CIR PLASTIC
 LEN=0050 INSTALLED 2002
 0050/0989 036 " DIA CIR PLASTIC
 LEN=0032 INSTALLED UNKN

0050/0184 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2002
 010358 FT 2 0 54047 0 00 0150+01
 0050/0000 LENGTH(AH 2483 BK 2361)
 018 " DIA CIR PLASTIC
 0040/2158 LEN=0030 INSTALLED UNKN


0040/1392 024 " DIA CIR PLASTIC
 LEN=0044 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0040/0938 LEN=0035 INSTALLED UNKN

BVILLE RD
 (T534)

0040/0841

007997 FT

007997 FT 2 0 54047 0 00 0126+38
 SINGING BRIDGE RD
 (T459)
 0040/0000 LENGTH(AH 2361 BK 3254)
 018 " DIA CIR PLASTIC



EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 248
COUNTY: SNYDER


DIR: B TOTAL LEN: 3.027 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 4002
RIGHT MUN: WEST BEAVER T

	0030/3228	LEN=0098	INSTALLED UNKN
	0030/2560	018 "DIA	CIR PLASTIC
		LEN=0096	INSTALLED 2002
	0030/2205	018 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2002
	0030/1040	018 "DIA	CIRC METAL
		LEN=0040	INSTALLED UNKN
004743 FT	004743 FT	2 0 54047 0 00	0093+88
			KLINE HILL RD
			(T532)
	0030/0000	LENGTH(AH 3254 BK 1853)	
	0020/1853	018 "DIA	CIR PLASTIC
		LEN=0034	INSTALLED UNKN
	0020/1718	024 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2002
	0020/0821	018 "DIA	CIR PLASTIC
		LEN=0032	INSTALLED UNKN
	0020/0137	024 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2002
002890 FT	002890 FT	2 0 54047 0 00	0075+20
	0020/0000	LENGTH(AH 1853 BK 2890)	
	0010/2226	018 "DIA	CIR PLASTIC
		LEN=0031	INSTALLED UNKN
	0010/1702	018 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2002
	0010/1321	018 "DIA	CIR PLASTIC
		LEN=0039	INSTALLED UNKN
	0010/0922	028"H 20"W	ELLIP METAL
		LEN=0040	INSTALLED 2002
	0010/0490	018 "DIA	CIR PLASTIC
		LEN=0030	INSTALLED 2002
	0010/0302	COUNTY LINE RD	
		(SR4001 SEG 0020/2132)	
	0010/0060	058 "DIA	CIRC CONCR
		LEN=0040	INSTALLED 2002
000000 FT	000000 FT	2 0 54047 0 00	0046+07
			NC FA IRVIEW RD
			INTER-BK SNOOK RD
			(SR2008 SEG 0060/3010)
			MFC BEGIN = E
			BK-MIFFLIN (44)
	0010/0000	LENGTH(AH 2890 BK 0000)	

DIR: B TOTAL LEN: .817 MI. DIST: 03-5 SR: 4001
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

004315 FT




004315 FT FAIRVIEW RD
 (SR4002 SEG 0010/0302)
 018" DIA CIR PLASTIC
 0020/2132 LEN=0035 INSTALLED 2000
 018" DIA CIR PLASTIC
 0020/1949 LEN=0040 INSTALLED 2018
 018" DIA CIR PLASTIC
 0020/1488 LEN=0040 INSTALLED 2018
 018" DIA CIR PLASTIC
 0020/0992 LEN=0040 INSTALLED 2000
 018" DIA CIR PLASTIC
 0020/0626 LEN=0032 INSTALLED 2018
 018" DIA CIR PLASTIC
 0020/0457 LEN=0040 INSTALLED 2018
 018" DIA CIR PLASTIC
 0020/0290 LEN=0040 INSTALLED 2015
 018" DIA CIR PLASTIC
 0020/0200 LEN=0040 INSTALLED 2018
 024" DIA CIR PLASTIC
 0020/0037 LEN=0040 INSTALLED 2018
 002183 FT 2 0 54047 0 00 0025+00
 5 0020/0000 LENGTH(AH 2132 BK 2183)
 024" DIA CIR PLASTIC
 0010/1668 LEN=0040 INSTALLED 2018
 018" DIA CIR PLASTIC
 0010/1132 LEN=0040 INSTALLED 2000
 024" DIA CIR PLASTIC
 0010/0824 LEN=0040 INSTALLED 2000
 018"H 30"W ELLIP METAL
 0010/0044 LEN=0035 INSTALLED 2022
 000000 FT 2 0 54047 0 00 0002+73
 NC CO
 COUNTY LINE RD
 INTER-BK COUNTY LINE RD
 (SR2003 SEG 0010/0274)
 MFC BEGIN = E
 BK-MIFFLIN (44)
 5 0010/0000 LENGTH(AH 2183 BK 0000)

002183 FT

000000 FT

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 246
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .015 MI. DIST: 03-5 SR: 3020
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

SEVEN STARS RD 000081 FT
 (SR3016 SEG 0020/0000) 0010/0081
 000000 FT




000081 FT SEVEN STARS RD
 0010/0081 (SR3016 SEG 0020/0000)
 000000 FT 2 0 54002 4 00 0000+00
 NC CHURCH ST
 INTER-BK CHURCH ST
 (SR2016 SEG 0010/2460)
 MFC BEGIN = E
 BK-JUNIATA (34)
 0010/0000 LENGTH(AH 0081 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 245
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .029 MI. DIST: 03-5 SR: 3018
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

000153 FT


000000 FT



000153 FT
 INTER-AHD SEVEN STARS RD
 (SR3016 SEG 0040/0050)
 PINE SWAMP RD
 0010/0153 (SR3016 SEG 0040/0050)
 000000 FT 2 0 54002 1 00 0000+00
 NC SR 3018 SH
 INTER-BK RICHFIELD RD
 (SR2019 SEG 0140/2340)
 MFC BEGIN = D
 BK-JUNIATA (34)
 0010/0000 LENGTH(AH 0153 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 244
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: 8.135 MI. DIST: 03-5 SR: 3016
LEFT MUN: PERRY T RIGHT MUN: PERRY T

042953 FT



042953 FT SR 0104 SH
0190/1562 (SR0104 SEG 0070/0000)
0190/1468 BMSEN 54/3016/0190/1372
2 0 54002 0 00 0429+10
NORTH BR. MAHANTANGO

DIR: B TOTAL LEN: 8.135 MI. DIST: 03-5 SR: 3016
 LEFT MUN: PERRY T RIGHT MUN: PERRY T


BACKUS WOODS RD
 (T344)

0190/0724

041391 FT

039696 FT

036839 FT



0190/1372 BMSBG 54/3016/0190/1372
 024 "DIA CIR PLASTIC
 0190/1135 LEN=0060 INSTALLED 2016

041391 FT 2 0 54002 0 00 0415+41
 ALINE CREEK
 STRUCTURE LENGTH 11 FT
 BMSID 54/3016/0190/0000
 LENGTH(AH 1562 BK 1695)

S 0190/0000 ALINE CHURCH RD
 (T333)
 018 "DIA CIR PLASTIC
 0180/0505 LEN=0040 INSTALLED 2016
 039696 FT 2 0 54002 0 00 0398+65
 RICE RD
 (T401)
 S 0180/0000 LENGTH(AH 1695 BK 2857)

0170/2185 024 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2001
 0170/1600 036 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2021
 0170/1450 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2016
 0170/0999 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2016

0170/0295 018 "DIA CIR PLASTIC
 036839 FT LEN=0040 INSTALLED 2016
 2 0 54002 0 00 0369+54
 COVERED BRIDGE RD
 (SR3001 SEG 0030/2498)
 S 0170/0000 LENGTH(AH 2857 BK 2880)
 T. MAHANTANGO

0160/2809 STRUCTURE LENGTH 14 FT
 BMSID 54/3016/0160/2809
 BEIDLER RD
 0160/2650 (T331)
 018 "DIA CIR PLASTIC
 0160/2060 LEN=0035 INSTALLED UNKN

0160/0660 018 "DIA CIR PLASTIC
 LEN=0030 INSTALLED 2003
 0160/0605 018 "DIA CIR PLASTIC
 LEN=0044 INSTALLED 2003

DIR: B TOTAL LEN: 8.135 MI. DIST: 03-5 SR: 3016
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

Stationing	Notes	Material	Length	Year
033959 FT		0160/0000	2054002	0340+39
		0150/2620	024" DIA CIR PLASTIC	LEN=0038 INSTALLED UNKN
		0150/1514	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
031080 FT		0150/0000	2054002	0311+40
		0140/2450	018" DIA CIR PLASTIC	LEN=0038 INSTALLED 2003
		0140/1260	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
		0140/0800	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
		0140/0395	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
		0140/0050	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
028473 FT		0140/0000	2054002	0285+24
		0130/1880	024" DIA CIR PLASTIC	LEN=0060 INSTALLED 2016
		0130/1660	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
		0130/0750	024" DIA CIR PLASTIC	LEN=0045 INSTALLED 2003
		0130/0110	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
		0130/0070	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
025928 FT		025928 FT	2054002	0259+71

RAPP HILL RD
 (T346)
 LC FOR RAPP HILL RD
 (CONN)

WISE RD
 (T330)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 241
COUNTY: SNYDER

DIR: B TOTAL LEN: 8.135 MI.
LEFT MUN: PERRY T

DIST: 03-5 SR: 3016
RIGHT MUN: PERRY T

SWAMP RD
(T320)

DANIELS RD
(T318)

023613 FT

0110/1290

021963 FT

0100/0794

020200 FT

5 0130/0000 LENGTH(AH 2545 BK 2315)
0120/1705 018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2016
0120/1135 018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2016
0120/0588 CREEK RD
(T325)
0120/0534 BMSSEN 54/3016/0120/0525
2 0 54002 0 00 0241+75
TRIB MAHANTANGO CREEK
0120/0525 BMSBG 54/3016/0120/0525
018 " DIA CIR PLASTIC
0120/0485 LEN=0047 INSTALLED 2003
023613 FT 2 0 54002 0 00 0236+50
PERRY
WEST PERRY T
5 0120/0000 LENGTH(AH 2315 BK 1650)
0110/1620 018 " DIA CIRC METAL
LEN=0047 INSTALLED UNKN
QUAKER RUN RD
(SR2022 SEG 0060/3368)
0110/1276 BMSSEN 54/3016/0110/1211
0110/1221 2 0 54002 0 00 0232+23
T.W.BR.MAHAN
0110/1211 BMSBG 54/3016/0110/1211
0110/0065 018 " DIA CIR PLASTIC
LEN=0038 INSTALLED 1998
021963 FT 2 0 54002 0 00 0219+94
5 0110/0000 LENGTH(AH 1650 BK 1763)
0100/1405 030 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2016
0100/1230 018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 2016
0100/0745 036 " DIA CIR PLASTIC
LEN=0035 INSTALLED 2013
020200 FT 2 0 54002 0 00 0202+25
5 0100/0000 LENGTH(AH 1763 BK 1863)
0090/1505 018 " DIA CIR PLASTIC
LEN=0028 INSTALLED 1998
018 " DIA CIR PLASTIC
0090/1190 LEN=0033 INSTALLED 1998
030 " DIA CIRC CONCR

DIR: B TOTAL LEN: 8.135 MI. DIST: 03-5 SR: 3016
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

Stationing	Segment	Material	Length	Status
018337 FT	0090/0675	INSTALLED	0060	UNKN
	018337 FT	2 0 54002 0 00 0183+55		
	0090/0000	LENGTH(AH 1863 BK 2417)		
	0080/2366	018 "DIA CIR PLASTIC		
	0080/1730	LEN=0037 INSTALLED UNKN		
	0080/1340	024 "DIA CIR PLASTIC		
	0080/1300	LEN=0037 INSTALLED 2006		
		ANNA LN (PRDR)		
	0080/0345	018 "DIA CIR PLASTIC		
	0080/0020	LEN=0040 INSTALLED 2013		
2 0 54002 0 00 0159+30 015920 FT	0080/0000	024 "DIA CIR PLASTIC		
STROUPTOWN RD (T341)	0080/0000	LEN=0037 INSTALLED 2013		
	0080/0000	LENGTH(AH 2417 BK 1611)		
	0070/1270	018 "DIA CIR PLASTIC		
	0070/0940	LEN=0040 INSTALLED 2013		
	0070/0535	018 "DIA CIR PLASTIC		
014309 FT	0070/0016	LEN=0033 INSTALLED UNKN		
	014309 FT	BMSSEN 54/3016/0070/0000		
	0070/0000	2 0 54002 0 00 0143+27		
	0070/0000	TR. TO W. BR. MAHAN. CR		
	0070/0000	BMSBG 54/3016/0070/0000		
	0060/2105	LENGTH(AH 1611 BK 2478)		
	0060/1670	024 "DIA CIR PLASTIC		
	0060/0935	LEN=0035 INSTALLED 2013		
	0060/0860	018 "DIA CIR PLASTIC		
	0060/0840	LEN=0040 INSTALLED 2013		
	0060/0840	NENIX HILL RD (T314)		
	0060/0475	LC FOR NENIX HILL RD (CONN)		
	0060/0210	018 "DIA CIR PLASTIC		
	0060/0210	LEN=0029 INSTALLED UNKN		
	0060/0210	018 "DIA CIR PLASTIC		
	0060/0210	LEN=0040 INSTALLED 2013		
	0060/0210	018 "DIA CIR PLASTIC		
	0060/0210	LEN=0038 INSTALLED UNKN		

RIDGE RD (T316)

0060/2228

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 239
COUNTY: SNYDER

DIR: B TOTAL LEN: 8.135 MI.
LEFT MUN: WEST PERRY T


DIST: 03-5 SR: 3016
RIGHT MUN: WEST PERRY T

011831 FT




011831 FT 2 0 54002 0 00 0118+47
S 0060/0000 LENGTH(AH 2478 BK 3000)
018 "DIA CIR PLASTIC
0050/2812 LEN=0029 INSTALLED UNKN
042 "DIA CIR PLASTIC
0050/2165 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1515 LEN=0033 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1410 LEN=0033 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1225 LEN=0028 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/0975 LEN=0035 INSTALLED 2013
018 "DIA CIR PLASTIC
0050/0580 LEN=0038 INSTALLED 1998
018 "DIA CIR PLASTIC
0050/0360 LEN=0040 INSTALLED 2013

008831 FT



S 0050/0000 LENGTH(AH 3000 BK 3938)
030 "DIA CIR PLASTIC
0040/3830 LEN=0037 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/3510 LEN=0034 INSTALLED 1998
018 "DIA CIR PLASTIC
0040/2960 LEN=0041 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/2780 LEN=0035 INSTALLED 1998
018 "DIA CIR PLASTIC
0040/2420 LEN=0040 INSTALLED 2013
018 "DIA CIR PLASTIC
0040/2050 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/1675 LEN=0036 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/1200 LEN=0035 INSTALLED 2013
018 "DIA CIR PLASTIC
0040/0945 LEN=0040 INSTALLED 1998
CRATER HILL RD
0040/0937 (T508)

004893 FT



SR 3018 SH
(SR3018 SEG 0010/0153)
0040/0050 MFC BEGIN = E
048"H 72"W ELLIP METAL
0040/0040 LEN=0070 INSTALLED UNKN
004893 FT 2 0 54002 0 00 0049+00
NC PINE SWAMP RD

DIR: B TOTAL LEN: 8.135 MI. DIST: 03-5 SR: 3016
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

BUCKWHEAT VALLEY RD
 (SR3004 SEG 0010/0000) 0030/1782

2 0 54002 0 00 0031+00 003111 FT
 POTATO VALLEY RD
 (T351) 0030/0000

001591 FT

000000 FT


SR 0035 SH
 (SR0035 SEG 0020/1786) 0010/0000

==	5	0040/0000	LENGTH(AH 3938 BK 1782)
---		0030/1155	018 "DIA CIRC CONCR LEN=0031 INSTALLED UNKN
---		0030/0965	018 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
---		0030/0670	018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
==		0030/0605	HORNING RD (T523)
---		0030/0387	018 "DIA CIRC CONCR LEN=0047 INSTALLED UNKN
---		0030/0075	018 "DIA CIRC CONCR LEN=0040 INSTALLED 2002
---		003111 FT	003111 FT
==	5	0030/0000	LENGTH(AH 1782 BK 1520)
---		0020/1380	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
---		0020/0965	032"H 00"W MULT CONCR LEN=0068 INSTALLED UNKN
---		0020/0840	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
---		0020/0300	018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN
---		0020/0275	018 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
		001591 FT	2 0 54002 0 00 0015+95 CHURCH ST
==	5	0020/0000	(SR3020 SEG 0010/0081) LENGTH(AH 1520 BK 1591)
---		0010/1558	024 "DIA CIR PLASTIC LEN=0060 INSTALLED 2013
---		0010/0570	024 "DIA CIR PLASTIC LEN=0035 INSTALLED 2013
---		0010/0165	024 "DIA CIR PLASTIC LEN=0038 INSTALLED 2013
---		0010/0060	028"H 44"W ELLIP METAL LEN=0037 INSTALLED UNKN
		000000 FT	2 0 54002 0 00 0000+00 SR 0035 SH (SR0035 SEG 0020/1786)
		INTER-BK	NC SEVEN STARS RD MILL RD (T312)
==	5	0010/0000	MFC BEGIN = D LENGTH(AH 1591 BK 0000)

DIR: B TOTAL LEN: 1.352 MI. DIST: 03-5 SR: 3014
 LEFT MUN: MCCLURE B RIGHT MUN: MCCLURE B

SR 0522 SH 007140 FT
 (SR0522 SEG 0040/2007) 0050/0580
 006560 FT

BROWN ST 005779 FT
 (SR3011 SEG 0010/0000) 0040/0000



007140 FT SR 0522 SH
 0050/0580 (SR0522 SEG 0040/2007)
 006560 FT 2 0 54066 0 01 0068+00
 0050/0000 LENGTH(AH 0580 BK 0781)
 JACKSON ST
 0040/0420 (BORO)
 0040/0393 BMSEN 54/3014/0040/0376
 2 0 54066 0 01 0063+80
 S BR MIDDLEC
 0040/0376 BMSBG 54/3014/0040/0376
 015 " DIA CIRC METAL
 0040/0210 LEN=0034 INSTALLED 1997
 LIBRARY LN
 0040/0204 (BORO)
 015 " DIA CIR PLASTIC
 0040/0185 LEN=0037 INSTALLED 2005
 005779 FT 2 0 54066 0 01 0060+05
 BROWN ST
 (BORO)
 0040/0000 LENGTH(AH 0781 BK 1505)
 BORO AL
 0030/1299 (BORO)
 012 " DIA CIR PLASTIC
 0030/1297 LEN=0030 INSTALLED 1997
 ZELLER ST
 0030/1111 (BORO)
 012 " DIA CAST IRON
 0030/1096 LEN=0101 INSTALLED 1997
 GOSS AL
 0030/0922 (BORO)
 015 " DIA CIRC METAL
 0030/0750 LEN=0040 INSTALLED 1997

DIR: B TOTAL LEN: 1.352 MI. DIST: 03-5 SR: 3014
 LEFT MUN: MCCLURE B RIGHT MUN: MCCLURE B

STUCK ST
 (SR4003 SEG 0010/0000) 0030/0516

004274 FT

002472 FT

000000 FT

0030/0733	SCHOCH ST
0030/0569	(BORO)
	BMSEN 54/3014/0030/0557
	2 0 54066 0 01 0050+53
0030/0557	BR MIDDLECRK
	BMSBG 54/3014/0030/0557
0030/0516	STUCK ST
	(BORO)
0030/0510	024 " DIA CIRC METAL
	LEN=0052 INSTALLED 1996
0030/0175	015 " DIA CIRC METAL
004274 FT	LEN=0035 INSTALLED 1997
	2 0 54066 0 00 0043+00
	HELFRICH ST
	(BORO)
0030/0000	LENGTH(AH 1505 BK 1802)
	024 "H 36 "W ELLIP METAL
0020/1691	LEN=0047 INSTALLED 1997
	024 " DIA CIR PLASTIC
0020/1430	LEN=0043 INSTALLED 2001
	021 "H 15 "W ELLIP METAL
0020/1008	LEN=0040 INSTALLED 2001
	018 " DIA CIR PLASTIC
0020/0870	LEN=0040 INSTALLED 2001
	WEST ST
0020/0688	(BORO)
	014 "H 22 "W ELLIP METAL
0020/0679	LEN=0037 INSTALLED 1997
	018 " DIA CIR PLASTIC
0020/0062	LEN=0040 INSTALLED 2001
002472 FT	2 0 54066 0 00 0024+87
0020/0000	LENGTH(AH 1802 BK 2472)
	036 " DIA CIR PLASTIC
0010/2064	LEN=0053 INSTALLED 1997
	024 " DIA CIR PLASTIC
0010/1603	LEN=0040 INSTALLED 2001
	018 " DIA CIR PLASTIC
0010/1234	LEN=0040 INSTALLED 2001
	018 " DIA CIRC CONCR
0010/0684	LEN=0050 INSTALLED 1997
	015 "H 20 "W ELLIP METAL
0010/0317	LEN=0040 INSTALLED 1997
000000 FT	2 0 54066 0 00 0000+00
	NC SP
	PECHT ST
	MCCLURE RD
	(SR2006 SEG 0060/3583)
	MFC BEGIN = E
	BK-MIFFLIN (44)
0010/0000	LENGTH(AH 2472 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 235
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .627 MI. DIST: 03-5 SR: 3012
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

003312 FT

 003297 FT

 003297 FT

 003270 FT



003312 FT
 7088/0000 LENGTH(AH 1689 BK 0015)
 INTER-AHD BMSSEN 54/3012/0086/0000
 0086/0015 SNYDER AV
 (T421)
 003297 FT 2 0 54 022 0 01 0197+03
 INTER-BK SNYDER AV
 (T421)
 UNT TO BEAVER CREEK
 BMSBG 54/3012/0086/0000
 S 0086/0000 LENGTH(AH 0015 BK 3167)
 003297 FT
 7084/0000 LENGTH(AH 3167 BK 0027)
 INTER-AHD BMSSEN 54/3012/0080/0000
 0080/0027 SNYDER AV
 (T421)
 003270 FT 2 0 54 022 0 01 0165+12
 VILLAGE: BEAVER SPRINGS

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 234
COUNTY: SNYDER

DIR: B TOTAL LEN: .627 MI.
LEFT MUN: SPRING T


DIST: 03-5 SR: 3012
RIGHT MUN: SPRING T

Distance (FT)	Diagram	Segment ID	Description
003270	INTER-BK	5 0080/0000	SNYDER AV (T421)
003270		7080/0000	MITCHELL CREEK
003270		003270/0000	BMSBG 54/3012/0080/0000
003270		7076/0000	LENGTH(AH 0027 BK 0066)
003270		003270/0000	LENGTH(AH 0066 BK 0472)
003270		7070/0000	LENGTH(AH 0472 BK 0005)
003270		003270/0000	LENGTH(AH 0005 BK 2626)
003270		7068/0000	LENGTH(AH 2626 BK 0856)
003270		003270/0000	LENGTH(AH 0856 BK 3285)
003270		7060/0000	LENGTH(AH 3285 BK 1170)
003270		003270/0000	LENGTH(AH 1170 BK 2831)
003270		7050/0000	LENGTH(AH 2831 BK 1969)
003270		003270/0000	INTER-AHD SNYDER AV (T421)
003270		7040/0000	NC SNYDER AV
003270		7030/0000	WEST BEAVER T
001301		0020/1223	018 " DIA CIRC METAL LEN=0030 INSTALLED 2011
001301		0020/0780	018 " DIA CIRC METAL LEN=0030 INSTALLED 2011
001301		0020/0490	018 " DIA CIRC METAL LEN=0030 INSTALLED 2011
001301		0020/0091	014 "H 20 "W ELLIP METAL LEN=0037 INSTALLED 2006
001301		001301/0000	2 0 54022 0 01 0032+02
001301		5 0020/0000	LENGTH(AH 1969 BK 1301)
0010		0010/1255	018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
0010		0010/0910	018 " DIA CIRC CONCR LEN=0044 INSTALLED UNKN
000000		0010/0050	018 " DIA CIR PLASTIC LEN=0060 INSTALLED 2011
000000		000000/0000	2 0 54022 0 00 0000+00
000000			VILLAGE: RAUBS MILLS
000000			NC OL D 522
000000			SR 0522 SH (SR0522 SEG 0100/0000)
000000			MFC BEGIN = E
000000		5 0010/0000	LENGTH(AH 1301 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 233
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .117 MI. DIST: 03-5 SR: 3011
 LEFT MUN: MCCLURE B RIGHT MUN: MCCLURE B

SR 0522 SH 000617 FT
 (SR0522 SEG 0040/0269) 0010/0617

 000000 FT



000617 FT SR 0522 SH
 0010/0617 (SR0522 SEG 0040/0269)
 0010/0161 BMSSEN 54/3011/0010/0144
 2 0 54073 0 00 0001+44
 TRIBUTARY MIDDLE CREEK
 0010/0144 BMSBG 54/3011/0010/0144
 000000 FT 2 0 54073 0 00 0000+00
 NC BROWN ST
 SPECHT ST
 (SR3014 SEG 0040/0000)
 INTER-BK BROWN ST
 (BORO)
 MFC BEGIN = E
 0010/0000 LENGTH(AH 0617 BK 0000)

DIR: B TOTAL LEN: 3.022 MI. DIST: 03-5 SR: 3010
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

SR 3008 SH 015954 FT
 (SR3008 SEG 0040/0000) 0070/1349


014605 FT

PRIVATE DR
 (PRDR)

0060/0275

013233 FT

009976 FT



015954 FT SR 3008 SH
 0070/1349 (SR3008 SEG 0040/0000)
 0070/1339 028"H 44"W ELLIP CONC
 0070/0986 LEN=0095 INSTALLED 1997
 0070/0592 018"DIA CIR PLASTIC
 0070/0021 LEN=0050 INSTALLED 1997
 014605 FT 018"DIA CIR PLASTIC
 0070/0000 LEN=0040 INSTALLED 1997
 BMSSEN 54/3010/0070/0000
 2 0 54058 0 00 0171+28
 TRIB MIDDLE CREEK
 BMSBG 54/3010/0070/0000
 LENGTH(AH 1349 BK 1372)
 0060/0496 015"H 20"W ELLIP METAL
 LEN=0073 INSTALLED 1997
 0060/0275 (APRA) MECKLEY'S LIMEST
 0060/0089 014"H 22"W ELLIP METAL
 013233 FT LEN=0035 INSTALLED 1997
 2 0 54058 0 00 0157+69
 FRANKLIN
 BEAVER T
 0060/0000 LENGTH(AH 1372 BK 3257)
 0050/2584 024"DIA CIR PLASTIC
 LEN=0042 INSTALLED 1998
 0050/1224 018"DIA CIR PLASTIC
 LEN=0040 INSTALLED 2021
 MIDDLEWORTH RUN
 STRUCTURE LENGTH 11 FT
 0050/0986 BMSID 54/3010/0050/0986
 0050/0980 032"H 00"W MULT METAL
 LEN=0035 INSTALLED 1997
 0050/0509 018"DIA CIR PLASTIC
 LEN=0040 INSTALLED 2021
 0050/0060 018"DIA CIR PLASTIC
 LEN=0040 INSTALLED 2021
 009976 FT 2 0 54058 0 00 0124+73
 0050/0000 LENGTH(AH 3257 BK 2478)

(APRA) PENNDOT STOCKPIL
 PENNDOT STOCKPILE 06

DIR: B TOTAL LEN: 3.022 MI. DIST: 03-5 SR: 3010
 LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

	==	0040/0930	(GOVT)
	---	0040/0257	018 "DIA CIR PLASTIC
007498 FT	---	007498 FT	LEN=0040 INSTALLED 1997
	---	0040/0000	2 0 54058 0 00 0100+01
	---	0030/2380	LENGTH(AH 2478 BK 2475)
	---	0030/2380	018 "DIA CIR PLASTIC
	---	0030/1540	LEN=0045 INSTALLED 1997
	---	0030/1540	048 "DIA CIR PLASTIC
	---	0030/1540	LEN=0043 INSTALLED 2006
	==	0030/0770	BRATTON DR
	---	0030/0770	(PRDR)
	---	0030/0013	BMS EN 54/3010/0030/0000
005023 FT	---	005023 FT	2 0 54058 0 00 0075+32
	---	0030/0000	WETZEL RUN
	---	0030/0000	BMSBG 54/3010/0030/0000
	---	0020/1993	LENGTH(AH 2475 BK 2237)
	---	0020/1993	018 "DIA CIR PLASTIC
	---	0020/1618	LEN=0040 INSTALLED 2021
	---	0020/1618	ORVAL DR
	---	0020/1618	(T475)
	==	002786 FT	2 0 54058 0 00 0053+20
002786 FT	---	002786 FT	ORVAL DR
	---	0020/0000	(T475)
	---	0020/0000	LENGTH(AH 2237 BK 2786)
	---	0010/1789	038"H 60"W ELLIP CONC
	---	0010/1789	LEN=0047 INSTALLED UNKN
	---	0010/1650	027"H 00"W MULT CONCR
	---	0010/1650	LEN=0050 INSTALLED UNKN
	---	0010/0484	024 "DIA CIR PLASTIC
	---	0010/0484	LEN=0035 INSTALLED 2014
	---	0010/0028	015 "DIA CIR PLASTIC
000000 FT	---	000000 FT	LEN=0045 INSTALLED 1997
	---	000000 FT	2 0 54058 0 00 0025+28
	---	0010/0000	NC QUARRY RD
	---	0010/0000	INTER-BK QUARRY RD
	---	0010/0000	(BORO)
	---	0010/0000	MFC BEGIN = E
	---	0010/0000	LENGTH(AH 2786 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 230
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: 1.423 MI. DIST: 03-5 SR: 3009
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

007513 FT



007513 FT SR 0522 SH
0030/2495 (SR0522 SEG 0300/1937)
015 " DIA CIRC CONCR

DIR: B TOTAL LEN: 1.423 MI. DIST: 03-5 SR: 3009
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Description	Material	Status
0030/2160	018" DIA	CIRC CONCR	INSTALLED UNKN
0030/1568	015" DIA	CIRC CONCR	INSTALLED UNKN
0030/1330	015" DIA	CIRC CONCR	INSTALLED UNKN
0030/1109	015" DIA	CIRC CONCR	INSTALLED UNKN
0030/0830	015" DIA	CIRC CONCR	INSTALLED UNKN
0030/0430	018" DIA	CIRC CONCR	INSTALLED UNKN
0030/0073	018" DIA	CIRC CONCR	INSTALLED UNKN
005018 FT	2 0 54032 0 00 0050+21		
0030/0000	LENGTH(AH 2495 BK 3080)		
0020/2852	018" DIA	CIRC CONCR	INSTALLED UNKN
0020/1885	015" DIA	CIRC CONCR	INSTALLED UNKN
0020/1396	015" DIA	CIRC CONCR	INSTALLED UNKN
0020/1384	WHITE CHURCH RD (T437)		
0020/0344	BMS EN 54/3009/0020/0188		
0020/0188	2 0 54032 0 00 0021+43		
001938 FT	MIDDLE CREEK		
0020/0000	BMSBG 54/3009/0020/0188		
0020/0000	LENGTH(AH 3080 BK 1938)		
0010/1553	YETTER AV (TWP)		
0010/1330	ROSEMONT AV (TWP)		
0010/0770	021" DIA	CIRC METAL	INSTALLED UNKN
000000 FT	2 0 54032 0 00 0000+00		
0010/0000	VILLAGE: PAXTONVILLE		
0010/0000	NC PA XTON ST		
0010/0000	PAXTONVILLE RD (SR3008 SEG 0070/0000)		
0010/0000	MFC BEGIN = E		
0010/0000	LENGTH(AH 1938 BK 0000)		

DIR: B TOTAL LEN: 5.211 MI. DIST: 03-5 SR: 3008
 LEFT MUN: MIDDLEBURG B RIGHT MUN: MIDDLEBURG B

WAUSAU RD 027516 FT
 (SR0104 SEG 0250/0000) 0110/0979

026537 FT

023153 FT

Stationing	Material / Description	Length	Installation Date
027516 FT	WAUSAU RD		
0110/0979	(SR0104 SEG 0250/0000)		
0110/0691	018" DIA CIRC CONCR	LEN=0045	INSTALLED UNKN
026537 FT	1 0 00690 0 07 0270+98		
0110/0000	LENGTH(AH 0979 BK 3384)		
	TIME AL		
0100/3269	(BORO)		
0100/3191	051"H 72"W ELLIP CONC	LEN=0056	INSTALLED UNKN
0100/3029	MIDDLEBURG FRANKLIN T		
0100/2320	026"H 00"W MULT PLSTIC	LEN=0037	INSTALLED 2012
0100/1940	048"H 76"W ELLIP CONC	LEN=0040	INSTALLED 2016
0100/0377	024" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
0100/0170	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
023153 FT	1 0 00690 0 06 0237+26		
0100/0000	LENGTH(AH 3384 BK 3599)		
0090/3306	029"H 45"W ELLIP CONC	LEN=0048	INSTALLED 2016
0090/3211	COON HUNTER RD (T659)		
0090/3126	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2016
0090/3017	038"H 60"W ELLIP CONC	LEN=0040	INSTALLED 2016
0090/2830	036" DIA CIR PLASTIC	LEN=0050	INSTALLED 2012
0090/2360	030" DIA CIRC CONCR	LEN=0042	INSTALLED UNKN
0090/2166	014"H 22"W ELLIP CONC	LEN=0050	INSTALLED UNKN

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 227
COUNTY: SNYDER

DIR: B TOTAL LEN: 5.211 MI.
LEFT MUN: FRANKLIN T

DIST: 03-5 SR: 3008
RIGHT MUN: FRANKLIN T

1 0 00690 0 06 0200+78 019554 FT
IRON BRIDGE RD
(SR3007 SEG 0010/0000) 0090/0000

0090/1885	024 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2016
0090/1618	018 " DIA	CIRC CONCR
	LEN=0038	INSTALLED UNKN
0090/1475	018 " DIA	CIRC CONCR
	LEN=0041	INSTALLED UNKN
0090/1303	018 " DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
0090/1260	018 " DIA	CIRC CONCR
	LEN=0038	INSTALLED UNKN
0090/1020	018 " DIA	CIRC METAL
	LEN=0120	INSTALLED UNKN
0090/0766	018 " DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
0090/0581	018 " DIA	CIRC CONCR
	LEN=0039	INSTALLED UNKN
0090/0362	018 " DIA	CIRC CONCR
	LEN=0039	INSTALLED UNKN
0090/0143	018 " DIA	CIRC CONCR
019554 FT	LEN=0046	INSTALLED UNKN
0090/0000	LENGTH(AH 3599 BK 2624)	
0080/2531	018 " DIA	CIRC CONCR
	LEN=0046	INSTALLED UNKN
0080/2230	048"H 76"W	ELLIP CONC
	LEN=0062	INSTALLED UNKN
0080/2043	018 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0080/1750	038"H 60"W	ELLIP CONC
	LEN=0056	INSTALLED 2016
0080/0490	018 " DIA	CIRC CONCR
016930 FT	LEN=0047	INSTALLED UNKN
0080/0000	1 0 00690 0 05 0175+51	
	LENGTH(AH 2624 BK 2132)	
0070/1172	018"H 32"W	ELLIP CONC
	LEN=0040	INSTALLED 2016
0070/0911	013"H 22"W	ELLIP CONC
	LEN=0038	INSTALLED UNKN
0070/0770	018 " DIA	CIRC CONCR
	LEN=0041	INSTALLED UNKN
0070/0046	BMS EN 54/3008/0070/0000	
014798 FT	TRIBUTARY MIDDLE CREEK	
	BMS BG 54/3008/0070/0000	

1 0 00690 0 04 0154+19 014798 FT
PAXTON ST

DIR: B TOTAL LEN: 5.211 MI. DIST: 03-5 SR: 3008
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

(SR3009 SEG 0010/0000) 0070/0000

0070/0000 LENGTH(AH 2132 BK 2790)
 018 "DIA CIR PLASTIC
 0060/2550 LEN=0040 INSTALLED 2016

MILL ST
 (T616)

0060/1301

0060/1518 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012

012008 FT

0060/0680 018 "DIA CIR PLASTIC
 LEN=0053 INSTALLED UNKN
 036 "DIA CIR PLASTIC
 0060/0264 LEN=0043 INSTALLED 2012
 012008 FT 1 0 00690 0 03 0125+39

VILLAGE: PAXTONVILLE
 0060/0000 LENGTH(AH 2790 BK 2686)
 018 "DIA CIR PLASTIC
 0050/2524 LEN=0050 INSTALLED 2015
 024 "DIA CIR PLASTIC
 0050/2250 LEN=0068 INSTALLED 2015

0050/1542 036 "DIA CIRC CONCR
 LEN=0069 INSTALLED UNKN

009322 FT

(APRA) API INC
 PRIVATE DR
 (PRDR)
 0050/0320 BMSSEN 54/3008/0050/0000
 0050/0015 1 0 00690 0 03 0098+53
 009322 FT TR. TO MIDDLE CREEK

BMSBG 54/3008/0050/0000
 0050/0000 LENGTH(AH 2686 BK 2893)
 018 "DIA CIRC CONCR
 0040/2740 LEN=0062 INSTALLED UNKN

0040/1785 024"H 38"W ELLIP CONC
 LEN=0110 INSTALLED UNKN

006429 FT

0040/0160 018 "DIA CIR PLASTIC
 LEN=0041 INSTALLED UNKN
 029"H 45"W ELLIP CONC
 0040/0100 LEN=0059 INSTALLED UNKN
 006429 FT 1 0 00690 0 02 0069+35

1 0 00690 0 01 0041+50 003647 FT
 BOBB RD
 (T604) 0030/0000

002076 FT


000561 FT

000000 FT

Station	Description	Material	Length	Notes
0040/0000	QUARRY RD (SR3010 SEG 0070/1349)	024" DIA CIRC CONCR	0050	INSTALLED 1997
0030/2411		048"H 00"W MULT CONCR	0084	INSTALLED 1997
0030/2405		018" DIA CIR PLASTIC		INSTALLED 2015
0030/1358		018" DIA CIR PLASTIC		INSTALLED 2012
0030/0855		018" DIA CIR PLASTIC		INSTALLED UNKN
0030/0544	FRANKLIN BEAVER T			
003647 FT		024" DIA CIRC PLASTIC	2782	BK 1571
0030/0000		018" DIA CIR PLASTIC	0070	INSTALLED UNKN
0020/1560		018" DIA CIR PLASTIC	0034	INSTALLED 1998
0020/1287		036" DIA CIR PLASTIC	0045	INSTALLED 2012
0020/0598		018" DIA CIR PLASTIC	0036	INSTALLED 2012
0020/0161		024" DIA CIR PLASTIC	0040	INSTALLED 2015
0020/0010				
002076 FT	1 0 00690 0 01 0025+15			
0020/0000		024" DIA CIRC PLASTIC	1571	BK 1515
0014/1349		018" DIA CIR PLASTIC	0032	INSTALLED 2012
000561 FT	1 0 00690 0 00 0010+00			
0014/0000		015"H 24"W ELLIP CONC	0042	INSTALLED UNKN
0012/0477		015"H 30"W ELLIP CONC	0041	INSTALLED UNKN
0012/0445	MAPLES RD (T890)			
0012/0306	0 0 00000 0 00 0000+00			
000000 FT	NC PA XTONVILLE RD SR 0522 SH (SR0522 SEG 0260/1904) MFC BEGIN = D			
0012/0000		015"H 24"W ELLIP CONC	0561	BK 0000

DIR: B TOTAL LEN: 1.254 MI. DIST: 03-5 SR: 3007
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

006619 FT



006619 FT SR 0522 SH
 0020/3631 (SR0522 SEG 0350/0000)
 018 "DIA CIR PLASTIC
 0020/3160 LEN=0035 INSTALLED 2006
 018 "DIA CIR PLASTIC
 0020/2600 LEN=0030 INSTALLED UNKN

 018 "DIA CIR PLASTIC
 0020/1690 LEN=0033 INSTALLED 2005
 018 "DIA CIR PLASTIC
 0020/1345 LEN=0040 INSTALLED 2016
 018 "DIA CIR PLASTIC
 0020/0820 LEN=0040 INSTALLED 2016
 MEADOWVIEW LN
 0020/0537 (TWP)
 018 "DIA CIR PLASTIC
 0020/0256 LEN=0040 INSTALLED 2016
 002988 FT 2 0 54049 0 00 0030+01
 0020/0000 LENGTH(AH 3631 BK 2988)
 018 "DIA CIR PLASTIC
 0010/2452 LEN=0037 INSTALLED 2006
 018 "DIA CIR PLASTIC
 0010/2100 LEN=0027 INSTALLED 2006


 018 "DIA CIR PLASTIC
 0010/0802 LEN=0065 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0010/0465 LEN=0040 INSTALLED 2006
 FURNACE RD
 0010/0422 (T439)
 0010/0366 BMS EN 54/3007/0010/0215
 2 0 54049 0 00 0002+22
 MIDDLE CREEK
 0010/0215 BMSBG 54/3007/0010/0215
 000000 FT 2 0 54049 0 00 0000+00
 NC IRON BRIDGE RD
 SR 3008 SH
 (SR3008 SEG 0090/0000)
 MFC BEGIN = E
 0010/0000 LENGTH(AH 2988 BK 0000)

002988 FT

000000 FT

DIR: B TOTAL LEN: 9.195 MI. DIST: 03-5 SR: 3006
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

048549 FT



048549 FT SR 0104 SH
 0230/2653 (SR0104 SEG 0150/0000)

0230/1669 018 "DIA CIR PLASTIC
 LEN=0035 INSTALLED UNKN

045896 FT

5

0230/0169 030 "DIA CIR PLASTIC
 045896 FT LEN=0034 INSTALLED 2006
 0230/0000 2 0 54001 0 02 0490+71
 LENGTH(AH 2653 BK 2490)
 024"H 36"W ELLIP METAL
 0220/2067 LEN=0060 INSTALLED UNKN
 042"H 29"W ELLIP METAL
 0220/1833 LEN=0035 INSTALLED 2006
 MILLRACE RD
 0220/1595 (SR3005 SEG 0030/2519)

0220/1050 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 0220/0772 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 024 "DIA CIR PLASTIC
 0220/0357 024 "DIA CIR PLASTIC
 LEN=0037 INSTALLED UNKN
 024 "DIA CIRC METAL

043406 FT

5

0220/0226 0220/0226 024 "DIA CIRC METAL
 043406 FT 2 0 54001 0 02 0465+50
 0220/0000 LENGTH(AH 2490 BK 2492)
 024 "DIA CIRC METAL
 0210/2417 LEN=0035 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0210/2352 LEN=0040 INSTALLED 2006
 018 "DIA CIR PLASTIC
 0210/1810 LEN=0040 INSTALLED 1998
 015"H 21"W ELLIP METAL
 0210/1238 LEN=0038 INSTALLED UNKN
 024 "DIA CIR PLASTIC
 0210/0814 LEN=0040 INSTALLED 2006

040914 FT

5

040914 FT 2 0 54001 0 02 0440+56
 TR TO MAHANTANGO CREEK
 STRUCTURE LENGTH 15 FT
 BMSID 54/3006/0210/0000
 0210/0000 LENGTH(AH 2492 BK 2445)

DIR: B TOTAL LEN: 9.195 MI. DIST: 03-5 SR: 3006
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

Stationing	Material	Quantity	Notes
038469 FT	0200/0718	018 " DIA	CIR PLASTIC
		LEN=0038	INSTALLED UNKN
	0200/0126	018 " DIA	CIR PLASTIC
		LEN=0035	INSTALLED 2006
	038469 FT	2 0 54001	0 02 0416+09
	0200/0000	LENGTH(AH 24.45	BK 3503)
		024 " DIA	CIR PLASTIC
		LEN=0035	INSTALLED 2006
	0190/3284	018 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2006
	0190/2763	018 " DIA	CIR PLASTIC
		LEN=0050	INSTALLED UNKN
	0190/2494	015 " DIA	CIRC METAL
		LEN=0037	INSTALLED UNKN
	0190/2367	018 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2006
	0190/2061	PERRY WEST PERRY T	
	0190/1861	018 " DIA	CIR PLASTIC
		LEN=0035	INSTALLED 1998
	0190/1678	018 " DIA	CIR PLASTIC
		LEN=0032	INSTALLED UNKN
	0190/1376	QUARRY RD (T334)	
		024 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2006
	0190/0989	018 " DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2006
034966 FT	034966 FT	2 0 54001	0 02 0380+20
		SHORT RD (T381)	
	0190/0000	LENGTH(AH 3503	BK 2060)
		024 " DIA	CIR PLASTIC
		LEN=0020	INSTALLED 2005
	0180/1954	028 " H 20 " W	METAL ARCH
		LEN=0035	INSTALLED 2006
	0180/1774	018 " DIA	CIRC METAL
		LEN=0040	INSTALLED UNKN
	0180/1635		
		018 " DIA	CIR PLASTIC
		LEN=0035	INSTALLED UNKN
032906 FT	032906 FT	2 0 54001	0 02 0359+90
		038 " H 56 " W	ELLIP METAL
		LEN=0048	INSTALLED 1998

DIR: B TOTAL LEN: 9.195 MI. DIST: 03-5 SR: 3006
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

030441 FT

027939 FT

025432 FT

---	5	0180/0000	LENGTH(AH 2060 BK 2465)
---		0170/2185	015"H 21"W ELLIP METAL
---		0170/1816	LEN=0032 INSTALLED UNKN
---			015"H 21"W ELLIP METAL
---			LEN=0036 INSTALLED UNKN
---		0170/0627	024 "DIA CIRC METAL
---			LEN=0040 INSTALLED UNKN
---		0170/0320	024 "DIA CIRC METAL
---			LEN=0036 INSTALLED UNKN
---		0170/0080	024 "DIA CIR PLASTIC
---			LEN=0036 INSTALLED UNKN
---		030441 FT	2 0 54001 0 02 0335+61
---	5	0170/0000	LENGTH(AH 2465 BK 2502)
---			018 "DIA CIR PLASTIC
---		0160/2262	LEN=0040 INSTALLED UNKN
---			048 "DIA CIR PLASTIC
---		0160/1637	LEN=0040 INSTALLED 2017
---			RIDGE RD
---		0160/1591	(T316)
---			018 "DIA CIRC METAL
---		0160/1415	LEN=0040 INSTALLED UNKN
---			018 "DIA CIR PLASTIC
---		0160/0610	LEN=0060 INSTALLED UNKN
---			018 "DIA CIR PLASTIC
---		0160/0020	LEN=0036 INSTALLED UNKN
---		027939 FT	2 0 54001 0 01 0310+19
---	5	0160/0000	LENGTH(AH 2502 BK 2507)
---			060"H 84"W ELLIP METAL
---		0150/2349	LEN=0040 INSTALLED 1998
---			018 "DIA CIRC METAL
---		0150/1349	LEN=0042 INSTALLED UNKN
---			018 "DIA CIR PLASTIC
---		0150/0857	LEN=0036 INSTALLED UNKN
---			024 "DIA CIR PLASTIC
---		0150/0396	LEN=0040 INSTALLED UNKN
---		025432 FT	2 0 54001 0 01 0285+14
---			018 "DIA CIRC METAL
---			LEN=0042 INSTALLED UNKN
---	5	0150/0000	LENGTH(AH 2507 BK 2511)
---			018 "DIA CIR PLASTIC
---		0140/1756	LEN=0045 INSTALLED UNKN
---			036 "DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 220
COUNTY: SNYDER

DIR: B TOTAL LEN: 9.195 MI.
LEFT MUN: WEST PERRY T

DIST: 03-5 SR: 3006
RIGHT MUN: WEST PERRY T

	0140/0860	LEN=0040	INSTALLED	1998
		018 "DIA	CIR PLASTIC	
	0140/0455	LEN=0042	INSTALLED	UNKN
		042 "DIA	CIRC METAL	
022921 FT	0140/0330	LEN=0046	INSTALLED	1998
	022921 FT	2 0 54001	0 01	0260+05
	0140/0000	LENGTH(AH	2511	BK 2466)
		018 "DIA	CIR PLASTIC	
	0130/1080	LEN=0040	INSTALLED	UNKN
		038 "H 57 "W	ELLIP METAL	
020455 FT	0130/0229	LEN=0038	INSTALLED	UNKN
	020455 FT	2 0 54001	0 01	0235+50
	0130/0000	LENGTH(AH	2466	BK 1072)
		018 "DIA	CIR PLASTIC	
	0120/0610	LEN=0042	INSTALLED	1998
		018 "DIA	CIR PLASTIC	
	0120/0542	LEN=0042	INSTALLED	UNKN
		013 "H 17 "W	ELLIP METAL	
	0120/0198	LEN=0032	INSTALLED	UNKN
		018 "DIA	CIR PLASTIC	
019383 FT	0120/0017	LEN=0036	INSTALLED	UNKN
	019383 FT	2 0 54001	0 01	0225+00
	0120/0000	LENGTH(AH	1072	BK 1572)
		018 "DIA	CIR PLASTIC	
	0114/1346	LEN=0036	INSTALLED	UNKN
		018 "DIA	CIR PLASTIC	
	0114/0663	LEN=0120	INSTALLED	UNKN
017811 FT	017811 FT	2 0 54001	0 01	0208+85
	INTER-BK	HEISTER VALLEY RD		
		(TWP)		
017811 FT	0114/0000	LENGTH(AH	1572	BK 0885)
	017811 FT			
017811 FT	7110/0000	LENGTH(AH	0885	BK 1558)
	017811 FT			
017811 FT	7100/0000	LENGTH(AH	1558	BK 1731)
	017811 FT			
	7090/0000	LENGTH(AH	1731	BK 1895)
	INTER-AHD	HEISTER VALLEY RD		
		(TWP)		
		WINEY RD		
		(T359)		
		HEISTER VALLEY RD		
	0080/1895	(SR3003	SEG 0010/	1991)
		030 "DIA	CIRC METAL	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 219
COUNTY: SNYDER

DIR: B TOTAL LEN: 9.195 MI.
LEFT MUN: WEST PERRY T

DIST: 03-5 SR: 3006
RIGHT MUN: WEST PERRY T

Stationing	Material	Length	Notes
015916 FT	0080/1684	LEN=0030	INSTALLED UNKN 029"H 42"W ELLIP METAL
	0080/1680	LEN=0030	INSTALLED UNKN 018"DIA CIR PLASTIC
	0080/1155	LEN=0030	INSTALLED UNKN 018"DIA CIR PLASTIC
	0080/0860	LEN=0030	INSTALLED UNKN 018"DIA CIR PLASTIC
	0080/0590	LEN=0048	INSTALLED UNKN 015"H 00"W MULT METAL
	0080/0069	LEN=0032	INSTALLED UNKN
	015916 FT	2 0 54001 0 00 0160+01	
	0080/0000	LENGTH(AH 1895 BK 2532)	
013384 FT	0070/1063	018"DIA CIR PLASTIC LEN=0024	INSTALLED UNKN
	013384 FT	2 0 54001 0 00 0134+63	
	0070/0000	LENGTH(AH 2532 BK 2485)	
	0060/2214	038"H 57"W ELLIP METAL LEN=0060	INSTALLED UNKN
	0060/1294	024"DIA CIR PLASTIC LEN=0032	INSTALLED UNKN
	0060/0846	030"DIA CIRC METAL LEN=0036	INSTALLED UNKN
	0060/0835	PLAINING MILL RD (T306)	
2 0 54001 0 00 0109+72 010899 FT	010899 FT		
PLAINING MILL RD (T306)	0060/0000	LENGTH(AH 2485 BK 2446)	
	0050/2436	014"H 23"W ELLIP CONC LEN=0032	INSTALLED 2023
	0050/1917	018"DIA CIR PLASTIC LEN=0030	INSTALLED 1998
	0050/1121	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
008453 FT	008453 FT	2 0 54001 0 00 0085+11	
	0050/0000	LENGTH(AH 2446 BK 1711)	
	0040/1511	018"DIA CIR PLASTIC LEN=0032	INSTALLED UNKN TR. W. BR. MAHANTANGO C

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 218
COUNTY: SNYDER


DIR: B TOTAL LEN: 9.195 MI.
LEFT MUN: WEST PERRY T

DIST: 03-5 SR: 3006
RIGHT MUN: WEST PERRY T

STRUCTURE	LENGTH	12 FT
0040/1188	BMSID 54/3006/0040/1188	
0040/1154	036"H 00"W MULT METAL	
	LEN=0042	INSTALLED UNKN
006742 FT		
006742 FT	2 0 54001 0 03 0068+00	
	CHERRY HILL RD	
	(T304)	
0040/0000	LENGTH(AH 1711 BK 1990)	
0030/1952	018 " DIA CIRC METAL	
	LEN=0030	INSTALLED UNKN
0030/1552	010 " DIA CAST IRON	
	LEN=0030	INSTALLED UNKN
0030/1317	018 " DIA CIRC METAL	
	LEN=0030	INSTALLED UNKN
0030/0958	024 " DIA CIRC METAL	
	LEN=0032	INSTALLED UNKN
2 0 54001 0 03 0048+15		
MOUNTAIN RD		
(T305)		
004752 FT		
0030/0000	LENGTH(AH 1990 BK 2136)	
0020/1759	016"H 21"W ELLIP METAL	
	LEN=0032	INSTALLED UNKN
0020/1602	036"H 00"W MULT PLSTIC	
	LEN=0040	INSTALLED 1998
	015 " DIA CIRC METAL	
0020/0696	LEN=0040	INSTALLED UNKN
002616 FT		
002616 FT	2 0 54001 0 00 0026+51	
	NC HEISTER VALLEY RD	
0020/0000	LENGTH(AH 2136 BK 2616)	
0010/1768	024 " DIA CIR PLASTIC	
	LEN=0040	INSTALLED 1998
END RD		
(T302)		
0010/0289		
000000 FT		
000000 FT		
	2 0 54001 0 00 0000+00	
	NC MIDDLE RD	
INTER-BK	MIDDLE RD	
	(SR2017 SEG 0190/1870)	
	MFC BEGIN = E	
	BK-JUNIATA (34)	
0010/0000	LENGTH(AH 2616 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 217
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 1.218 MI. DIST: 03-5 SR: 3005
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

006430 FT




006430 FT HEISTER VALLEY RD
 0030/2519 (SR3006 SEG 0220/1595)
 0030/2116 BMSEN 54/3005/0030/2083
 0 0 0000 0 00 0000+00
 BRANCH MAHANTANGO CREEK
 0030/2083 BMSBG 54/3005/0030/2083

DIR: B TOTAL LEN: 1.218 MI. DIST: 03-5 SR: 3005
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

Location / Description	Segment ID	Length	Material / Notes
QUARRY RD (T381)	0030/1599		018 " DIA CIR PLASTIC
	0030/1275		LEN=0030 INSTALLED 2017
	0030/0770		018 " DIA CIR PLASTIC
	0030/0340		LEN=0035 INSTALLED 2017
FREMONT RD (T348)	0030/0251		018 " DIA CIR PLASTIC
LC FOR FREMONT RD (CONN)	0030/0172		LEN=0040 INSTALLED 2017
	003911 FT		036 " DIA CIR PLASTIC
	0030/0008		LEN=0036 INSTALLED 2003
	003911 FT		2 0 54006 0 00 0025+37
	0030/0000		LENGTH(AH 2519 BK 1661)
	0020/1259		BMSSEN 54/3005/0020/1218
			2 0 54006 0 00 0041+88
			NO BRANCH MAHANTANGO CR
	0020/1218		BMSBG 54/3005/0020/1218
	0020/0796		018 " DIA CIR PLASTIC
			LEN=0030 INSTALLED 2003
	0020/0232		018 " DIA CIR PLASTIC
	002250 FT		LEN=0030 INSTALLED 2003
			2 0 54006 0 00 0041+88
			SR 0035 SH
			(SR0035 SEG 0140/0000)
	0020/0000		LENGTH(AH 1661 BK 2250)
			ST JOHNS ST
	0010/2020		(T358)
			018 " DIA CIR PLASTIC
	0010/1720		LEN=0040 INSTALLED 2004
			MEADOW LN
	0010/1180		(T357)
			018 " DIA CIR PLASTIC
	0010/1143		LEN=0030 INSTALLED 2018
			018 " DIA CIR PLASTIC
	0010/1137		LEN=0030 INSTALLED 2018
			018 " DIA CIR PLASTIC
	0010/0655		LEN=0030 INSTALLED UNKN
CLUCK RIDGE RD (T356)	0010/0136		
	000000 FT		
			2 0 54006 0 00 0064+36
			SR 0104 SH
			(SR0104 SEG 0130/0000)
			LLRACE RD
			FLINT VALLEY RD
			(T369)
			MFC BEGIN = E
SR 0104 SH (SR0104 SEG 0130/0000)	0010/0000		LENGTH(AH 2250 BK 0000)

PALLACE CREEK RD 041136 FT
 (SR2004 SEG 0010/0846) 0160/1981

039155 FT



041136 FT	PALLACE CREEK RD
0160/1981	(SR2004 SEG 0010/0846)
0160/1800	042 " DIA CIR PLASTIC
	LEN=0034 INSTALLED UNKN
0160/1010	030 " DIA CIR PLASTIC
	LEN=0035 INSTALLED 2003
039155 FT	2 0 54010 0 00 0085+30
	WASHINGTON
	PERRY T
5 0160/0000	LENGTH(AH 1981 BK 2551)
	PALLAS RD
0150/2475	(T347)
0150/1400	BMS EN 54/3004/0150/1376
	0 0 00000 0 00 0000+00
	TRIB NO BR MAHANTANGO C
0150/1376	BMSBG 54/3004/0150/1376

DIR: B TOTAL LEN: 7.791 MI. DIST: 03-5 SR: 3004
 LEFT MUN: PERRY T RIGHT MUN: PERRY T


BLUEBERRY HILL RD
 (T380)

0150/1336

036604 FT

033128 FT

030617 FT



0150/0750	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2015
0150/0430	018 " DIA	CIR PLASTIC	LEN=0033	INSTALLED	2003
0150/0048	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2015
036604 FT	2 0 54010	0 00 0059+85	TROUP VALLEY HILL RD (T378)		
0150/0000	LENGTH(AH	2551 BK 3476)	[S]		
0140/3425	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2015
0140/2890	018 " DIA	CIR PLASTIC	LEN=0045	INSTALLED	2015
0140/2279	SNACKER RD (T366)				
0140/2240	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2015
0140/1905	018 " DIA	CIR PLASTIC	LEN=0035	INSTALLED	UNKN
0140/1465	030 " DIA	CIR PLASTIC	LEN=0031	INSTALLED	2003
0140/1054	036 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2003
0140/0794	018 " DIA	CIR PLASTIC	LEN=0030	INSTALLED	2003
0140/0446	018 " DIA	CIR PLASTIC	LEN=0036	INSTALLED	2003
033128 FT	2 0 54010	0 00 0025+10	[S]		
0140/0000	LENGTH(AH	3476 BK 2511)	[S]		
0130/2438	018 " DIA	CIR PLASTIC	LEN=0034	INSTALLED	2003
0130/1895	018 " DIA	CIR PLASTIC	LEN=0055	INSTALLED	2003
0130/0973	024 " DIA	CIR PLASTIC	LEN=0035	INSTALLED	2003
0130/0690	018 " DIA	CIR PLASTIC	LEN=0055	INSTALLED	2002
0130/0400	018 " DIA	CIR PLASTIC	LEN=0130	INSTALLED	2003
0130/0025	018 " DIA	CIRC CONCR	LEN=0040	INSTALLED	UNKN
030617 FT	2 0 54010	0 00 0000+00	SR 0104 SH (SR0104 SEG 0090/2371)		

DIR: B TOTAL LEN: 7.791 MI. DIST: 03-5 SR: 3004
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

SR	SH	SEG	START	END	FT	DESCRIPTION	NC	TR	VALLEY	RD
SR 0104	SH	(SR0104 SEG 0100/0000)	0120	2190	0120/2190	INTER-AHD				
			0306	17	0306/17	INTER-BK				
			0120	1706	0120/1706	FREMONT RD (T348)				
			0120	1490	0120/1490	024 "DIA CIR PLASTIC				
			0120	1486	0120/1486	LEN=0055 INSTALLED 2000				
			0120	0530	0120/0530	HOFFMAN HILL RD (T343)				
			0120	0185	0120/0185	018 "DIA CIR PLASTIC				
			0284	27	0284/27	LEN=0045 INSTALLED 2000				
			0120	0000	0120/0000	2 0 54003 0 00 0284+47				
			0110	1859	0110/1859	LENGTH(AH 2190 BK 2389)				
			0110	1604	0110/1604	024 "DIA CIR PLASTIC				
			0110	1018	0110/1018	LEN=0040 INSTALLED 2000				
			0260	038	0260/38	024 "DIA CIR PLASTIC				
			0110	0000	0110/0000	LEN=0040 INSTALLED UNKN				
			0100	3410	0100/3410	036 "DIA CIR PLASTIC				
			0100	3170	0100/3170	LEN=0040 INSTALLED 2016				
			0100	2690	0100/2690	018 "DIA CIR PLASTIC				
			0100	2225	0100/2225	LEN=0045 INSTALLED 2000				
			0100	2060	0100/2060	024 "DIA CIR PLASTIC				
			0100	2060	0100/2060	LEN=0040 INSTALLED UNKN				
			0100	2060	0100/2060	018 "DIA CIRC CONC				
			0100	2060	0100/2060	LEN=0034 INSTALLED UNKN				
			0100	2060	0100/2060	024 "DIA CIRC CONC				
			0100	2060	0100/2060	LEN=0040 INSTALLED UNKN				
			0100	2060	0100/2060	018 "DIA CIRC METAL				
			0100	2060	0100/2060	LEN=0072 INSTALLED UNKN				
			0100	2060	0100/2060	018 "DIA CIRC CONC				
			0100	2060	0100/2060	LEN=0035 INSTALLED UNKN				

DIR: B TOTAL LEN: 7.791 MI. DIST: 03-5 SR: 3004
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

	0100/1425	024 " DIA	CIRC CONCR
		LEN=0036	INSTALLED UNKN
	0100/1070	018 " DIA	CIRC CONCR
		LEN=0035	INSTALLED UNKN
	0100/0605	024 " DIA	CIRC CONCR
		LEN=0042	INSTALLED UNKN
	0100/0260	018 " DIA	CIRC CONCR
		LEN=0036	INSTALLED UNKN
	0100/0065	018 " DIA	CIRC CONCR
		LEN=0052	INSTALLED UNKN
	0100/0010	018 " DIA	CIRC CONCR
		LEN=0032	INSTALLED UNKN
022331 FT	022331 FT	2 0 54003	0 00 0223+48
		PORTZLINE HILL RD	
		(T328)	
	0100/0000	LENGTH(AH	3707 BK 2278)
		018 " DIA	CIRC CONCR
	0090/1700	LEN=0046	INSTALLED UNKN
		018 " DIA	CIRC CONCR
	0090/1432	LEN=0036	INSTALLED UNKN
		018 " DIA	CIRC CONCR
	0090/1150	LEN=0036	INSTALLED UNKN
		030 " DIA	CIR PLASTIC
	0090/0835	LEN=0070	INSTALLED 2000
		024 " DIA	CIR PLASTIC
	0090/0292	LEN=0047	INSTALLED 2000
020053 FT	020053 FT	2 0 54003	0 00 0200+60
	0090/0000	LENGTH(AH	2278 BK 2040)
		018 " DIA	CIRC CONCR
	0080/1936	LEN=0037	INSTALLED UNKN
		024 " DIA	CIR PLASTIC
	0080/1648	LEN=0038	INSTALLED 2000
		018 " DIA	CIR PLASTIC
	0080/1283	LEN=0033	INSTALLED 2016
		024 " DIA	CIRC CONCR
	0080/0690	LEN=0047	INSTALLED UNKN
		018 " DIA	CIR PLASTIC
	0080/0185	LEN=0040	INSTALLED 2016
018013 FT	018013 FT	2 0 54003	0 00 0180+11
	0080/0000	LENGTH(AH	2040 BK 2659)
		018 " DIA	CIRC CONCR
	0070/2369	LEN=0043	INSTALLED UNKN
		018 " DIA	CIRC CONCR
	0070/1866	LEN=0038	INSTALLED UNKN
		018 " DIA	CIRC CONCR
	0070/1522	LEN=0068	INSTALLED UNKN
		018 " DIA	CIR PLASTIC
	0070/0640	LEN=0038	INSTALLED 2000
		PERRY	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 211
COUNTY: SNYDER

DIR: B TOTAL LEN: 7.791 MI.
LEFT MUN: PERRY T

DIST: 03-5 SR: 3004
RIGHT MUN: PERRY T

Stationing	Material	Length	Notes
015354 FT	0070/0608 WEST PERRY T 048" DIA CIR PLASTIC	0070/0100	LEN=0065 INSTALLED UNKN
	015354 FT	2 0 54003 0 00 0152+88	SWAMP RD (T320)
	0070/0000	LENGTH(AH 2659 BK 3008)	
	0060/2850	018" DIA CIR PLASTIC	LEN=0060 INSTALLED 2016
	0060/1787	018" DIA CIR PLASTIC	LEN=0050 INSTALLED 2016
	0060/1560	048"H 72"W ELLIP METAL	LEN=0049 INSTALLED UNKN
	0060/1362	HOLLOW RD (T322)	
	0060/1320	024" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
	0060/0776	024" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
2 0 54003 0 00 0123+63 012346 FT DANIELS RD (T318)	012346 FT		
	0060/0000	LENGTH(AH 3008 BK 1295)	DANIELS RD (T318)
	0050/1253	018" DIA CIRC METAL	LEN=0038 INSTALLED UNKN
	0050/0790	018" DIA CIR PLASTIC	LEN=0030 INSTALLED UNKN
	0050/0462	024" DIA CIR PLASTIC	LEN=0038 INSTALLED 1999
011051 FT	011051 FT	2 0 54003 0 00 0110+63	
	0050/0000	LENGTH(AH 1295 BK 2821)	
	0040/2369	024" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
	0040/1712	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2016
	0040/1338	018" DIA CIR PLASTIC	LEN=0039 INSTALLED 1999
	0040/0640	018" DIA CIR PLASTIC	LEN=0048 INSTALLED UNKN
RIDGE RD (T316)	0040/0352		
	0040/0227	BMS EN 54/3004/0040/0218	2 0 54003 0 00 0084+50 TR WEST BR MAHANTANGO C

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 210
COUNTY: SNYDER

DIR: B TOTAL LEN: 7.791 MI.
LEFT MUN: WEST PERRY T

DIST: 03-5 SR: 3004
RIGHT MUN: WEST PERRY T

Offset (FT)	Stationing	Description
008230	0040/0218	BMSBG 54/3004/0040/0218
	008230	2 0 54003 0 00 0082+37
		RIDGE RD
		(T316)
	0040/0000	LENGTH(AH 2821 BK 3191)
		018 "DIA CIRC CONCR
	0030/2650	LEN=0076 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2115	LEN=0050 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0030/1675	LEN=0040 INSTALLED 2015
		024 "DIA CIR PLASTIC
	0030/1480	LEN=0060 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1035	LEN=0040 INSTALLED 2015
		036 "DIA CIR PLASTIC
	0030/0662	LEN=0060 INSTALLED 2015
005039	005039	2 0 54003 0 00 0050+43
	0030/0000	LENGTH(AH 3191 BK 2682)
		030 "DIA CIR PLASTIC
	0020/2550	LEN=0037 INSTALLED 2003
		024 "DIA CIR PLASTIC
	0020/1749	LEN=0060 INSTALLED 2015
		024 "DIA CIR PLASTIC
	0020/1010	LEN=0046 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0020/0666	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0020/0255	LEN=0040 INSTALLED 2015
002357	002357	2 0 54003 0 00 0023+59
	0020/0000	LENGTH(AH 2682 BK 2357)
		018 "DIA CIR PLASTIC
	0010/1934	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0010/1285	LEN=0060 INSTALLED 2015
		042 "DIA CIRC OTHER
	0010/0025	LEN=0030 INSTALLED UNKN
000000	000000	2 0 54003 0 00 0000+00
		NC BU CCKWHEAT VALLEY RD
		SEVEN STARS RD
		(SR3016 SEG 0030/1782)
		MFC BEGIN = D
	0010/0000	LENGTH(AH 2357 BK 0000)


DIR: B TOTAL LEN: .377 MI. DIST: 03-5 SR: 3003
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

MIDDLE RD
 (SR3006 SEG 0080/1895)

001991 FT

0010/1991

000000 FT



001991 FT
 INTER-AHD

HEISTER VALLEY RD
 (TBC)
 WINEY RD

0010/1991

(T359)

0010/1947

018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2016

0010/1069

018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2016

0010/0725

018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2016

000000 FT

2 0 54015 0 00 0000+00
 VILLAGE: RICHFIELD

NC HE
 INTER-BK


HEISTER VALLEY RD
 HEISTER VALLEY RD
 (SR1007 SEG 0010/0308)

0010/0000

MFC BEGIN = E
 BK-JUNIATA (34)
 LENGTH(AH 1991 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 208
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 2.003 MI. DIST: 03-5 SR: 3002
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

010574 FT



010574 FT SR 0104 SH
 0040/3563 (SR0104 SEG 0010/1065)
 0040/3387 BMSSEN 54/3002/0040/3276
 CHAPMAN
 0040/3320 PERRY T
 2 0 54005 0 01 0110+10
 MAHANTANGO CREEK
 0040/3276 BMSBG 54/3002/0040/3276
 REICHENBACH RD
 0040/3161 (T342)
 018 " DIA CIR PLASTIC
 0040/2770 LEN=0035 INSTALLED 2015
 018 " DIA CIR PLASTIC
 0040/2250 LEN=0035 INSTALLED 2015
 018 " DIA CIR PLASTIC
 0040/1810 LEN=0040 INSTALLED 2015
 018 " DIA CIR PLASTIC
 0040/1360 LEN=0035 INSTALLED 2015

 018 " DIA CIR PLASTIC
 0040/0290 LEN=0035 INSTALLED 2015
 007011 FT
 5 0040/0000 LENGTH(AH 3563 BK 2699)
 055"H 72"W ELLIP METAL
 0030/2598 LEN=0045 INSTALLED 2012

2 0 54005 0 01 0078+50 007011 FT
 GAMELAND RD
 (T340) 0040/0000

DIR: B TOTAL LEN: 2.003 MI. DIST: 03-5 SR: 3002
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

2 0 54005 0 01 0050+10 004312 FT
 NIPPLE RD
 (T301) 0030/0000

SNAPPER RD
 (T324) 0010/0465
 000000 FT

0030/2180	024 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2015
0030/1950	018 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2015
0030/1515	036 " DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2015
0030/0860	018 " DIA	CIR PLASTIC
	LEN=0038	INSTALLED 1998
0030/0534	048 " DIA	CIR PLASTIC
004312 FT	LEN=0040	INSTALLED 1998
0030/0000	LENGTH(AH 2699 BK 3553)	
	018 " DIA	CIR PLASTIC
	LEN=0060	INSTALLED UNKN
0020/3547	BMSSEN 54/3002/0020/3434	
0020/3443	2 0 54005 0 01 0024+95	
	TR WEST BR MAHANTANGO C	
0020/3434	BMSBG 54/3002/0020/3434	
	048 "H 72 "W ELLIP METAL	
0020/3420	LEN=0045	INSTALLED UNKN
0020/2790	018 " DIA	CIR PLASTIC
	LEN=0035	INSTALLED 2015
0020/1210	048 " DIA	CIR PLASTIC
	LEN=0052	INSTALLED 2017
000759 FT	2 0 54005 0 01 0014+67	
0020/0000	LENGTH(AH 3553 BK 0759)	
	018 " DIA	CIRC CONCR
0010/0640	LEN=0055	INSTALLED UNKN
0010/0119	BMSSEN 54/3002/0010/0000	
000000 FT	2 0 54005 0 00 0000+00	
	NC OR	
	INTER-BK	
	ORIENTAL RD	
	ORIENTAL RD	
	(SR2024 SEG 0010/2402)	
	WEST BR. MAHANTANTO	
	BMSBG 54/3002/0010/0000	
	MFC BEGIN = E	
	BK-JUNIATA	(34)
0010/0000	LENGTH(AH 0759 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 206
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: 1.498 MI. DIST: 03-5 SR: 3001
LEFT MUN: PERRY T RIGHT MUN: PERRY T

PINE SWAMP RD 007907 FT
(SR3016 SEG 0170/0000) 0030/2498



007907 FT PINE SWAMP RD
0030/2498 (SR3016 SEG 0170/0000)
024 "DIA CIR PLASTIC
0030/2172 LEN=0040 INSTALLED 2001

DIR: B TOTAL LEN: 1.498 MI. DIST: 03-5 SR: 3001
 LEFT MUN: PERRY T RIGHT MUN: PERRY T


Station	Length	Material	Notes
0030/1539	018" DIA	CIRC CONCR	LEN=0032 INSTALLED UNKN
0030/1218	018" DIA	CIRC CONCR	LEN=0032 INSTALLED UNKN
0030/0857	018" DIA	CIRC CONCR	LEN=0056 INSTALLED UNKN
005409 FT	2 0 54004	0 00 0054+53	LENGTH(AH 2498 BK 2042)
0030/0000	024" DIA	CIR PLASTIC	LEN=0042 INSTALLED UNKN
0020/1796	018" DIA	CIR PLASTIC	LEN=0040 INSTALLED 2013
0020/1698	018" DIA	CIR PLASTIC	LEN=0040 INSTALLED 2013
0020/1331	018" DIA	CIR PLASTIC	LEN=0040 INSTALLED 2013
0020/0373	018" DIA	CIR PLASTIC	LEN=0040 INSTALLED 2013
003367 FT	2 0 54004	0 00 0034+00	ST THOMAS RD (T321)
0020/0000	042" DIA	CIR PLASTIC	LEN=0036 INSTALLED UNKN
0010/2785	018" DIA	CIR PLASTIC	LEN=0035 INSTALLED 2013
0010/1841	024" DIA	CIR PLASTIC	LEN=0036 INSTALLED UNKN
0010/1596	024" DIA	CIR PLASTIC	LEN=0036 INSTALLED 2007
0010/0991	048" DIA	CIRC METAL	LEN=0050 INSTALLED 2001
0010/0637	048" DIA	CIRC CONCR	LEN=0038 INSTALLED UNKN
0010/0112	000000 FT	2 0 54004	0 00 0000+00
0010/0077	NC COVERED BRIDGE RD		
000000 FT	INTER-BK	SR 2023 SH	(SR2023 SEG 0100/3763)
		MFC BEGIN = E	BK-JUNIATA (34)
	0010/0000	LENGTH(AH 3367 BK 0000)	

ANNIE LN
(PRDR)

ARBOGAST CHURCH RD
(T326)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 204
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .003 MI. DIST: 03-5 SR: 2019
 LEFT MUN: SELINGSGROVE B RIGHT MUN: SELINGSGROVE B

000015 FT




000000 FT

000000 FT

000015 FT
 7014/0000 LENGTH(AH 0100 BK 0015)
 BMSBN 54/2019/0010/0000
 INTER-AHD BROAD ST
 0010/0015 (BORO)
 000000 FT 1 0 00455 0 00 0016+50
 NC BROAD ST
 INTER-BK BROAD ST
 (BORO)
 TRIBUTARY TO PENNS CREE
 BMSBG 54/2019/0010/0000
 MFC BEGIN = C
 0010/0000 LENGTH(AH 0015 BK 0100)
 000000 FT
 7008/0000 LENGTH(AH 0100 BK 0000)

Location / Description	Stationing	Length (FT)	Material / Notes
SUSQUEHANNA TR (SR0522 SEG 0610/0000)	0070/1853	016035	INTER-AHD SUSQUEHANNA TR (SR0522 SEG 0610/0000)
FROM 0522/0604 SH (CONN)	0070/1586		NC SUSQUEHANNA TR
BRIDGE ST (T455)	0070/1264		018 " DIA CIRC CONCR LEN=0056 INSTALLED UNKN
PEAR ST (BORO)	0070/0535		048 " DIA CIR PLASTIC LEN=0131 INSTALLED UNKN
	0070/1204		PENN SELINSGROVE B
	0070/1095		018 " DIA CIRC CONCR LEN=0031 INSTALLED UNKN
	0070/0780		018 " DIA CIRC CONCR LEN=0031 INSTALLED UNKN
	0070/0530		018 " DIA CIRC CONCR LEN=0030 INSTALLED UNKN
	0070/0279		BORO AL (BORO)
	0070/0270		024 " DIA CAST IRON LEN=0031 INSTALLED UNKN
	0070/0030		018 " DIA CIRC CONCR LEN=0038 INSTALLED UNKN



EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 202
COUNTY: SNYDER

DIR: B TOTAL LEN: 3.037 MI.
LEFT MUN: SELINSGROVE B

DIST: 03-5 SR: 2017
RIGHT MUN: SELINSGROVE B

Stationing	Notes	Stationing	Notes
014182 FT		014182 FT	1 0 00194 0 05 0848+57 VINE ST (BORO)
	==	0070/0000	LENGTH(AH 1853 BK 2321)
	==	0060/1916	(BORO) SHERMAN ST
	---	0060/1890	040 " DIA CAST IRON LEN=0030 INSTALLED UNKN
BORO AL (BORO)	0060/1665		PENN ST (BORO)
	==	0060/1511	016 " DIA CAST IRON
	---	0060/1500	LEN=0150 INSTALLED UNKN
	==		MILL ST (BORO)
	==	0060/1091	
SPRUCE ST (BORO)	0060/0656		BMS EN 54/2017/0060/0590 1 0 00194 0 05 0831+44 T. PENNS CK.
	---	0060/0606	BMSBG 54/2017/0060/0590 (AAR 517520R)#TRKS 01
	---	0060/0590	SPRUCE ST (BORO)
	---	0060/0553	SNYDER ST (BORO)
	==	0060/0481	
	==	0060/0043	
1 0 00194 0 05 0825+37 SNYDER ST (BORO)	011861 FT	011861 FT	
	0060/0000		0060/0000 LENGTH(AH 2321 BK 1488)
	==	0050/1140	016 " DIA CAST IRON LEN=0075 INSTALLED UNKN
	---		CHESTNUT ST (BORO)
	==	0050/1110	016 " DIA CAST IRON
	---	0050/1105	LEN=0040 INSTALLED UNKN
	---		PINE ST (BORO)
	==	0050/0759	016 " DIA CAST IRON
	---	0050/0750	LEN=0075 INSTALLED UNKN
	---		016 " DIA CAST IRON
	---	0050/0425	LEN=0062 INSTALLED UNKN
	---		WALNUT ST (BORO)
UNIVERSITY AV (BORO)	0050/0410		0050/0410
	==	0050/0015	016 " DIA CAST IRON LEN=0062 INSTALLED UNKN
	---	010373 FT	010373 FT
	---		1 0 00194 0 05 0810+62

DIR: B TOTAL LEN: 3.037 MI. DIST: 03-5 SR: 2017
 LEFT MUN: SELINSGROVE B RIGHT MUN: SELINSGROVE B

Location / Segment	Segment ID	Length (FT)	Notes / Details
SASSAFRAS ST (SR2016 SEG 0050/1753)	0040/2041		BOUGH ST (BORO) LENGTH(AH 1488 BK 2455) SASSAFRAS ST (BORO) 016" DIA CAST IRON LENO=0060 INSTALLED UNKN
UNION AL (BORO)	0040/1338		0040/2030
			0040/1175 018" DIA CIRC CONCR LENO=0030 INSTALLED UNKN
			0040/0910 018" DIA CIRC CONCR LENO=0030 INSTALLED UNKN
			0040/0660 018" DIA CIRC CONCR LENO=0030 INSTALLED UNKN
			0040/0290 018" DIA CIRC CONCR LENO=0030 INSTALLED UNKN
			0040/0020 018" DIA CIRC CONCR LENO=0030 INSTALLED 2002
1 0 00194 0 04 0783+65 007918 FT		007918 FT	
STAUFFER ST (BORO)	0040/0000		0040/0000 LENGTH(AH 2455 BK 1796)
SAND HILL RD (T393)	0030/1498		0030/1498 (APRA) ICON MODULAR HOM
SELINSGROVE PENN T	0030/1440		
			0030/1433 018" DIA CIRC CONCR LENO=0046 INSTALLED UNKN
			T. PENNS CK. STRUCTURE LENGTH 17 FT
			0030/1173 BMSID 54/2017/0030/1173 SELINSGROVE
			0030/1168 PENN T
SR 9103 SH (SR9103 SEG 0250/0000)	0030/0286		
			0030/0237 FROM 0035/0331 SH (CONN)
			0030/0125 018" DIA CIRC CONCR LENO=0065 INSTALLED UNKN
		006122 FT	1 0 00194 0 04 0764+98 SR 0035 SH (SR0035 SEG 0331/0000) (SR0035 SEG 0330/0000)
			0030/0000 MFC BEGIN = B LENGTH(AH 1796 BK 3694)
			0020/3575 015" DIA CIRC CONCR LENO=0119 INSTALLED UNKN

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 200
COUNTY: SNYDER

DIR: B
LEFT MUN: PENN T


TOTAL LEN: 3.037 MI.

DIST: 03-5
RIGHT MUN: PENN T

SR: 2017

FROM 0035/0320 SH
(CONN)

0020/3414



0020/3358 OLD RT 11 & 15 RD
(T454)
042 " DIA CIRC CONCR
0020/3320 LEN=0062 INSTALLED UNKN

002428 FT

0020/0385 018 " DIA CIRC CONCR
LEN=0065 INSTALLED UNKN
0020/0030 018 " DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
002428 FT 1 0 00229 0 02 0574+65
BAKE OVEN HILL RD
(T389)

0020/0000 LENGTH(AH 3694 BK 2428)
018 " DIA CIRC CONCR
0010/2428 LEN=0076 INSTALLED UNKN
018 " DIA CIRC CONCR
0010/2220 LEN=0065 INSTALLED UNKN
OLD 11 & 15 RD
(T454)

MIDDLE CREEK RD
(SR2009 SEG 0010/0000)

0010/1709

0010/2035 BMSSEN 54/2017/0010/1767
0010/2006 PENN
0010/1877 UNION T
1 0 00229 0 02 0567+89
MIDDLE CREEK
0010/1767 BMSBG 54/2017/0010/1767


0010/1192 018 " DIA CIR PLASTIC
LEN=0100 INSTALLED UNKN

000000 FT

0010/0164 RAMP B RD
(SR9401 SEG 0010/0336)
000000 FT 1 0 00229 0 02 0537+67
NC MARKET ST
RAMP B RD
(SR9401 SEG 0010/0000)
INTER-BK RAMP A RD
(SR9101 SEG 0010/0000)
MFC BEGIN = C
0010/0000 LENGTH(AH 2428 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 199
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 2.718 MI. DIST: 03-5 SR: 2016
 LEFT MUN: SELINGSGROVE B RIGHT MUN: SELINGSGROVE B

014351 FT



014351 FT
 INTER-AHD SASSAFRAS ST
 (BORO)
 MARKET ST
 (SR2017 SEG 0040/2041)
 0050/1753 015 " DIA CIRC CONCR
 0050/1715 LEN=0025 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0050/1575 LEN=0025 INSTALLED UNKN
 UNION AL
 (BORO)
 0050/1552 01B " DIA CIR PLASTIC
 0050/1385 LEN=0025 INSTALLED UNKN
 HIGH ST
 (BORO)
 0050/1366 018 " DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT


PAGE NUMBER: 198
COUNTY: SNYDER

DIR: B TOTAL LEN: 2.718 MI.
LEFT MUN: SELINSGROVE B

DIST: 03-5 SR: 2016
RIGHT MUN: SELINSGROVE B

LIBERTY AL
(BORO)

0050/1171




0050/1330 LEN=0025 INSTALLED UNKN
024 "DIA CIRC CONCR
0050/1187 LEN=0025 INSTALLED UNKN

SCHOLLS AL
(BORO)
SCHOLLS AL
(BORO)

0050/0624

0050/0388




0050/1070 048"H 70"W CONC STRUCT
LEN=0040 INSTALLED UNKN
013"H 21"W ELLIP METAL
0050/0928 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/0787 LEN=0040 INSTALLED UNKN

012598 FT

0050/0029 BMSBG 54/2016/0050/0000
012598 FT 2 0 54061 0 00 0090+44
T.PENNS CRK.

PRIVATE DR
(PRDR)


0040/2563



0050/0000 BMSBG 54/2016/0050/0000
LENGTH(AH 1753 BK 3066)
INDUSTRIAL PARK RD
0040/2945 (BORO)
0040/2563 (APRA) U S HOUSING CORP

2 0 54061 0 00 0059+92 009532 FT
SELINSGROVE
PENN T

0040/0000



0040/0000 LENGTH(AH 3066 BK 2977)
SELINSGROVE
PENN T
0030/2949 018 "DIA CIRC CONCR
0030/2935 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/2485 LEN=0046 INSTALLED UNKN

0030/1337 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
AIR TOWER RD
0030/1327 (T476)

DIR: B TOTAL LEN: 2.718 MI. DIST: 03-5 SR: 2016
 LEFT MUN: PENN T RIGHT MUN: PENN T

BREEZEWOOD DR
 (T518)

006555 FT












0020/1800

003565 FT

000000 FT

0030/0981	030 " DIA	CIRC CONCR	LEN=0092	INSTALLED UNKN
006555 FT	2 0 54061	0 00 0030+03	0030/0000	LENGTH(AH 2977 BK 2990)
	020"H 28"W	ELLIP METAL		
0020/2610	LEN=0041	INSTALLED UNKN		
0020/2300	018 " DIA	CIRC CONCR		
0020/1860	LEN=0045	INSTALLED UNKN		
	024 " DIA	CIRC METAL		
	LEN=0048	INSTALLED UNKN		
0020/1388	014 " DIA	CIR PLASTIC	LEN=0056	INSTALLED UNKN
0020/0484	018 " DIA	CIRC CONCR	LEN=0044	INSTALLED UNKN
003565 FT	2 0 54061	0 00 0000+00	0020/0000	LENGTH(AH 2990 BK 3565)
	NC SA	CLIFFORD RD		
	(SR2011	SEG 0040/0872)		
	SSAFRAS ST			
0010/2819	018 " DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0010/2789	PINEBROOK RD			
	(T404)			
0010/2677	018 " DIA	CIRC CONCR	LEN=0033	INSTALLED UNKN
0010/2204	011"H 18"W	ELLIP METAL	LEN=0038	INSTALLED UNKN
0010/1350	015 " DIA	CIRC METAL	LEN=0036	INSTALLED UNKN
0010/0907	015 " DIA	CIRC METAL	LEN=0033	INSTALLED UNKN
0010/0655	(AAR 517523L)	#TRKS 02		
0010/0495	036 " DIA	CIR PLASTIC	LEN=0039	INSTALLED 2007
000000 FT	2 0 54041	0 00 0119+45	000000 FT	LENGTH(AH 3565 BK 0000)
	NC CL	CLIFFORD RD		
	SR 0522 SH			
	(SR0522	SEG 0560/0000)		
	CLIFFORD RD			
	(T440)			
	MFC BEGIN = D			
	0010/0000			


DIR: B TOTAL LEN: .010 MI. DIST: 03-5 SR: 2013
 LEFT MUN: UNION T RIGHT MUN: UNION T

000052 FT		000052 FT 7032/0000 INTER-AHD	LENGTH(AH 0100 BK 0009) NORTH MAIN ST (T462)
000043 FT		000043 FT 0030/0009 000043 FT	2 0 54075 0 00 0094+60 TRIB SUSQUE RIVER STRUCTURE LENGTH 9 FT BMSID 54/2013/0030/0000 OLD ROUTE 15 RD (T875)
000043 FT		INTER-BK 0030/0000 000043 FT 7022/0000	LENGTH(AH 0009 BK 0100) BMSID 54/2013/0030/0000 OLD ROUTE 15 RD (T875)
000023 FT		INTER-AHD 0020/0020 000023 FT	LENGTH(AH 0100 BK 0020) BMSID 54/2013/0020/0000 OLD ROUTE 15 RD (T875)
000023 FT		INTER-BK 0020/0000 000023 FT	2 0 54075 0 00 0055+02 OLD ROUTE 15 RD (T875) TR TO SUSQ.R BMSBG 54/2013/0020/0000
000023 FT		000023 FT 7018/0000	LENGTH(AH 0020 BK 2365)
000023 FT		000023 FT 7012/0000	LENGTH(AH 2365 BK 0373)
000000 FT		INTER-AHD 0010/0023 000000 FT	LENGTH(AH 0373 BK 0023) BMSID 54/2013/0010/0000 OLD ROUTE 15 RD (T875)
000000 FT		INTER-BK 0010/0023 000000 FT	CHAPMAN T 2 0 54075 0 00 0027+54 NC LOWER MAIN RD OLD ROUTE 15 RD (T875)
000000 FT		0010/0000 000000 FT 7004/0000	T.SUSQ.RIVER BMSBG 54/2013/0010/0000 MFC BEGIN = E LENGTH(AH 0023 BK 0100)
000000 FT		000000 FT 7004/0000	LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 2.304 MI. DIST: 03-5 SR: 2012
 LEFT MUN: UNION T RIGHT MUN: UNION T

012166 FT

012166 FT
 INTER-AHD NORTH MAIN ST
 0090/1122 (T462)
 0090/0696 KELLER RD
 (T331)
 0090/0680 024 " DIA CIRC CONCR
 LEN=0065 INSTALLED UNKN
 0090/0250 018 " DIA CIRC CONCR
 LEN=0062 INSTALLED UNKN
 0090/0120 BMSSEN 54/2012/0090/0091
 1 0 00229 0 00 0277+74
 SILVER CREEK
 0090/0091 BMSBG 54/2012/0090/0091
 1 0 00229 0 00 0278+82
 011044 FT
 NC MA IN ST
 0090/0000 MFC BEGIN = D
 LENGTH(AH 1122 BK 2528)
 0080/2455 018 " DIA CIR PLASTIC
 LEN=0138 INSTALLED UNKN
 0080/1955 018 " DIA CIR PLASTIC
 LEN=0060 INSTALLED 2012
 0080/1745 018 " DIA CIR PLASTIC
 LEN=0050 INSTALLED 2002
 0080/1395 018 " DIA CIR PLASTIC
 LEN=0028 INSTALLED 2002
 0080/1070 018 " DIA CIR PLASTIC
 LEN=0036 INSTALLED 2002
 0080/0532 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012
 008516 FT 2 0 54018 0 01 0024+58



011044 FT

0090/0000

MAIN ST
 (T462)

008516 FT

DIR: B TOTAL LEN: 2.304 MI. DIST: 03-5 SR: 2012
 LEFT MUN: UNION T RIGHT MUN: UNION T

006542 FT

003630 FT

5	0080/0000	LENGTH(AH 2528 BK 1974)
		030 "DIA CIR PLASTIC
	0070/1947	LEN=0045 INSTALLED UNKN
		048 "DIA CIR PLASTIC
	0070/1335	LEN=0048 INSTALLED 2001
		024 "DIA CIR PLASTIC
	0070/1145	LEN=0040 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0070/0820	LEN=0038 INSTALLED 2002
	0070/0413	BMSSEN 54/2012/0070/0376
		2 0 54018 0 01 0040+70
		SILVER CRK.
	0070/0376	BMSBG 54/2012/0070/0376
	006542 FT	2 0 54018 0 01 0044+00
		PETEYS HOLLOW RD
		(T436)
5	0070/0000	LENGTH(AH 1974 BK 2912)
		018 "DIA CIR PLASTIC
	0060/2460	LEN=0036 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0060/1795	LEN=0060 INSTALLED 2012
		018 "DIA CIRC METAL
	0060/1005	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0865	LEN=0035 INSTALLED 2012
		018 "DIA CIRC METAL
	0060/0500	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0180	LEN=0035 INSTALLED 2012
	003630 FT	2 0 54018 0 02 0073+42
5	0060/0000	LENGTH(AH 2912 BK 3560)
		018 "DIA CIR PLASTIC
	0050/3430	LEN=0040 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0050/3320	LEN=0044 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0050/3015	LEN=0035 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0050/2740	LEN=0056 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0050/2490	LEN=0034 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0050/2195	LEN=0038 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0050/1530	LEN=0040 INSTALLED 2002

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 193
COUNTY: SNYDER

DIR: B TOTAL LEN: 2.304 MI.
LEFT MUN: UNION T

DIST: 03-5 SR: 2012
RIGHT MUN: UNION T

2 0 54018 0 02 0108+28 000070 FT
WITMER RD
(T461)

0050/0000
000070 FT

000043 FT

000043 FT


000021 FT

000021 FT

000021 FT

000000 FT

000000 FT



0050/0324 BMS EN 54/2012/0050/0296
2 0 54018 0 02 0105+33
SILVER CREEK
0050/0296 BMSBG 54/2012/0050/0296
018 " DIA CIRC CONCR
0050/0055 LEN=0065 INSTALLED UNKN
INTER-BK SILVER CREEK RD
(T438)
5 0050/0000 LENGTH(AH 3560 BK 1875)
000070 FT
7042/0000
INTER-AHD SILVER CREEK RD
0040/0027 (T438)
000043 FT 2 0 54071 0 00 0063+81
INTER-BK SILVER CREEK RD
(T438)
SILVER CREEK
5 0040/0000 BMSBG 54/2012/0040/0000
000043 FT LENGTH(AH 0027 BK 2692)
7032/0000
INTER-AHD SILVER CREEK RD
0030/0022 (T438)
000021 FT 2 0 54071 0 00 0036+48
INTER-BK SILVER CREEK RD
(T438)
T. SUSQ. RIVER
5 0030/0000 BMSBG 54/2012/0030/0000
000021 FT LENGTH(AH 0022 BK 2494)
7020/0000
000021 FT LENGTH(AH 2494 BK 0078)
7014/0000
INTER-AHD SILVER CREEK RD
0010/0021 (T438)
000000 FT 2 0 54071 0 00 0010+62
INTER-BK SILVER CREEK RD
(T438)
SILVER CREEK
5 0010/0000 BMSBG 54/2012/0010/0000
000000 FT MFC BEGIN = E
7010/0000 LENGTH(AH 0021 BK 1048)
LENGTH(AH 1048 BK 0000)

DIR: B TOTAL LEN: 1.403 MI. DIST: 03-5 SR: 2011
 LEFT MUN: PENN T RIGHT MUN: PENN T

007407 FT

007407 FT
 INTER-AHD CLIFFORD RD
 (SR2016 SEG 0020/0000)
 SASSAFRAS ST

006535 FT

0040/0872 (SR2016 SEG 0020/0000)
 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012
 006535 FT 2 0 54041 0 00 0074+50
 0040/0000 LENGTH(AH 0872 BK 2507)
 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012

004028 FT


0030/1172 018 "DIA CIR PLASTIC
 LEN=0060 INSTALLED UNKN
 0030/0803 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2004
 0030/0367 018 "DIA CIR PLASTIC
 LEN=0032 INSTALLED 2004
 004028 FT 2 0 54041 0 00 0049+86
 0030/0000 LENGTH(AH 2507 BK 2517)
 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 0020/2386 015"H 21"W ELLIP METAL
 LEN=0040 INSTALLED 2012

001511 FT

0020/0938 048 "DIA CIR PLASTIC
 LEN=0050 INSTALLED 2013
 0020/0725 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012
 0020/0231 018 "DIA CIRC CONCR
 LEN=0028 INSTALLED UNKN
 001511 FT 2 0 54041 0 00 0024+61
 0020/0000 LENGTH(AH 2517 BK 1511)

000000 FT


0010/0747 018 "DIA CIR PLASTIC
 LEN=0039 INSTALLED 2012
 0010/0422 018 "DIA CIR PLASTIC
 LEN=0038 INSTALLED 2012
 024 "DIA CIR PLASTIC
 LEN=0088 INSTALLED 1999
 000000 FT 2 0 54041 0 00 0009+45
 VILLAGE: KANTZ
 NC CLIFFORD RD
 MIDDLE CREEK RD
 (SR2009 SEG 0080/0000)
 MFC BEGIN = D
 0010/0000 LENGTH(AH 1511 BK 0000)



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 191
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER

DIR: B TOTAL LEN: 3.085 MI. DIST: 03-5 SR: 2010
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

016291 FT



016291 FT PRODUCE RD
0060/2332 (SR2007 SEG 0120/0000)
018 " DIA CIR PLASTIC
0060/2260 LEN=0060 INSTALLED 2016

DIR: B TOTAL LEN: 3.085 MI. DIST: 03-5 SR: 2010
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

Distance (FT)	Material / Length	Material / Length	Material / Length	Material / Length	Material / Length	Material / Length	Material / Length	Material / Length	Material / Length
	0060/1476	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2003			
013959 FT	0060/0475	018 " DIA	CIR PLASTIC	LEN=0115	INSTALLED	1997			
	013959 FT	2 0 54016	0 01 0150+02						
	0060/0000	LENGTH(AH	2332 BK 2534)						
	0050/2334	024 " DIA	CIRC CONCR	LEN=0030	INSTALLED	1997			
	0050/1708	048 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2002			
011425 FT	0050/0677	018 " DIA	CIRC CONCR	LEN=0030	INSTALLED	1997			
	011425 FT	2 0 54016	0 01 0124+68						
	0050/0000	LENGTH(AH	2534 BK 2427)						
	0040/2355	018 " DIA	CIRC CONCR	LEN=0044	INSTALLED	1997			
	0040/2076	018 " DIA	CIRC CONCR	LEN=0033	INSTALLED	UNKN			
		TRIBUTARY	MIDDLE CREEK						
		STRUCTURE	LENGTH 23 FT						
	0040/1803	BMSID 54/2010	0040/1803						
	0040/1553	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED	2016			
	0040/1360	018 " DIA	CIRC CONCR	LEN=0033	INSTALLED	1997			
	0040/0870	018 " DIA	CIRC CONCR	LEN=0080	INSTALLED	1997			
	0040/0390	018 " DIA	CIRC CONCR	LEN=0030	INSTALLED	1997			
008998 FT	0040/0037	018 " DIA	CIRC CONCR	LEN=0033	INSTALLED	1997			
	008998 FT	2 0 54016	0 00 0100+42						
	0040/0000	LENGTH(AH	2427 BK 1648)						
	0030/1520	018 " DIA	CIR PLASTIC	LEN=0055	INSTALLED	2016			
	0030/1060	018 " DIA	CIRC CONCR	LEN=0033	INSTALLED	1997			
	0030/0570	018 " DIA	CIRC CONCR	LEN=0033	INSTALLED	1997			
	0030/0113	018 " DIA	CIRC CONCR	LEN=0050	INSTALLED	1997			
007350 FT	0030/0037	LC FOR	SHAFFER HILL RD	(CONN)					
	007350 FT	2 0 54016	0 00 0083+94						

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 189
COUNTY: SNYDER

DIR: B TOTAL LEN: 3.085 MI.
LEFT MUN: WASHINGTON T

DIST: 03-5 SR: 2010
RIGHT MUN: WASHINGTON T

SHAFFER HILL RD
(T414)

0020/3414


003868 FT

000000 FT

5	0030/0000	LENGTH(AH 1648 BK 3482)
	0020/3452	SHAFFER HILL RD (T414)
	0020/3435	018 "DIA CIRC CONCR LEN=0042 INSTALLED 1997
	0020/3345	018 "DIA CIRC CONCR LEN=0045 INSTALLED 1997
	0020/2940	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1997
	0020/2410	024 "DIA CIRC CONCR LEN=0038 INSTALLED 2002
	0020/2230	018 "DIA CIRC CONCR LEN=0038 INSTALLED 1997
	0020/1690	018 "DIA CIR PLASTIC LEN=0044 INSTALLED 2004
	0020/1360	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	0020/0540	018 "DIA CIRC CONCR LEN=0038 INSTALLED 1997
	003868 FT	2 0 54016 0 00 0049+12
5	0020/0000	LENGTH(AH 3482 BK 3868)
	0010/3000	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1997
	0010/2593	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1997
	0010/1685	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1997
	0010/1017	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1997
	0010/0640	018 "DIA CIRC CONCR LEN=0033 INSTALLED 1997
	0010/0222	018 "DIA CIRC CONCR LEN=0044 INSTALLED 1997
	0010/0160	ROWNZY RD (T405)
	000000 FT	2 0 54016 0 00 0010+44
		NC NE ITZ VALLEY RD
		EBENEZER CHURCH RD
	INTER-BK	(SR2003 SEG 0040/0000)
		EBENEZER CHURCH RD
		(SR2003 SEG 0040/0000)
		MFC BEGIN = D
5	0010/0000	LENGTH(AH 3868 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 188
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 5.290 MI. DIST: 03-5 SR: 2009
 LEFT MUN: PENN T RIGHT MUN: PENN T

027931 FT



027931 FT
 INTER-AHD MILLER FARM RD
 (T478)
 SR 0522 SH
 0130/1404 (SR0522 SEG 0530/0000)
 0130/0860 024 " DIA CIR PLASTIC
 LEN=0034 INSTALLED 1999
 CONSOLIDATED RAIL CORPO

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 187
COUNTY: SNYDER

DIR: B TOTAL LEN: 5.290 MI.
LEFT MUN: PENN T

DIST: 03-5 SR: 2009
RIGHT MUN: PENN T

2 0 54065 0 00 0134+01 026527 FT
PAWLING STATION RD
(T462) 0130/0000

MULLS RD
(T460) 0110/0642

023508 FT

021206 FT

	0130/0390	OVERPASS	IS RR X-ING
	0130/0336	BMSFN 54/2009/0130/0325	2 0 54065 0 00 0133+95
	0130/0325	T.MIDDLE CK.	BMSBG 54/2009/0130/0325
	0130/0020	036 "DIA CIR PLASTIC	LEN=0037 INSTALLED 2001
	0130/0000	LENGTH(AH 1404 BK 3019)	018 "DIA CIRC METAL
	0120/2500	LEN=0028 INSTALLED 2021	048 "DIA CIRC METAL
	0120/1980	LEN=0030 INSTALLED UNKN	024 "DIA CIR PLASTIC
	0120/1595	LEN=0038 INSTALLED 1999	018 "DIA CIR PLASTIC
	0120/0790	LEN=0038 INSTALLED UNKN	023508 FT 2 0 54065 0 00 0104+39
	0120/0000	LENGTH(AH 3019 BK 2302)	018 "DIA CIRC METAL
	0110/2035	LEN=0037 INSTALLED 2021	018 "DIA CIRC METAL
	0110/1803	LEN=0045 INSTALLED 1999	018 "DIA CIRC METAL
	0110/1215	LEN=0026 INSTALLED 2021	018 "DIA CIR PLASTIC
	0110/0910	LEN=0030 INSTALLED UNKN	018 "DIA CIR PLASTIC
	0110/0315	LEN=0036 INSTALLED 1999	018 "DIA CIR PLASTIC
	0110/0253	LEN=0040 INSTALLED 2021	BMSFN 54/2009/0110/0066
	0110/0083	0 0 00000 0 00 0000+00	T.MIDDLE CK
	0110/0066	BMSBG 54/2009/0110/0066	2 0 54065 0 00 0081+80
	021206 FT	PINEBROOK RD	(T404)
	0110/0000	LENGTH(AH 2302 BK 3108)	018 "DIA CIR PLASTIC
	0100/2625	LEN=0040 INSTALLED 2021	018 "DIA CIR PLASTIC
	0100/2380	LEN=0040 INSTALLED 2011	018 "DIA CIRC METAL
	0100/2110	LEN=0034 INSTALLED UNKN	

DIR: B TOTAL LEN: 5.290 MI. DIST: 03-5 SR: 2009
 LEFT MUN: PENN T RIGHT MUN: PENN T

	0100/1890	018 " DIA CIR PLASTIC LEN=0034 INSTALLED 2011 KUSTER RD
	0100/1839	(T403)
	0100/1195	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2011
	0100/0860	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1999
018098 FT	018098 FT	2 0 54065 0 00 0050+44
	0100/0000	LENGTH(AH 3108 BK 2490)
	0090/1820	018 " DIA CIRC METAL LEN=0034 INSTALLED UNKN
	0090/1220	042 " DIA CIR PLASTIC LEN=0036 INSTALLED 1999
	0090/0948	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1999
	0090/0593	018 " DIA CIR PLASTIC LEN=0030 INSTALLED 2011
	0090/0015	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2021
015608 FT	015608 FT	2 0 54065 0 00 0025+42
	0090/0000	LENGTH(AH 2490 BK 2503)
	0080/2205	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1999
	0080/1997	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 2011
	0080/1845	045 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0080/1450	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2011
	0080/0800	024 " DIA CIR PLASTIC LEN=0040 INSTALLED 2011
	0080/0640	018 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
	0080/0505	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2011
	0080/0260	018 " DIA CIRC METAL LEN=0040 INSTALLED 2011
013105 FT	013105 FT	2 0 54065 0 00 0000+00
		CLIFFORD RD
		(SR2011 SEG 0010/0000)
		MFC BEGIN = E
	0080/0000	LENGTH(AH 2503 BK 0986)
		064"H 54"W CONCR ARCH
	0070/0920	LEN=0024 INSTALLED UNKN

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 185
COUNTY: SNYDER

DIR: B
LEFT MUN: PENN T

TOTAL LEN: 5.290 MI.

DIST: 03-5
RIGHT MUN: PENN T

SR: 2009


Stationing	Length	Material	Notes
012119 FT	0070/0320	014"H 22"W ELLIP METAL	LEN=0034 INSTALLED UNKN
	0070/0215	024"DIA CIR PLASTIC	LEN=0060 INSTALLED 2011
	012119 FT	2 0 54041 0 00 0000+00	SR 0035 SH (SR0035 SEG 0290/0140)
	0070/0000	MFC BEGIN = D	LENGTH(AH 0986 BK 2319)
	0060/2300	018"DIA CIRC CONCR	LEN=0047 INSTALLED UNKN
	0060/2215	018"DIA CIRC METAL	LEN=0023 INSTALLED UNKN
	0060/1875	018"DIA CIR PLASTIC	LEN=0040 INSTALLED 2011
	0060/1460	018"DIA CIR PLASTIC	LEN=0028 INSTALLED UNKN
009800 FT	0060/0540	018"DIA CIR PLASTIC	LEN=0040 INSTALLED 2011
	0060/0215	014"H 21"W ELLIP METAL	LEN=0028 INSTALLED 2003
	009800 FT	2 0 54051 0 01 0027+69	VILLAGE: KANTZ
	0060/0000	LENGTH(AH 2319 BK 2500)	018"DIA CIR PLASTIC
	0050/2050	018"DIA CIR PLASTIC	LEN=0040 INSTALLED 2011
	0050/2005	018"DIA CIR PLASTIC	LEN=0030 INSTALLED 2011
	0050/1640	018"DIA CIR PLASTIC	LEN=0040 INSTALLED 2011
	0050/0895	018"DIA CIR PLASTIC	LEN=0038 INSTALLED 2003
	0050/0660	050"H 75"W ELLIP METAL	LEN=0082 INSTALLED UNKN
	0050/0495	BAKE OVEN HILL RD	(T389)
007300 FT	0050/0000	LENGTH(AH 2500 BK 1619)	018"DIA CIR PLASTIC
BAKE OVEN HILL RD (T389)	0040/1465	018"DIA CIR PLASTIC	LEN=0050 INSTALLED 2002
	0040/1155	018"DIA CIR PLASTIC	LEN=0034 INSTALLED 2002
	0040/0845	018"DIA CIRC CONCR	LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 5.290 MI. DIST: 03-5 SR: 2009
 LEFT MUN: PENN T RIGHT MUN: PENN T

Stationing	Description	Material / Details
005681 FT		
0040/0000	2 0 54021 0 01 0029+90	LENGTH(AH 1619 BK 2953)
0030/2035	024 " DIA CIR PLASTIC	LEN=0030 INSTALLED 2011
0030/1810	018 " DIA CIR PLASTIC	LEN=0040 INSTALLED 2011
0030/0555	018 " DIA CIRC METAL	LEN=0035 INSTALLED 2011
0030/0353	HIDDEN VALLEY RD (T501)	
002728 FT	0030/0164	BMS EN 54/2009/0030/0000 PENN UNION T
002728 FT	0030/0072	2 0 54021 0 01 0059+43 MIDDLE CREEK
0030/0000	BMSBG 54/2009/0030/0000	LENGTH(AH 2953 BK 1132)
0020/0830	024 " DIA CIR PLASTIC	LEN=0054 INSTALLED 2011
0020/0545	024 " DIA CIR PLASTIC	LEN=0037 INSTALLED 2002
0020/0330	018 " DIA CIR PLASTIC	LEN=0038 INSTALLED UNKN
0020/0315	LC FOR DAM HILL RD (CONN)	
001596 FT	0020/0210	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2011
001596 FT	0020/0000	LENGTH(AH 1132 BK 1596)
0010/1415	018 " DIA CIR PLASTIC	LEN=0030 INSTALLED 2011
0010/1140	018 " DIA CIR PLASTIC	LEN=0037 INSTALLED 2002
0010/0965	018 " DIA CIR PLASTIC	LEN=0027 INSTALLED 2011
0010/0555	018 " DIA CIR PLASTIC	LEN=0045 INSTALLED 2011
000000 FT	000000 FT	2 0 54021 0 02 0090+38 MIDDLE CREEK RD MARKET ST (SR2017 SEG 0010/1709) MFC BEGIN = E
	0010/0000	LENGTH(AH 1596 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 183
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 3.350 MI. DIST: 03-5 SR: 2008
 LEFT MUN: UNION T RIGHT MUN: UNION T

017688 FT



017688 FT
 INTER-AHD PRODUCE RD
 (SR2007 SEG 0070/1222)
 PRODUCE RD
 0080/1866 (SR2007 SEG 0070/1222)
 0080/1187 018 " DIA CIR PLASTIC
 LEN=0035 INSTALLED 2012
 018 " DIA CIR PLASTIC
 0080/0782 LEN=0045 INSTALLED 2012
 038 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.350 MI. DIST: 03-5 SR: 2008
 LEFT MUN: UNION T RIGHT MUN: UNION T

LITTLETOWN RD
 (T414)
 LC FOR LITTLETOWN RD
 (CONN)

LITTLETOWN RD
 (T414)

015822 FT

0070/2313

0070/2062

013392 FT

011269 FT

0050/1359

009681 FT

---	0080/0401	LEN=0040	INSTALLED	2007
---	015822 FT	2 0 54050	0 01	0160+00
---	5 0080/0000	LENGTH(AH	1866	BK 2430)
==				
---	0070/2028	038 "DIA	CIR PLASTIC	
---		LEN=0060	INSTALLED	1997
---	0070/1069	018 "DIA	CIRC CONCR	
---		LEN=0070	INSTALLED	1997
---	0070/0371	036 "DIA	CIR PLASTIC	
---	013392 FT	LEN=0060	INSTALLED	2012
---		2 0 54050	0 00	0134+15
---		BUTTERCUP RD		
---		(T438)		
==	5 0070/0000	LENGTH(AH	2430	BK 2123)
---	0060/2123	018 "DIA	CIRC CONCR	
---		LEN=0055	INSTALLED	1997
---	0060/1816	018 "DIA	CIRC CONCR	
---		LEN=0053	INSTALLED	1997
---	0060/0927	018 "DIA	CIRC CONCR	
---		LEN=0050	INSTALLED	1997
---	0060/0209	018 "DIA	CIRC CONCR	
---	011269 FT	LEN=0054	INSTALLED	1997
---		2 0 54050	0 00	0113+00
---		CROSS RD		
---		(T438)		
==	5 0060/0000	LENGTH(AH	2123	BK 1588)
==				
---	0050/1327	BMS EN 54/2008/0050/1316		
---		2 0 54050	0 00	0110+15
---		T. SUSQ. RIV.		
---	0050/1316	BMSBG 54/2008/0050/1316		
---		018 "DIA	CIRC CONCR	
---	0050/0728	LEN=0064	INSTALLED	1997
---	009681 FT	2 0 54050	0 00	0097+10
---	5 0050/0000	LENGTH(AH	1588	BK 2358)
---		UNION		
---	0040/2200	WASHINGTON T		
---		018 "DIA	CIR PLASTIC	
---	0040/2154	LEN=0060	INSTALLED	2007

DIR: B TOTAL LEN: 3.350 MI. DIST: 03-5 SR: 2008
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

ROWNZY RD
 (T405)

MARTIN BROTHERS RD
 (SR2006 SEG 0060/0208) 0010/0000

007323 FT
 0040/0000

004902 FT

002470 FT


000000 FT

0040/0875	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
0040/0027	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2012
007323 FT	2 0 54050 0 00 0073+56
0040/0000	VILLAGE: LITTLETOWN LENGTH(AH 2358 BK 2421)
0030/1033	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2013
004902 FT	2 0 54050 0 00 0049+15
0030/0000	STAHL HILL RD (T403) LENGTH(AH 2421 BK 2432)
0020/1720	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
0020/1012	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2015
0020/0405	030 "DIA CIR PLASTIC LEN=0043 INSTALLED 2015
0020/0144	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
002470 FT	2 0 54050 0 00 0024+76
0020/0000	LENGTH(AH 2432 BK 2470)
0010/2375	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2013
0010/1956	042 "DIA CIR PLASTIC LEN=0040 INSTALLED 2008
0010/0964	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
000000 FT	2 0 54050 0 00 0000+00
0010/0000	MARTIN BROTHERS RD (SR2006 SEG 0060/0208) NC LEN NIG RD MFC BEGIN = E LENGTH(AH 2470 BK 0000)

DIR: B TOTAL LEN: 6.683 MI. DIST: 03-5 SR: 2007
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

FLINT VALLEY RD
 (T369)

035287 FT




035287 FT SR 0035 SH
 0160/1913 (SR0035 SEG 0280/0000)
 0160/1351 BMSSEN 54/2007/0160/1293
 2 0 54014 0 01 0350+09
 FREEBURG RUN
 0160/1293 BMSBG 54/2007/0160/1293

0160/0204



033374 FT



0160/0025 018 "DIA CIR PLASTIC
 033374 FT LEN=0030 INSTALLED UNKN
 0160/0000 2 0 54014 0 01 0337+09
 LENGTH(AH 1913 BK 1385)
 0150/1356 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2021


031989 FT



0150/0582 018 "DIA CIR PLASTIC
 0150/0019 LEN=0028 INSTALLED UNKN
 031989 FT BMSSEN 54/2007/0150/0000
 2 0 54014 0 01 0323+18
 T.MIDDLE CR.
 0150/0000 BMSBG 54/2007/0150/0000
 LENGTH(AH 1385 BK 2223)

0140/1624 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 1998
 0140/1207 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED 2021

029766 FT



029766 FT 2 0 54014 0 01 0300+83
 T.MIDDLE CR.
 STRUCTURE LENGTH 16 FT
 BMSID 54/2007/0140/0000
 0140/0000 LENGTH(AH 2223 BK 1738)
 0130/1411 018 "DIA CIR PLASTIC
 LEN=0050 INSTALLED 1998
 INCH HILL RD
 0130/1331 (T452)
 0130/1275 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 0130/1256 018 "DIA CIR PLASTIC
 LEN=0055 INSTALLED 2019
 0130/1084 018 "DIA CIR PLASTIC
 LEN=0031 INSTALLED UNKN
 0130/0453 024 "DIA CIR PLASTIC
 LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 6.683 MI. DIST: 03-5 SR: 2007
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

Stationing	Description	Material	Length	Notes
028028 FT	0130/0335	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2019
	028028 FT	2 0 54014 0 01 0283+78		
	0130/0000	LENGTH(AH 1738 BK 2830)		
	0120/2348	024" DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
	0120/1592	024" DIA CIRC CONCR	LEN=0053	INSTALLED UNKN
	0120/1354	018" DIA CIRC CONCR	LEN=0033	INSTALLED UNKN
	0120/0862	018" DIA CIRC CONCR	LEN=0033	INSTALLED UNKN
	0120/0297	048" DIA CIRC CONCR	LEN=0082	INSTALLED UNKN
	0120/0013	018" DIA CIR PLASTIC	LEN=0060	INSTALLED 2021
2 0 54014 0 00 0253+28 025198 FT	025198 FT			
NEITZ VALLEY RD				
(SR2010 SEG 0060/2332) 0120/0000	0120/0000	LENGTH(AH 2830 BK 2270)		
	0110/2081	036" DIA CIRC CONCR	LEN=0046	INSTALLED UNKN
	0110/1502	018" DIA CIRC CONCR	LEN=0046	INSTALLED UNKN
	0110/1169	018" DIA CIRC CONCR	LEN=0037	INSTALLED UNKN
	0110/0747	018" DIA CIRC CONCR	LEN=0046	INSTALLED UNKN
	0110/0547	018" DIA CIRC CONCR	LEN=0052	INSTALLED UNKN
	0110/0272	018" DIA CIRC CONCR	LEN=0046	INSTALLED UNKN
	0110/0101	018" DIA CIRC CONCR	LEN=0067	INSTALLED UNKN
022928 FT	022928 FT	2 0 54014 0 00 0230+40		
	0110/0000	LENGTH(AH 2270 BK 1814)		
	0100/1619	015" DIA CIR PLASTIC	LEN=0052	INSTALLED UNKN
	0100/1214	024" DIA CIRC CONCR	LEN=0047	INSTALLED 2005
	0100/0829	WASHINGTON UNION T		
	0100/0340	018" DIA CIRC CONCR	LEN=0037	INSTALLED UNKN
	0100/0030	018" DIA CIRC CONCR	LEN=0072	INSTALLED UNKN
021114 FT	021114 FT	2 0 54014 0 00 0211+88		
	0100/0000	AQUEDUCT RD (T381)	LENGTH(AH 1814 BK 2496)	

DIR: B TOTAL LEN: 6.683 MI. DIST: 03-5 SR: 2007
 LEFT MUN: UNION T RIGHT MUN: UNION T

Stationing	Material	Length	Notes
0090/2281	024 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0090/2195	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0090/2067	018 " DIA CIRC CONCR	LEN=0035	INSTALLED UNKN
0090/1652	018 " DIA CIRC CONCR	LEN=0029	INSTALLED UNKN
0090/1351	018 " DIA CIR PLASTIC	LEN=0050	INSTALLED 2001
0090/0652	024 " DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
0090/0525	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2019
0090/0350	018 " DIA CIR PLASTIC	LEN=0080	INSTALLED 2019
018618 FT	2 0 54014 0 00 0186+77		VERDILLA RD (T460)
0090/0000	MFC BEGIN = D	LENGTH(AH 2496 BK 1737)	
0080/1415	024 " DIA CIRC CONCR	LEN=0026	INSTALLED UNKN
0080/0802	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2019
016881 FT	2 0 54014 0 00 0169+50		
0080/0000	024 " DIA CIR PLASTIC	LEN=0056	INSTALLED 2001
	LENGTH(AH 1737 BK 2902)		
0070/2240	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2018
0070/2012	018 " DIA CIR PLASTIC	LEN=0030	INSTALLED 1998
0070/1557	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2018
0070/1248	BMSSEN 54/2007/0070/1238		
	2 0 54014 0 00 0152+70		
0070/1238	BRANCH OF SILVER CREEK		
	BMSBG 54/2007/0070/1238		
0070/1188	018 " DIA CIR PLASTIC	LEN=0050	INSTALLED 2018
0070/0902	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2018
	018 " DIA CIR PLASTIC		

GARDEN RD (T371)

LENIG RD (SR2008 SEG 0080/1866) 0070/1222

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 177
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.683 MI.
LEFT MUN: UNION T

DIST: 03-5 SR: 2007
RIGHT MUN: UNION T

Stationing	Notes	Length	Material	Year
013979 FT		0070/0326	LEN=0040	INSTALLED 2018
		013979 FT	2 0 54014 0 00 0140+33	
		0070/0000	LENGTH(AH 2902 BK 2554)	
		024 "DIA	CIR PLASTIC	
		0060/2351	LEN=0050	INSTALLED 2001
		018 "DIA	CIR PLASTIC	
		0060/1822	LEN=0030	INSTALLED 2005
		018 "DIA	CIR PLASTIC	
		0060/1604	LEN=0037	INSTALLED 2005
		018 "DIA	CIR PLASTIC	
		0060/1266	LEN=0036	INSTALLED UNKN
		018 "DIA	CIR PLASTIC	
		0060/0888	LEN=0040	INSTALLED 2005
		018 "DIA	CIR PLASTIC	
		0060/0624	LEN=0040	INSTALLED 2018
		0060/0022	BMS EN 54/2007/0060/0000	
011425 FT		011425 FT	2 0 54014 0 00 0114+60	
			SILVER CREEK	
		0060/0000	BMSBG 54/2007/0060/0000	
			LENGTH(AH 2554 BK 1903)	
		0050/1802	(T438)	
		018 "DIA	CIR PLASTIC	
		0050/1785	LEN=0060	INSTALLED 2018
		018 "DIA	CIR PLASTIC	
		0050/1253	LEN=0032	INSTALLED 2005
		018 "DIA	CIR PLASTIC	
		0050/0838	LEN=0040	INSTALLED 2018
		018 "DIA	CIR PLASTIC	
		0050/0310	LEN=0032	INSTALLED 2005
		009522 FT		
2 0 54014 0 00 0095+35		009522 FT		
BUTTERCUP RD				
(T438)		0050/0000	LENGTH(AH 1903 BK 1443)	
		018 "DIA	CIR PLASTIC	
		0040/1416	LEN=0060	INSTALLED 2018
		018 "DIA	CIR PLASTIC	
		0040/1210	LEN=0040	INSTALLED 2018
		024 "DIA	CIR PLASTIC	
		0040/0724	LEN=0036	INSTALLED 1998
		018 "DIA	CIR PLASTIC	
		0040/0258	LEN=0040	INSTALLED 1998
		024 "DIA	CIR PLASTIC	
		0040/0188	LEN=0040	INSTALLED 2012
008079 FT		008079 FT	2 0 54014 0 00 0080+92	
		0040/0000	LENGTH(AH 1443 BK 2541)	
		018 "DIA	CIR PLASTIC	
		0030/2509	LEN=0050	INSTALLED 1998
		024 "DIA	CIR PLASTIC	
		0030/2185	LEN=0040	INSTALLED 1998

DIR: B TOTAL LEN: 6.683 MI. DIST: 03-5 SR: 2007
 LEFT MUN: UNION T RIGHT MUN: UNION T

MELON RD
(T357)

Segment ID	Length	Material	Installation
0030/1648		018 " DIA CIR PLASTIC	INSTALLED 2012
0030/0913		018 " DIA CIR PLASTIC	INSTALLED 2012
0030/0877		018 " DIA CIR PLASTIC	INSTALLED 2018
0030/0779		ACORN RD (T357)	
0030/0399		024 " DIA CIR PLASTIC	INSTALLED 2012
005538 FT		2 0 54014 0 00 0055+52	
0030/0000		LENGTH(AH 2541 BK 2713)	
0020/2194		018 " DIA CIR PLASTIC	INSTALLED 2018
0020/0619		018 " DIA CIR PLASTIC	INSTALLED UNKN
0020/0054		018 " DIA CIR PLASTIC	INSTALLED 2018
002825 FT		2 0 54014 0 00 0028+40	
0020/0000		PEFFER VALLEY RD (T432)	
0010/2774		LENGTH(AH 2713 BK 2825)	
0010/2599		HERROLD CHURCH RD (T335)	
0010/2243		018 " DIA CIR PLASTIC	INSTALLED 2018
0010/2150		018 " DIA CIR PLASTIC	INSTALLED 2018
0010/1408		018 " DIA CIR PLASTIC	INSTALLED 2018
0010/0936		018 " DIA CIR PLASTIC	INSTALLED 2001
0010/0746		036 " DIA CIR PLASTIC	INSTALLED 2001
0010/0392		018 " DIA CIR PLASTIC	INSTALLED 2018
000000 FT		2 0 54014 0 00 0000+00	
0010/0000		NC PR	
0010/0000		CHAPMAN HOLLOW RD (SR2006 SEG 0130/0000)	
0010/0000		MFC BEGIN = E	
0010/0000		LENGTH(AH 2825 BK 0000)	


NORTH MAIN ST
(T462)

034146 FT

033817 FT

033817 FT

0160/1770



034146 FT MARINE CORPS LEAG MEM H

0170/0329 (SR0011 SEG 0101/0061)

033817 FT (SR0011 SEG 0100/0062)

2 0 54007 0 02 0603+32

SOUTH MAIN ST

(T463)

INTER-BK SOUTH MAIN ST

(T463)

0170/0000 LTH AH 000329 BK 000100

033817 FT 7164/0000 LTH AH 000100 BK 001770

0160/1770 INTER-AHD SOUTH MAIN ST

(T463)

0160/0906 018 "DIA CIR PLASTIC

LEN=0035 INSTALLED 1997

0160/0788 018 "DIA CIR PLASTIC

LEN=0035 INSTALLED 1997

0160/0400 018 "DIA CIR PLASTIC

LEN=0035 INSTALLED 2013

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 174
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.467 MI.
LEFT MUN: UNION T

DIST: 03-5 SR: 2006
RIGHT MUN: UNION T

Stationing	Description	Material	Length	Year
032047 FT	0160/0015	024" DIA CIR PLASTIC	LEN=0036	INSTALLED 2011
	032047 FT	2 0 54007 0 02 0585+63		
	0160/0000	LENGTH(AH 1770 BK 2808)		
	0150/2432	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 1997
	0150/1995	015"H 21"W ELLIP METAL	LEN=0056	INSTALLED UNKN
	0150/1368	021"H 28"W ELLIP METAL	LEN=0052	INSTALLED UNKN
	0150/1064	015"H 21"W ELLIP METAL	LEN=0033	INSTALLED UNKN
029239 FT	0150/0439	030" DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
	029239 FT	2 0 54007 0 02 0557+56		
	0150/0000	LENGTH(AH 2808 BK 3724)		
	0140/3705	072"H 48"W CONCR ARCH	LEN=0027	INSTALLED UNKN
	0140/2882	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2013
	0140/2600	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2013
	0140/2122	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
	0140/1797	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
	0140/1333	018" DIA CIR PLASTIC	LEN=0038	INSTALLED 2013
	0140/1097	021"H 28"W ELLIP METAL	LEN=0035	INSTALLED UNKN
	0140/0740	018" DIA CIR PLASTIC	LEN=0038	INSTALLED 2013
2 0 54007 0 02 0520+34 025515 FT	0140/0110	057"H 38"W ELLIP METAL	LEN=0048	INSTALLED 1997
HERROLD CHURCH RD	025515 FT	STAHL HILL RD		
(T335) 0140/0000	0140/0000	(T336)		
	0130/1242	LENGTH(AH 3724 BK 1271)		
	0130/0750	018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
	0130/0390	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2013
	0130/0028	018" DIA CIRC CONCR	LEN=0034	INSTALLED UNKN
2 0 54007 0 02 0507+70 024244 FT	024244 FT	036" DIA CIR PLASTIC	LEN=0040	INSTALLED 2013

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 173
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.467 MI.
LEFT MUN: UNION T

DIST: 03-5 SR: 2006
RIGHT MUN: UNION T

PRODUCE RD
(SR2007 SEG 0010/0000) 0130/0000

KERSTETTER RIDGE RD
(T412)


0120/0113
021341 FT

021341 FT

021324 FT

021324 FT

021324 FT



0130/0000	LENGTH(AH 1271 BK 2903)
0120/2819	015"H 21"W ELLIP METAL
0120/2464	LEN=0040 INSTALLED UNKN
0120/2092	018" DIA CIR PLASTIC
0120/1827	LEN=0055 INSTALLED 2013
0120/1522	036" DIA CIRC CONCR
0120/1363	LEN=0036 INSTALLED UNKN
0120/0453	018" DIA CIR PLASTIC
0120/0193	LEN=0040 INSTALLED 2013
021341 FT	018" DIA CIR PLASTIC
021341 FT	LEN=0035 INSTALLED 2013
021341 FT	018" DIA CIR PLASTIC
021341 FT	LEN=0050 INSTALLED 2013
021341 FT	2 0 54007 0 02 0478+54
021341 FT	TRIB TO CHAPMAN CREEK
021341 FT	STRUCTURE LENGTH 11 FT
021341 FT	BMSID 54/2006/0120/0000
021341 FT	INTER-BK CHAPMAN HOLLOW RD
021341 FT	(T807)
021341 FT	0120/0000 LENGTH(AH 2903 BK 1536)
021341 FT	021341 FT
021341 FT	7112/0000 LENGTH(AH 1536 BK 0017)
021341 FT	BMSID 54/2006/0110/0000
021341 FT	INTER-AHD CHAPMAN HOLLOW RD
021341 FT	0110/0017 (T807)
021341 FT	021324 FT
021341 FT	2 0 54007 0 01 0462+42
021341 FT	NC CHAPMAN HOLLOW RD
021341 FT	INTER-BK CHAPMAN HOLLOW RD
021341 FT	(T807)
021341 FT	TRIB CHAPMAN CREEK
021341 FT	BMSBG 54/2006/0110/0000
021341 FT	MFC BEGIN = D
021341 FT	0110/0000 LENGTH(AH 0017 BK 1816)
021341 FT	021324 FT
021341 FT	7100/0000 LENGTH(AH 1816 BK 3223)
021341 FT	021324 FT
021341 FT	7090/0000 LENGTH(AH 3223 BK 3462)
021341 FT	INTER-AHD CHAPMAN HOLLOW RD
021341 FT	(T807)
021341 FT	CHAPMAN HOLLOW RD
021341 FT	(T807)

DIR: B TOTAL LEN: 6.467 MI. DIST: 03-5 SR: 2006
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

---	0080/3462	CHAPMAN T
---	0080/3375	018 " DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
---	0080/3182	036"H 00"W MULT PLSTIC LEN=0100 INSTALLED 2019 DRAINAGE STRUCTURE LENGTH 11 FT
---	0080/2830	BMSID 54/2006/0080/3182 018 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
---	0080/2169	018 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
---	0080/1802	CHAPMAN WASHINGTON T
---	0080/1324	060 " DIA CIR PLASTIC LEN=0040 INSTALLED 2022
---	0080/0688	018 " DIA CIR PLASTIC LEN=0032 INSTALLED 2012
---	0080/0218	038"H 57"W ELLIP METAL LEN=0040 INSTALLED UNKN
==	0080/0000	LENGTH(AH 3462 BK 3346) 018 " DIA CIR PLASTIC
---	0070/2787	LEN=0050 INSTALLED UNKN STAUFFER RD
==	0070/2785	(T388)
---	0070/2537	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2005
---	0070/1919	024 " DIA CIR PLASTIC LEN=0030 INSTALLED 2005
---	0070/1292	018 " DIA CIRC METAL LEN=0034 INSTALLED UNKN
---	0070/0253	024 " DIA CIR PLASTIC LEN=0030 INSTALLED 2005
---	014516 FT	2 0 54060 0 00 0067+87 HOFFER RD (SR2004 SEG 0030/1959) NC ST EFFEN VALLEY RD MFC BEGIN = E
---	0070/0000	LENGTH(AH 3346 BK 2698) 018 " DIA CIRC CONCR
---	0060/2657	LEN=0050 INSTALLED UNKN 015"H 21"W ELLIP METAL

2 0 54060 0 00 0034+43 017862 FT
 STAHL HILL RD
 (T403) 0080/0000

014516 FT

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 171
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.467 MI.
LEFT MUN: WASHINGTON T

DIST: 03-5 SR: 2006
RIGHT MUN: WASHINGTON T

LENIG RD
(SR2008 SEG 0010/0000) 0060/0208
2 0 54007 0 00 0284+60 011818 FT
EBENEZER CHURCH RD
(SR2003 SEG 0010/0000) 0060/0000

0060/2080	LEN=0035	INSTALLED UNKN
0060/1699	BMS EN 54/2006/0060/1688	
	2 0 54007 0 00 0301+36	
	TRIB N BR MAHANTANGO CR	
0060/1688	BMSBG 54/2006/0060/1688	
	018 " DIA CIRC CONCR	
0060/0533	LEN=0036	INSTALLED UNKN
	011818 FT	
0060/0000	LENGTH(AH 2698 BK 1756)	
	THARP RD	
	(T404)	
0050/1710	SPRING CREEK	
	STRUCTURE LENGTH 14 FT	
0050/1575	BMSID 54/2006/0050/1575	
	024 " DIA CIR PLASTIC	
0050/0767	LEN=0040	INSTALLED 2012
	010062 FT	
0050/0000	2 0 54011 0 00 0100+53	
	LENGTH(AH 1756 BK 2585)	
0040/2396	024 " DIA CIRC METAL	
	LEN=0044	INSTALLED UNKN
0040/2333	024 " DIA CIR PLASTIC	
	LEN=0058	INSTALLED UNKN
0040/2127	024 " DIA CIR PLASTIC	
	LEN=0032	INSTALLED 2012
0040/1937	024 " DIA CIR PLASTIC	
	LEN=0035	INSTALLED 2012
0040/1647	024 " DIA CIR PLASTIC	
	LEN=0040	INSTALLED 1998
0040/1142	024 " DIA CIR PLASTIC	
	LEN=0032	INSTALLED 2012
0040/0871	018 " DIA CIR PLASTIC	
	LEN=0040	INSTALLED 1998
0040/0581	018 " DIA CIRC METAL	
	LEN=0042	INSTALLED UNKN
0040/0073	030 " DIA CIR PLASTIC	
	LEN=0042	INSTALLED UNKN
0040/0008	024 " DIA CIR PLASTIC	
	LEN=0040	INSTALLED 1998
007477 FT	2 0 54011 0 00 0074+69	
0040/0000	LENGTH(AH 2585 BK 2292)	
	024 " DIA CIRC METAL	
0030/1417	LEN=0034	INSTALLED UNKN

010062 FT

007477 FT

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 170
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.467 MI.
LEFT MUN: WASHINGTON T

DIST: 03-5 SR: 2006
RIGHT MUN: WASHINGTON T

Stationing	Description	Material	Length	Year
005185 FT	0030/1212	018" DIA CIR PLASTIC	LEN=0036	2012
	0030/0956	024" DIA CIR PLASTIC	LEN=0050	2001
	0030/0469	ORCHARD HILL RD (T382)		
	0030/0022	018" DIA CIR PLASTIC	LEN=0032	2012
	005185 FT	2 0 54011 0 00 0051+78		
	0030/0000	WASHINGTON PERRY T		
	0020/2284	LENGTH(AH 2292 BK 2670) 018" DIA CIRC METAL	LEN=0036	UNKN
	0020/1837	030" DIA CIR PLASTIC	LEN=0055	2001
	0020/1338	024" DIA CIRC CONCR	LEN=0034	UNKN
	0020/0685	018" DIA CIR PLASTIC	LEN=0034	2012
	0020/0613	018" H 31" W ELLIP METAL	LEN=0038	UNKN
002515 FT	0020/0401	018" DIA CIR PLASTIC	LEN=0034	UNKN
	002515 FT	2 0 54011 0 00 0025+18		
	0020/0000	LENGTH(AH 2670 BK 2515) 018" DIA CIR PLASTIC	LEN=0038	1998
	0010/2485	018" DIA CIR PLASTIC	LEN=0038	2012
	0010/2238	018" DIA CIR PLASTIC	LEN=0038	UNKN
	0010/1975	018" DIA CIR PLASTIC	LEN=0038	UNKN
	0010/1575	TRIB NO BR MAHANTANGO C STRUCTURE LENGTH 11 FT	BMSID 54/2006/0010/1575	
	0010/1420	018" DIA CIRC METAL	LEN=0038	UNKN
	0010/0798	018" DIA CIRC METAL	LEN=0038	UNKN
000000 FT	0010/0134	018" DIA CIR PLASTIC	LEN=0038	2013
	000000 FT	2 0 54011 0 00 0000+00		
		NC MA RTIN BROTHERS RD		
		SR 0104 SH (SR0104 SEG 0120/0508)		
		MFC BEGIN = D		
	0010/0000	LENGTH(AH 2515 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 169
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .000 MI. DIST: 03-5 SR: 2005
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

000000 FT
 000000 FT
 000000 FT



000000 FT
 7030/0000 LENGTH(AH 0100 BK 0100)
 000000 FT
 7020/0000 LENGTH(AH 0100 BK 0100)
 000000 FT
 7010/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 168
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: 1.097 MI. DIST: 03-5 SR: 2004
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

005792 FT



005792 FT
INTER-AHD MARTIN BROTHERS RD
(SR2006 SEG 0070/0000)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 167
COUNTY: SNYDER

DIR: B TOTAL LEN: 1.097 MI.
LEFT MUN: WASHINGTON T

DIST: 03-5 SR: 2004
RIGHT MUN: WASHINGTON T

2 0 54007 0 00 0331+54 003833 FT
ORCHARD HILL RD
(T380) 0030/0000

001341 FT


TROUP VALLEY RD
(SR3004 SEG 0160/1981) 0010/0846

000000 FT

HOFFER RD
(SR2001 SEG 0130/0000) 0010/0000

0030/1959	STEFFEN VALLEY RD
0030/1576	(SR2006 SEG 0070/0000)
	BMSSEN 54/2004/0030/1543
	0 0 00000 0 00 0000+00
	T. MAHANTANGO
0030/1543	BMSBG 54/2004/0030/1543
	018 " DIA CIRC CONCR
0030/1232	LEN=0040 INSTALLED 2000
	018 " DIA CIRC CONCR
0030/0960	LEN=0038 INSTALLED 2000
	048 " DIA CIRC CONCR
0030/0436	LEN=0040 INSTALLED 2000
	024 " DIA CIRC CONCR
0030/0130	LEN=0045 INSTALLED 2000
	015 "H 20 "W ELLIP METAL
0030/0012	LEN=0045 INSTALLED 2000
003833 FT	
5 0030/0000	LENGTH(AH 1959 BK 2492)
	018 " DIA CIR PLASTIC
0020/2028	LEN=0033 INSTALLED 2019
	018 " DIA CIRC CONCR
0020/1044	LEN=0038 INSTALLED 2000
	015 "H 22 "W ELLIP METAL
0020/0501	LEN=0032 INSTALLED 2000
0020/0023	BMSSEN 54/2004/0020/0000
001341 FT	2 0 54007 0 01 0357+21
	T. MAHANTANGO
5 0020/0000	BMSBG 54/2004/0020/0000
	LENGTH(AH 2492 BK 1341)
	STAUFFER RD
0010/1161	(T388)
	015 " DIA CIRC METAL
0010/0989	LEN=0035 INSTALLED 2000
	018 " DIA CIRC CONCR
0010/0763	LEN=0050 INSTALLED 2000
	015 "H 20 "W ELLIP METAL
0010/0503	LEN=0035 INSTALLED 2000
	018 " DIA CIR PLASTIC
0010/0160	LEN=0040 INSTALLED UNKN
000000 FT	2 0 54007 0 01 0371+10
	NC HOFFER RD
	INTER-BK CHAPMAN HILL RD
	(SR2001 SEG 0130/0000)
	MFC BEGIN = D
5 0010/0000	LENGTH(AH 1341 BK 0000)

018780 FT



017895 FT

016625 FT

018780 FT MARKET ST
 0090/0885 (SR0035 SEG 0240/0000)
 BORO AL
 0090/0688 (BORO)
 014"H 21"W BOX CULVRT*
 0090/0505 LEN=0021 INSTALLED UNKN
 FRONT ST
 0090/0484 (BORO)
 017895 FT 2 0 54 017 0 00 0115+10
 NC SOUTH ST
 FREEBURG
 WASHINGTON T
 0090/0000 LENGTH(AH 0885 BK 1270)
 0080/1069 BMSSEN 54/2003/0080/1027
 0 0 00000 0 00 0000+00
 SUSQUEHECKA CREEK
 0080/1027 BMSBG 54/2003/0080/1027
 018 " DIA CIR PLASTIC
 0080/0473 LEN=0036 INSTALLED 2005
 016625 FT 2 0 54 017 0 00 0102+30
 0080/0000 LENGTH(AH 1270 BK 2933)
 018 " DIA CIR PLASTIC
 0070/2675 LEN=0038 INSTALLED 2005
 018 " DIA CIR PLASTIC
 0070/2450 LEN=0030 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0070/2245 LEN=0046 INSTALLED 2005
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.557 MI. DIST: 03-5 SR: 2003
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

	0070/1925	LEN=0036	INSTALLED	1998
	0070/0890	018 "DIA	CIR PLASTIC	LEN=0038 INSTALLED 1998
	0070/0455	018 "DIA	CIR PLASTIC	LEN=0040 INSTALLED 1998
013692 FT	013692 FT	2 0 54017	0 00 0072+68	
		FLINT VALLEY RD (T369)		
	0070/0000	NC RE	SERVOIR HILL RD	LENGTH(AH 2933 BK 2231)
	0060/1971		SHAFFER HILL RD	(T414)
	0060/1950	024 "DIA	CIR PLASTIC	LEN=0040 INSTALLED 2001
	0060/1320	018 "DIA	CIR PLASTIC	LEN=0040 INSTALLED 2012
	0060/0910	018 "DIA	CIR PLASTIC	LEN=0037 INSTALLED 2001
	0060/0690	018 "DIA	CIR PLASTIC	LEN=0037 INSTALLED 2001
	0060/0370	018 "DIA	CIR PLASTIC	LEN=0033 INSTALLED 1998
011461 FT	011461 FT	2 0 54017	0 00 0050+21	
	0060/0000		LENGTH(AH 2231 BK 2467)	
	0050/2460	018 "DIA	CIR PLASTIC	LEN=0034 INSTALLED 2005
	0050/2140	018 "DIA	CIR PLASTIC	LEN=0034 INSTALLED 1998
	0050/0980	018 "DIA	CIR PLASTIC	LEN=0046 INSTALLED UNKN
	0050/0330	018 "DIA	CIR PLASTIC	LEN=0036 INSTALLED UNKN
	0050/0275	036 "DIA	CIRC CONCR	LEN=0040 INSTALLED UNKN
008994 FT	008994 FT	2 0 54017	0 00 0025+37	
	0050/0000		LENGTH(AH 2467 BK 2520)	
	0040/2130	018 "DIA	CIR PLASTIC	LEN=0030 INSTALLED 2005
	0040/1155	018 "DIA	CIR PLASTIC	LEN=0040 INSTALLED 2012

DIR: B TOTAL LEN: 3.557 MI. DIST: 03-5 SR: 2003
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

(T385)

0040/0390

006474 FT


2 0 54016 0 00 0000+00
 FLINT HILL RD
 (T406)

005422 FT

0030/0000

001861 FT


000000 FT



NC FLINT VALLEY RD
 018 "DIA CIR PLASTIC
 0040/0360 LEN=0040 INSTALLED 2012
 006474 FT 2 0 54017 0 00 0000+00
 NC NE ITZ VALLEY RD
 NEITZ VALLEY RD
 (SR2010 SEG 0010/0000)
 MFC BEGIN = E
 5 0040/0000 LENGTH(AH 2520 BK 1052)
 018 "DIA CIRC CONCR
 0030/0880 LEN=0030 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0030/0020 LEN=0028 INSTALLED UNKN
 005422 FT
 5 0030/0000 LENGTH(AH 1052 BK 3561)
 018 "DIA CIRC CONCR
 0020/1600 LEN=0032 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0020/1205 LEN=0033 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0020/0710 LEN=0035 INSTALLED UNKN
 024"H 00"W MULT CONCR
 0020/0415 LEN=0025 INSTALLED UNKN
 0020/0022 BMS EN 54/2003/0020/0000
 001861 FT 2 0 54007 0 00 0265+79
 T. MAHANTANGO
 BMSBG 54/2003/0020/0000
 5 0020/0000 LENGTH(AH 3561 BK 1861)
 018 "DIA CIRC CONCR
 0010/1497 LEN=0028 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0010/1205 LEN=0028 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0010/0556 LEN=0027 INSTALLED 2007
 018 "DIA CIR PLASTIC
 0010/0020 LEN=0065 INSTALLED 2012
 000000 FT 2 0 54007 0 00 0284+60
 NC EBENEZER CHURCH RD
 MARTIN BROTHERS RD
 (SR2006 SEG 0060/0000)
 MFC BEGIN = D
 5 0010/0000 LENGTH(AH 1861 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 163
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 2.390 MI. DIST: 03-5 SR: 2002
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

012619 FT
 012305 FT



012619 FT MARINE CORPS LEAG MEM H
 (SR0011 SEG 0091/0000)
 0100/0314 (SR0011 SEG 0090/0000)
 012305 FT 2 0 54012 0 00 0123+01
 OLD ROUTE 15
 (T875)
 0100/0000 LENGTH(AH 0314 BK 2880)
 018 "DIA CIRC CONCR
 0090/2780 LEN=0050 INSTALLED 1997

DIR: B TOTAL LEN: 2.390 MI. DIST: 03-5 SR: 2002
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

BLACK WOODS RD
 (T408)

0090/1728

2 0 54012 0 00 0094+35
 LUMBER HILL RD
 (T329)

009425 FT
 0090/0000

FLANDERS RD
 (T329)

0070/1205

005055 FT

0090/2590	018 " DIA CIRC CONCR LEN=0050	INSTALLED 1997
0090/1510	BMS EN 54/2002/0090/1493 2 0 54012 0 00 0109+22 INDEPENDENCE RU	
0090/1493	BMSBG 54/2002/0090/1493 018 " DIA CIRC CONCR	
0090/1354	LEN=0045	INSTALLED 1997
0090/0600	018 " DIA CIRC CONCR LEN=0045	INSTALLED 1997
0090/0345	018 " DIA CIRC CONCR LEN=0045	INSTALLED 1997
0090/0018	018 " DIA CIR PLASTIC LEN=0040	INSTALLED 1997
009425 FT		
0090/0000	LENGTH(AH 2880 BK 1887) 048"H 00"W MULT PLSTIC	
0080/1830	LEN=0050	INSTALLED UNKN
0080/1810	TRIB TO INDEPENDENCE RU STRUCTURE LENGTH 9 FT BMSID 54/2002/0080/1810	
0080/1106	018 " DIA CIR PLASTIC LEN=0030	INSTALLED 1997
0080/0430	018 " DIA CIR PLASTIC LEN=0042	INSTALLED 1997
007538 FT	2 0 54012 0 00 0075+41	
0080/0000	LENGTH(AH 1887 BK 2483) 018 " DIA CIRC METAL	
0070/2312	LEN=0038	INSTALLED 1997
0070/1763	018 " DIA CIRC METAL LEN=0030	INSTALLED 1997
0070/1420	018 " DIA CIR PLASTIC LEN=0030	INSTALLED 2000
0070/0480	018 " DIA CIR PLASTIC LEN=0035	INSTALLED 1997
0070/0199	036 " DIA CIR PLASTIC LEN=0045	INSTALLED 2007
0070/0127	018 " DIA CIR PLASTIC LEN=0038	INSTALLED 2007
005055 FT	2 0 54012 0 00 0050+48	

DIR: B TOTAL LEN: 2.390 MI. DIST: 03-5 SR: 2002
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

Stationing	Description	Length	Material	Year
0070/0000	LENGTH(AH 2483 BK 2090)			
0060/1577	018" DIA CIR PLASTIC	LEN=0040	INSTALLED	2015
0060/1329	018" DIA CIR PLASTIC	LEN=0040	INSTALLED	2015
0060/0764	018" DIA CIR PLASTIC	LEN=0038	INSTALLED	2004
0060/0287	018" DIA CIR PLASTIC	LEN=0036	INSTALLED	2015
0060/0104	LC FOR WAGNER HILL RD (CONN)			
002965 FT	2 0 54012 0 00 0029+50			
0060/0000	LENGTH(AH 2090 BK 2951) WAGNER HILL RD			
0050/2900	(T323)			
0050/2766	018" DIA CIR PLASTIC	LEN=0036	INSTALLED	2000
0050/2274	018" DIA CIR PLASTIC	LEN=0035	INSTALLED	1997
0050/1862	018" DIA CIR PLASTIC	LEN=0038	INSTALLED	1997
0050/1585	018" DIA CIR PLASTIC	LEN=0036	INSTALLED	2007
0050/1066	018" DIA CIR PLASTIC	LEN=0040	INSTALLED	2015
0050/0620	018" DIA CIR PLASTIC	LEN=0040	INSTALLED	1997
0050/0369	018" DIA CIR PLASTIC	LEN=0040	INSTALLED	2015
0050/0222	018" DIA CIR PLASTIC	LEN=0035	INSTALLED	2000
000014 FT	NDING RD			
000014 FT	INTER-BK HOFFER RD (T808)			
0050/0000	LENGTH(AH 2951 BK 0100)			
000014 FT				
7044/0000	LENGTH(AH 0100 BK 0014) BMSBN 54/2002/0040/0000			
000000 FT	INTER-AHD HOFFER RD (T809)			
000000 FT	2 0 54009 0 00 0106+87			
000000 FT	VILLAGE: HOFFER			
000000 FT	INTER-BK HOFFER RD MEISERVILLE RD (T809)			
000000 FT	TRIB TO SUSQUEHANNA RIV			
000000 FT	BMSBG 54/2002/0040/0000			
0040/0000	LENGTH(AH 0014 BK 0100)			
000000 FT				
7034/0000	LENGTH(AH 0100 BK 0000)			

DIR: B TOTAL LEN: 3.041 MI. DIST: 03-5 SR: 2001
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

Stationing	Segment	Length (FT)	Notes
016058	FT		
0130/1360		7140/0000	LENGTH(AH 2665 BK 1360) INTER-AHD CHAPMAN HOLLOW RD (TBO7)
0130/1350		042	" DIA CIR PLASTIC
0130/1008		LEN=0075	INSTALLED UNKN
		018	" DIA CIR PLASTIC
		LEN=0042	INSTALLED UNKN
014698	FT		
0130/0000		NC	CHAPMAN HOLLOW RD MFC BEGIN = D
0120/2444		5 0130/0000	LENGTH(AH 1360 BK 2632) 018 " DIA CIR PLASTIC
		LEN=0030	INSTALLED UNKN
		018	" DIA CIR PLASTIC
		LEN=0060	INSTALLED 2022
0120/1780			018 " DIA CIR PLASTIC
		LEN=0040	INSTALLED 2001
		018	" DIA CIR PLASTIC
		LEN=0040	INSTALLED 2022
		018	" DIA CIR PLASTIC
		LEN=0038	INSTALLED UNKN
		018	" DIA CIR PLASTIC
		LEN=0040	INSTALLED 2001
012066	FT		
		2 0 54059	0 00 0025+59

DIR: B TOTAL LEN: 3.041 MI. DIST: 03-5 SR: 2001
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

Location	Stationing	Length	Material	Notes
		0120/0000	018" DIA CIR PLASTIC	LENGTH(AH 2632 BK 2564)
		0110/2540	LEN=0045	INSTALLED UNKN
		0110/2085	024" DIA CIR PLASTIC	LEN=0046 INSTALLED UNKN
		0110/1695	018" DIA CIR PLASTIC	LEN=0045 INSTALLED 2022
		0110/1547		WASHINGTON T
		0110/1151	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2022
		0110/0355	014"H 22"W ELLIP METAL	LEN=0040 INSTALLED UNKN
TROUP VALLEY RD (T345)	0110/0149	009502 FT		
		009502 FT		2 0 54059 0 00 0000+00 CEMETERY RD (T345)
GRUBBS CHURCH RD (T339)	0100/0956			LENGTH(AH 2564 BK 1434)
		0100/0902		GRUBBS CHURCH RD (T339)
		0100/0485	018" DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
		008068 FT		2 0 54008 0 02 0159+94
		0100/0000	018" DIA CIR PLASTIC	LENGTH(AH 1434 BK 2458)
		0090/1710	LEN=0038	INSTALLED 2000
		0090/0706	018" DIA CIR PLASTIC	LEN=0040 INSTALLED 2022
		0090/0085	036" DIA CIR PLASTIC	LEN=0055 INSTALLED 1990
2 0 54008 0 02 0135+50 SCHOOL HOUSE RD (T376)	005610 FT	0090/0000		
		0080/1732	024" DIA CIR PLASTIC	LEN=0040 INSTALLED 2000
		0080/0904	024" DIA CIR PLASTIC	LEN=0060 INSTALLED 2000
PARADISE CHURCH RD (T335)	0080/0842			
		0080/0840	018" DIA CIR PLASTIC	LEN=0045 INSTALLED UNKN


EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 158
COUNTY: SNYDER

DIR: B TOTAL LEN: 3.041 MI.
LEFT MUN: CHAPMAN T

DIST: 03-5 SR: 2001
RIGHT MUN: CHAPMAN T



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 157
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 3.083 MI. DIST: 03-5 SR: 1023
 LEFT MUN: SHAMOKIN DAM B RIGHT MUN: SHAMOKIN DAM B


CENTER ST
(BORO)

SIXTH AV
(BORO)

016279 FT

0080/1895

0080/1494



016279 FT

INTER-AHD DEAD END
0080/1920 (BORO)

0080/1750 018 " DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0080/1515 018 " DIA CIRC METAL
LEN=0040 INSTALLED UNKN

0080/1323 TR. TO SUSQ. R
STRUCTURE LENGTH 11 FT
BMSID 54/1023/0080/1323

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 156
COUNTY: SNYDER

DIR: B TOTAL LEN: 3.083 MI.
LEFT MUN: SHAMOKIN DAM B

DIST: 03-5 SR: 1023
RIGHT MUN: SHAMOKIN DAM B

Stationing	Segment	Length	Material	Notes
	SEVENTH AV (BORO)			
	0080/0907		018" H 24" W ELLIP METAL	
	0080/0655		LEN=0040 INSTALLED UNKN	
	0080/0557		018" DIA CIRC METAL	
	0080/0317		LEN=0040 INSTALLED UNKN	
014359 FT	014359 FT		013" H 22" W ELLIP METAL	
	014359 FT		LEN=0030 INSTALLED UNKN	
	014359 FT		2 0 54067 0 01 0163+55	
	EIGHTH AV (BORO)			
	0080/0000		LENGTH(AH 1920 BK 1526)	
	0070/1526		024" DIA CIRC METAL	
	0070/1217		LEN=0045 INSTALLED UNKN	
	0070/0786		018" DIA CIRC METAL	
	0070/0369		LEN=0030 INSTALLED UNKN	
ELEVENTH AV (SR1019 SEG 0010/0000)	0070/0369		030" H 60" W CONC STRUCT	
	0070/0200		ELEVENTH ST (BORO)	
	0070/0005		018" DIA CIRC CONCR	
012833 FT	012833 FT		LEN=0040 INSTALLED UNKN	
	012833 FT		030" DIA CIRC METAL	
	012833 FT		LEN=0300 INSTALLED UNKN	
	012833 FT		2 0 54067 0 01 0148+30	
	0070/0000		LENGTH(AH 1526 BK 2677)	
	0060/2431		018" DIA CIRC METAL	
MONROE AV (BORO)	0060/2413		LEN=0030 INSTALLED UNKN	
ARBOGAST AV (BORO)	0060/2153			
	0060/2150		018" DIA CIR PLASTIC	
	0060/1915		LEN=0030 INSTALLED UNKN	
	0060/1685		018" DIA CIR PLASTIC	
	0060/1590		LEN=0030 INSTALLED 1999	
	0060/1590		018" DIA CIR PLASTIC	
	0060/1590		LEN=0030 INSTALLED UNKN	
	STETTLER AV (BORO)			
	0060/0312			
010156 FT	010156 FT		TRIB SUSQUEHANNA RVR	
	010156 FT		STRUCTURE LENGTH 14 FT	
	010156 FT		BMSID 54/1023/0060/0110	
	010156 FT		2 0 54067 0 01 0121+56	
	010156 FT		SHAMOKIN DAM	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 155
COUNTY: SNYDER

DIR: B TOTAL LEN: 3.083 MI.
LEFT MUN: SHAMOKIN DAM B

DIST: 03-5 SR: 1023
RIGHT MUN: SHAMOKIN DAM B

Street Name	Segment	Length	Notes
			POE
			0060/0000 MONROE T LENGTH(AH 2677 BK 2578) 018 " DIA CIR PLASTIC
			0050/2040 LEN=0040 INSTALLED UNKN
			(APRA) PP&L SUNBURY GENERATION LP
			0050/1433 (PRDR)
			0050/0809 036"H 60"W CONC STRUCT LEN=0032 INSTALLED UNKN
RUNYAN RD (T530)	0050/0750		
			0050/0425 018 " DIA CIRC CONCR LEN=0155 INSTALLED UNKN
			007578 FT 2 0 54067 0 01 0095+80
PARK RD (SR1017 SEG 0010/0000)	0050/0000		VILLAGE: HUMMELSWHARF
			0050/0000 LENGTH(AH 2578 BK 3135)
			0040/3004 015 " DIA CIRC METAL LEN=0018 INSTALLED UNKN
BROWN ST (T514)	0040/2770		
			0040/2664 018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2014
MONROE ST (T512)	0040/2438		
OLD SCHOOL RD (T456)	0040/2062		
MILL RD (T618)	0040/1784		POI
			0040/1784 (APRA) DURABUILT HOMES
			RBR
			0040/1606 BMS EN 54/1023/0040/1962 2 0 54067 0 01 0060+43
			P3
			0040/1566 ROLLING GREEN RUN BMSBG 54/1023/0040/1962
LINCOLN AV (T460)	0040/1054		
MOBILE HOME PARK (PRDR)	0040/0712		POI
			0040/0712 (APRA) COUNTRYSIDE VILL
			0040/0526 036"H 48"W ELLIP METAL LEN=0036 INSTALLED UNKN
ATRIUM CT (T623)	0040/0312		
			004443 FT 2 0 54067 0 01 0060+43
COMMERCE AV (T615)	0040/0000		VILLAGE: HUMMELS WHARF
			0040/0000 LENGTH(AH 3135 BK 2877)
			014"H 23"W ELLIP CONC

DIR: B TOTAL LEN: 3.083 MI. DIST: 03-5 SR: 1023
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

ROOSEVELT AV
(T490)

0030/2207

LENKER AV
(T462)

0030/0367
001566 FT

000648 FT

000354 FT


000000 FT

0030/2688	LEN=0032	INSTALLED 2014
	012"H 36"W	CONC STRUCT
0030/2310	LEN=0030	INSTALLED UNKN
0030/1718	SHADY NOOK BOAT LAUNCH	(T471)
	018" DIA	CIR PLASTIC
0030/1713	LEN=0085	INSTALLED 2014
0030/0903	018" DIA	CIRC CONCR
	LEN=0032	INSTALLED 2014
0030/0391	018" DIA	CIRC CONCR
	LEN=0032	INSTALLED 2014
001566 FT	2 0 54067 0 01	0035+59
	NC OL	LD TR
		OLD TR
		(T463)
0030/0000	LENGTH(AH 2877 BK 0918)	RIVER RD
		(T498)
0020/0749		LC FOR OLD TR
		(CONN)
		TRIB SUSQUEHANNA RIVER
		STRUCTURE LENGTH 10 FT
0020/0581	BMSID 54/1023/0020/0581	
000648 FT	2 0 54067 0 00	0002+92
		RAMP B RD
		(SR9405 SEG 0750/0628)
0020/0000	LENGTH(AH 0918 BK 0294)	
000354 FT	2 0 54067 0 00	0000+00
		VILLAGE: HUMMELLS WHARF
		NC SU SQ. VALLEY MALL DR
		SUSQUEHANNA TR
		(SR0011 SEG 0331/0000)
		(SR0011 SEG 0330/0000)
0010/0000	LENGTH(AH 0294 BK 0354)	PENN VALLEY DR
		(T609)
0004/0109		RAMP C RD
		(SR9405 SEG 0500/0524)
0004/0089	0 0 00000 0 00	0000+00
000000 FT		NC SU SQ. VALLEY MALL DR
		INTER-BK SUSQUE. VALLEY MALL DR
		(PRDR)
		MFC BEGIN = D
0004/0000	LENGTH(AH 0354 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 153
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: .186 MI. DIST: 03-5 SR: 1022
 LEFT MUN: UNION T RIGHT MUN: SHAMOKIN DAM B

000984 FT

000000 FT




000984 FT COUNTY LINE RD
 0010/0984 ROAD CLOSED AHEAD

000000 FT 2 0 54081 0 00 0044+96
 NC COUNTY LINE RD
 PARK RD
 (SR1017 SEG 0130/0000)
 MFC BEGIN = E

0010/0000 LENGTH(AH 0984 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 152
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: N TOTAL LEN: 1.217 MI. DIST: 03-5 SR: 1021
LEFT MUN: SHAMOKIN DAM B RIGHT MUN: SHAMOKIN DAM B

006428 FT



006428 FT
INTER-AHD TOWNSHIP 0520 RT
0030/2693 (T520)


EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 151
COUNTY: SNYDER

DIR: N TOTAL LEN: 1.217 MI.
LEFT MUN: SHAMOKIN DAM B

DIST: 03-5 SR: 1021
RIGHT MUN: SHAMOKIN DAM B



003735 FT

0030/0376
003735 FT
S 0030/0000
0020/3363

018 "DIA CIRC METAL
LEN=0044 INSTALLED UNKN
2 0 54080 0 01 0042+10
LENGTH(AH 2693 BK 3553)
018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN

0020/2393
0020/1729

018 "DIA CIRC METAL
LEN=0032 INSTALLED UNKN
015"H 24"W ELLIP METAL
LEN=0050 INSTALLED UNKN

0020/0704
0020/0287
0020/0059
000182 FT

018 "DIA CIR PLASTIC
LEN=0042 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0095 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0027 INSTALLED UNKN

2 0 54080 0 00 0001+72 000182 FT
ENTRANCE TO WL COLLISIO
(PRDR) 0020/0000

S 0020/0000

MFC BEGIN = E
LENGTH(AH 3553 BK 0182)

TO 0015/0021 SH
(CONN) 0011/0092
T.SUSQ.RIVER
STRUCTURE LENGTH 18 FT
BMSID 54/1021/0010/0074 0011/0074

0010/0098
0010/0092
0010/0074

018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN
FROM 0015/0031 SH
(CONN)
T.SUSQ.RIVER
STRUCTURE LENGTH 18 FT
BMSID 54/1021/0010/0074

SHAMOKIN DAM
MONROE T 0011/0055
018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN 0011/0042
2 0 54080 0 00 0000+00 000000 FT
NC OLD SUNBURY RD

0010/0055
0010/0042
000000 FT

018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN
SHAMOKIN DAM
MONROE T
018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
2 0 54080 0 00 0000+00
NC OL

SR 0015 SH
(SR0015 SEG 0030/0000)
(SR0015 SEG 0031/0000)

SR 0015 SH
(SR0015 SEG 0031/0000)
(SR0015 SEG 0030/0000)


VICTOR LN INTER-BK
(PRDR)
MFC BEGIN = E
LENGTH(AH 0182 BK 0000) 0011/0000

INTER-BK VICTOR LN
(PRDR)
MFC BEGIN = E
LENGTH(AH 0182 BK 0000) S 0010/0000

002764 FT
 SR 0015 SH
 (SR0015 SEG 0090/0000) 0020/0452

 002312 FT
 SR 0015 SH
 (SR0015 SEG 0091/0354) 0020/0000

 000000 FT



002764 FT
 INTER-AHD GRANGERS RD
 (T524)
 SR 0015 SH
 (SR0015 SEG 0090/0000)
 018 " DIA CIR PLASTIC
 0020/0452 LLEN=0040 INSTALLED UNKN
 0020/0115 BMSSEN 54/1020/0020/0084
 0020/0099 2 0 54045 0 01 0252+33
 CARRIE RUN
 0020/0084 BMSBG 54/1020/0020/0084
 002312 FT 2 0 54045 0 01 0251+47
 SR 0015 SH
 (SR0015 SEG 0091/0354)
 5 0020/0000 LENGTH(AH 0452 BK 2312)
 018 " DIA CIR PLASTIC
 0010/1896 LLEN=0037 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0010/1510 LLEN=0036 INSTALLED 2005
 020"H 28"W ELLIP METAL
 0010/1247 LLEN=0038 INSTALLED UNKN
 018 " DIA CIRC METAL
 0010/1016 LLEN=0036 INSTALLED UNKN
 024 " DIA CIRC METAL
 0010/0465 LLEN=0074 INSTALLED UNKN
 000000 FT 2 0 54045 0 01 0228+50
 NC GRANGERS RD
 PARK RD
 (SR1017 SEG 0110/0000)
 MFC BEGIN = E
 5 0010/0000 LENGTH(AH 2312 BK 0000)

DIR: B TOTAL LEN: 1.907 MI. DIST: 03-5 SR: 1019
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Segment Description	Length (FT)	Start Station	End Station	Material / Notes
PARK RD (SR1017 SEG 0090/0000) STETTLER AV (T516)	010067	0040/2400	0040/2400	018" DIA CIR PLASTIC
SHREINERS RD (T608)	0040	0040/1998	0040/2265	018" DIA CIRC METAL
SHREINERS RD (T608)	0040	0040/1473	0040/1489	018" DIA CIRC METAL
		0040/1418	0040/1418	CROFT VALLEY LN (T607)
		0040/0773	0040/0773	030" DIA CIRC CONCR
		0040/0461	0040/0461	018" DIA CIRC CONCR
	007667	0040/0000	0040/0000	LEN=0040 INSTALLED UNKN
		0030/1726	0030/1726	2 0 54056 0 00 0076+53
		0030/1719	0030/1719	LEN=0032 INSTALLED UNKN
		0030/1604	0030/1604	018" DIA CIRC CONCR
		0030/1310	0030/1310	018" DIA CIRC CONCR
		0030/0795	0030/0795	018" DIA CIRC CONCR
		0030/0030	0030/0030	LEN=0030 INSTALLED UNKN
	005923	005923	005923	018" DIA CIRC METAL
		0030/0000	0030/0000	2 0 54056 0 00 0059+09
		0020/2755	0020/2755	LEN=0032 INSTALLED UNKN
				MILLERS DR (BORO)
				LEN=0060 INSTALLED UNKN

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 148
COUNTY: SNYDER


DIR: B TOTAL LEN: 1.907 MI.
LEFT MUN: MONROE T

DIST: 03-5 SR: 1019
RIGHT MUN: SHAMOKIN DAM B

Station	Length	Notes
	0020/2460	018 " DIA CIRC CONCR LEN=0029 INSTALLED UNKN
	0020/2128	018 " DIA CIRC CONCR LEN=0041 INSTALLED UNKN
	0020/1127	BMS EN 54/1019/0020/1109 2 0 54056 0 00 0037+75 SUSQ. RV TRIB
	0020/1109	BMSBG 54/1019/0020/1109 WEATHERFIELD RD
	0020/0955	(BORO) 018 " DIA CIRC METAL
	0020/0683	LEN=0030 INSTALLED UNKN 018 " DIA CIRC CONCR
002679 FT	0020/0316	LEN=0028 INSTALLED UNKN 2 0 54056 0 00 0026+77 SPRUCE ST (BORO)
	0020/0000	LENGTH(AH 3244 BK 2679) 018 " DIA CIRC CONCR
	0010/2625	LEN=0036 INSTALLED UNKN 018 " DIA CIR PLASTIC
MONROE SHAMOKIN DAM B	0010/2148	LEN=0044 INSTALLED UNKN
	0010/1831	
	0010/1237	MAPLE ST (BORO)
SNYDER ST (BORO)	0010/0930	
	0010/0849	QUEEN AV (BORO)
	0010/0840	018 " DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
	0010/0480	018 " DIA CIRC CONCR LEN=0027 INSTALLED UNKN SUSQUEHANNA TR (SR0011 SEG 0391/0000) (SR0011 SEG 0390/0000)
BORO AL (BORO)	0010/0440	
	0010/0201	
000000 FT	0010/0020	018 " DIA CIRC CONCR LEN=0023 INSTALLED UNKN 2 0 54056 0 00 0000+00 NC EL
	0010/0000	LENGTH(AH 2679 BK 0000) N OLD TRAIL RD (SR1023 SEG 0070/0369) MFC BEGIN = D

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 147
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 6.148 MI. DIST: 03-5 SR: 1017
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

032462 FT



032462 FT AH-UNION (59)
 INTER-AHD COUNTY LINE RD
 (SR2002 SEG 0080/3038)
 TRUTT RD
 (T358)
 0150/2511 015"H 20"W ELLIP METAL
 0150/2345 LEN=0035 INSTALLED UNKN
 020 "DIA CIRC CONCR
 0150/2100 LEN=0035 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0150/1100 LEN=0036 INSTALLED 2011

DIR: B TOTAL LEN: 6.148 MI. DIST: 03-5 SR: 1017
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Stationing	Segment	Description	Material	Status
029951 FT	0150/0000	018" DIA CIRC METAL	INSTALLED	UNKN
	0140/1980	LEN=0035	INSTALLED	UNKN
	0140/0869	PANORAMA RD (T325)	018" DIA CIR PLASTIC	INSTALLED 1998
	0140/0800	LEN=0046	INSTALLED	2023
	0140/0420	LEN=0040	INSTALLED	2023
027962 FT	027962 FT	2 0 54081 0 00 0044+96	CHESTNUT HILL RD	(SR2009 SEG 0010/0000)
	0140/0000	NC COUNTY LINE RD MFC BEGIN = E	LENGTH(AH 1989 BK 1081)	015"H 22"W ELLIP METAL
	0130/0985	LEN=0040	INSTALLED	UNKN
026881 FT	026881 FT	2 0 59047 6 00 0000+00	COUNTY LINE RD	(SR1022 SEG 0010/0000)
	0130/0000	LENGTH(AH 1081 BK 2560)	018" DIA CIR PLASTIC	INSTALLED UNKN
	0120/2530	LEN=0037	INSTALLED	UNKN
	0120/2350	LEN=0040	INSTALLED	2023
	0120/2035	LEN=0040	INSTALLED	2023
HOLLOW RD (T509)	0120/1970	030" DIA CIR PLASTIC	INSTALLED	UNKN
	0120/1740	LEN=0035	INSTALLED	UNKN
	0120/0630	018" DIA CIR PLASTIC	INSTALLED	UNKN
	0120/0087	018" DIA CIR PLASTIC	INSTALLED	2023
2 0 54064 0 00 0000+00	024321 FT	024321 FT	LEN=0036	INSTALLED 2023
KRATZERVILLE RD (SR1016 SEG 0070/1368)	0120/0000	LENGTH(AH 2560 BK 1449)	SHAWNA LN (T610)	018" DIA CIRC METAL
	0110/1302	(T610)	018" DIA CIRC METAL	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 145
COUNTY: SNYDER

DIR: B TOTAL LEN: 6.148 MI.
LEFT MUN: MONROE T

DIST: 03-5 SR: 1017
RIGHT MUN: MONROE T

Stationing	Length	Notes
0110/1210	LEN=0036	INSTALLED UNKN
022872 FT	022872 FT	2 0 54046 0 00 0187+93 GRANGERS RD (SR1020 SEG 0010/0000)
0110/0000	LEN=0051	INSTALLED UNKN LENGTH(AH 1344 BK 1344) 012"H 18"W ELLIP METAL
0100/1344	LEN=0051	INSTALLED UNKN 015"H 22"W ELLIP METAL
0100/1070	LEN=0035	INSTALLED UNKN 018 "DIA CIR PLASTIC
0100/0805	LEN=0040	INSTALLED UNKN 018 "DIA CIRC METAL
0100/0640	LEN=0043	INSTALLED UNKN 015"H 21"W ELLIP METAL
0100/0170	LEN=0063	INSTALLED 2005
021528 FT	021528 FT	2 0 54045 0 01 0215+00 021528 FT SHAFFER LN (T511) CHIEF RD (PRDR)
0100/0000	LEN=0039	INSTALLED UNKN LENGTH(AH 1344 BK 2639)
0090/2393	0090/2393	SUNBURY RD (T520)
0090/2372	LEN=0043	INSTALLED UNKN 018 "DIA CIR PLASTIC
0090/2080	LEN=0042	INSTALLED UNKN 018 "DIA CIR PLASTIC
0090/1480	LEN=0030	INSTALLED UNKN 012"H 17"W ELLIP METAL
0090/0464	LEN=0040	INSTALLED UNKN 012"H 21"W ELLIP METAL
018889 FT	018889 FT	2 0 54045 0 01 0189+70 ELEVENTH AV (SR1019 SEG 0040/2400) STETTLER AV (T516)
0090/0000	LEN=0075	INSTALLED 1997 LENGTH(AH 2639 BK 2941) 014"H 21"W ELLIP METAL
0080/2905	LEN=0035	INSTALLED 1997 014"H 21"W ELLIP METAL
0080/2140	LEN=0034	INSTALLED 1997 014"H 22"W ELLIP METAL
0080/1360	LEN=0034	INSTALLED 1997

DIR: B TOTAL LEN: 6.148 MI. DIST: 03-5 SR: 1017
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Stationing	Length (FT)	Material	Notes
	0080/1050	015"H 20"W ELLIP METAL LEN=0032	INSTALLED 1997
015948 FT	0080/0215 015948 FT	018 " DIA CIR PLASTIC LEN=0036	INSTALLED 2009
	0080/0000	2 0 54045 0 01 0159+00 FISHER RD (T506)	LENGTH(AH 2941 BK 2675)
	0070/2630	018 " DIA CIRC METAL LEN=0118	INSTALLED UNKN
	0070/1690	015"H 20"W ELLIP METAL LEN=0030	INSTALLED UNKN
	0070/1090	015"H 20"W ELLIP METAL LEN=0030	INSTALLED UNKN
2 0 54045 0 01 0132+45 SAW MILL HOLLOW RD (T495)	013273 FT	0070/0270 013273 FT	015"H 20"W ELLIP METAL LEN=0030
	0070/0000	LENGTH(AH 2675 BK 3222)	024 " DIA CIR PLASTIC
RED HAVEN DR (T620)	0060/2399	0060/2913	LEN=0042
	0060/2230	024 " DIA CIR PLASTIC LEN=0071	INSTALLED UNKN
	0060/1845	018 " DIA CIR PLASTIC LEN=0038	INSTALLED 2009
	0060/1740	038"H 60"W ELLIP CONC LEN=0052	INSTALLED 2002
	0060/1020	018 " DIA CIR PLASTIC LEN=0042	INSTALLED UNKN
	0060/0780	024 " DIA CIR PLASTIC LEN=0036	INSTALLED 2009
	0060/0642	018 " DIA CIR PLASTIC LEN=0040	INSTALLED UNKN
2 0 54045 0 01 0100+28 STONEBRIDGE DR (T613)	010051 FT	0060/0350 010051 FT	018 " DIA CIR PLASTIC LEN=0038
	0060/0000	LENGTH(AH 3222 BK 2448)	018 " DIA CIRC METAL
	0050/2061	LEN=0040	INSTALLED UNKN
	0050/1778	024 " DIA CIR PLASTIC LEN=0046	INSTALLED 2009

DIR: B TOTAL LEN: 6.148 MI. DIST: 03-5 SR: 1017
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Stationing	Notes	Material	Length	Installation
0050/1062		018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0050/0722		024" DIA CIRC METAL	LEN=0041	INSTALLED UNKN
0050/0430		018" DIA CIR PLASTIC	LEN=0043	INSTALLED UNKN
0050/0123		048" DIA CIRC CONCR	LEN=0062	INSTALLED 2009
007603 FT		2 0 54045 0 01 0075+84		
0050/0000		LENGTH(AH 2448 BK 3074)		
0040/1770		036" DIA CIR PLASTIC	LEN=0042	INSTALLED 2009
MUNICIPAL DR (TWP) APP RD (SR1015 SEG 0040/2976)	0040/1669			
	0040/1511	FISHER RD (T506)		
	0040/1471	036" H 60" W ELLIP CONC	LEN=0060	INSTALLED 2002
ROLLING GREEN DR (T539)	0040/0775			
	0040/0692	018" DIA CIR PLASTIC	LEN=0037	INSTALLED UNKN
	0040/0015	018" DIA CIRC CONCR	LEN=0036	INSTALLED UNKN
004529 FT	004529 FT	2 0 54045 0 01 0045+12		
	0040/0000	LENGTH(AH 3074 BK 0949)		
	0030/0788	PARK RIDGE DR (TWP)		
	0030/0376	ROLLING GREEN RUN STRUCTURE LENGTH 28 FT		
	0030/0264	BMSID 54/1017/0030/0376		
003580 FT	003580 FT	PINE LN (T459)		
	0030/0000	2 0 54045 0 00 0036+00		
	0020/1359	LENGTH(AH 0949 BK 1644)		
	0020/1161	018" DIA CIRC CONCR	LEN=0043	INSTALLED UNKN
	0020/0987	018" DIA CIRC CONCR	LEN=0050	INSTALLED UNKN
PAVILION LN (T535)	0020/0590	018" DIA CIRC CONCR	LEN=0036	INSTALLED UNKN


BALLFIELD DR

DIR: B TOTAL LEN: 6.148 MI. DIST: 03-5 SR: 1017
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Street Name	Segment ID	Length (FT)	Notes
	0020/0470		(T447) GREEN ST
	0020/0142		(T465) 018" DIA CIRC CONCR
	0020/0125	001936 FT	LEN=0025 INSTALLED UNKN 2 0 54045 0 00 0019+17 HARRISON ST
	0020/0000		(T530) LENGTH(AH 1644 BK 1936) 018" DIA CIRC METAL
PARK AV (T533)	0010/1809		LEN=0028 INSTALLED UNKN
SLEAR AL (TWP)	0010/1648		
S CHESTNUT ST (T467)	0010/1494		
PARKER AL (TWP)	0010/1349		
EDBERT ST (T461)	0010/1200		
DOLLAR BILL AL (TWP)	0010/1052		
	0010/0902		CHUBB AL (TWP) NICHOLS AL (TWP) RED MAPLE ST (T457)
	0010/0753		NEEDLE AND PINS AL (TWP)
	0010/0638		024" DIA CIRC CONCR LEN=0024 INSTALLED UNKN SUSQUEHANNA TR (SR0011 SEG 0361/0000) (SR0011 SEG 0360/0000)
DIME AL (TWP)	0010/0417		
PENNSYLVANIA AV (T453)	0010/0274		
YOUNG AL (TWP)	0010/0123		
	0010/0038	000000 FT	018" DIA CIRC CONCR LEN=0040 INSTALLED UNKN 2 0 54045 0 00 0000+00 VILLAGE: HUMMELSWHARF NC PARK RD N OLD TRAIL RD (SR1023 SEG 0050/0000) MFC BEGIN = D
	0010/0000		LENGTH(AH 1936 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 141
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 3.285 MI. DIST: 03-5 SR: 1016
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

017343 FT



015975 FT

017343 FT	PARK RD
0070/1368	(SR1017 SEG 0120/0000)
	038"H 60"W ELLIP METAL
0070/0992	LEN=0033 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0070/0497	LEN=0060 INSTALLED UNKN
015975 FT	2 0 54046 0 00 0159+72
0070/0000	LENGTH(AH 1368 BK 2947)

DIR: B TOTAL LEN: 3.285 MI. DIST: 03-5 SR: 1016
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

	0060/2416	015"H 21"W ELLIP METAL LEN=0032 INSTALLED UNKN
	0060/1207	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
	0060/0683	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
013028 FT	013028 FT	2 0 54046 0 00 0130+45 SHAFFER LN (T511)
	0060/0000	LENGTH(AH 2947 BK 3033)
	0050/2613	015"H 21"W ELLIP METAL LEN=0033 INSTALLED UNKN
	0050/1842	018 "DIA CIRC METAL LEN=0027 INSTALLED UNKN
	0050/1147	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1999
009995 FT	0050/0548	013"H 17"W ELLIP METAL LEN=0024 INSTALLED UNKN
	009995 FT	2 0 54046 0 00 0099+80
	0050/0000	LENGTH(AH 3033 BK 1999)
007996 FT	007996 FT	2 0 54046 0 00 0079+97
	0040/0000	LENGTH(AH 1999 BK 1968)
	0030/1140	015"H 21"W ELLIP METAL LEN=0026 INSTALLED UNKN
006028 FT	0030/0236	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	006028 FT	2 0 54046 0 00 0060+45
	0030/0000	LENGTH(AH 1968 BK 2594)
	0020/2460	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2000
	0020/2136	018 "DIA CIR PLASTIC LEN=0041 INSTALLED UNKN
	0020/1844	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 2000
	0020/1546	018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 3.285 MI. DIST: 03-5 SR: 1016
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

HOLLOW RD
(T509)

PENNS DR
(T504)

0020/0342

0020/0252

003434 FT

000000 FT

SR 0204 SH
(SR0204 SEG 0090/1506) 0010/0000


0020/0879	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2012
0020/0696	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0020/0542	BMSSEN 54/1016/0020/0527 PENNS DR
0020/0536	(T504) 0 0 00000 0 00 0000+00
0020/0527	TRIB PENNS CREEK BMSBG 54/1016/0020/0527
0020/0300	024 " DIA CIR PLASTIC LEN=0060 INSTALLED 1999
0020/0181	BMSSEN 54/1016/0020/0000 MONROE JACKSON T
0020/0096	2 0 54046 0 00 0034+64
003434 FT	PENNS CREEK BMSBG 54/1016/0020/0000 LENGTH(AH 2594 BK 3434)
0020/0000	CARL LN (PRDR)
0010/3371	
0010/2465	018 " DIA CIR PLASTIC LEN=0041 INSTALLED UNKN
0010/2052	015"H 21"W ELLIP METAL LEN=0042 INSTALLED UNKN
0010/1492	015 " DIA CIRC METAL LEN=0040 INSTALLED 2022
0010/1200	015 " DIA CIR PLASTIC LEN=0040 INSTALLED 2022
0010/1042	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2023
0010/0780	FERGUSON RD (T496)
0010/0700	018 " DIA CIR PLASTIC LEN=0060 INSTALLED 2022
000000 FT	000000 FT 2 0 54046 0 00 0000+00 VILLAGE: KRATZERVILLE SR 0204 SH (SR0204 SEG 0090/1506)
0010/0000	NC KRATZERVILLE RD MFC BEGIN = D LENGTH(AH 3434 BK 0000)

Stationing	Segment	Description	Material	Year
011748 FT	0040/2976	FISHER RD	038" H 60" W ELLIP	CONC
	0040/2851	(SR1017) SEG 0040/1511)	LEN=0064	INSTALLED 2002
	0040/2428	PARK RD	018" DIA	CIRC CONC UNKN
	0040/1994		LEN=0036	INSTALLED UNKN
	0040/1604		018" DIA	CIRC CONC UNKN
	0040/1070		LEN=0038	INSTALLED UNKN
			018" DIA	CIR PLASTIC
			LEN=0034	INSTALLED 2012
ATTIG RD (T451)	0040/1053			
2 0 54055 0 00 0029+30	008772 FT			
KINGSWOOD DR (T602)	0040/0000			
	008772 FT			
	0040/0000	LENGTH(AH 2976 BK 2921)		
	0030/2907	FAIRWAY DR (T445)		
	0030/2373	MEADOWBROOK DR (T604)		
	0030/2319	018" DIA	CIRC CONC	LEN=0045 INSTALLED UNKN
	0030/2087	LOST CREEK DR (T606)		
LIMERICK LN (T624)	0030/2062			
ST ANDREWS WY (TWP)	0030/1608			
	0030/1458	030" DIA	CIR PLASTIC	LEN=0055 INSTALLED 2012
	0030/1200	BETHPAGE DR (T625)		
	0030/0648	018" DIA	CIR PLASTIC	LEN=0030 INSTALLED 2015
	0030/0460	018" DIA	CIR PLASTIC	LEN=0040 INSTALLED 2015
	0030/0053	024" DIA	CIRC CONC	LEN=0035 INSTALLED 2003
005851 FT	005851 FT	2 0 54055 0 00 0000+00		
		MILL RD		

DIR: B TOTAL LEN: 2.225 MI. DIST: 03-5 SR: 1015
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

ROAD NAME / SEGMENT	START STATION	END STATION	DESCRIPTION
MILL RD (SR1014 SEG 0020/0000)	0030/0000	0030/0000	NC APP RD (SR1014 SEG 0020/0000) MFC BEGIN = E LENGTH(AH 2921 BK 2831) 024 " DIA CIRC CONCR LEN=0070 INSTALLED UNKN 018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2015 024 " DIA CIR PLASTIC LEN=0037 INSTALLED 2015 036 " DIA CIR PLASTIC LEN=0040 INSTALLED 2015
	003020 FT	003020 FT	2 0 54077 0 00 0030+23 LENGTH(AH 2831 BK 3020)
PEACH RD (T411)	0010/2389	0010/2055	(APRA) ARCON HYBRID CON PRIVATE DR (PRDR) (APRA) ARCON HYBRID CON PRIVATE DR (PRDR)
PENN VALLEY AIRPORT (PRDR)	0010/1499	0010/1499	(APRA) PROF AVIATION LE 018 " DIA CIR PLASTIC LEN=0030 INSTALLED 2012
CREEK RD (T502)	0010/0564	0010/0504	018 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN 018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0010/0369	RAMP A RD
		0010/0281	(SR9407 SEG 0010/0638)
TO 0522/0610 SH (CONN)	0010/0102 000000 FT	000000 FT	2 0 54077 0 00 0000+00 NC AIRPORT RD SUSQUEHANNA TR (SR0522 SEG 0614/0000) (SR0522 SEG 0615/0000)
		0010/0000	INTER-BK AIRPORT RD (T463) MFC BEGIN = D LENGTH(AH 3020 BK 0000)

DIR: B TOTAL LEN: 1.998 MI. DIST: 03-5 SR: 1014
 LEFT MUN: MONROE T RIGHT MUN: MONROE T



DIR: B TOTAL LEN: 1.998 MI. DIST: 03-5 SR: 1014
 LEFT MUN: MONROE T RIGHT MUN: MONROE T


2 0 54013 0 01 0055+25 005684 FT
 GREENBRIER AV
 (T444) 0030/0000

2 0 54013 0 00 0038+02 003978 FT
 APP RD
 (SR1015 SEG 0030/0000) 0020/0000

PENNS DR
 (T504) 0016/0625










001500 FT

000000 FT




005684 FT
 0030/0000 LENGTH(AH 2826 BK 1706)
 018 "DIA CIR PLASTIC
 LEN=0038 INSTALLED UNKN
 0020/0870
 003978 FT AIRPORT RD
 (SR1015 SEG 0030/0000)
 0020/0000 LENGTH(AH 1706 BK 2478)
 024 "DIA CIRC CONCR
 LEN=0065 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0016/2410 LEN=0300 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0016/2010 LEN=0060 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0016/1911
 0016/0405 018 "DIA CIRC CONCR
 LEN=0075 INSTALLED UNKN
 0016/0180 018 "DIA CIRC CONCR
 LEN=0068 INSTALLED UNKN
 024 "DIA CIRC CONCR
 0016/0050 018 "DIA CIRC CONCR
 LEN=0082 INSTALLED UNKN
 001500 FT 0 0 00000 0 00 0000+00
 CREEK RD
 (T502)
 0016/0000 LENGTH(AH 2478 BK 1500)
 030 "DIA CIRC CONCR
 0012/1455 LEN=0080 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0012/1230 LEN=0070 INSTALLED UNKN
 0012/0317 BMS EN 54/1014/0012/0055
 MONROE
 0012/0140 PENN T
 0 0 00000 0 00 0000+00
 PENNS CREEK
 0012/0055 BMSBG 54/1014/0012/0055
 000000 FT 0 0 00000 0 00 0000+00
 NC MI LL RD
 SR 0204 SH
 (SR0204 SEG 0040/0000)
 MFC BEGIN = D
 0012/0000 LENGTH(AH 1500 BK 0000)

DIR: B TOTAL LEN: .053 MI. DIST: 03-5 SR: 1013
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000280 FT		000280 FT	LENGTH(AH 0358 BK 0018)
		7054/0000	LITTLE MEXICO RD
		INTER-AHD	(TB63)
000262 FT		000262 FT	2 0 54063 0 00 0133+27
			TRIB TO PENNS CREEK
			STRUCTURE LENGTH 18 FT
			BMSID 54/1013/0050/0000
		INTER-BK	LITTLE MEXICO RD
			(TB63)
000262 FT		000262 FT	LENGTH(AH 0018 BK 3393)
000262 FT		7050/0000	LENGTH(AH 3393 BK 1297)
		000262 FT	
		7044/0000	LENGTH(AH 1297 BK 0262)
			BMSSEN 54/1013/0040/0000
		INTER-AHD	LITTLE MEXICO RD
			(TB63)
000000 FT		000000 FT	2 0 54063 0 00 0083+15
			NC LITTLE MEXICO RD
		INTER-BK	LITTLE MEXICO RD
			(TB63)
			PENNS CK.
			BMSBG 54/1013/0040/0000
000000 FT		000000 FT	LENGTH(AH 0262 BK 0041)
000000 FT		7040/0000	LENGTH(AH 0041 BK 2731)
		000000 FT	
		7030/0000	LENGTH(AH 2731 BK 3000)
000000 FT		000000 FT	
		7020/0000	LENGTH(AH 3000 BK 2521)
000000 FT		000000 FT	
		7010/0000	LENGTH(AH 2521 BK 0000)

SR 0522 SH
 (SR0522 SEG 0605/0123)
 SR 0522 SH
 (SR0522 SEG 0605/0123) 0021/0163
 2 0 54044 0 00 0024+69 002458 FT
 ORANGE ST
 (BORO)
 MFC BEGIN = E
 LENGTH(AH 0163 BK 2458) 0021/0000



000000 FT

002458 FT
 7020/0000 LTH AH 000163 BK 002458
 0010/2440 024 " DIA CIRC METAL
 LEN=0080 INSTALLED UNKN
 BORO AL
 (BORO)
 0010/2289 EIGHTH ST
 (BORO)
 0010/2103 NINTH ST
 (BORO)
 0010/1733 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012
 SUNRISE DR
 (BORO)
 0010/1532 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2012
 0010/1111 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 0010/0630 036 " DIA CIR PLASTIC
 LEN=0064 INSTALLED UNKN
 0010/0136 2 0 54044 0 00 0000+00
 000000 FT NC BRIDGE ST
 SR 0204 SH
 (SR0204 SEG 0010/0714)
 MFC BEGIN = E
 0010/0000 LENGTH(AH 2458 BK 0000)

RUDY RD
(T482)

032306 FT


0140/2374

029498 FT

JACKSON RD
(T489)

0130/1469

027408 FT



032306 FT SR 0204 SH
 0140/2808 (SR0204 SEG 0140/0000)

0140/2074 020"H 28"W ELLIP METAL
 LEN=0030 INSTALLED 1998

0140/1270 020"H 28"W ELLIP METAL
 LEN=0030 INSTALLED UNKN
 018" DIA CIR PLASTIC

0140/1130 020"H 28"W ELLIP METAL
 LEN=0040 INSTALLED 2014

0140/0760 020"H 28"W ELLIP METAL
 LEN=0036 INSTALLED UNKN
 018" DIA CIR PLASTIC

0140/0455 018" DIA CIR PLASTIC
 LEN=0035 INSTALLED 2014
 030" DIA CIR PLASTIC

0140/0115 018" DIA CIR PLASTIC
 LEN=0038 INSTALLED UNKN
 2 0 54042 0 01 0200+14
 S 0140/0000 LENGTH(AH 2808 BK 2090)

0130/1390 024" DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN

0130/1039 021" DIA CIR PLASTIC
 LEN=0032 INSTALLED 2013

MONONGAHELA CREEK
 STRUCTURE LENGTH 26 FT
 0130/0865 BMSID 54/1011/0130/0865

0130/0660 024" DIA CIR PLASTIC
 LEN=0045 INSTALLED 1999

JACKSON
 PENN T
 2 0 54042 0 01 0179+23
 S 0130/0000 LENGTH(AH 2090 BK 2487)

0120/2376 018" DIA CIR PLASTIC
 LEN=0040 INSTALLED 2014

0120/2290 018" DIA CIR PLASTIC
 LEN=0040 INSTALLED 2014

018" DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.119 MI. DIST: 03-5 SR: 1011
 LEFT MUN: PENN T RIGHT MUN: PENN T

Stationing	Length	Material	Installation
0120/2160	LEN=0040	018 " DIA CIRC CONCR	INSTALLED 2014
0120/1515	LEN=0040	024 " DIA CIRC CONCR	INSTALLED UNKN
0120/1075	LEN=0040	018 " DIA CIRC CONCR	INSTALLED UNKN
0120/0675	LEN=0038	024 " DIA CIRC CONCR	INSTALLED UNKN
0120/0450	LEN=0044	018 " DIA CIRC CONCR	INSTALLED UNKN
0120/0230	LEN=0030	060 " DIA CIRC CONCR	INSTALLED UNKN
024921 FT	2 0 54042 0 01 0154+34		
0120/0000	LEN=0055	LENGTH(AH 2487 BK 1894)	INSTALLED 2010
0110/1500	LEN=0048	030 " DIA CIR PLASTIC	INSTALLED UNKN
0110/0950	LEN=0075	018 " DIA CIRC CONCR	INSTALLED UNKN
0110/0593	LEN=0033	024 " DIA CIR PLASTIC	INSTALLED 2006
023027 FT			
0110/0000	LEN=0035	LENGTH(AH 1894 BK 2859)	INSTALLED UNKN
0100/2859	LEN=0035	018 " DIA CIRC CONCR	INSTALLED UNKN
0100/2765		DUSTY LN (PRDR)	
0100/2188	LEN=0070	018 " DIA CIR PLASTIC	INSTALLED 2001
0100/1686	LEN=0035	018 " DIA CIRC CONCR	INSTALLED 1999
0100/0480		SCHOOL HOUSE LN (T492)	
0100/0463	LEN=0032	018 " DIA CIRC CONCR	INSTALLED UNKN
0100/0073	LEN=0032	018 " DIA CIRC CONCR	INSTALLED UNKN
020168 FT	2 0 54042 0 01 0106+90		
0100/0000	LEN=0035	RIDGE VIEW RD (T487)	
		LENGTH(AH 2859 BK 3187)	
0090/2180	LEN=0035	018 " DIA CIRC CONCR	INSTALLED UNKN

2 0 54042 0 01 0135+30 023027 FT
 KRATZER RD
 (T490) 0110/0000

DIR: B TOTAL LEN: 6.119 MI. DIST: 03-5 SR: 1011
LEFT MUN: PENN T RIGHT MUN: PENN T

Stationing	Notes	Structure	Material	Length
0090/1658		018" DIA	CIRC CONCR	LEN=0035
0090/1212		018" DIA	CIRC CONCR	LEN=0044
0090/0621		018" DIA	CIRC CONCR	LEN=0040
0090/0207		018" DIA	CIRC CONCR	LEN=0040
016981 FT		2 0 54042	0 01 0075+09	
0090/0000		LENGTH(AH 3187 BK 2628)		
0080/2397		018" DIA	CIRC CONCR	LEN=0040
0080/2005		018" DIA	CIRC CONCR	LEN=0035
0080/1715		018" DIA	CIRC CONCR	LEN=0035
0080/1481		018" DIA	CIRC CONCR	LEN=0040
0080/1180		018" DIA	CIRC CONCR	LEN=0036
0080/0720		018" DIA	CIRC CONCR	LEN=0035
0080/0231		TRIBUTARY TO PENNS CREEK		
014353 FT		STRUCTURE LENGTH 11 FT		
014353 FT		BMSID 54/1011/0080/0231		
0080/0000		2 0 54042	0 01 0048+86	
0070/0486		FAIR OAK RD		
0070/0080		(SR1002 SEG 0040/0000)		
013864 FT		LENGTH(AH 2628 BK 0489)		
0070/0000		018" DIA	CIRC CONCR	LEN=0069
0070/0000		018" DIA	CIRC CONCR	LEN=0036
0060/2570		018" DIA	CIRC CONCR	LEN=0036
0060/1374		LENGTH(AH 0489 BK 2800)		
0060/1348		014"H 21"W	ELLIP METAL	
0060/1115		LEN=0035	INSTALLED UNKN	
011064 FT		BMS EN 54/1011/0060/1348		
		2 0 54042	0 01 0034+19	
		TRIBUTARY TO PENNS CREEK		
		BMSBG 54/1011/0060/1348		
		016"H 21"W	ELLIP METAL	
		LEN=0035	INSTALLED UNKN	

2 0 54038 0 01 0181+00 013864 FT
FAIR OAK RD
(TBC) 0070/0000

SALEM GLENN BL
(T509) 0060/0494
011064 FT

DIR: B TOTAL LEN: 6.119 MI. DIST: 03-5 SR: 1011
 LEFT MUN: PENN T RIGHT MUN: PENN T

Location	Segment ID	Length	Material / Notes
	0060/0000		OLD COLONY RD (T868)
	0052/2000		LENGTH(AH 2800 BK 2010) 060"H 00"W MULT PLSTIC
	0052/1260		LEN=0045 INSTALLED 2020
FOXBORO RD (T443)	0052/0929		018 "DIA CIR PLASTIC
	0052/0589		LEN=0046 INSTALLED 2000
GAUGLER LN (T480)	0052/0503		GAUGLER LN (T503)
	009054 FT		013"H 22"W ELLIP METAL
	0052/0435		LEN=0035 INSTALLED UNKN
	009054 FT		2 0 54042 0 01 0000+00
	0052/0000		STATE SCHOOL RD (SR1008 SEG 0010/0000)
OLD 0522 RD (T439)	0050/0914		LENGTH(AH 2010 BK 0977)
SALEM MANOR CT (PRDR)	0050/0455		
	0050/0385		018 "DIA CIR PLASTIC
	0050/0185		LEN=0055 INSTALLED UNKN
2 0 54042 0 00 0021+70	008077 FT		018 "DIA CIRC CONCR
CLIFFORD RD (T440)	0050/0000		LEN=0028 INSTALLED UNKN
	0050/0000		LENGTH(AH 0977 BK 3216)
	0040/2713		011"H 18"W ELLIP METAL
	0040/1694		LEN=0030 INSTALLED UNKN
	0040/1531		011"H 18"W ELLIP METAL
PEACHWOOD DR (PRDR)	0040/1488		LEN=0034 INSTALLED UNKN
	0040/1420		WALTERS LN (T470)
	0040/1209		014"H 21"W ELLIP METAL
	0040/0590		LEN=0028 INSTALLED UNKN
	004861 FT		018 "DIA CIR PLASTIC
	004861 FT		LEN=0037 INSTALLED UNKN
	004861 FT		015 "DIA CIRC METAL
	004861 FT		LEN=0036 INSTALLED UNKN
2 0 54042 1 00 0000+00	004861 FT		NC SALEM RD SR 0522 SH

DIR: B TOTAL LEN: 6.119 MI. DIST: 03-5 SR: 1011
 LEFT MUN: PENN T RIGHT MUN: PENN T

SR 0522 SH
 (SR0522 SEG 0570/0000) 0040/0000

0040/0000 (SR0522 SEG 0570/0000)
 LENGTH(AH 3216 BK 2610)
 014"H 21"W ELLIP METAL
 0030/2375 LEN=0030 INSTALLED UNKN
 0030/1480 018 "DIA CIR PLASTIC
 LEN=0045 INSTALLED UNKN
 0030/1054 024 "DIA CIR PLASTIC
 LEN=0037 INSTALLED UNKN

PENN
 SELINSGROVE B 0030/0136
 2 0 54076 0 00 0026+31 002251 FT
 GRAYSONVIEW CT
 (T517) 0030/0000
 BURGESS AV
 (T456) 0020/1744
 GREGORY AV
 (T458) 0020/1308

002251 FT SUNSET DR
 (T407)
 0030/0000 LENGTH(AH 2610 BK 1898)
 FAIRVIEW DR
 (BORO)
 0020/1260 021 "DIA CIRC METAL
 0020/1063 LEN=0057 INSTALLED UNKN

000353 FT

0020/0037 018 "DIA CIRC CONCR
 LEN=0024 INSTALLED UNKN
 PENN
 0020/0019 SELINSGROVE B
 000353 FT 2 0 54076 0 00 0045+50
 NC UN UNIVERSITY AV
 EIGHTEENTH ST
 (BORO)









SUSQUEHANNA UNIVERSITY
 (PRDR) 0020/0000
 000353 FT

UNIVERSITY AV
 (BORO)
 INTER-BK
 0020/0000 LTH AH 001898 BK 000100
 000353 FT
 7014/0000 LTH AH 000100 BK 000353
 BMSEN 54/1011/0010/0000

000000 FT


INTER-AHD PINE ST
 0010/0353 (BORO)
 000000 FT 2 0 54070 0 00 0009+55
 NC PINE ST
 INTER-BK PINE ST
 (BORO)
 PENNS CREEK
 BMSBG 54/1011/0010/0000
 MFC BEGIN = D
 0010/0000 LENGTH(AH 0353 BK 0000)

DIR: B TOTAL LEN: .008 MI. DIST: 03-5 SR: 1010
 LEFT MUN: PENN T RIGHT MUN: PENN T

000040 FT		000040 FT 7046/0000	LENGTH(AH 0404 BK 0017) BMSBG 54/1010/0044/0000
000023 FT		INTER-AHD 0044/0017 000023 FT INTER-BK	OLD COLONY RD (TB68) 2 0 54068 0 00 0090+57 OLD COLONY RD (TB68)
000023 FT		0044/0000 000023 FT 7042/0000	TRIBUTARY TO PENN CREEK BMSBG 54/1010/0044/0000 LENGTH(AH 0017 BK 1602)
000000 FT		INTER-AHD 0040/0023 000000 FT INTER-BK	LENGTH(AH 1602 BK 0023) BMSBG 54/1010/0040/0000 OLD COLONY RD (TB68) 2 0 54068 0 00 0074+31 OLD COLONY RD (TB68)
000000 FT		0040/0000 000000 FT 7030/0000	T. PENNS CK BMSBG 54/1010/0040/0000 LENGTH(AH 0023 BK 1223)
000000 FT		000000 FT 7020/0000	LENGTH(AH 1223 BK 3212)
000000 FT		000000 FT 7010/0000	LENGTH(AH 3212 BK 3009)
000000 FT		000000 FT 7010/0000	LENGTH(AH 3009 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 126
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 5.152 MI. DIST: 03-5 SR: 1009
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

NEW BERLIN HW 027203 FT
 (SR1005 SEG 0150/0000) 0110/2715



<p>027203 FT 0110/2715</p> <p>024488 FT</p>	<p>027203 FT INTER-AHD 0110/2715 0110/2641 0110/1829 0110/1477 0110/0725 0110/0248 024488 FT 0110/0000</p>	<p>NEW BERLIN HW (SR1005 SEG 0150/0000) 018 " DIA CIR PLASTIC LEN=0050 INSTALLED 2020 016 " DIA CIRC CONCR LEN=0030 INSTALLED UNKN 024 " DIA CIR PLASTIC LEN=0043 INSTALLED 2011 024 " DIA CIR PLASTIC LEN=0038 INSTALLED 2014 018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN 2 0 54037 0 01 0238+59 LENGTH(AH 2715 BK 1988)</p>
--	---	---

DIR: B TOTAL LEN: 5.152 MI. DIST: 03-5 SR: 1009
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	0100/1728	018 "DIA	CIRC METAL
		LEN=0035	INSTALLED UNKN
	0100/1142	018 "DIA	CIR PLASTIC
		LEN=0042	INSTALLED 1999
	0100/0795	018 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2001
	0100/0500	018 "DIA	CIR PLASTIC
		LEN=0044	INSTALLED 2020
022500 FT	022500 FT	2 0 54037	0 01 0218+73
	0100/0000	LENGTH(AH	1988 BK 1863)
		030 "DIA	CIR PLASTIC
		LEN=0050	INSTALLED 2001
	0090/0020	018 "DIA	CIR PLASTIC
		LEN=0050	INSTALLED 2020
020637 FT	020637 FT	2 0 54037	0 01 0200+11
		TAME DEER RD	
		(T835)	
	0090/0000	LENGTH(AH	1863 BK 2526)
		018 "DIA	CIR PLASTIC
		LEN=0051	INSTALLED 2020
	0080/1640	018 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 1999
	0080/1415	018 "DIA	CIRC CONCR
		LEN=0060	INSTALLED UNKN
	018111 FT	2 0 54037	0 01 0174+90
	0080/0000	LENGTH(AH	2526 BK 1866)
		018 "DIA	CIR PLASTIC
		LEN=0035	INSTALLED 2014
	0070/1360	018 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2014
	0070/0850	018 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2014
016245 FT	016245 FT	2 0 54037	0 01 0156+28
		ERDLEYS CHURCH RD	
		(T491)	
	0070/0000	LENGTH(AH	1866 BK 2535)
		JACKSON	
		MIDDLE CREEK T	
	0060/2393	018 "DIA	CIR PLASTIC
		LEN=0035	INSTALLED UNKN
	0060/1974	018 "DIA	CIR PLASTIC
		LEN=0035	INSTALLED UNKN
	0060/1085	024 "DIA	CIR PLASTIC
		LEN=0040	INSTALLED 2014

DIR: B TOTAL LEN: 5.152 MI. DIST: 03-5 SR: 1009
 LEFT MUN: MIDDLE CREEK T RIGHT MUN: MIDDLE CREEK T

Location	Segment ID	Length (FT)	Material	Installed
	0060/0881		036 " DIA CIR PLASTIC	LEN=0040 INSTALLED 2014
	0060/0382		018 " DIA CIR PLASTIC	LEN=0035 INSTALLED 2000
	0060/0287		STRAWBERRY LN (T451)	
	0060/0075		018 " DIA CIR PLASTIC	LEN=0045 INSTALLED 2011
013710 FT	013710 FT		2 0 54037 0 01 0130+63	
	0060/0000		LENGTH(AH 2535 BK 2044)	
	0050/1170		018 " DIA CIR PLASTIC	LEN=0068 INSTALLED UNKN
	0050/1122		FIR AV (T440)	
RIDGE RD (T479)	0050/0630			
2 0 54037 0 01 0109+49	011666 FT		HOLLOW RD (T485)	
HOLLOW RD (T485)	0050/0000		LENGTH(AH 2044 BK 3528)	
	0040/3500		018 " DIA CIR PLASTIC	LEN=0060 INSTALLED 1999
HILL TOP LN (PRDR)	0040/2108			
WASHBOARD LN (PRDR)	0040/1890			
	0040/1603		018 " DIA CIR PLASTIC	LEN=0040 INSTALLED 1999
008138 FT	008138 FT		2 0 54037 0 01 0074+49	
	0040/0000		LENGTH(AH 3528 BK 2434)	
	0030/1048		018 " DIA CIR PLASTIC	LEN=0042 INSTALLED 2014
DAUBERMAN LN (PRDR)	0030/0616			
	0030/0560		024 " DIA CIRC METAL	LEN=0049 INSTALLED 2006
	0030/0085		018 " DIA CIR PLASTIC	LEN=0040 INSTALLED 1999

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 123
COUNTY: SNYDER

DIR: B TOTAL LEN: 5.152 MI.
LEFT MUN: MIDDLE CREEK T

DIST: 03-5 SR: 1009
RIGHT MUN: MIDDLE CREEK T

HOLLENBACH DR
(T427)

DOGWOOD DR
(T443)

005704 FT


0020/0266

003420 FT

002686 FT

0010/0668

000000 FT



005704 FT 2 0 54037 0 01 0050+03
S 0030/0000 LENGTH(AH 2434 BK 2284)
018 "DIA CIRC METAL
0020/1450 LEN=0036 INSTALLED UNKN
024"H 00"W MULT PLSTIC
0020/0832 LEN=0042 INSTALLED 2020
018 "DIA CIR PLASTIC
0020/0649 LEN=0036 INSTALLED UNKN
CARLS FARM RD
0020/0633 (PRDR)
036 "DIA CIR PLASTIC
0020/0183 LEN=0087 INSTALLED 2018
003420 FT 2 0 54037 0 01 0027+05
S 0020/0000 LENGTH(AH 2284 BK 0734)
018 "DIA CIRC CONCR
0012/0654 LEN=0040 INSTALLED UNKN
TR. MIDDLECK
STRUCTURE LENGTH 23 FT
0012/0228 BMSID 54/1009/0012/0228
SPORTSMANS DR
0012/0197 (T438)
002686 FT 0 0 00000 0 00 0000+00
S 0012/0000 LENGTH(AH 0734 BK 2686)
060 "DIA CIRC CONCR
0010/2022 LEN=0050 INSTALLED 2001
018 "DIA CIR PLASTIC
0010/1518 LEN=0040 INSTALLED 1999
CHURCH RD
0010/1469 (T444)
018 "DIA CIRC CONCR
0010/1277 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0852 LEN=0041 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0698 LEN=0175 INSTALLED 1999
024 "DIA CIR PLASTIC
0010/0260 LEN=0070 INSTALLED 2001
000000 FT 2 0 54037 0 00 0000+00
NC SM ALSH BARRICK RD
SR 0522 SH
(SR0522 SEG 0490/0000)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2686 BK 0000)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 122
COUNTY: SNYDER

DIR: B TOTAL LEN: 1.954 MI.
LEFT MUN: PENN T

DIST: 03-5 SR: 1008
RIGHT MUN: PENN T

SR 0204 SH 010319 FT
(SR0204 SEG 0020/0000) 0050/0571
FROM 0204/0020 SH
(CONN) 0050/0463


2 0 54043 1 00 0097+56 009748 FT
QUARRY RD
(T484) 0050/0000

QUARRY RD
(T484) 0040/0608

008842 FT

DOGWOOD LN
(GOVT) 0030/0484

005620 FT




010319 FT SR 0204 SH
0050/0571 (SR0204 SEG 0020/0000)
0050/0144 BMS EN 54/1008/0050/0129
2 0 54043 1 00 0098+95
PENNS C TRIB
0050/0129 BMSBG 54/1008/0050/0129
009748 FT
5 0050/0000 LENGTH(AH 0571 BK 0906)
015 "DIA CIRC METAL
0040/0867 LEN=0040 INSTALLED UNKN
024 "DIA CIRC METAL
0040/0789 LEN=0037 INSTALLED 2004
0040/0305 015 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0040/0140 015 "DIA CIR PLASTIC
LEN=0094 INSTALLED 1997
008842 FT 2 0 54043 0 00 0088+53
STATE C RD
(TWP)
5 0040/0000 LENGTH(AH 0906 BK 3222)
018 "DIA CIR PLASTIC
0030/2937 LEN=0068 INSTALLED UNKN
0030/2214 018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0030/1890 018 "DIA CIR PLASTIC
LEN=0062 INSTALLED UNKN
0030/1366 018 "DIA CAST IRON
LEN=0026 INSTALLED UNKN
0030/1150 018 "DIA CIR PLASTIC
LEN=0030 INSTALLED UNKN
0030/0780 015 "DIA CAST IRON
LEN=0023 INSTALLED UNKN
SHADY LN
(GOVT)
0030/0527
0030/0456 015 "DIA CAST IRON
LEN=0027 INSTALLED UNKN
005620 FT 2 0 54043 0 00 0056+25
MAPLE LN
(GOVT)
5 0030/0000 LENGTH(AH 3222 BK 2709)
015 "DIA CAST IRON
0020/2685 LEN=0025 INSTALLED UNKN

DIR: B TOTAL LEN: 1.954 MI. DIST: 03-5 SR: 1008
 LEFT MUN: PENN T RIGHT MUN: PENN T

Location	Segment ID	Length	Material	Status	Notes
MEADOW CR (GOVT)	0020/2107	0020/2275	018" DIA CAST IRON LEN=0023	INSTALLED	UNKN
		0020/1896	015" DIA CAST IRON LEN=0025	INSTALLED	UNKN
FOREST RD (GOVT)	0020/1592	0020/1665	PENNSYLVANIA AV (GOVT)		
		0020/1564	015" DIA CIRC METAL LEN=0070	INSTALLED	UNKN
		0020/1237	BIRDNEST RD (GOVT)		
		0020/1162	015" DIA CIRC METAL LEN=0036	INSTALLED	UNKN
		0020/0630	BIRDNEST RD (GOVT)		
		0020/0592	018" DIA CIRC METAL LEN=0030	INSTALLED	UNKN
		0020/0281	014"H 21"W ELLIP METAL LEN=0027	INSTALLED	UNKN
	002911 FT	002911 FT	2 0 54043 0 00 0029+19 WALTERS LN (T470)		
	5 0020/0000	5 0020/0000	LENGTH(AH 2709 BK 2911)		
		0010/2872	018" DIA CIR PLASTIC LEN=0028	INSTALLED	UNKN
		0010/1880	018" DIA CIR PLASTIC LEN=0029	INSTALLED	1997
		0010/1371	018" DIA CIR PLASTIC LEN=0041	INSTALLED	1997
		0010/0751	015"H 21"W ELLIP METAL LEN=0028	INSTALLED	UNKN
		0010/0597	015" DIA CIRC METAL LEN=0030	INSTALLED	UNKN
		0010/0423	018" DIA CIR PLASTIC LEN=0034	INSTALLED	UNKN
	000000 FT	0010/0090	013"H 21"W ELLIP METAL LEN=0022	INSTALLED	UNKN
		000000 FT	2 0 54043 0 00 0000+00 VILLAGE: SALEM SALEM RD (SR1011 SEG 0052/0000)		
SALEM RD (SR1011 SEG 0052/0000)	0010/0000	5 0010/0000	NC STATE SCHOOL RD MFC BEGIN = D LENGTH(AH 2911 BK 0000)		

044453 FT



044453 FT	INTER-AHD	TAME	DEER	DR
		(SR1006	SEG	0010/0592)
		TAME	DEER	DR
		(T835)		
0180/3320		018"	DIA	CIR PLASTIC
0180/2792		LEN=0040		INSTALLED 2015
0180/2625		048"	DIA	CIR PLASTIC
		LEN=0050		INSTALLED 2014
0180/2320		JACKSON		MIDDLE CREEK T
		018"	DIA	CIR PLASTIC
0180/2189		LEN=0040		INSTALLED UNKN
		024"	DIA	CIR PLASTIC
0180/1717		LEN=0040		INSTALLED 1998
		018"	DIA	CIR PLASTIC
0180/1253		LEN=0042		INSTALLED 2006
		018"	DIA	CIR PLASTIC
0180/1049		LEN=0053		INSTALLED 2006
0180/0984		BMS	SEN 54/1007/0180/0968	
		0 0 0000	0 00 0000+00	
		T. TUSARORA	C	
0180/0968		BMSBG	54/1007/0180/0968	

DIR: B TOTAL LEN: 8.419 MI. DIST: 03-5 SR: 1007
 LEFT MUN: MIDDLE CREEK T RIGHT MUN: MIDDLE CREEK T

041133 FT

038210 FT

035228 FT

0180/0328	018 " DIA CIRC METAL	LEN=0040	INSTALLED UNKN
0180/0066	048 " DIA CIR PLASTIC	LEN=0045	INSTALLED 2020
041133 FT	2 0 54036 0 00 0189+50		
	CLOVER DR		
	(T664)		
5 0180/0000	LENGTH(AH 3320 BK 2923)		
0170/2904	018 " DIA CIR PLASTIC	LEN=0050	INSTALLED 2015
0170/2663	018 " DIA CIRC METAL	LEN=0040	INSTALLED UNKN
0170/2080	014 " H 22 " W ELLIP METAL	LEN=0045	INSTALLED UNKN
0170/1688	014 " H 22 " W ELLIP METAL	LEN=0042	INSTALLED UNKN
0170/1218	024 " DIA CIRC METAL	LEN=0045	INSTALLED UNKN
0170/1027	018 " DIA CIR PLASTIC	LEN=0043	INSTALLED 1998
0170/0415	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2015
0170/0104	040 " DIA CIRC METAL	LEN=0050	INSTALLED 2020
038210 FT	2 0 54036 0 00 0160+46		
5 0170/0000	LENGTH(AH 2923 BK 2982)		
0160/2532	018 " DIA CIRC CONCR	LEN=0039	INSTALLED 2015
0160/1875	018 " DIA CIR PLASTIC	LEN=0045	INSTALLED 1998
0160/1301	024 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
0160/0610	020 " H 28 " W ELLIP METAL	LEN=0050	INSTALLED UNKN
0160/0020	015 " DIA CIRC METAL	LEN=0035	INSTALLED 1998
035228 FT	2 0 54036 0 00 0130+83		
	RIDGE RD		
	(T479)		
5 0160/0000	LENGTH(AH 2982 BK 2924)		
0150/2548	024 " DIA CIR PLASTIC	LEN=0081	INSTALLED 2015
0150/1889	014 " H 22 " W ELLIP METAL	LEN=0054	INSTALLED UNKN
	SWOPE RD		

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 118
COUNTY: SNYDER

DIR: B TOTAL LEN: 8.419 MI.
LEFT MUN: MIDDLE CREEK T

DIST: 03-5 SR: 1007
RIGHT MUN: MIDDLE CREEK T

ID	Length	Material	Notes
0150/1877	(T485)	014" H 22" W ELLIP METAL	
0150/1785	LEN=0042	INSTALLED UNKN	
0150/0370	LEN=0050	CIR PLASTIC 2018	
0150/0043	LEN=0050	INSTALLED 2015	
032304 FT	2 0 54036 0 00 0101+34		
0150/0000	LENGTH(AH 2924 BK 2475)	018" DIA CIR PLASTIC	
0140/2362	LEN=0070	INSTALLED UNKN	
0140/1755	LEN=0040	024" DIA CIRC METAL INSTALLED UNKN	
0140/1230	LEN=0043	018" DIA CIR PLASTIC INSTALLED UNKN	
0140/0840	LEN=0054	018" DIA CIR PLASTIC INSTALLED UNKN	
0140/0695	LEN=0093	048" DIA CIR PLASTIC INSTALLED UNKN	
0140/0545	LEN=0074	015" H 20" W ELLIP METAL INSTALLED UNKN	
029829 FT	2 0 54036 0 00 0076+38		
0140/0000	LENGTH(AH 2475 BK 2971)	018" DIA CIR PLASTIC	
0130/2678	LEN=0043	048" DIA CIR PLASTIC INSTALLED 2015	
0130/2545	LEN=0046	INSTALLED 1996	
0130/2148	LEN=0034	015" H 20" W ELLIP METAL INSTALLED UNKN	
0130/1866	LEN=0040	018" DIA CIR PLASTIC INSTALLED 1998	
0130/1486	LEN=0042	018" DIA CIR PLASTIC INSTALLED 1998	
0130/1305	LEN=0061	060" DIA CIR PLASTIC INSTALLED 2006	
0130/0815	LEN=0040	018" DIA CIR PLASTIC INSTALLED UNKN	
0130/0088	LEN=0050	042" H 66" W ELLIP CONC INSTALLED UNKN	
026858 FT			
0130/0000	LENGTH(AH 2971 BK 2265)	018" DIA CIR PLASTIC	
0120/1967	LEN=0048	INSTALLED 1998	
		015" H 20" W ELLIP METAL	

2 0 54036 0 00 0046+41 026858 FT
SUNSET DR
(T445) 0130/0000

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 117
COUNTY: SNYDER

DIR: B TOTAL LEN: 8.419 MI.
LEFT MUN: MIDDLE CREEK T

DIST: 03-5 SR: 1007
RIGHT MUN: MIDDLE CREEK T

Station	Length	Notes	Material	Year
0120/1636	LEN=0030	018" DIA	CIR PLASTIC	UNKN
0120/1290	LEN=0042	HOLLOW RD	INSTALLED	UNKN
0120/1260	(T443)	018" DIA	CIR PLASTIC	
0120/1010	LEN=0042		INSTALLED	2015
0120/0170	BMS EN 54/1007/0120/0000	2054036 000 0023+62		
024593 FT	024593 FT	VILLAGE: GLOBE MILLS		
0120/0000	BMS BG 54/1007/0120/0000	MIDDLE CREEK		
0110/1721	LENGTH(AH 2265 BK 2277)	MILL RACE		
0110/1638	STRUCTURE LENGTH 21 FT	BMS ID 54/1007/0110/1721		
0110/1560	015"H 20"W	ELLIP METAL		
0110/1497	LEN=0064	INSTALLED	UNKN	
0110/1041	018" DIA	CIR PLASTIC		
0110/0937	LEN=0040	INSTALLED	2015	
0110/0952	018" DIA	CIR PLASTIC		
0110/0758	LEN=0091	INSTALLED	2015	
0110/0000	015"H 20"W	ELLIP METAL		
0100/2190	LEN=0043	INSTALLED	UNKN	
0100/1827	018" DIA	CIR PLASTIC		
0100/1328	LEN=0042	INSTALLED	UNKN	
0100/0990	2054036 000 0000+00	VILLAGE: MEISER		
0100/0740	NC GL	GLOBE MILLS RD		
0100/0545	SR 0522 SH	(SR0522 SEG 0460/0000)		
	LENGTH(AH 2277 BK 2289)	018" DIA	CIR PLASTIC	
	018" DIA	CIR PLASTIC		
	LEN=0038	INSTALLED	2015	
	EBONY LN			
	(T433)	018" DIA	CIR PLASTIC	
	LEN=0035	INSTALLED	2015	
	SHRAWDER AV			
	(T492)	018" DIA	CIR METAL	
	LEN=0032	INSTALLED	UNKN	
	057"H 00"W	MULT METAL		
	LEN=0042	INSTALLED	1998	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 116
COUNTY: SNYDER

DIR: B TOTAL LEN: 8.419 MI.
LEFT MUN: MIDDLE CREEK T

DIST: 03-5 SR: 1007
RIGHT MUN: MIDDLE CREEK T

Stationing	Description	Material	Length	Year
020027 FT	0100/0200	018" DIA CIR PLASTIC	LEN=0037	2015
	0100/0021	018" DIA CIR PLASTIC	LEN=0040	2015
	020027 FT	2 0 54040 0 00 0199+96		
	0100/0000	LENGTH(AH 2289 BK 2615)		
	0090/2450	018" DIA CIR PLASTIC	LEN=0040	2015
	0090/2323	018" DIA CIR PLASTIC	LEN=0050	2015
	0090/2142	018" DIA CIR PLASTIC	LEN=0040	2015
	0090/1747	018" DIA CIR PLASTIC	LEN=0040	2015
	0090/1399	018" DIA CIR PLASTIC	LEN=0040	UNKN
	0090/1241	013" DIA CIR PLASTIC	LEN=0042	2015
	0090/0955	018" DIA CIR PLASTIC	LEN=0040	2015
	0090/0562	044"H 72"W ELLIP METAL	LEN=0032	UNKN
	0090/0350	024" DIA CIR PLASTIC	LEN=0098	UNKN
	0090/0220	018" DIA CIR PLASTIC	LEN=0045	2015
	0090/0038	018" DIA CIR PLASTIC	LEN=0037	2015
2 0 54040 0 00 0173+70 017412 FT WELLER HILL RD (T396)	017412 FT	MIDDLE CREEK WASHINGTON T		
	0090/0000	LENGTH(AH 2615 BK 2549)		
	0080/2249	032"H 00"W MULT METAL	LEN=0060	1998
	0080/1996	024" DIA CIR PLASTIC	LEN=0040	UNKN
	0080/1400	018" DIA CIRC CONCR	LEN=0043	UNKN
	0080/0910	014" DIA CIR PLASTIC	LEN=0040	UNKN
	0080/0781	018" DIA CIR PLASTIC	LEN=0042	2015
	0080/0525	013"H 22"W ELLIP METAL	LEN=0036	UNKN
	0080/0085	LC FROM IRON ORE DR (CONN)		
014863 FT	014863 FT	2 0 54040 0 00 0148+50		
	0080/0000	LENGTH(AH 2549 BK 1896)		
	0070/1824	IRON ORE DR (T420)		

DIR: B TOTAL LEN: 8.419 MI. DIST: 03-5 SR: 1007
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

Stationing	Length	Material	Notes
0070/0704	0070	030 " DIA CIR PLASTIC	LEN=0043 INSTALLED 1998
0129+43	012967 FT		
DOCK HILL RD (T399)	0070/0000		
0060/1958	0060	018 " DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0060/1628	0060	TV TOWER RD (T417)	
0060/1305	0060	018 " DIA CIR PLASTIC	LEN=0050 INSTALLED UNKN
0060/0951	0060	024 " DIA CIR PLASTIC	LEN=0057 INSTALLED UNKN
0060/0544	0060	015 " DIA CIR PLASTIC	LEN=0037 INSTALLED UNKN
0060/0136	0060	018 " DIA CIRC METAL	LEN=0030 INSTALLED UNKN
0104+77	010477 FT		
JONES HILL RD (T397)	0060/0000		LENGTH(AH 2490 BK 2221)
0050/2150	0050	036 " DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0050/1718	0050	018 " DIA CIR PLASTIC	LEN=0053 INSTALLED UNKN
0050/1274	0050	018 " DIA CIRC METAL	LEN=0045 INSTALLED UNKN
0050/0628	0050	018 " DIA CIR PLASTIC	LEN=0042 INSTALLED UNKN
0050/0060	0050	024 " DIA CIRC METAL	LEN=0070 INSTALLED UNKN
0082+60	008256 FT		
JONES HILL RD (T397)	0050/0000		LENGTH(AH 2221 BK 2657)
0040/1196	0040	022 "H 36 "W ELLIP METAL	LEN=0043 INSTALLED UNKN
0040/0529	0040	036 " DIA CIR PLASTIC	LEN=0043 INSTALLED 1998
0040/0104	0040	018 " DIA CIR PLASTIC	LEN=0035 INSTALLED 1998
0056+00	005599 FT		
SHORT RD (T394)	0040/0000		LENGTH(AH 2657 BK 1609)
0030/1234	0030	018 " DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 8.419 MI. DIST: 03-5 SR: 1007
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T


003990 FT

001300 FT

000000 FT

0030/0913	030 " DIA CIR PLASTIC LEN=0044 INSTALLED UNKN
003990 FT	2 0 54040 0 00 0039+96
0030/0000	LENGTH(AH 1609 BK 2690) 018 " DIA CIR PLASTIC
0020/2678	LEN=0036 INSTALLED UNKN
0020/2004	018 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0020/1225	040"H 65"W ELLIP METAL LEN=0034 INSTALLED UNKN
0020/1150	MINE RD (T408)
0020/0862	018 " DIA CIR PLASTIC LEN=0050 INSTALLED 1998
0020/0640	036 " DIA CIRC METAL LEN=0038 INSTALLED UNKN
0020/0267	018 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0020/0015	024 " DIA CIR PLASTIC LEN=0160 INSTALLED UNKN
001300 FT	2 0 54040 0 00 0013+00 ACADEMY RD (T400) WASHINGTON FREEBURG B
0020/0000	LENGTH(AH 2690 BK 1300) 015 " DIA CIRC METAL
0010/0808	LEN=0028 INSTALLED UNKN NEW MARKET ST
0010/0790	(BORO)
0010/0396	CHURCH ST (BORO)
0010/0216	013"H 22"W ELLIP METAL LEN=0040 INSTALLED UNKN
0010/0204	UNNAMED AL (BORO)
0010/0035	018 " DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
000000 FT	2 0 54040 0 00 0000+00 NC WH WHITE TOP RD MARKET ST (SR0035 SEG 0230/1196)
INTER-BK	WHITE TOP RD (BORO)
0010/0000	MFC BEGIN = D LENGTH(AH 1300 BK 0000)

000592 FT
 000592 FT
 000592 FT
 000592 FT
 000592 FT
 000592 FT



000000 FT

000592 FT
 7060/0000 LENGTH(AH 2070 BK 2513)
 000592 FT
 7050/0000 LENGTH(AH 2513 BK 2934)
 000592 FT
 7040/0000 LENGTH(AH 2934 BK 1490)
 000592 FT
 7030/0000 LENGTH(AH 1490 BK 3085)
 000592 FT
 7020/0000 LENGTH(AH 3085 BK 2899)
 000592 FT
 7012/0000 LENGTH(AH 2899 BK 0592)
 INTER-AHD TAME DEER DR
 (TB35)
 GLOBE MILLS RD
 0010/0592 (SR1007 SEG 0180/3320)
 0010/0246 BMSEN 54/1006/0010/0224
 2 0 54035 0 00 0262+44
 TUSCARORA CK
 0010/0224 BMSBG 54/1006/0010/0224
 018 "DIA CIRC METAL
 0010/0045 LEN=0065 INSTALLED UNKN
 000000 FT 2 0 54035 0 00 0260+10
 NC SP PRUCE HOLLOW RD
 NEW BERLIN HW
 (SR1005 SEG 0110/0000)
 MFC BEGIN = D
 0010/0000 LENGTH(AH 0592 BK 0000)

DIR: B TOTAL LEN: 7.222 MI. DIST: 03-5 SR: 1005
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	038132 FT		038132 FT	
SR 0204 SH (SR0204 SEG 0200/2794)	0150/2656		INTER-AHD 0150/2656	SR 0204 SH (SR0204 SEG 0200/2794)
FROM 0204/0200 SH (CONN)	0150/2545		0150/2619	018 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN
			0150/1734	015 "H 21 "W ELLIP METAL LEN=0038 INSTALLED UNKN
MOUNTAIN VIEW RD (PRDR)	0150/1218		0150/1405	018 " DIA CIRC METAL LEN=0062 INSTALLED UNKN
			0150/0954	018 " DIA CIR PLASTIC LEN=0055 INSTALLED 2007
	035476 FT		035476 FT	2 0 54036 0 01 0318+87 SMALSH BARRICK RD
BROADWAY RD (T503)	0140/1756		0150/0000	(SR1009 SEG 0110/2715) LENGTH(AH 2656 BK 2236)
			0140/1792	048 "H 60 "W CON BOX CUL LEN=0037 INSTALLED UNKN
2 0 54036 0 01 0296+84 NEWMAN RD (T670)	033240 FT 0140/0000		033240 FT	
			0140/0000	LENGTH(AH 2236 BK 2125) 024 " DIA CIRC METAL
			0130/1809	LEN=0040 INSTALLED UNKN
			0130/0601	036 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN

DIR: B TOTAL LEN: 7.222 MI. DIST: 03-5 SR: 1005
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

Stationing	Notes	Stationing	Notes
031115 FT		031115 FT	2 0 54036 0 01 0274+89
		0130/0000	LENGTH(AH 2125 BK 1646)
		0120/1545	015"H 21"W ELLIP METAL LEN=0036 INSTALLED UNKN
		0120/0852	018 "DIA CIR PLASTIC LEN=0056 INSTALLED 2007
		0120/0461	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 2005
OAK TREE RD (T668)	0120/0419		
		0120/0249	018 "DIA CIR PLASTIC LEN=0046 INSTALLED 2007
2 0 54036 0 01 0257+89	029469 FT	029469 FT	
BREON RD (T481)	0120/0000	0120/0000	LENGTH(AH 1646 BK 3461)
		0110/3289	036 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
		0110/3009	048 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
		0110/2086	018 "DIA CIR PLASTIC LEN=0046 INSTALLED 2007
		0110/1883	072"H 72"W CON BOX CUL LEN=0030 INSTALLED UNKN
		0110/1297	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2007
		0110/0929	018 "DIA CIR PLASTIC LEN=0048 INSTALLED 2007
		0110/0727	018 "DIA CIR PLASTIC LEN=0042 INSTALLED 2007
		0110/0458	018 "DIA CIR PLASTIC LEN=0043 INSTALLED UNKN
		0110/0181	TUSCARORA CK STRUCTURE LENGTH 26 FT BMSID 54/1005/0110/0181
RODKEY RD (T666)	0110/0057		
	026008 FT	026008 FT	2 0 54036 0 01 0223+53
		0110/0000	SPRUCE HOLLOW RD (SR1006 SEG 0010/0000) LENGTH(AH 3461 BK 3349)
		0100/2866	018 "DIA CIR PLASTIC LEN=0055 INSTALLED 2007
		0100/2483	JACKSON CENTER T
		0100/2436	CENTER MIDDLE CREEK T

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 110
COUNTY: SNYDER

DIR: B TOTAL LEN: 7.222 MI.
LEFT MUN: CENTER T

DIST: 03-5 SR: 1005
RIGHT MUN: CENTER T

	0100/2417	018 " DIA	CIRC METAL	
		LEN=0054	INSTALLED UNKN	
	0100/2138	018 " DIA	CIRC METAL	
		LEN=0044	INSTALLED UNKN	
	0100/1657	036 " DIA	CIRC METAL	
		LEN=0044	INSTALLED UNKN	
	0100/1475	018 " DIA	CIRC METAL	
		LEN=0056	INSTALLED UNKN	
	0100/1205	018 " DIA	CIRC METAL	
		LEN=0051	INSTALLED UNKN	
	0100/0844	018 " DIA	CIRC METAL	
		LEN=0046	INSTALLED UNKN	
	0100/0654	018 " DIA	CIRC METAL	
		LEN=0050	INSTALLED UNKN	
	0100/0407	018 " DIA	CIRC METAL	
		LEN=0054	INSTALLED UNKN	
	0100/0098	018 " DIA	CIRC METAL	
		LEN=0042	INSTALLED 2007	
022659 FT	022659 FT	2 0 54035	0 00 0226+66	
		OAK LN		
		(T656)		
	0100/0000	LENGTH(AH 3349 BK 2667)		
		024"H 42"W	ELLIP METAL	
	0090/2398	LEN=0047	INSTALLED UNKN	
	0090/2054	018 " DIA	CIRC METAL	
		LEN=0044	INSTALLED UNKN	
	0090/1880	MIDDLE CREEK		
		CENTER T		
	0090/1662	018 " DIA	CIRC METAL	
		LEN=0040	INSTALLED UNKN	
	0090/1144	018 " DIA	CIRC METAL	
		LEN=0050	INSTALLED UNKN	
	0090/0660	030"H 50"W	ELLIP METAL	
		LEN=0053	INSTALLED UNKN	
	0090/0244	018 " DIA	CIRC METAL	
		LEN=0054	INSTALLED UNKN	
019992 FT	019992 FT	2 0 54035	0 00 0199+95	
	0090/0000	LENGTH(AH 2667 BK 2042)		
		024 " DIA	CIRC METAL	
	0080/1701	LEN=0048	INSTALLED UNKN	
	0080/1236	018 " DIA	CIRC METAL	
		LEN=0044	INSTALLED UNKN	
	0080/0962	036 " DIA	CIRC METAL	
		LEN=0055	INSTALLED UNKN	
	017950 FT	2 0 54035	0 00 0179+50	
		SMITH RD		
		(T658)		
	0080/0000	LENGTH(AH 2042 BK 2595)		

DIR: B TOTAL LEN: 7.222 MI. DIST: 03-5 SR: 1005
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

015355 FT

012515 FT

RICHARD RD
 (SR1001 SEG 0010/0000) 0050/1763

0070/2290	024 " DIA	CIR PLASTIC
	LEN=0055	INSTALLED UNKN
0070/1917	018 " DIA	CIRC METAL
	LEN=0048	INSTALLED UNKN
0070/1652	048 " DIA	CIRC METAL
	LEN=0070	INSTALLED UNKN
0070/1159	054 " DIA	CIRC METAL
	LEN=0054	INSTALLED UNKN
0070/0147	018 " DIA	CIRC METAL
015355 FT	LEN=0058	INSTALLED UNKN
	2 0 54035	0 00 0153+71
	T MIDDLE CRK	
	STRUCTURE LENGTH	13 FT
	BMSID 54/1005/0070/0000	
0070/0000	LENGTH(AH 2595 BK 2840)	
0060/2829	018 " DIA	CIRC METAL
	LEN=0055	INSTALLED UNKN
0060/2498	018 " DIA	CIRC METAL
	LEN=0057	INSTALLED UNKN
0060/2494	CENTER	
	FRANKLIN T	
0060/1914	036 " DIA	CIRC METAL
	LEN=0057	INSTALLED UNKN
0060/1464	018 " DIA	CIRC METAL
	LEN=0075	INSTALLED UNKN
	TR. MIDDLE CREEK	
	STRUCTURE LENGTH	16 FT
0060/1126	BMSID 54/1005/0060/1126	
0060/0977	024 " DIA	CIRC METAL
	LEN=0053	INSTALLED UNKN
0060/0721	018 " DIA	CIRC METAL
	LEN=0051	INSTALLED UNKN
0060/0412	018 " DIA	CIRC METAL
	LEN=0049	INSTALLED UNKN
0060/0150	018 " DIA	CIRC METAL
012515 FT	LEN=0060	INSTALLED UNKN
	2 0 54035	0 00 0125+15
	OPOSSUM HOLLOW RD	
	(T479)	
0060/0000	LENGTH(AH 2840 BK 2029)	
	T MIDDLE CRK	
	STRUCTURE LENGTH	19 FT
0050/1920	BMSID 54/1005/0050/1920	
0050/1755	018 " DIA	CIRC METAL
	LEN=0060	INSTALLED UNKN
	018 " DIA	CIRC METAL

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 108
COUNTY: SNYDER

DIR: B TOTAL LEN: 7.222 MI.
LEFT MUN: FRANKLIN T

DIST: 03-5 SR: 1005
RIGHT MUN: FRANKLIN T

MITCHELL RD
(T483)

0050/0613
010486 FT

007548 FT

0050/1658	LEN=0050	INSTALLED UNKN
018 "DIA	CIRC METAL	
0050/1509	LEN=0060	INSTALLED UNKN
024 "DIA	CIRC METAL	
0050/1345	LEN=0075	INSTALLED UNKN
018 "DIA	CIRC METAL	
0050/0907	LEN=0062	INSTALLED UNKN
036 "DIA	CIRC METAL	
0050/0645	LEN=0186	INSTALLED UNKN
024 "DIA	CIRC METAL	
0050/0281	LEN=0068	INSTALLED UNKN
2 0 54035	0 00 0104+80	
BR. MIDDLE CK	STRUCTURE LENGTH 25 FT	
BMSID 54/1005/0050/0000	LENGTH(AH 2029 BK 2938)	
0050/0000	018 "DIA	CIRC METAL
0040/2696	LEN=0074	INSTALLED UNKN
018 "DIA	CIRC METAL	
0040/2004	LEN=0050	INSTALLED UNKN
018 "DIA	CIRC METAL	
0040/1630	LEN=0050	INSTALLED UNKN
036 "DIA	CIRC METAL	
0040/1361	LEN=0063	INSTALLED UNKN
018 "DIA	CIRC METAL	
0040/0985	LEN=0051	INSTALLED UNKN
018 "DIA	CIRC METAL	
0040/0703	LEN=0058	INSTALLED UNKN
SUNSET DR	(T445)	
0040/0630	015 "H 20 "W	ELLIP METAL
0040/0521	LEN=0053	INSTALLED UNKN
018 "DIA	CIRC METAL	
0040/0176	LEN=0050	INSTALLED UNKN
2 0 54035	0 00 0075+35	
SPRUCE RUN RD	(T634)	
0040/0000	LENGTH(AH 2938 BK 2186)	
HUMMELS RUN	STRUCTURE LENGTH 21 FT	
BMSID 54/1005/0030/2081	036 "DIA	CIRC METAL
0030/2081	LEN=0076	INSTALLED UNKN
018 "DIA	CIRC METAL	
0030/1677	LEN=0063	INSTALLED UNKN
018 "DIA	CIRC METAL	
0030/1521	LEN=0060	INSTALLED UNKN
018 "DIA	CIRC METAL	
0030/1208	LEN=0060	INSTALLED UNKN

DIR: B TOTAL LEN: 7.222 MI. DIST: 03-5 SR: 1005
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Segment ID	Length (FT)	Material	Status
0030/0858	0064	018" DIA CIRC METAL	INSTALLED UNKN
0030/0533	0050	022"H 36" W ELLIP METAL	INSTALLED UNKN
0030/0180	0055	018" DIA CIRC METAL	INSTALLED UNKN
005362 FT	54035	2 0 54035 0 00 0053+67	
0030/0000	2186	048" DIA CIRC METAL	INSTALLED UNKN
0020/2422	0043	LEN=0072 LENGTH(AH 2186 BK 2840)	INSTALLED UNKN
0020/2180	0064	024" DIA CIRC METAL	INSTALLED UNKN
0020/1864	0042	018" DIA CIRC METAL	INSTALLED UNKN
0020/1568	0047	018" DIA CIRC METAL	INSTALLED UNKN
0020/1269	0050	018" DIA CIRC METAL	INSTALLED UNKN
0020/0915	0075	018" DIA CIRC METAL	INSTALLED UNKN
002522 FT	54035	2 0 54035 0 00 0025+24	
0020/0000	2840	LEN=0065 LENGTH(AH 2840 BK 2522)	INSTALLED UNKN
0010/2522	0065	018" DIA CIRC METAL	INSTALLED UNKN
0010/2101	0055	018" DIA CIRC METAL	INSTALLED UNKN
0010/1847	0048	018" DIA CIRC METAL	INSTALLED UNKN
0010/1581	0061	024" DIA CIRC METAL	INSTALLED UNKN
0010/1075	0050	018" DIA CIRC METAL	INSTALLED UNKN
0010/0783	0090	036" DIA CIRC METAL	INSTALLED UNKN
0010/0268	25	TRUMPS RUN STRUCTURE LENGTH 25 FT	
0010/0134	0066	BMSID 54/1005/0010/0268	INSTALLED UNKN
0010/0096		018" DIA CIRC METAL	
000000 FT		FRANKLIN MIDDLEBURG B	
000000 FT		NC NEW BERLIN HW	
000000 FT		MAIN ST	
000000 FT		(SR0104 SEG 0270/0000)	
0010/0000		MFC BEGIN = D	
0010/0000	2522	LEN=0066 LENGTH(AH 2522 BK 0000)	INSTALLED UNKN

2 0 54035 0 00 0000+00 000000 FT
 MAIN ST
 (SR0104 SEG 0270/0000) 0010/0000


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 106
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: .000 MI. DIST: 03-5 SR: 1004
LEFT MUN: CENTER T RIGHT MUN: CENTER T

000000 FT



000000 FT
7010/0000 LENGTH(AH 1491 BK 0000)

CENTERVILLE ST 011481 FT
(SR0104 SEG 0380/0000) 0040/2891



011481 FT CENTERVILLE ST
0040/2891 (SR0104 SEG 0380/0000)
036 " DIA CIR PLASTIC
0040/2424 LEN=0050 INSTALLED 2005
018 " DIA CIR PLASTIC
0040/1996 LEN=0070 INSTALLED 2002
038"H 57"W ELLIP METAL
0040/1874 LEN=0070 INSTALLED 2002
018 " DIA CIR PLASTIC
0040/1824 LEN=0070 INSTALLED 2002

018 " DIA CIR PLASTIC
0040/0904 LEN=0035 INSTALLED 2014


0040/0044 BMS EN 54/1003/0040/0000
008590 FT 2 0 54078 0 00 0085+83
TRIBUTARY PENNS CREEK
BMSBG 54/1003/0040/0000
5 0040/0000 LENGTH(AH 2891 BK 3096)

008590 FT

KEENE LN
(TWP)

0030/2904

DIR: B TOTAL LEN: 2.174 MI. DIST: 03-5 SR: 1003
 LEFT MUN: CENTER T RIGHT MUN: CENTER T



005494 FT

002951 FT

000000 FT

RICHARD RD
 (SR1001 SEG 0060/1798) 0010/0000

0030/2875 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2014
 0030/2815 018 " DIA CIR PLASTIC
 LEN=0035 INSTALLED 2014

 0030/1457 018 " DIA CIR PLASTIC
 LEN=0035 INSTALLED 2014
 0030/0721 018 " DIA CIR PLASTIC
 LEN=0030 INSTALLED 2014
 0030/0440 018 " DIA CIR PLASTIC
 LEN=0035 INSTALLED 2014
 005494 FT 2 0 54078 0 00 0055+00
 KERR RD
 (T662)
 S 0030/0000 LENGTH(AH 3096 BK 2543)
 015"H 21"W ELLIP METAL
 0020/2497 LEN=0030 INSTALLED UNKN

 0020/1855 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2014

 002951 FT 2 0 54078 0 00 0029+54
 036"H 42"W ELLIP METAL
 LEN=0040 INSTALLED UNKN
 S 0020/0000 LENGTH(AH 2543 BK 2951)

 0010/0038 018 " DIA CIR PLASTIC
 LEN=0030 INSTALLED 2014
 000000 FT 2 0 54078 0 00 0000+00
 NC WA
 SCHOLL RD
 (T503)
 INTER-BK RICHARD RD
 (SR1001 SEG 0060/1798)
 MFC BEGIN = E
 S 0010/0000 LENGTH(AH 2951 BK 0000)


DIR: B TOTAL LEN: 1.992 MI. DIST: 03-5 SR: 1002
 LEFT MUN: PENN T RIGHT MUN: PENN T

SR 0204 SH 010516 FT
 (SR0204 SEG 0050/0000) 0080/0874

2 0 54038 1 00 0281+55 009642 FT
 HILL END RD
 (T485) 0080/0000

007491 FT

2 0 54038 0 01 0241+00 005550 FT
 HERMAN RD
 (T486) 0060/0000



010516 FT SR 0204 SH
 0080/0874 (SR0204 SEG 0050/0000)
 0080/0845 018 " DIA CIR PLASTIC
 0080/0630 LEN=0050 INSTALLED 1997
 0080/0345 018 " DIA CIR PLASTIC
 009642 FT LEN=0040 INSTALLED 2005
 009642 FT 018 " DIA CIR PLASTIC
 LEN=0036 INSTALLED UNKN

5 0080/0000 LENGTH(AH 0874 BK 2151)
 018 " DIA CIR PLASTIC
 0070/1908 LEN=0035 INSTALLED UNKN

0070/1166 018 " DIA CIR PLASTIC
 LEN=0040 INSTALLED 2005

0070/0440 018 " DIA CIR PLASTIC
 007491 FT LEN=0040 INSTALLED 2005
 5 0070/0000 2 0 54038 0 01 0260+23
 LENGTH(AH 2151 BK 1941)

0060/1935 018 " DIA CIR PLASTIC
 LEN=0045 INSTALLED 1999

0060/1784 018 " DIA CIR PLASTIC
 LEN=0035 INSTALLED 2005

0060/1369 018 " DIA CIR PLASTIC
 LEN=0030 INSTALLED UNKN

0060/1240 018 " DIA CIR PLASTIC
 LEN=0043 INSTALLED 2005

0060/0392 018 " DIA CIR PLASTIC
 LEN=0035 INSTALLED 2014

0060/0077 024 " DIA CIR PLASTIC
 005550 FT LEN=0040 INSTALLED UNKN

5 0060/0000 LENGTH(AH 1941 BK 3113)
 018 " DIA CIR PLASTIC

0050/2790 LEN=0040 INSTALLED 2014
 018 " DIA CIR PLASTIC

0050/2716 LEN=0040 INSTALLED UNKN
 024 " DIA CIR PLASTIC

0050/2340 LEN=0043 INSTALLED UNKN
 024 " DIA CIR PLASTIC

0050/2136 LEN=0042 INSTALLED UNKN
 018 " DIA CIR PLASTIC


0050/1699 LEN=0040 INSTALLED UNKN
 018 " DIA CIR PLASTIC

0050/1363 LEN=0042 INSTALLED UNKN
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.992 MI. DIST: 03-5 SR: 1002
 LEFT MUN: PENN T RIGHT MUN: PENN T

Stationing	Description	Length	Material	Notes
0050/0953	018" DIA CIR PLASTIC	0045	INSTALLED UNKN	
0050/0648	018" DIA CIR PLASTIC	0045	INSTALLED 1999	
002437 FT				
002437 FT				
0050/0000	018" DIA CIR PLASTIC	0000	INSTALLED 2014	2 0 54038 0 01 0209+61
0040/2022	018" DIA CIR PLASTIC	0043	INSTALLED 2014	LENGTH(AH 3113 BK 2394)
0040/1534	018" DIA CIR PLASTIC	0036	INSTALLED 2014	
0040/1154	018" DIA CIR PLASTIC	0042	INSTALLED 1999	
0040/0800	018" DIA CIR PLASTIC	0040	INSTALLED 2014	
0040/0275	018" DIA CIR PLASTIC	0040	INSTALLED 2014	
000043 FT	INTER-BK SALEM RD			(SR1011 SEG 0080/0000)
0040/0000	LTH AH	002394	BK 000100	
000043 FT				
000043 FT				
000043 FT				
000023 FT	INTER-AHD FAIR OAK RD			LENGTH(AH 0023 BK 0020)
000023 FT	INTER-BK FAIR OAK RD			BMSSEN 54/1002/0034/0000
000023 FT	INTER-BK FAIR OAK RD			2 0 54038 0 00 0180+61
000023 FT	INTER-BK FAIR OAK RD			(TWP)
000023 FT	INTER-BK FAIR OAK RD			T. PENNS CRK.
000023 FT	INTER-BK FAIR OAK RD			BMSBG 54/1002/0034/0000
000023 FT	INTER-BK FAIR OAK RD			LENGTH(AH 0020 BK 2695)
000000 FT	INTER-AHD FAIR OAK RD			BMSSEN 54/1002/0030/0000
000000 FT	INTER-BK FAIR OAK RD			(TWP)
000000 FT	INTER-BK FAIR OAK RD			2 0 54038 0 00 0154+19
000000 FT	INTER-BK FAIR OAK RD			(TWP)
000000 FT	INTER-BK FAIR OAK RD			T. PENNS CK
000000 FT	INTER-BK FAIR OAK RD			BMSBG 54/1002/0030/0000
000000 FT	INTER-BK FAIR OAK RD			LENGTH(AH 0023 BK 2924)
000000 FT	INTER-BK FAIR OAK RD			
000000 FT	INTER-BK FAIR OAK RD			LENGTH(AH 2924 BK 2954)
000000 FT	INTER-BK FAIR OAK RD			
000000 FT	INTER-BK FAIR OAK RD			LTH AH 002954 BK 000100
000000 FT	INTER-BK FAIR OAK RD			
000000 FT	INTER-BK FAIR OAK RD			LTH AH 000100 BK 000000

CENTERVILLE ST 019440 FT
 (SR0104 SEG 0360/2874) 0080/0349
 019091 FT



019440 FT CENTERVILLE ST
 0080/0349 (SR0104 SEG 0360/2874)
 019091 FT 2 0 54052 1 00 0190+71
 RASBERRY ST
 (T636)
 NC WA LNUT ST
 WALNUT ST
 (T670)
 0080/0000 LENGTH(AH 0349 BK 3168)
 0070/2791 BMSSEN 54/1001/0070/2722
 0 0 00000 0 00 0000+00
 DRY RUN
 0070/2722 BMSBG 54/1001/0070/2722
 018 " DIA CIR PLASTIC
 0070/2212 LEN=0035 INSTALLED 2013
 018 " DIA CIR PLASTIC
 0070/1930 LEN=0035 INSTALLED 2013
 018 " DIA CIR PLASTIC
 0070/1250 LEN=0035 INSTALLED 2013
 018 " DIA CIRC METAL
 0070/0085 LEN=0029 INSTALLED UNKN
 015923 FT 2 0 54052 0 01 0159+16
 VILLAGE: PENNS CREEK
 0070/0000 LENGTH(AH 3168 BK 2919)
 018 " DIA CIR PLASTIC

015923 FT

DIR: B TOTAL LEN: 3.682 MI. DIST: 03-5 SR: 1001
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

0060/2615	LEN=0040	INSTALLED 2015
0060/2500	LEN=0033	INSTALLED UNKN
0060/2075	LEN=0036	INSTALLED 2002
0060/1800	LEN=0055	INSTALLED 2013
0060/1798	LEN=0031	INSTALLED UNKN
0060/0660	LEN=0034	INSTALLED 2002
0060/0242	LEN=0035	INSTALLED 2013
0060/0000	LENGTH(AH 2919 BK 3147)	
0050/2630	LEN=0042	INSTALLED 2005
0050/2430	LEN=0030	INSTALLED UNKN
0050/1945	LEN=0040	INSTALLED 2022
0050/1315	LEN=0030	INSTALLED 2012
0050/0350	LEN=0035	INSTALLED 2013
0050/0000	LENGTH(AH 3147 BK 1762)	
0040/1740	LEN=0038	INSTALLED UNKN
0040/1565	LEN=0038	INSTALLED 2002
0040/0955	LEN=0035	INSTALLED 2013
0040/0595	LEN=0040	INSTALLED 2013
0040/0000	LENGTH(AH 1762 BK 3096)	

2 0 54052 0 01 0130+00 013004 FT
 KEISTER RD
 (T503) 0060/0000

009857 FT


2 0 54052 0 01 0080+64 008095 FT
 SHAMBACH RD
 (T632) 0040/0000

DIR: B TOTAL LEN: 3.682 MI. DIST: 03-5 SR: 1001
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

Stationing	Description	Material	Length	Notes
	0030/3073	BREON RD (T481)		
	0030/1795	036 " DIA CIR PLASTIC	LEN=0037	INSTALLED 2002
	0030/1196	SMITH RD (T658)		
004999 FT	004999 FT	2 0 54052 0 01 0048+86		
	0030/0000	LENGTH(AH 3096 BK 3105)		
	0020/3050	018 " DIA CIR PLASTIC	LEN=0060	INSTALLED 2015
	0020/2765	030 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
	0020/1310	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
	0020/0850	030 " DIA CIRC CONCR	LEN=0070	INSTALLED UNKN
001894 FT	0020/0205	018 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
	001894 FT	2 0 54052 0 01 0018+38		
	0020/0000	LENGTH(AH 3105 BK 1894)		
	0010/1877	CENTER FRANKLIN T		
	0010/1420	018 " DIA CIR PLASTIC	LEN=0047	INSTALLED UNKN
	0010/0700	058 "H 91" W ELLIP CONC	LEN=0048	INSTALLED 2002
	0010/0540	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2013
SALEM CHURCH RD (T479)	0010/0515			
	0010/0370	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2015
	0010/0085	018 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2018
000000 FT	000000 FT	2 0 54052 0 00 0000+00		
		NEW BERLIN HW (SR1005 SEG 0050/1763)		
NEW BERLIN HW (SR1005 SEG 0050/1763)	0010/0000	NC RI CHARD RD MFC BEGIN = E		
	0010/0000	LENGTH(AH 1894 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 98
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

SR 0011 SH 148623 FT
 (SR0011 SEG 0321/0000) INTER-AHD
 7096SR 11/15 SBL
 OP ID 54/0011/0311/2708 0615/1602
 RAMP D RD
 (SR8005 SEG 0500/0000) 0615/1384
 024 "DIA CIRC CONCR
 LEN=0075 INSTALLED UNKN 0615/1215



148569 FT
 INTER-AHD SR 0011 SH
 (SR0011 SEG 0320/0000)
 7096SR 11/15 SBL
 0614/1565 OP ID 54/0011/0311/2708
 JEFFERSON AV
 (T464)
 018 "DIA CIRC CONCR
 0614/1089
 0614/0777 LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

RAMP A RD
 (SR9407 SEG 0010/0000) 0615/0430

1 0 00025 0 01 0585+77 147021 FT
 OLD TRAIL RD
 (T463)
 AIRPORT DR
 (SR1015 SEG 0010/0000)
 MFC BEGIN = B
 LENGTH(AH 1602 BK 0921) 0615/0000
 FROM 1015/0010 SH
 (CONN) 0610/0864


SR 9102 SH
 (SR9102 SEG 0010/0000) 0610/0200
 146100 FT

SR 9102 SH
 (SR9102 SEG 0010/0232) 0605/0464

018 "DIA CIRC CONCR
 LEN=0028 INSTALLED UNKN 0605/0206

BRIDGE ST
 (SR1012 SEG 0021/0163) 0605/0123

PENN
 SELINGSGROVE B 0605/0030
 1 0 00025 0 01 0572+04 145522 FT



0614/0323 WASHINGTON AV
 (T494)
 018 "DIA CIRC CONCR
 0614/0098 LEN=0075 INSTALLED UNKN
 LC FROM T463 RD
 0614/0077 (CONN)
 147004 FT 1 0 00025 0 01 0585+77
 OLD TRAIL RD
 (T463)
 AIRPORT DR
 (SR1015 SEG 0010/0000)
 MFC BEGIN = B
 0614/0000 LENGTH(AH 1565 BK 0921)
 LC TO T463 RD
 0610/0864 (CONN)
 0610/0833 BMSSEN 54/0522/0610/0387
 MONROE
 PENN T
 0 0 00000 0 00 0000+00
 0610/0771 PENNS CREEK
 0610/0414 BMSBG 54/0522/0610/0387

0610/0049 018 "DIA CIRC CONCR
 146083 FT LEN=0010 INSTALLED UNKN
 1 0 00025 0 01 0576+94
 NC SU SQUEHANNA TR

MARKET ST
 (SR2017 SEG 0070/1853)
 MFC BEGIN = B
 0610/0000 LENGTH(AH 0921 BK 0561)

0604/0306 TO 2017/0070 SH
 (CONN)

0604/0247 018 "DIA CIRC CONCR
 LEN=0042 INSTALLED UNKN

0604/0106 BRIDGE ST
 (T445)
 PENN
 0604/0086 SELINGSGROVE B
 145522 FT 1 0 00025 0 01 0572+04

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 96
COUNTY: SNYDER

DIR: B TOTAL LEN: 28.148 MI.
LEFT MUN: SELINSGROVE B

DIST: 03-5 SR: 522
RIGHT MUN: SELINSGROVE B

Left Side Description	Left Side Stationing	Right Side Stationing	Right Side Description
ORANGE ST (BORO) MFC BEGIN = B LENGTH(AH 0578 BK 2448)	0605/0000	0604/0000	ORANGE ST (BORO) MFC BEGIN = B LENGTH(AH 0561 BK 2448)
ELDERBERRY AL (BORO)	0600/2135	0600/2135	ELDERBERRY AL (BORO)
EIGHTH ST (BORO)	0600/1891	0600/1891	018 " DIA CIRC CONCR LEN=0069 INSTALLED UNKN EIGHTH ST (BORO)
SUGAR MAPLE ST (BORO)	0600/1636	0600/1636	SUGAR MAPLE ST (BORO)
		0600/1548	BLUEBERRY AL (BORO) 018 " DIA CIRC CONCR LEN=0056 INSTALLED 1996
	143074 FT	0600/0425	018 " DIA CIRC CONCR LEN=0060 INSTALLED 1996 1 0 00025 0 01 0546+69 BROAD ST (BORO)
SR 0204 SH (SR0204 SEG 0010/0000)	0600/0000	0600/0000	LENGTH(AH 2448 BK 2350) 024 " DIA CIRC CONCR LEN=0099 INSTALLED 1996
SELINSGROVE PENN T MOUNTAIN DR (T504)	0590/2043	0590/2350	
	0590/1945		
		0590/1888	024 " DIA CIRC CONCR LEN=0044 INSTALLED 1996
		0590/1536	018 " DIA CIRC CONCR LEN=0045 INSTALLED 1996
		0590/0686	018 " DIA CIRC CONCR LEN=0050 INSTALLED 1996 LINDA LN (BORO)
		0590/0202	018 " DIA CIRC CONCR LEN=0054 INSTALLED 1996 1 0 00025 0 01 0522+89 EIGHTEENTH ST (BORO)
	140724 FT	0590/0012	LENGTH(AH 2350 BK 1893) SELINSGROVE PENN T
		0590/0000	
		0580/1877	

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: PENN T RIGHT MUN: PENN T

Stationing	Segment	Material	Length	Notes
138831 FT	0580/0445	018 " DIA CIRC CONCR	LEN=0052	INSTALLED 1996
	138831 FT	1 0 00025 0 01 0503+93		
	0580/0000	018 " DIA CIRC CONCR	LEN=0054	INSTALLED 1996
	0570/2432	018 " DIA CIRC CONCR	LEN=0068	INSTALLED 1996
UNKNOWN RD (TWP)	0570/1410	018 " DIA CIRC CONCR	LEN=0062	INSTALLED 1996
	0570/1345	018 " DIA CIRC CONCR	LEN=0070	INSTALLED 1996
	0570/1100	018 " DIA CIRC CONCR	LEN=0060	INSTALLED 1996
136349 FT	0570/0075	018 " DIA CIRC CONCR	LEN=0025	0 00 0453+50
SALEM RD (SR1011 SEG 0040/0000)	0570/0000	UNIVERSITY AV (SR1011 SEG 0040/0000)	LEN=0080	INSTALLED 1996
	0560/2925	018 " DIA CIRC CONCR	LEN=0060	INSTALLED 1996
	0560/2456	024 " DIA CIRC CONCR	LEN=0080	INSTALLED 1996
1 0 00025 0 00 0422+50	0560/0252	024 " DIA CIRC CONCR	LEN=0068	INSTALLED 1996
CLIFFORD RD (T440)	133210 FT	CLIFFORD RD (SR2016 SEG 0010/0000)	LEN=0060	INSTALLED 1996
	0560/0000	024 " DIA CIRC CONCR	LEN=0056	INSTALLED 1996
	0550/1502	(APRA) SUSQUEHANNA VALL ZECHMAN DR (PRDR)		
PRIVATE DRIVE (PRDR)	0550/0389	(APRA) BUILDING SOLUTIO		
	0550/0389	018 " DIA CIRC CONCR		


DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: PENN T RIGHT MUN: PENN T

Stationing	Length	Notes	Material	Year
131498 FT	0550/0079	LEN=0072	INSTALLED	1996
	131498 FT	1 0 00025 0 00 0405+31		
	0550/0000	LENGTH(AH 1712 BK 2478)		
		024 "DIA CIRC CONCR		
	0540/2162	LEN=0080	INSTALLED	1996
		018 "DIA CIRC CONCR		
	0540/1011	LEN=0072	INSTALLED UNKN	
		(APRA) KEYSTONE BUILDIN		
UNIVERSAL RD (TWP)	0540/0985	POE PRIVATE DR		
	0540/0985	(PRDR)		
	0540/0545	018 "DIA CIRC CONCR		
		LEN=0080	INSTALLED	1996
		018 "DIA CIRC CONCR		
	0540/0183	LEN=0068	INSTALLED	1996
129020 FT	129020 FT	1 0 00025 0 00 0380+43		
	0540/0000	LENGTH(AH 2478 BK 2572)		
		018 "DIA CIRC CONCR		
	0530/2362	LEN=0068	INSTALLED	1996
		018 "DIA CIRC CONCR		
	0530/2035	LEN=0068	INSTALLED	1996
LISALYN RD (PRDR)	0530/1728			
		042 "DIA CIRC CONCR		
	0530/0700	LEN=0066	INSTALLED	1996
1 0 00025 0 00 0354+60 126448 FT	126448 FT	MIDDLE CREEK RD		
MILLER FARM RD (T478)	0530/0000	(SR2009 SEG 0130/1404)		
		LENGTH(AH 2572 BK 1917)		
		018 "DIA CIRC CONCR		
	0520/1244	LEN=0060	INSTALLED	1996
		024 "DIA CIRC CONCR		
	0520/0846	LEN=0064	INSTALLED	1996
		PENN		
	0520/0826	MIDDLE CREEK T		
124531 FT	124531 FT	1 0 00025 0 00 0335+42		
	0520/0000	LENGTH(AH 1917 BK 2508)		
		018 "DIA CIRC CONCR		
	0510/2475	LEN=0060	INSTALLED	1996
		018 "DIA CIRC CONCR		
	0510/1871	LEN=0064	INSTALLED	1996
		PAWLING STATION RD		
	0510/1429	(T462)		

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MIDDLE CREEK T RIGHT MUN: MIDDLE CREEK T


OLD 522 RD
 (T439)

0510/0665



0510/0687 024 "DIA CIRC CONCR
 LEN=0088 INSTALLED 1996


122023 FT



0510/0276 024 "DIA CIRC CONCR
 LEN=0068 INSTALLED 1996
 122023 FT 1 0 00025 0 00 0310+32
 5 0510/0000 LENGTH(AH 2508 BK 2499)
 024 "DIA CIRC CONCR


NELLIS DR
 (PRDR)

0500/1857



0500/1998 024 "DIA CIRC CONCR
 LEN=0092 INSTALLED 1996

119524 FT



0500/1737 018 "DIA CIRC CONCR
 LEN=0056 INSTALLED 1996


0500/0982 018 "DIA CIRC CONCR
 LEN=0068 INSTALLED 1996

0500/0599 018 "DIA CIRC CONCR
 LEN=0060 INSTALLED 1996

0500/0022 024 "DIA CIRC CONCR
 LEN=0068 INSTALLED 1996

5 0500/0000 119524 FT 1 0 00025 0 00 0285+31
 LENGTH(AH 2499 BK 2236)

1 0 00025 0 00 0262+94 117288 FT
 SMALSH BARRICK RD
 (SR1009 SEG 0010/0000) 0490/0000



0490/1145 024 "DIA CIRC CONCR
 LEN=0068 INSTALLED 1996

0490/0687 018 "DIA CIRC CONCR
 LEN=0076 INSTALLED 1996

0490/0323 024 "DIA CIRC CONCR
 LEN=0124 INSTALLED 1996

5 0490/0000 LENGTH(AH 2236 BK 2789)
 048 "DIA CIRC CONCR

0480/2584 LEN=0108 INSTALLED 1996
 0480/2136 BMSFN 54/0522/0480/1870
 1 0 00025 0 00 0253+16

0480/1870 MIDDLE CREEK
 BMSBG 54/0522/0480/1870

0480/1660 SECOND ST
 (T426)

0480/1240 024 "DIA CIRC CONCR
 LEN=0096 INSTALLED 1996

0480/1194 FREEBURG RD
 (T418)

0480/0703 BMSFN 54/0522/0480/0686
 1 0 00025 0 00 0241+89

T.MIDDLE CR.
 BMSBG 54/0522/0480/0686

0480/0686 BMSBG 54/0522/0480/0686

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 92
COUNTY: SNYDER

DIR: B TOTAL LEN: 28.148 MI.
LEFT MUN: MIDDLE CREEK T

DIST: 03-5 SR: 522
RIGHT MUN: MIDDLE CREEK T

Stationing	Structure	Material	Length	Year
114499 FT	0480/0098	024" DIA CIRC CONCR	LEN=0100	1996
	114499 FT	1 0 00025 0 00 0234+94		
	0480/0000	VILLAGE: KREAMER	LENGTH(AH 2789 BK 2362)	
	0470/1950	072"H 72"W CON BOX CUL	LEN=0065	1996
	0470/0951	020"H 19"W CON BOX CUL	LEN=0072	1996
	0470/0941	024" DIA CIRC CONCR	LEN=0072	1996
112137 FT	0470/0300	LC FOR KREAMER AV (CONN)	1 0 00025 0 00 0211+23	
	0470/0000	ROSEWOOD DR (T430)	LENGTH(AH 2362 BK 2904)	
	0460/2828	KREAMER AV (T458)		
	0460/2729	036" DIA CIRC CONCR	LEN=0072	1996
	0460/2494	018" DIA CIRC CONCR	LEN=0064	1996
	0460/2196	MANOR DR (T434)		
	0460/1967	018" DIA CIRC CONCR	LEN=0052	1996
	0460/1436	MANOR DR (T434)		
	0460/1154	T. MIDDLE CR. STRUCTURE LENGTH 8 FT	BMSID 54/0522/0460/1154	
	0460/0493	018" DIA CIRC CONCR	LEN=0052	1996
	0460/0440	EBONY LN (T433)		
109233 FT	0460/0000	WHITE TOP RD (SR1007 SEG 0110/0000)	LENGTH(AH 2904 BK 2725)	
GLOBE MILLS RD (SR1007 SEG 0110/0000)	0450/2674	018" DIA CIRC CONCR	LEN=0066	1996
	0450/2240	018" DIA CIRC CONCR	LEN=0058	1996
	0450/1748	018" DIA CIRC CONCR	LEN=0048	1996
		060" DIA CIRC CONCR		

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MIDDLE CREEK T RIGHT MUN: MIDDLE CREEK T

Stationing	Structure	Material	Length	Year
0450/1149			LEN=0116	1996
106508 FT				
0450/0155		030 " DIA CIRC CONCR	LEN=0088	1996
106508 FT			1 0 00025 0 00 0155+10	
0450/0000			LENGTH(AH 2725 BK 2520)	
0440/2325		018 " DIA CIRC CONCR	LEN=0048	1996
0440/1883		030 " DIA CIRC CONCR	LEN=0064	1996
0440/1725	POI	(APRA) APEX HOMES		
0440/1372		018 " DIA CIRC CONCR	LEN=0056	1996
0440/1067	POI	(APRA) APEX HOMES		
103988 FT		T.MIDDLE CR.		
0440/0736		STRUCTURE LENGTH 8 FT	BMSID 54/0522/0440/0736	
103988 FT			1 0 00025 0 00 0129+78	
0440/0000		MIDDLE CREEK		
0430/2900		FRANKLIN T	LENGTH(AH 2520 BK 3039)	
0430/2051		018 " DIA CIRC CONCR	LEN=0076	1996
0430/1797		018 " DIA CIRC CONCR	LEN=0056	1996
0430/1571		030 " DIA CIRC CONCR	LEN=0072	1996
0430/0629		018 " DIA CIRC CONCR	LEN=0063	1996
100949 FT				
0430/0000			LENGTH(AH 3039 BK 2780)	
0420/2660		018 " DIA CIRC CONCR	LEN=0064	1996
0420/2423		024 " DIA CIRC CONCR	LEN=0076	1996
0420/2192		036 " DIA CIRC CONCR	LEN=0108	1996
		018 " DIA CIR PLASTIC		

1 0 00025 0 00 0100+00 100949 FT
 SALE BARN RD
 (T458) 0430/0000

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

1 0 00025 0 00 0071+25 098169 FT
 SWINEHART DR
 (T481) 0420/0000

SWINEHART DR
 (T481) 0410/0428

SHUMAN ST
 (BORO) 0400/1581

0420/2057	LEN=0077	INSTALLED 1996
0420/1696	LEN=0073	INSTALLED 1996
0420/1209	TRIB TO MIDDLE CREEK	STRUCTURE LENGTH 15 FT
0420/1056	BMSID 54/0522/0420/1209	RENNINGER SCHOOL HOUSE
0420/0757	LEN=0072	INSTALLED 1996
0420/0026	LEN=0080	INSTALLED 1996
0420/0000	LENGTH(AH 2780 BK 2980)	018 "DIA CIRC CONCR
0410/2569	LEN=0072	INSTALLED 1996
0410/1779	BMSEN 54/0522/0410/1756	1 0 00025 0 00 0059+69
0410/1756	BMSBG 54/0522/0410/1756	
0410/0684	LEN=0080	INSTALLED 1996
0410/0602	DOCK HILL RD	(T399)
0410/0049	LEN=0058	INSTALLED 1996
0410/0023	FRANKLIN	MIDDLEBURG B
0410/0000	LENGTH(AH 2980 BK 2617)	030 "DIA CIRC CONCR
0400/2323	LEN=0032	INSTALLED UNKN
0400/2069	LEN=0034	INSTALLED 1996
0400/1780	LEN=0033	INSTALLED 1996
0400/1581	SHUMAN ST	(BORO)
0400/1065	LEN=0028	INSTALLED 1996

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MIDDLEBURG B RIGHT MUN: MIDDLEBURG B

Location	Segment	Length (FT)	Stationing	Notes
WAUSAU RD (BORO)	0400/1032			CENTER ST (BORO)
	0400/0706			RAILROAD AV (BORO)
	0400/0528			STATION ST (BORO)
	0400/0188			018" DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	0400/0033			018" DIA CIRC CONCR LEN=0061 INSTALLED UNKN
	0400/0023			WAUSAU RD (SR0104 SEG 0250/1489)
	092572 FT			1 0 00025 0 00 0015+65
	0400/0000			NC E MAIN ST
	0400/0000			LENGTH(AH 2617 BK 1564) 024" DIA CIRC CONCR
	SPADE AL (BORO)	0390/1564		
0390/1485				BMSSEN 54/0522/0390/1374 0 0 00000 0 00 0000+00
0390/1374				MIDDLE CREEK BMSBG 54/0522/0390/1374
0390/1271				024" DIA CIRC CONCR LEN=0040 INSTALLED UNKN
0390/1235				018" DIA CIRC CONCR LEN=0024 INSTALLED 1996
CHURCH ST (BORO)	0390/0934			CHURCH ST (BORO)
	0390/0702			018" DIA CIRC CONCR LEN=0029 INSTALLED 2008
	0390/0490			BMSSEN 54/0522/0390/0413 1 0 00025 0 00 0004+09
	0390/0413			TR. TO MIDDLE CREEK BMSBG 54/0522/0390/0413
MARKET ST (BORO) MAIN ST (SR0104 SEG 0260/0000)	0390/0190			WILLOW AV (BORO)
	091008 FT			1 0 00025 0 00 0000+00 (APRA) PBS INDUSTRIES
	0390/0000			NC MA IN ST
	0390/0000			LENGTH(AH 1564 BK 0897) 018" DIA CIRC CONCR
MIDDLEBURG B	0380/0760			LEN=0042 INSTALLED 1996
	0380/0623			018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
	0380/0326			CHARLES AV (BORO)

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MIDDLEBURG B RIGHT MUN: MIDDLEBURG B

Stationing	Notes	Stationing	Notes
090111 FT		090111 FT	1 0 00028 0 02 0909+08 SPRING AL (BORO)
	== ==	0380/0000	LENGTH(AH 0897 BK 1108)
	== ==	0370/0616	FURNACE RD (BORO)
089003 FT	--- ---	0370/0330	018 " DIA CIRC CONCR LEN=0024 INSTALLED UNKN
		089003 FT	1 0 00028 0 02 0897+84 BACHMAN AL (BORO)
	== ==	0370/0000	LENGTH(AH 1108 BK 1281)
	--- ---	0360/1236	018 " DIA CIRC CONCR LEN=0034 INSTALLED 1996
			WILLOW AV (BORO)
	== ==	0360/0625	015 " DIA CIRC METAL
	--- ---	0360/0587	LEN=0079 INSTALLED 1996 ESSEX RD (BORO)
087722 FT		0360/0146	(BORO)
		087722 FT	1 0 00028 0 01 0881+72 NC MARKET ST MIDDLEBURG
GREGOR HILL LN (PRDR)	== ==	0360/0000	FRANKLIN T LENGTH(AH 1281 BK 2454)
	--- ---	0350/2402	018 " DIA CIRC CONCR LEN=0044 INSTALLED 1996
SOUTHVIEW DR (PRDR)	== ==		018 " DIA CIRC CONCR
	--- ---	0350/1980	LEN=0054 INSTALLED 1996
	--- ---	0350/1367	024 " DIA CIRC CONCR LEN=0112 INSTALLED 1996
KISSIMMEE RD (SR4014 SEG 0120/2394)	== ==	0350/0743	
	--- ---	0350/0638	BMS EN 54/0522/0350/0623 1 0 00028 0 01 0863+58 TR. TO MIDDLE CREEK
	--- ---	0350/0623	BMSBG 54/0522/0350/0623 018 " DIA CIRC CONCR
085268 FT	--- ---	0350/0355	LEN=0056 INSTALLED 1996
		085268 FT	1 0 00028 0 01 0857+26 IRON BRIDGE RD (SR3007 SEG 0020/3631)
	== ==	0350/0000	LENGTH(AH 2454 BK 2672)
			015 " DIA CIRC METAL

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

---	---	0340/2047	LEN=0055	INSTALLED	1996
---	---	0340/1693	015 "DIA	CIRC METAL	
---	---	0340/1200	LEN=0044	INSTALLED	1996
---	---	0340/0989	015 "DIA	CIRC METAL	
---	---	0340/0559	LEN=0056	INSTALLED	1996
---	---	0340/0067	015 "DIA	CIRC METAL	
---	---	082596 FT	LEN=0044	INSTALLED	1996
---	---	082596 FT	015 "DIA	CIRC METAL	
---	---	5 0340/0000	LEN=0052	INSTALLED	1996
---	---	0330/2287	015 "DIA	CIRC METAL	
---	---	0330/1863	LEN=0044	INSTALLED	1996
---	---	0330/1553	015 "DIA	CIRC METAL	
---	---	0330/1209	LEN=0053	INSTALLED	1996
---	---	0330/1027	015 "DIA	CIRC CONC	
---	==	0330/0570	LEN=0051	INSTALLED	1996
---	---	079998 FT	015 "DIA	CIRC METAL	
---	---	079998 FT	LEN=0050	INSTALLED	1996
---	---	5 0330/0000	FARMHAUS LN		
---	---	0320/1794	(PRDR)		
---	---	0320/1103	018 "DIA	CIRC METAL	
---	==	0320/0978	LEN=0057	INSTALLED	1996
---	---	0320/0645	018 "DIA	CIRC METAL	
---	---	0320/0376	LEN=0057	INSTALLED	1996
---	---	0320/0052	018 "DIA	CIRC METAL	
---	---	078064 FT	LEN=0057	INSTALLED	1996
---	---	5 0320/0000	LENGTH(AH 2598 BK 1934)		
---	---	0310/2016	072"H 60"W CONCR ARCH		
---	---	0310/1886	LEN=0050	INSTALLED	1996
---	---	0310/1651	018 "DIA	CIR PLASTIC	
---	---	0320/0978	LEN=0054	INSTALLED	2020
---	---	0320/0645	WHITE CHURCH RD		
---	---	0320/0376	(T437)		
---	---	0320/0052	018 "DIA	CIR PLASTIC	
---	---	078064 FT	LEN=0052	INSTALLED	2020
---	---	5 0320/0000	018 "DIA	CIRC CONC	
---	---	0310/2016	LEN=0054	INSTALLED	1996
---	---	0310/1886	018 "DIA	CIR PLASTIC	
---	---	0310/1651	LEN=0046	INSTALLED	2019
---	---	0310/2016	018 "DIA	CIR PLASTIC	
---	---	0310/1886	LEN=0048	INSTALLED	2020
---	---	0310/1651	018 "DIA	CIR PLASTIC	
---	---	0310/2016	LEN=0050	INSTALLED	2020
---	---	0310/1886	018 "DIA	CIR PLASTIC	
---	---	0310/1651	LEN=0048	INSTALLED	2020
---	---	0310/2016	018 "DIA	CIR PLASTIC	

082596 FT

1 0 00028 0 01 0804+73 079998 FT
 GREENHOUSE RD
 (T618) 0330/0000

078064 FT

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Notes	Stationing	Notes
		0310/1222	LEN=0054 INSTALLED 2020
		0310/0719	018 "DIA CIR PLASTIC LEN=0057 INSTALLED 2020
075635 FT		0310/0011	BMSSEN 54/0522/0310/0000
		075635 FT	1 0 00028 0 01 0761+23
			TRIBUTARY MIDDLE CREEK
			BMSBG 54/0522/0310/0000
		5 0310/0000	LENGTH(AH 2429 BK 2100)
			018 "DIA CIR PLASTIC
		0300/1949	LEN=0062 INSTALLED 2020
			PAXTON ST
		0300/1937	(SR3009 SEG 0030/2495)
			018 "DIA CIR PLASTIC
WALNUT RD (T614)		0300/1743	LEN=0050 INSTALLED 2020
0300/1539			018 "DIA CIR PLASTIC
		0300/1498	LEN=0052 INSTALLED 2020
			018 "DIA CIR PLASTIC
		0300/1175	LEN=0059 INSTALLED 2020
			018 "DIA CIR PLASTIC
		0300/0935	LEN=0065 INSTALLED 2020
			018 "DIA CIR PLASTIC
		0300/0412	LEN=0050 INSTALLED 2020
			018 "DIA CIR PLASTIC
073535 FT		0300/0127	LEN=0048 INSTALLED 2020
		073535 FT	1 0 00028 0 01 0740+30
		5 0300/0000	LENGTH(AH 2100 BK 2782)
			018 "DIA CIR PLASTIC
		0290/2699	LEN=0052 INSTALLED 2020
			018 "DIA CIR PLASTIC
		0290/2350	LEN=0057 INSTALLED 2020
			018 "DIA CIRC CONCR
		0290/2084	LEN=0046 INSTALLED 1996
			018 "DIA CIRC CONCR
		0290/1670	LEN=0047 INSTALLED 1996
			018 "DIA CIRC CONCR
		0290/1194	LEN=0055 INSTALLED 1996
1 0 00028 0 01 0712+55		070753 FT	
ROYERS BRIDGE RD			
(T604)		0290/0000	LENGTH(AH 2782 BK 2280)
0290/0000		0280/2105	BMSSEN 54/0522/0280/2084
			0 0 00000 0 00 0000+00
			TRIBUTARY MIDDLE CREEK
		0280/2084	BMSBG 54/0522/0280/2084
		0280/2004	BMSSEN 54/0522/0280/1830
			0 0 00000 0 00 0000+00

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Description	Material	Length	Installation
0280/1830	MIDDLE CREEK	BMSBG 54/0522/0280/1830		
0280/1557	BOBB RD	(T604)		
0280/0150	024 " DIA	CIR PLASTIC	LEN=0100	INSTALLED 2002
068473 FT	1 0 00028	0 01 0689+81		
0280/0000	LENGTH(AH	2280 BK 2889)		
0270/2790	FRANKLIN	BEAVER T		
0270/2089	036 " DIA	CIR PLASTIC	LEN=0064	INSTALLED 2007
0270/1803	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED 2020
0270/1518	018 " DIA	CIR PLASTIC	LEN=0048	INSTALLED 2002
0270/1320	018 " DIA	CIR PLASTIC	LEN=0052	INSTALLED UNKN
0270/1011	018 " DIA	CIR PLASTIC	LEN=0048	INSTALLED 2002
0270/0715	018 " DIA	CIR PLASTIC	LEN=0053	INSTALLED 2020
0270/0264	018 " DIA	CIR PLASTIC	LEN=0049	INSTALLED 2020
065584 FT	1 0 00028	0 01 0660+99		
0270/0000	018 " DIA	CIR PLASTIC	LEN=0066	INSTALLED 2002
0260/2242	LENGTH(AH	2889 BK 2516)		
0260/1904	018 " DIA	CIRC METAL	LEN=0058	INSTALLED 1996
0260/1799	PAXTONVILLE RD	(SR3008	SEG 0012/0000)	
0260/1394	018 " DIA	CIRC CONCR	LEN=0054	INSTALLED 1996
0260/1370	BMSSEN 54/0522/0260/1370			
0260/1239	024 " DIA	CIRC CONCR	LEN=0065	INSTALLED 1996
0260/0724	018 " DIA	CIRC CONCR	LEN=0047	INSTALLED 1996
0260/0057	015 " DIA	CIRC CONCR	LEN=0050	INSTALLED 1996
063068 FT	1 0 00028	0 01 0636+16		

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

COVERED BRIDGE RD
 (T600)

0250/1283

060530 FT

058039 FT

055086 FT

0260/0000	LENGTH(AH 2516 BK 2538)
015 "DIA	CIRC METAL
0250/2204	LEN=0054 INSTALLED 1996
015 "DIA	CIRC METAL
0250/1851	LEN=0050 INSTALLED 1996
015 "DIA	CIR PLASTIC
0250/1297	LEN=0049 INSTALLED 1996
015 "DIA	CIRC METAL
0250/0788	LEN=0045 INSTALLED 1996
018 "DIA	CIR PLASTIC
0250/0293	LEN=0047 INSTALLED 1996
060530 FT	1 0 00028 0 01 0610+57
018 "DIA	CIRC CONCR
LEN=0048	INSTALLED 1996
0250/0000	LENGTH(AH 2538 BK 2491)
018 "DIA	CIRC CONCR
0240/1986	LEN=0052 INSTALLED 1996
018 "DIA	CIRC METAL
0240/1244	LEN=0046 INSTALLED 1996
015 "DIA	CIRC METAL
0240/0857	LEN=0050 INSTALLED 1996
058039 FT	1 0 00028 0 01 0585+72
NC SR	0522 SH
0240/0000	LENGTH(AH 2491 BK 2953)
024 "DIA	CIR PLASTIC
0230/2875	LEN=0049 INSTALLED 1996
018 "DIA	CIRC CONCR
0230/1881	LEN=0047 INSTALLED 1996
0230/1451	BMSSEN 54/0522/0230/1430
1 0 00028 0 01 0570+37	WETZEL RUN
0230/1430	BMSBG 54/0522/0230/1430
BEAVER	BEAVERTOWN B
0230/1044	CARA ST
0230/0797	(BORO)
0230/0396	THOMAS ST
018 "DIA	CIRC CONCR
0230/0067	LEN=0044 INSTALLED 1996
055086 FT	1 0 00028 0 00 0550+26
SCHRADER ST	(BORO)
0230/0000	LENGTH(AH 2953 BK 3210)

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 83
COUNTY: SNYDER

DIR: B TOTAL LEN: 28.148 MI.
LEFT MUN: BEAVERTOWN B

DIST: 03-5 SR: 522
RIGHT MUN: BEAVERTOWN B

Street Name	Segment ID	Length (FT)	Notes
	0220/2807		ZECHMAN ST (BORO)
	0220/2414		BINGMAN ST (BORO)
	0220/2403		018" DIA CIRC CONCR LEN=0036 INSTALLED 1996
	0220/2109		036" DIA CIRC CONCR LEN=0048 INSTALLED 1996
	0220/2031		PLUM LN (BORO)
	0220/1647		SASSAFRAS ST (BORO)
	0220/1242		CENTER ST (BORO)
	0220/0830		ORANGE ST (BORO)
	0220/0417		UNION ST (BORO)
	051876 FT		1 0 00 028 0 00 0518+20 KERN ST (BORO)
MULBERRY ST (BORO)	0210/1512		5 0220/0000 LENGTH(AH 3210 BK 1920)
	0210/1120		BMSSEN 54/0522/0210/1099 1 0 00 028 0 00 0510+12 TRIBUTARY MIDDLE CREEK
	0210/1099		BMSBG 54/0522/0210/1099
	0210/0805		BMSSEN 54/0522/0210/0784 1 0 00 028 0 00 0506+94 TR. TO MIDDLE CREEK
VAN VOORHEIS AV (BORO)	0210/0766		BMSBG 54/0522/0210/0784 POI 0210/0766 (APRA) BRUCE H GARRISON
	0210/0162		GROSS RD (BORO)
HETRICK RD (BORO)	0210/0113		
	049956 FT		0210/0036 BMSSEN 54/0522/0210/0000 049956 FT 1 0 00 028 0 00 0499+11 NC MARKET ST
	0210/0000		KERN RUN BMSBG 54/0522/0210/0000 BEAVERTOWN BEAVER T 5 0210/0000 LENGTH(AH 1920 BK 2372)

036"H 48"W CON BOX CUL

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

Stationing	Description	Length	Material	Installation
0200/1353	030" DIA CIRC CONCR	LEN=0046	INSTALLED	1996
0200/1314	030" DIA CIRC CONCR	LEN=0068	INSTALLED	1996
047584 FT	047584 FT	1 0 00028	0 00	0475+36
	0200/0000	LENGTH(AH	2372 BK	2441)
045143 FT	045143 FT	1 0 00028	0 00	0450+91
	0190/0000	LENGTH(AH	2441 BK	2378)
	0180/1707	015" DIA CIRC CONCR	LEN=0047	INSTALLED 1996
	0180/0975	018" DIA CIRC CONCR	LEN=0060	INSTALLED 1996
	0180/0408	024" DIA CIRC CONCR	LEN=0057	INSTALLED 1996
042765 FT	042765 FT	1 0 00028	0 00	0427+09
	0180/0000	BEAVER SPRING T	LENGTH(AH	2378 BK 2277)
	0170/2260	015" DIA CIRC CONCR	LEN=0049	INSTALLED 1996
	0170/1877	ELM ST (T584)		
	0170/1761	015" DIA CIRC CONCR	LEN=0056	INSTALLED 1996
	0170/1282	BMSBG 54/0522/0170/1249		
	0170/1249	1 0 00028	0 00	0416+92
PINE ST (SR0235 SEG 0120/0000)	0170/1236	TR. TO MIDDLE CREEK		
	0170/1236	BMSBG 54/0522/0170/1249		
	0170/1001	PINE ST (T580)		
	0170/0908	SPRING ST (T822)		
	0170/0820	BMSBG 54/0522/0170/0820		
	0170/0820	1 0 00028	0 00	0412+64
RIDGE RD (T804)	0170/0782	T. MIDDLE CK.		
	0170/0782	BMSBG 54/0522/0170/0820		

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

Stationing	Notes
040488 FT	040488 FT 1 0 00028 0 00 0404+00 0170/0000 LENGTH(AH 2277 BK 2312) 0160/1670 018 "DIA CIR PLASTIC LEN=0055 INSTALLED UNKN
038176 FT	0160/0081 BMSSEN 54/0522/0160/0000 038176 FT 1 0 00028 0 00 0381+28 VILLAGE: BEAVER SPRINGS T.MIDDLE CK. 0160/0000 BMSBG 54/0522/0160/0000 LENGTH(AH 2312 BK 2127) 0150/1484 BMSSEN 54/0522/0150/1444 0 0 00000 0 00 0000+00 TR. TO MIDDLE CREEK 0150/1444 BMSBG 54/0522/0150/1444 015 "DIA CIRC CONCR 0150/1198 LEN=0044 INSTALLED 1996 SR 0235 SH 0150/1066 (SR0235 SEG 0110/2244) 015 "DIA CIRC CONCR 0150/0836 LEN=0064 INSTALLED 1996 036 "DIA CIRC CONCR 0150/0545 LEN=0054 INSTALLED 1996 036049 FT 1 0 00028 0 00 0360+28 TRY RD (T579) 0150/0000 LENGTH(AH 2127 BK 2412) 015 "DIA CIRC CONCR 0140/2194 LEN=0052 INSTALLED 1996 036 "DIA CIRC CONCR 0140/1843 LEN=0052 INSTALLED 1996 015 "DIA CIRC CONCR 0140/1580 LEN=0050 INSTALLED 1996 015 "DIA CIRC CONCR 0140/0948 LEN=0048 INSTALLED 1996 015 "DIA CIRC CONCR 0140/0500 LEN=0053 INSTALLED 1996 0140/0067 BMSSEN 54/0522/0140/0000 033637 FT 1 0 00028 0 00 0336+00 BEAVER CREEK BMSBG 54/0522/0140/0000 0140/0000 LENGTH(AH 2412 BK 2587) 015 "DIA CIRC CONCR 0130/2015 LEN=0049 INSTALLED 1996

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

031050 FT

028661 FT

026075 FT

0130/1638	015 " DIA	CIRC CONCR	LEN=0052	INSTALLED	1996
0130/1215	015 " DIA	CIRC CONCR	LEN=0050	INSTALLED	1996
0130/0903	015 " DIA	CIRC CONCR	LEN=0049	INSTALLED	1996
0130/0447	015 " DIA	CIRC CONCR	LEN=0046	INSTALLED	1996
0130/0053	015 " DIA	CIRC CONCR	LEN=0052	INSTALLED	1996
031050 FT	1 0 00028	0 00 0310+05			
0130/0000	LENGTH(AH	2587 BK 2389)			
0120/2039	015 " DIA	CIRC CONCR	LEN=0051	INSTALLED	1996
0120/1688	015 " DIA	CIRC CONCR	LEN=0049	INSTALLED	1996
0120/1044	018 " DIA	CIRC CONCR	LEN=0046	INSTALLED	1996
0120/0691	018 " DIA	CIRC CONCR	LEN=0056	INSTALLED	1996
0120/0195	018 " DIA	CIRC CONCR	LEN=0049	INSTALLED	1996
028661 FT	1 0 00028	0 00 0286+05			
0120/0000	LENGTH(AH	2389 BK 2586)			
0110/2387	015 " DIA	CIRC CONCR	LEN=0050	INSTALLED	1996
0110/2118	024 " DIA	CIRC CONCR	LEN=0064	INSTALLED	1996
0110/1669	015 " DIA	CIRC CONCR	LEN=0052	INSTALLED	1996
0110/1323	015 " DIA	CIRC CONCR	LEN=0048	INSTALLED	1996
0110/0999	014 " DIA	CIRC CONCR	LEN=0051	INSTALLED	1996
0110/0542	BMSSEN 54/0522/0110/0469				
0110/0469	1 0 00028	0 00 0264+97			
026075 FT	BEAVER CREEK				
026075 FT	BMSBG 54/0522/0110/0469				
026075 FT	1 0 00028	0 00 0260+07			
0110/0000	SPRING WEST BEAVER T				
0110/0000	LENGTH(AH	2586 BK 2947)			
0100/2237	015 " DIA	CIRC CONCR	LEN=0060	INSTALLED	1996
0100/1780	015 " DIA	CIRC CONCR	LEN=0048	INSTALLED	1996
0100/1565	015 " DIA	CIRC CONCR	LEN=0048	INSTALLED	1996

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 79
COUNTY: SNYDER

DIR: B TOTAL LEN: 28.148 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 522
RIGHT MUN: WEST BEAVER T

Stationing	Notes	Material	Length	Year
023128 FT	0100/0232	018" DIA CIRC CONCR	LEN=0052	INSTALLED 1996
	023128 FT	10000028 000 0230+70		
		OLD 522 RD		
		(SR3012 SEG 0010/0000)		
	0100/0000	LENGTH(AH 2947 BK 2126)		
	0090/1989	BMSSEN 54/0522/0090/1932		
		1000028 000 0228+84		
		BEAVER CREEK		
	0090/1932	BMSBG 54/0522/0090/1932		
	0090/1700	018" DIA CIRC CONCR	LEN=0060	INSTALLED 1996
	0090/1348	015" DIA CIRC CONCR	LEN=0044	INSTALLED 1996
	0090/0942	015" DIA CIRC CONCR	LEN=0052	INSTALLED 1996
		TOWNSHIP 0421 RT		
	0090/0616	(T421)		
	0090/0564	018" DIA CIR PLASTIC	LEN=0046	INSTALLED 1996
021002 FT	021002 FT	1000028 000 0209+17		
		TOWNSHIP 0421 RT		
		(T421)		
	0090/0000	LENGTH(AH 2126 BK 2779)		
	0080/2768	015" DIA CAST IRON	LEN=0054	INSTALLED 1996
	0080/2328	018" DIA CIR PLASTIC	LEN=0042	INSTALLED 1996
	0080/2033	018" DIA CIR PLASTIC	LEN=0046	INSTALLED 1996
	0080/1731	018" DIA CIR PLASTIC	LEN=0047	INSTALLED 1996
	0080/1317	018" DIA CIR PLASTIC	LEN=0060	INSTALLED 1996
	0080/1075	018" DIA CIR PLASTIC	LEN=0051	INSTALLED 1996
	0080/0773	018" DIA CIR PLASTIC	LEN=0055	INSTALLED 1996
	0080/0535	018" DIA CIR PLASTIC	LEN=0050	INSTALLED 1996
	0080/0279	018" DIA CIR PLASTIC	LEN=0048	INSTALLED 1996
	0080/0038	018" DIA CIR PLASTIC	LEN=0050	INSTALLED 1996
018223 FT	018223 FT	1000028 000 0181+46		
	0080/0000	LENGTH(AH 2779 BK 2489)		
		018" DIA CIR PLASTIC		

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: WEST BEAVER T RIGHT MUN: WEST BEAVER T

015734 FT

012574 FT

0070/2249	LEN=0053	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/1926	LEN=0050	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/1635	LEN=0050	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/1440	LEN=0048	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/1288	LEN=0052	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/0974	LEN=0065	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/0694	LEN=0045	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0070/0354	LEN=0048	INSTALLED	1996
015734 FT	1 0 00028	0 00 0156+44	
	WEST BEAVER		
	MCCLURE B		
0070/0000	LENGTH(AH	2489 BK 3160)	
018 "DIA	CIR PLASTIC		
0060/3106	LEN=0050	INSTALLED	UNKN
018 "DIA	CIR PLASTIC		
0060/2991	LEN=0051	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/2740	LEN=0048	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/2210	LEN=0040	INSTALLED	UNKN
018 "DIA	CIR PLASTIC		
0060/2000	LEN=0048	INSTALLED	UNKN
018 "DIA	CIR PLASTIC		
0060/1749	LEN=0056	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/1551	LEN=0043	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/1352	LEN=0044	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/1000	LEN=0046	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/0798	LEN=0043	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/0451	LEN=0042	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0060/0069	LEN=0064	INSTALLED	1996
012574 FT	1 0 00028	0 00 0125+20	
0060/0000	LENGTH(AH	3160 BK 2430)	
018 "DIA	CIR PLASTIC		
0050/2217	LEN=0043	INSTALLED	1996
018 "DIA	CIR PLASTIC		
0050/1954	LEN=0044	INSTALLED	1996
018 "DIA	CIR PLASTIC		

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MCCLURE B RIGHT MUN: MCCLURE B

		0050/1698	LEN=0044	INSTALLED	1996
		0050/1576	018 "DIA	CIR PLASTIC	
		0050/1442	LEN=0070	INSTALLED	1996
		0050/1304	018 "DIA	CIR PLASTIC	
		0050/1002	LEN=0045	INSTALLED	1996
		0050/0780	018 "DIA	CIR PLASTIC	
		0050/0581	LEN=0045	INSTALLED	1996
		0050/0324	018 "DIA	CIR PLASTIC	
010144 FT		010144 FT	LEN=0062	INSTALLED	1996
			1 0 00028	0 00 0101+02	
			018 "DIA	CIR PLASTIC	
			LEN=0105	INSTALLED	2003
			FORBES ST		
			(BORO)		
		0050/0000	LENGTH (AH 2430 BK 2042)		
		0040/2007	SPECHT ST		
		0040/1556	(SR3014 SEG 0050/0580)		
			015 "DIA	CIRC METAL	
		0040/0942	LEN=0042	INSTALLED	1996
			018 "DIA	CIRC METAL	
		0040/0278	LEN=0046	INSTALLED	1996
			018 "DIA	CIRC ALUMIN	
		0040/0269	LEN=0050	INSTALLED	1996
		0040/0035	BROWN ST		
008102 FT		008102 FT	(SR3011 SEG 0010/0617)		
			BMSBN 54/0522/0040/0000		
			1 0 00028	0 00 0080+64	
			SOUTH BRANCH MIDDLE CRK		
			BMSBG 54/0522/0040/0000		
		0040/0000	LENGTH (AH 2042 BK 2555)		
		0030/2289	STUCK ST		
		0030/2243	(SR4003 SEG 0010/1086)		
			015 "DIA	CIRC CONCR	
			LEN=0102	INSTALLED	1996
			018 "DIA	CIRC CONCR	
		0030/2095	LEN=0076	INSTALLED	1996
			018 "DIA	CIR PLASTIC	
		0030/1380	LEN=0048	INSTALLED	1996
			018 "DIA	CIR PLASTIC	

ULSH GAP RD
 (SR4003 SEG 0030/0000) 0030/2178

DIR: B TOTAL LEN: 28.148 MI. DIST: 03-5 SR: 522
 LEFT MUN: MCCLURE B RIGHT MUN: MCCLURE B

1 0 00028 0 00 0054+28 005547 FT
 PINECREST RD
 (BORO) 0030/0000

KLINE RD
 (T532) 0020/1453


002562 FT

000000 FT

0030/1078	LEN=0048	018 "DIA	CIR PLASTIC	INSTALLED 1996
0030/0756	LEN=0049	018 "DIA	CIR PLASTIC	INSTALLED 1996
0030/0290	LEN=0052	018 "DIA	CIR PLASTIC	INSTALLED 1996
005547 FT				
0030/0000	LENGTH(AH	2555 BK	2985)	
0020/2501	LEN=0053	018 "DIA	CIR PLASTIC	INSTALLED 1996
0020/2145	LEN=0045	018 "DIA	CIR PLASTIC	INSTALLED 1996
0020/1711	LEN=0056	018 "DIA	CIR PLASTIC	INSTALLED 1996
0020/1207	LEN=0047	018 "DIA	CIR PLASTIC	INSTALLED 1996
0020/0797	LEN=0050	018 "DIA	CIR PLASTIC	INSTALLED 1996
0020/0480	LEN=0050	018 "DIA	CIR PLASTIC	INSTALLED 1996
0020/0193	LEN=0046	018 "DIA	CIR PLASTIC	INSTALLED 1996
002562 FT	1 0 00028 0 00 0025+07			
0020/0000	LENGTH(AH	2985 BK	2562)	
0010/2467	LEN=0055	018 "DIA	CIR PLASTIC	INSTALLED 1996
0010/2044	LEN=0048	018 "DIA	CIR PLASTIC	INSTALLED 1996
0010/1311	LEN=0047	018 "DIA	CIR PLASTIC	INSTALLED 1996
0010/1008	LEN=0040	018 "DIA	CIR PLASTIC	INSTALLED 1996
0010/0756	LEN=0042	018 "DIA	CIR PLASTIC	INSTALLED 1996
0010/0541	LEN=0045	018 "DIA	CIR PLASTIC	INSTALLED 1996
0010/0535	MCCLURE WEST BEAVER T			
0010/0168	LEN=0045	018 "DIA	CIR PLASTIC	INSTALLED 1995
000000 FT	1 0 00028 0 00 0000+00			
INTER-BK	NC SR 0522 SH			
	SR 0522 SH			
	(SR0522 SEG	0360/2769)		
	MFC BEGIN = B			
	BK-MIFFLIN			(44)
0010/0000	LENGTH(AH	2562 BK	0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 75
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: B TOTAL LEN: 13.135 MI. DIST: 03-5 SR: 235
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T

069353 FT



069353 FT AH-UNION (59)
 INTER-AHD SR 0235 SH
 0320/1107 (SR0235 SEG 0010/0000)
 018"H 29"W ELLIP METAL
 0320/1080 LEN=0040 INSTALLED UNKN
 018 "DIA CIRC METAL

DIR: B TOTAL LEN: 13.135 MI. DIST: 03-5 SR: 235
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T

Stationing	Material	Quantity	Notes
068246 FT	0320/0367	LEN=0033	INSTALLED UNKN
	068246 FT	2 0 54031 0 00	0175+15
			EAST KETTLE RD
			(FRST)
	NC PINE ST		
	0320/0000	LENGTH(AH 1107 BK 2391)	
	0310/2020	018" DIA CIRC PLASTIC	INSTALLED UNKN
	0310/1710	018" DIA CIRC CONCR	INSTALLED 2009
	0310/1290	024" DIA CIRC METAL	INSTALLED UNKN
065855 FT	065855 FT	2 0 54031 0 00	0151+32
	0310/0000	LENGTH(AH 2391 BK 2345)	
	0300/1099	027"H 43"W ELLIP METAL	INSTALLED UNKN
	0300/0815	015"H 20"W ELLIP METAL	INSTALLED UNKN
	0300/0412	018" DIA CIRC CONCR	INSTALLED 2009
HUNTER RD (FRST)	0300/0411		
063510 FT	0300/0180	018" DIA CIRC METAL	INSTALLED UNKN
	063510 FT	2 0 54031 0 00	0127+94
	0300/0000	LENGTH(AH 2345 BK 2808)	
	0290/2655	015" DIA CIRC UNKNOWN	INSTALLED UNKN
	0290/2240	016"H 25"W ELLIP METAL	INSTALLED UNKN
	0290/1958	018" DIA CIRC CONCR	INSTALLED 2009
	0290/1650	016"H 25"W ELLIP METAL	INSTALLED UNKN
	0290/1060	018" DIA CIRC PLASTIC	INSTALLED 2012
	0290/0650	018" DIA CIRC CONCR	INSTALLED 2009
	0290/0255	018" DIA CIRC PLASTIC	INSTALLED UNKN
060702 FT	060702 FT	2 0 54031 0 00	0099+94
	0290/0000	LENGTH(AH 2808 BK 2442)	
	0280/2409	015" DIA CIRC METAL	INSTALLED UNKN
		015"H 20"W ELLIP METAL	

DIR: B TOTAL LEN: 13.135 MI. DIST: 03-5 SR: 235
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T

Station	Length	Material	Status
0280/2077	LEN=0040	018" DIA CIRC METAL	INSTALLED UNKN
0280/1685	LEN=0040	048" DIA CIR PLASTIC	INSTALLED UNKN
0280/1610	LEN=0055	060" DIA CIR PLASTIC	INSTALLED UNKN
0280/0967	LEN=0045	015"H 20"W ELLIP METAL	INSTALLED UNKN
0280/0720	LEN=0032		INSTALLED UNKN
058260 FT	2 0 54031 0 00 0075+59		
0280/0000	LENGTH(AH 2442 BK 2528)		
0270/2404	LEN=0040	015"H 20"W ELLIP METAL	INSTALLED UNKN
0270/2218	LEN=0035	018" DIA CIR PLASTIC	INSTALLED UNKN
0270/1960	LEN=0039	015"H 20"W ELLIP METAL	INSTALLED UNKN
0270/1506	LEN=0044	018" DIA CIRC CONCR	INSTALLED 2009
0270/1110	LEN=0030	016"H 25"W ELLIP METAL	INSTALLED UNKN
0270/0915	LEN=0050	018" DIA CIR PLASTIC	INSTALLED UNKN
0270/0705	LEN=0055	015"H 20"W ELLIP METAL	INSTALLED UNKN
0270/0320	LEN=0041	015"H 20"W ELLIP METAL	INSTALLED UNKN
0270/0106	LEN=0044	018" DIA CIRC CONCR	INSTALLED 2009
055732 FT	2 0 54031 0 00 0050+38		
0270/0000	LENGTH(AH 2528 BK 2489)		
0260/2371	LEN=0037	018"H 29"W ELLIP METAL	INSTALLED UNKN
0260/1640			
0260/1170	LEN=0030	018"H 29"W ELLIP METAL	INSTALLED UNKN
0260/0592	LEN=0037	018"H 30"W ELLIP CONC	INSTALLED 2009
0260/0444	LEN=0030	015" DIA CIRC METAL	INSTALLED UNKN
053243 FT	2 0 54031 0 00 0025+56		
0260/0000	LENGTH(AH 2489 BK 2563)		
0250/2046	LEN=0030	015" DIA CIRC METAL	INSTALLED UNKN

WATER COMPANY RD
(T471)

DIR: B TOTAL LEN: 13.135 MI. DIST: 03-5 SR: 235
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T

Stationing	Structure	Material	Length	Notes
050680 FT	0250/0330	018" DIA CIRC CONCR	LEN=0037	INSTALLED UNKN
	050680 FT	2 0 54031 0 00 0000+00		TROXELVILLE RD
	0250/0000	(SR4018 SEG 0010/0000)	LENGTH(AH 2563 BK 1833)	
	0240/1600	018" DIA CIR PLASTIC	LEN=0026	INSTALLED UNKN
TIMBER RD (T872)	0240/0631			
	0240/0262	BMS EN 54/0235/0240/0249	2 0 54029 0 00 0002+49	TRIB TO MOYER MILL RUN
	0240/0249	BMSBG 54/0235/0240/0249	048847 FT	
2 0 54029 0 00 0000+00 SANDHILL RD (T467)	0240/0000	LENGTH(AH 1833 BK 1449)	048847 FT	
	0230/1310	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
	0230/1240	010"H 18"W ELLIP METAL	LEN=0052	INSTALLED UNKN
	0230/0019	BMS EN 54/0235/0230/0000	047398 FT	1 0 00691 0 00 0221+38
	047398 FT	VILLAGE: TROXELVILLE		BREININGER RUN
	0230/0000	BMSBG 54/0235/0230/0000	0230/0000	LENGTH(AH 1449 BK 1629)
	0220/0730	024" DIA CIR PLASTIC	LEN=0033	INSTALLED UNKN
	0220/0355	018" DIA CIRC CONCR	LEN=0046	INSTALLED UNKN
045769 FT	045769 FT	1 0 00691 0 00 0204+05		VILLAGE: TROXELVILLE
	0220/0000	SPILLWAY RD (T200)	0220/0000	LENGTH(AH 1629 BK 0879)
044890 FT	044890 FT	1 0 00691 0 00 0195+08		
	0210/0000	LENGTH(AH 0879 BK 2297)	0210/0000	019"H 30"W ELLIP CONC
	0200/2180	LEN=0042	0200/2180	INSTALLED UNKN

DIR: B TOTAL LEN: 13.135 MI. DIST: 03-5 SR: 235
 LEFT MUN: ADAMS T RIGHT MUN: ADAMS T

Location	Segment	Length	Material	Status
SHEEP HILL RD (T310)	0200/1602	0200/2126	018" DIA CIRC CONCR	LEN=0034 INSTALLED UNKN
		0200/1565	072" DIA CIRC METAL	LEN=0038 INSTALLED UNKN
		0200/1307	018" DIA CIRC CONCR	LEN=0034 INSTALLED UNKN
	042593 FT	042593 FT	1 0 00691 0 00 0171+66	MIDDLE RD (T401)
		0200/0000	036"H 00"W MULT CONCR	LEN=0039 INSTALLED UNKN
		0190/1932	022"H 36"W ELLIP METAL	LEN=0032 INSTALLED UNKN
		0190/1100	024" DIA CIRC CONCR	LEN=0034 INSTALLED UNKN
	040063 FT	040063 FT	1 0 00691 0 00 0145+81	ADAMS SPRING T
		0190/0000	LENGTH(AH 2530 BK 1831)	
		0180/1160	024" DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
		0180/0023	018" DIA CIR PLASTIC	LEN=0037 INSTALLED UNKN
	038232 FT	038232 FT	1 0 00691 0 00 0127+55	CREEK RD (T611)
BACK MOUNTAIN RD (SR4012 SEG 0130/2479)	0180/0000	0180/0000	LENGTH(AH 1831 BK 2203)	
		0170/1719	BMSBN 54/0235/0170/1673	1 0 00691 0 00 0122+23
		0170/1673	SWIFT RUN	BMSBG 54/0235/0170/1673
		0170/1460	030" DIA CIRC CONCR	LEN=0037 INSTALLED UNKN
MIDDLE CREEK RD (TBC)	0170/0757	036029 FT	1 0 00691 0 00 0105+14	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 70
COUNTY: SNYDER

DIR: B TOTAL LEN: 13.135 MI.
LEFT MUN: SPRING T

DIST: 03-5 SR: 235
RIGHT MUN: SPRING T

Stationing	Structure	Material	Length	Notes
033612 FT	0170/0000	036"H 58"W ELLIP METAL	0040	INSTALLED UNKN
031716 FT	0160/0836	018" DIA CIRC CONCR	0037	INSTALLED UNKN
029091 FT	0150/1552	018" DIA CIRC CONCR	0038	INSTALLED UNKN
	0150/1434	018" DIA CIRC PLASTIC	0037	INSTALLED 2005
	0150/1301	018" DIA CIRC CONCR	0036	INSTALLED 2000
	0150/0863	013"H 21"W ELLIP METAL	0037	INSTALLED UNKN
	0150/0630	015" DIA CIRC CONCR	0037	INSTALLED UNKN
	0150/0094	BMSBG 54/0235/0150/0000		
	031716 FT	1 0 00691 0 00 0061+26		VILLAGE: BENFER MIDDLE CK
	0150/0000	BMSBG 54/0235/0150/0000		
	0140/1898	015" DIA CIRC CONCR	0043	INSTALLED UNKN
	0140/1788	015" DIA CIRC CONCR	0035	INSTALLED UNKN
	0140/1383	015" DIA CIRC CONCR	0047	INSTALLED UNKN
	0140/1102	015" DIA CIRC CONCR	0043	INSTALLED UNKN
	0140/0317	BMSBG 54/0235/0140/0239		
	029091 FT	1 0 00691 0 00 0034+49		BEAVER CREEK
	0140/0239	BMSBG 54/0235/0140/0239		
	0140/0000	LENGTH(AH 2625 BK 1579)		
	0130/1409	018" DIA CIRC CONCR	0040	INSTALLED UNKN
	0130/0957	HETRICK RIDGE RD		(T431)
027512 FT				

1 0 00691 0 00 0018+15 027512 FT
MATTERN RD

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT


PAGE NUMBER: 69
COUNTY: SNYDER

DIR: B TOTAL LEN: 13.135 MI.
LEFT MUN: SPRING T

DIST: 03-5 SR: 235
RIGHT MUN: SPRING T

(T586)

0130/0000



0130/0000 LENGTH(AH 1579 BK 1701)
015 "DIA CIRC CONCR
0120/1616 LEN=0047 INSTALLED UNKN

0120/1010 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN
016 "H 25 "W ELLIP METAL

0120/0458 LEN=0044 INSTALLED UNKN
0120/0137 BMSBG 54/0235/0120/0094
1 0 00691 0 00 0000+95
T BEAVER CRK

025811 FT

0120/0094 BMSBG 54/0235/0120/0094
025811 FT 1 0 00691 0 00 0000+00

BEAVER AV
(SR0522 SEG 0170/1236)
PINE ST
(T580)

INTER-BK BEAVER AV
(SR0522 SEG 0170/1236)
0120/0000 LTH AH 001701 BK 004609
025811 FT

025811 FT

SR 0522 SH
(SR0522 SEG 0150/1066)

0110/2244

0110/2244 LTH AH 004609 BK 002244
SR 0522 SH
(SR0522 SEG 0150/1066)

0110/2049 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2014
SNYDER AV
(T822)

0110/1846 018 "DIA CIR PLASTIC
LEN=0078 INSTALLED UNKN

0110/1828 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014

0110/1240 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014

0110/0975 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014

0110/0696 030 "DIA CIRC METAL
LEN=0200 INSTALLED UNKN

023567 FT

023567 FT 2 0 54057 0 01 0250+00
0110/0000 LENGTH(AH 2244 BK 2513)

0100/1320 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2014

0100/1267 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014

0100/0234 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014

THREE RIVERS RD

DIR: B TOTAL LEN: 13.135 MI. DIST: 03-5 SR: 235
 LEFT MUN: SPRING T RIGHT MUN: SPRING T

(T562)

0100/0092
 021054 FT

019989 FT

017544 FT

021054 FT	2	0	54057	0	01	0225+00
0100/0000	LENGTH(AH 2513 BK 1065)					
	SHAWVERVILLE LN					
0090/1022	(FRST)					
	LC TO SHAWVERVILLE LN					
0090/0941	(CONN)					
0090/0795	036	"	DIA	CIR	PLASTIC	LEN=0035 INSTALLED 2014
	036	"	DIA	CIR	PLASTIC	LEN=0035 INSTALLED 2001
0090/0485	2	0	54057	0	00	0200+79
019989 FT	LENGTH(AH 1065 BK 2445)					
0090/0000	024 "DIA CIR PLASTIC					
	LEN=0045 INSTALLED UNKN					
0080/2020	024 "DIA CIRC METAL					
	LEN=0042 INSTALLED UNKN					
0080/1640	018 "DIA CIRC CONCR					
	LEN=0066 INSTALLED UNKN					
0080/1016	MITCHELL RUN					
	STRUCTURE LENGTH 15 FT					
0080/0910	BMSID 54/0235/0080/0910					
0080/0268	018	"	DIA	CIR	PLASTIC	LEN=0044 INSTALLED 2015
	018	"	DIA	CIR	PLASTIC	LEN=0044 INSTALLED 2015
0080/0186	024	"	DIA	CIR	PLASTIC	LEN=0044 INSTALLED 2015
	024	"	DIA	CIR	PLASTIC	LEN=0044 INSTALLED 2015
0080/0055	2	0	54057	0	00	0176+05
017544 FT	LENGTH(AH 2445 BK 2516)					
0080/0000	018 "DIA CIR PLASTIC					
	LEN=0045 INSTALLED 2015					
0070/2345	018 "DIA CIR PLASTIC					
	LEN=0055 INSTALLED 2015					
0070/2261	024 "DIA CIR PLASTIC					
	LEN=0040 INSTALLED 2015					
0070/2092	018 "DIA CIR PLASTIC					
	LEN=0052 INSTALLED 2015					
0070/1830	018 "DIA CIR PLASTIC					
	LEN=0044 INSTALLED 2015					
0070/1716	018 "DIA CIR PLASTIC					
	LEN=0064 INSTALLED 2015					
0070/1567	04B "DIA CIRC CONCR					
	LEN=0047 INSTALLED UNKN					
0070/0730	018 "DIA CIR PLASTIC					
	LEN=0044 INSTALLED 2015					
0070/0042	018 "DIA CIR PLASTIC					
	LEN=0044 INSTALLED 2015					

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 67
COUNTY: SNYDER

DIR: B TOTAL LEN: 13.135 MI.
LEFT MUN: SPRING T

DIST: 03-5 SR: 235
RIGHT MUN: SPRING T

MARTIN LN
(FRST)

015028 FT

0060/2115

012499 FT

009984 FT

015028 FT	2 0 54057	0 00	0150+59
0070/0000	LENGTH(AH	2516	BK 2529)
0060/2345	018 "DIA	CIR	PLASTIC
	LEN=0044	INSTALLED	2015
0060/1908	024 "DIA	CIR	PLASTIC
	LEN=0074	INSTALLED	2015
0060/1430	024 "DIA	CIR	PLASTIC
	LEN=0050	INSTALLED	2015
0060/0837	018 "DIA	CIR	PLASTIC
	LEN=0040	INSTALLED	2015
0060/0325	018 "DIA	CIR	PLASTIC
	LEN=0041	INSTALLED	2015
0060/0157	024 "DIA	CIR	PLASTIC
	LEN=0056	INSTALLED	2015
012499 FT	2 0 54057	0 00	0125+00
0060/0000	LENGTH(AH	2529	BK 2515)
0050/2200	018 "DIA	CIR	PLASTIC
	LEN=0044	INSTALLED	UNKN
0050/1857	018 "DIA	CIR	PLASTIC
	LEN=0038	INSTALLED	2015
0050/1450	018 "DIA	CIR	PLASTIC
	LEN=0050	INSTALLED	2015
0050/1232	SPRING	WEST BEAVER T	
0050/1044	018 "DIA	CIR	PLASTIC
	LEN=0044	INSTALLED	2015
0050/0711	018 "DIA	CIR	PLASTIC
	LEN=0049	INSTALLED	2015
0050/0337	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
0050/0070	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
009984 FT	2 0 54057	0 00	0099+55
0050/0000	LENGTH(AH	2515	BK 2550)
0040/2271	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
0040/2078	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
0040/1728	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
0040/1408	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
0040/1027	018 "DIA	CIR	PLASTIC
	LEN=0042	INSTALLED	2015
0040/0446	SHADE MOUNTAIN RD	(FRST)	
0040/0317	054 "DIA	CIR	PLASTIC
	LEN=0116	INSTALLED	2015

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 66
COUNTY: SNYDER

DIR: B TOTAL LEN: 13.135 MI.
LEFT MUN: WEST BEAVER T

DIST: 03-5 SR: 235
RIGHT MUN: WEST BEAVER T

2 0 54057 0 00 0073+75 007434 FT
HAINES RD
(T562) 0040/0000

Stationing	Material	Length	Notes
007434 FT			
0040/0000	5	0040/0000	LENGTH(AH 2550 BK 2441)
0030/1756		0030/1756	018 " DIA CIR PLASTIC LEN=0038 INSTALLED 2001
0030/1396		0030/1396	018 " DIA CIR PLASTIC LEN=0038 INSTALLED 2001
0030/0996		0030/0996	018 " DIA CIR PLASTIC LEN=0038 INSTALLED 2001
0030/0591		0030/0591	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0030/0238		0030/0238	018 " DIA CIR PLASTIC LEN=0038 INSTALLED 2001
004993 FT		004993 FT	2 0 54057 0 00 0049+53
0030/0000	5	0030/0000	LENGTH(AH 2441 BK 2477)
0020/2338		0020/2338	018 " DIA CIR PLASTIC LEN=0037 INSTALLED 2001
0020/1826		0020/1826	018 " DIA CIR PLASTIC LEN=0037 INSTALLED UNKN
0020/1376		0020/1376	018 " DIA CIR PLASTIC LEN=0037 INSTALLED UNKN
0020/0921		0020/0921	018 " DIA CIR PLASTIC LEN=0037 INSTALLED 2001
0020/0690		0020/0690	018 " DIA CIR PLASTIC LEN=0037 INSTALLED 2001
0020/0320		0020/0320	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2015
002516 FT		002516 FT	2 0 54057 0 00 0024+96
0020/0000	5	0020/0000	LENGTH(AH 2477 BK 2516)
0010/2340		0010/2340	018 " DIA CIR PLASTIC LEN=0037 INSTALLED UNKN
0010/2010		0010/2010	018 " DIA CIR PLASTIC LEN=0037 INSTALLED UNKN
0010/1613		0010/1613	018 " DIA CIR PLASTIC LEN=0037 INSTALLED 2001
0010/0840		0010/0840	018 " DIA CIR PLASTIC LEN=0032 INSTALLED 2001
0010/0409		0010/0409	036 " DIA CIR PLASTIC LEN=0054 INSTALLED 2001
0010/0029		0010/0029	WEST BEAVER T WEST PERRY T
000000 FT		000000 FT	2 0 54057 0 00 0000+00
INTER-BK			NC SR 0235 SH SHADE MOUNTAIN RD (SR0235 SEG 0470/2292) MFC BEGIN = D BK-JUNIATA (34)
0010/0000	5	0010/0000	LENGTH(AH 2516 BK 0000)

DIR: B TOTAL LEN: 9.444 MI. DIST: 03-5 SR: 204
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

<p>TO 1005/0150 SH (CONN)</p> <p>NEW BERLIN HW (SR1005 SEG 0150/2656)</p>	<p>049866 FT</p> <p>0200/2914</p> <p>0200/2794</p> <p>046916 FT</p>		<p>049866 FT AH-UNION (59) INTER-AHD VINE ST 0200/2950 (SR0204 SEG 0014/0000) 0200/2914 FOR SR 0204 TO SR 0204N (CONN) 0200/2815 018" DIA CIRC CONCR LEN=0060 INSTALLED UNKN</p> <p>FOR SR 0204N TO SR 0204 (CONN) 0200/2574 018" DIA CIR PLASTIC LEN=0040 INSTALLED UNKN 0200/2465 018" DIA CIRC METAL LEN=0045 INSTALLED UNKN 0200/2020 018" DIA CIR PLASTIC LEN=0044 INSTALLED UNKN 0200/1680 018" DIA CIR PLASTIC LEN=0036 INSTALLED UNKN 0200/1265 038"H 60"W ELLIP CONC LEN=0052 INSTALLED UNKN 0200/0915 048"H 72"W ELLIP CONC LEN=0056 INSTALLED UNKN 0200/0650 018" DIA CIRC METAL LEN=0040 INSTALLED UNKN 0200/0380 024" DIA CIR PLASTIC LEN=0045 INSTALLED UNKN 0200/0048 1 0 00455 0 02 0521+35 046916 FT LENGTH(AH 2950 BK 3207) 5 0200/0000</p> <p>0190/2390 018" DIA CIR PLASTIC LEN=0048 INSTALLED UNKN 0190/2060 018" DIA CIR PLASTIC LEN=0048 INSTALLED UNKN 018"H 24"W ELLIP METAL</p>
---	---	--	---

DIR: B TOTAL LEN: 9.444 MI. DIST: 03-5 SR: 204
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

YODER HILL RD
 (PRDR)

	0190/1900	LEN=0036	INSTALLED	UNKN
0190/1437	==			
	0190/1430	018 " DIA	CIR PLASTIC	
		LEN=0035	INSTALLED	2005
	0190/0405	030"H 42"W	ELLIP METAL	
		LEN=0075	INSTALLED	2007
	0190/0250	018 " DIA	CIR PLASTIC	
043709 FT	043709 FT	LEN=0055	INSTALLED	UNKN
		1 0 00455	0 02 0491+20	
			BENFER DR	
			(T507)	
	5 0190/0000	LENGTH(AH	3207 BK	1764)
041945 FT	041945 FT	1 0 00455	0 02 0469+58	
	5 0180/0000	LENGTH(AH	1764 BK	1496)
	0170/0825	018 " DIA	CIR PLASTIC	
		LEN=0040	INSTALLED	UNKN
	==			
	0170/0610	HOLLENBACH RD		
		(T505)		
	0170/0365	042 " DIA	CIRC CONCR	
040449 FT	040449 FT	LEN=0050	INSTALLED	UNKN
		1 0 00455	0 02 0454+63	
	5 0170/0000	LENGTH(AH	1496 BK	3324)
		018 " DIA	CIR PLASTIC	
	0160/2910	LEN=0038	INSTALLED	2007
		018 " DIA	CIRC CONCR	
	0160/2780	LEN=0036	INSTALLED	UNKN
		042 " DIA	CIRC CONCR	
	0160/2450	LEN=0062	INSTALLED	UNKN
		BEAR RUN		
		STRUCTURE	LENGTH	14 FT
	0160/2258	BMSID 54/0204/0160/2258		
		018 " DIA	CIR PLASTIC	
	0160/1900	LEN=0040	INSTALLED	UNKN
		018 " DIA	CIRC METAL	
	0160/1500	LEN=0034	INSTALLED	UNKN
		036 " DIA	CIR PLASTIC	
	0160/1084	LEN=0047	INSTALLED	UNKN
		018 " DIA	CIR PLASTIC	
	0160/0810	LEN=0048	INSTALLED	2007
		018 " DIA	CIR PLASTIC	
	0160/0542	LEN=0046	INSTALLED	UNKN
		018 " DIA	CIR PLASTIC	

DIR: B TOTAL LEN: 9.444 MI. DIST: 03-5 SR: 204
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

1 0 00455 0 02 0421+42 037125 FT
 TAME DEER DR
 (T835) 0160/0000

0160/0255	LEN=0048	INSTALLED UNKN
037125 FT	060 "DIA	CIRC CONCR
	LEN=0086	INSTALLED UNKN
5 0160/0000	LENGTH(AH 3324 BK 2147)	
	048 "DIA	CIRC CONCR
0150/1560	LEN=0065	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0150/1250	LEN=0042	INSTALLED UNKN
	018 "DIA	CIRC METAL
0150/0891	LEN=0045	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0150/0705	LEN=0040	INSTALLED UNKN
	030 "DIA	CIRC CONCR
0150/0548	LEN=0060	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0150/0291	LEN=0040	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0150/0076	LEN=0040	INSTALLED UNKN
034978 FT	1 0 00455 0 02 0399+95	
5 0150/0000	LENGTH(AH 2147 BK 2212)	
	015 "DIA	CIR PLASTIC
0140/2050	LEN=0044	INSTALLED UNKN

034978 FT

ERDLEY CHURCH RD
 (T491) 0140/1846

0140/1830	018 "DIA	CIR PLASTIC
	LEN=0071	INSTALLED UNKN
0140/1612	018 "DIA	CIRC METAL
	LEN=0036	INSTALLED UNKN
0140/1362	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2019

1 0 00455 0 02 0377+82 032766 FT
 SALEM RD
 (SR1011 SEG 0140/2808) 0140/0000

0140/0368	018 "DIA	CIR PLASTIC
032766 FT	LEN=0040	INSTALLED UNKN
5 0140/0000	LENGTH(AH 2212 BK 2029)	
	018 "DIA	CIRC METAL
0130/1720	LEN=0040	INSTALLED UNKN
	015 "DIA	CIRC METAL
0130/1220	LEN=0040	INSTALLED UNKN

030737 FT

030737 FT 1 0 00455 0 02 0357+58
 T863 LITTLE MEXICO RD-T
 (TWP)
 5 0130/0000 LENGTH(AH 2029 BK 2854)
 018 "DIA CIR PLASTIC
 0120/2854 LEN=0055 INSTALLED UNKN

DIR: B TOTAL LEN: 9.444 MI. DIST: 03-5 SR: 204
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

Stationing	Length	Material	Notes
	0120/2190	015 " DIA CIRC CONCR LEN=0040	INSTALLED UNKN
	0120/1455	015 " DIA CIRC CONCR LEN=0044	INSTALLED UNKN
1 0 00455 0 02 0329+16 027883 FT PERKINSON RD (T488)	027883 FT 0120/0000		
	0120/0000	LENGTH(AH 2854 BK 2895)	
	0110/2038	015 " DIA CIRC CONCR LEN=0040	INSTALLED UNKN
	0110/1573	SCRUBBY HILL RD (T487)	
	0110/1465	015 " DIA CIRC CONCR LEN=0036	INSTALLED UNKN
1 0 00455 0 02 0300+22 024988 FT HERMAN RD (T485)	024988 FT 0110/0000		
	0110/0040	015 " DIA CIRC METAL LEN=0064	INSTALLED UNKN
	0110/0000	LENGTH(AH 2895 BK 2508)	
	0100/2390	015 " DIA CIRC CONCR LEN=0040	INSTALLED UNKN
SCENIC VIEW DR (PRDR)	0100/1688	018 " DIA CIRC CONCR LEN=0065	INSTALLED UNKN
	0100/1229		
	0100/1140	018 " DIA CIRC CONCR LEN=0056	INSTALLED UNKN
	0100/0570	018 " DIA CIRC CONCR LEN=0031	INSTALLED UNKN
MID PENN DR (T480)	0100/0395 022480 FT		
	022480 FT		
	0100/0000	LENGTH(AH 2508 BK 2325)	
	0090/2300	018 " DIA CIRC CONCR LEN=0034	INSTALLED UNKN
	0090/2020	018 " DIA CIRC CONCR LEN=0030	INSTALLED UNKN
TOFTREE DR (T482)	0090/1934		
	0090/1700	018 " DIA CAST IRON LEN=0034	INSTALLED UNKN

DIR: B TOTAL LEN: 9.444 MI. DIST: 03-5 SR: 204
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

Location	Segment ID	Length (FT)	Material / Notes
HEIMBACH LN (PRDR)	0090/1506		KRATZERVILLE RD (SR1016 SEG 0010/0000)
	0090/0860		FERGUSON RD (T496)
	0090/0420	020155	018" DIA CIRC METAL LEN=0040 INSTALLED UNKN
	0090/0000	020155	1 0 00455 0 02 0252+01 VILLAGE: KRATZERVILLE LENGTH(AH 2325 BK 2541) 018" DIA CIRC METAL
HEIMBACH LN (PRDR)	0080/2075		LEN=0036 INSTALLED UNKN PEACH TREE RD
	0080/1665		(T493)
	0080/1051		018" DIA CIR PLASTIC
	0080/0753		LEN=0050 INSTALLED 2003
HEIMBACH LN (PRDR)	0080/0000	017614	1 0 00455 0 02 0226+79 LENGTH(AH 2541 BK 3080) 018" DIA CIR PLASTIC
	0070/3043		LEN=0047 INSTALLED 1997
	0070/2180		018" DIA CIR PLASTIC LEN=0052 INSTALLED UNKN
	0070/1925		018" DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
HEIMBACH LN (PRDR)	0070/1316		024" DIA CIR PLASTIC LEN=0057 INSTALLED UNKN
	0070/0920		018" DIA CIR PLASTIC LEN=0046 INSTALLED 2001
	0070/0032		BMS EN 54/0204/0070/0000 JACKSON
	0070/0021	014534	PENN T 1 0 00455 0 02 0195+96 TRIB PENNS C
FETTER RD (T493)	0070/0000		BMSBG 54/0204/0070/0000 LENGTH(AH 3080 BK 2679)
	0060/2275		018" DIA CIRC METAL LEN=0036 INSTALLED UNKN
	0060/1860		018" DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0060/2281		014"H 22"W ELLIP METAL

DIR: B TOTAL LEN: 9.444 MI. DIST: 03-5 SR: 204
 LEFT MUN: PENN T RIGHT MUN: PENN T

1 0 00455 0 02 0169+20 011855 FT
 HILL END RD
 (T485) 0060/0000

1 0 00455 0 02 0141+95 009114 FT
 FAIR OAK RD
 (SR1002 SEG 0080/0874) 0050/0000

006182 FT

0060/1100	LEN=0040	INSTALLED UNKN
018 "DIA	CIRC METAL	
0060/0520	LEN=0040	INSTALLED UNKN
011855 FT		
5 0060/0000	LENGTH(AH 2679 BK 2741)	
	036 "DIA	CIRC CONCR
0050/2660	LEN=0076	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0050/1980	LEN=0040	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0050/1568	LEN=0040	INSTALLED UNKN
	018 "H 28 "W	ELLIP METAL
0050/1063	LEN=0036	INSTALLED UNKN
0050/0685	BMSSEN 54/0204/0050/0666	
	1 0 00455 0 02 0148+52	
	T. PENNS CR.	
0050/0666	BMSBG 54/0204/0050/0666	
	018 "DIA	CIR PLASTIC
0050/0368	LEN=0040	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0050/0185	LEN=0042	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0050/0029	LEN=0036	INSTALLED UNKN
009114 FT		
5 0050/0000	LENGTH(AH 2741 BK 2932)	
	018 "DIA	CIR PLASTIC
0040/2743	LEN=0045	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0040/2476	LEN=0039	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0040/1877	LEN=0065	INSTALLED 2003
	018 "DIA	CIR PLASTIC
0040/0965	LEN=0040	INSTALLED 2003
	018 "DIA	CIR PLASTIC
0040/0825	LEN=0054	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
0040/0485	LEN=0036	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0040/0060	LEN=0060	INSTALLED UNKN
006182 FT	1 0 00455 0 01 0113+49	
	MILL RD	
	(SR1014 SEG 0012/0000)	
	MFC BEGIN = D	
5 0040/0000	LENGTH(AH 2932 BK 1839)	
	018 "DIA	CIRC CONCR

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 59
COUNTY: SNYDER

DIR: B
LEFT MUN: PENN T

TOTAL LEN: 9.444 MI.

DIST: 03-5
RIGHT MUN: PENN T

SR: 204

OLD COLONY RD
(T868)

0030/0671
004343 FT

TO 1008/0050 SH
(CONN)
1 0 00455 0 01 0074+88
STATE SCHOOL RD
(SR1008 SEG 0050/0571)

0020/0110
002366 FT
0020/0000

000000 FT

0030/1430	LEN=0050	INSTALLED UNKN
0030/1167	T.PENNS CRK. STRUCTURE LENGTH 25 FT BMSID 54/0204/0030/1167	
004343 FT	1 0 00455 0 01 0093+99	
0030/0000	LENGTH(AH 1839 BK 1977) 018 "DIA CIR PLASTIC	
0020/1894	LEN=0048	INSTALLED UNKN
0020/1361	036 "DIA CIRC CONCR LEN=0042	INSTALLED UNKN
0020/1045	018 "DIA CIR PLASTIC LEN=0040	INSTALLED 2003
0020/0230	BMSEN 54/0204/0020/0219 1 0 00455 0 01 0076+54	
0020/0219	TRIBUTARY TO PENNS CREE BMSBG 54/0204/0020/0219	
002366 FT		
0020/0000	LENGTH(AH 1977 BK 2366) 018 "DIA CIR PLASTIC	
0010/1570	LEN=0036	INSTALLED UNKN
0010/1301	018 "DIA CIR PLASTIC LEN=0040	INSTALLED UNKN
0010/1059	030 "DIA CIRC CONCR LEN=0048	INSTALLED UNKN
0010/0892	018 "DIA CIRC METAL LEN=0065	INSTALLED UNKN
0010/0714	BRIDGE ST (SR1012 SEG 0010/0000) PENN SELINS GROVE B	
0010/0680	024 "DIA CIRC METAL LEN=0043	INSTALLED UNKN
000000 FT	1 0 00455 0 01 0050+72	
INTER-BK	NC SR 0204 SH SR 0522 SH (SR0522 SEG 0600/0000)	
0010/0000	BROAD ST (BORO) MFC BEGIN = C LENGTH(AH 2366 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 58
PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
LEFT MUN: CENTER T RIGHT MUN: CENTER T

090696 FT



090696 FT AH-UNION (59)
INTER-AHD SR 0104 SH
0380/1218 (SR0104 SEG 0010/0000)

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

089478 FT

0380/0370	036 " DIA CIRC CONCR
089478 FT	LEN=0090 INSTALLED UNKN
	1 0 00026 0 01 0283+71
	WALNUT ACRES RD
	(SR1003 SEG 0040/2891)
0380/0000	LENGTH(AH 1218 BK 2998)
	WALNUT ST
0370/2601	(T670)
	015 " DIA CIRC CONCR
0370/2560	LEN=0080 INSTALLED UNKN
	024 " DIA CAST IRON
0370/2380	LEN=0047 INSTALLED UNKN
	015 " DIA CIRC CONCR
0370/2100	LEN=0060 INSTALLED UNKN
	015 " DIA CIRC CONCR
0370/1840	LEN=0049 INSTALLED UNKN
	PENN ST
0370/1828	(T642)
	015 " DIA CIRC CONCR
0370/1430	LEN=0046 INSTALLED UNKN
	MULBERRY ST
0370/1421	(T640)
	018 " DIA CIRC CONCR
0370/1018	LEN=0048 INSTALLED UNKN
	PINE ST
0370/1007	(T638)
	015 " DIA CIRC CONCR
0370/0798	LEN=0035 INSTALLED UNKN
	018 " DIA CIRC CONCR
0370/0666	LEN=0046 INSTALLED UNKN
	RASPBERRY ST
0370/0621	(T636)
	018 " DIA CIRC CONCR
0370/0107	LEN=0045 INSTALLED UNKN
	018 " DIA CIRC CONCR
0370/0023	LEN=0050 INSTALLED UNKN
086480 FT	1 0 00026 0 01 0253+79
	VILLAGE: PENNS CREEK
0370/0000	LENGTH(AH 2998 BK 2921)
	030 " DIA CIR PLASTIC
0360/2921	LEN=0192 INSTALLED UNKN
	WALNUT ST
0360/2874	(SR1001 SEG 0080/0349)
0360/2716	BMSSEN 54/0104/0360/2698
	1 0 00026 0 01 0251+59
	TRIBUTARY PENNS CREEK
0360/2698	BMSBG 54/0104/0360/2698
	018 " DIA CIRC CONCR
0360/2209	LEN=0038 INSTALLED UNKN

TROXELVILLE RD
 (SR4018 SEG 0170/1358) 0370/0000

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 56
COUNTY: SNYDER

DIR: B TOTAL LEN: 17.177 MI.
LEFT MUN: CENTER T

DIST: 03-5 SR: 104
RIGHT MUN: CENTER T

BOWERSOX RD
(T628)

0360/1489

083559 FT

081119 FT

078672 FT

0360/1932	015 " DIA	CIRC CONCR
	LEN=0036	INSTALLED UNKN
0360/1500	024 " DIA	CIR PLASTIC
	LEN=0065	INSTALLED UNKN
0360/1160	015 " DIA	CIRC CONCR
	LEN=0056	INSTALLED UNKN
083559 FT	1 0 00026	0 01 0224+57
	VILLAGE: PENNS CR	
	NC CENTERVILLE ST	
0360/0000	LENGTH(AH	2921 BK 2440)
0350/2218	015 " DIA	CIRC CONCR
	LEN=0055	INSTALLED UNKN
0350/2075	015 " DIA	CIRC CONCR
	LEN=0044	INSTALLED UNKN
	TRIBUTARY PENNS CREEK	
	STRUCTURE LENGTH 13 FT	
0350/1628	BMSID 54/0104/0350/1628	
0350/1138	015 " DIA	CIRC CONCR
	LEN=0044	INSTALLED UNKN
0350/0665	018 " DIA	CIRC CONCR
	LEN=0052	INSTALLED UNKN
0350/0345	015 " DIA	CIRC CONCR
	LEN=0055	INSTALLED UNKN
081119 FT	1 0 00026	0 01 0200+16
0350/0000	LENGTH(AH	2440 BK 2447)
0340/2240	015 " DIA	CIRC CONCR
	LEN=0056	INSTALLED UNKN
0340/1888	024 " DIA	CIRC CONCR
	LEN=0048	INSTALLED UNKN
0340/1500	018 " DIA	CIR PLASTIC
	LEN=0051	INSTALLED UNKN
0340/0961	018 " DIA	CIRC CONCR
	LEN=0049	INSTALLED UNKN
0340/0640	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0340/0350	015 " DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
0340/0016	018 " DIA	CIRC CONCR
	LEN=0092	INSTALLED UNKN
078672 FT	1 0 00026	0 01 0175+68
	KEISTER RD	
	(T503)	
0340/0000	LENGTH(AH	2447 BK 2605)
0330/2424	015 " DIA	CIRC CONCR
	LEN=0052	INSTALLED UNKN
	015 " DIA	CIRC CONCR

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: CENTER T RIGHT MUN: CENTER T

MIDDLE RD
(T401)

0330/1352

0330/2159 LEN=0040 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0330/1778 LEN=0044 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0330/1397 LEN=0047 INSTALLED UNKN

0330/1321 BMS EN 54/0104/0330/1308
 1 0 00026 0 01 0149+67
 TRIBUTARY PENNS CREEK

0330/1308 BMSBG 54/0104/0330/1308
 ORCHARD LN TRAIL

0330/0965 (T664)
 036 "DIA CIRC METAL

0330/0880 LEN=0071 INSTALLED UNKN
 015 "DIA CIRC CONCR

0330/0572 LEN=0040 INSTALLED UNKN
 015 "DIA CIRC CONCR

076067 FT

0330/0228 LEN=0048 INSTALLED UNKN
 076067 FT 1 0 00026 0 01 0149+67
 PITZER RD
 (T481)

0330/0000 LENGTH(AH 2605 BK 2882)
 015 "DIA CIRC CONCR

0320/2870 LEN=0060 INSTALLED UNKN
 014 "DIA CAST IRON

0320/2668 LEN=0068 INSTALLED UNKN
 018 "DIA CIRC CONCR

0320/2305 LEN=0054 INSTALLED UNKN
 018 "DIA CIR PLASTIC

0320/2151 LEN=0054 INSTALLED UNKN
 SHAMBACH RD

0320/1786 (T632)
 015 "DIA CIRC CONCR

0320/1342 LEN=0042 INSTALLED UNKN

073185 FT

0320/0065 015 "DIA CIR PLASTIC
 LEN=0102 INSTALLED UNKN
 073185 FT 1 0 00026 0 01 0121+00
 SALEM CHURCH RD
 (T479)

0320/0000 LENGTH(AH 2882 BK 1724)

BICKEL RD
(T475)

0310/1588

0310/0835 015 "DIA CIRC CONCR
 LEN=0049 INSTALLED UNKN
 018 "DIA CIRC CONCR

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 54
COUNTY: SNYDER

DIR: B TOTAL LEN: 17.177 MI.
LEFT MUN: CENTER T

DIST: 03-5 SR: 104
RIGHT MUN: CENTER T

071461 FT

068450 FT

066425 FT

0310/0450	LEN=0052	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0310/0040	LEN=0044	INSTALLED UNKN
071461 FT	1 0 00026	0 01 0103+71
5 0310/0000	LENGTH(AH 1724 BK 3011)	
0300/2956	CENTER FRANKLIN T	
014 "DIA	CIR PLASTIC	
0300/2500	LEN=0049	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0300/2252	LEN=0044	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0300/1970	LEN=0047	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0300/1658	LEN=0050	INSTALLED UNKN
MITCHELL RD		
0300/1425	(T483)	
018 "DIA	CIR PLASTIC	
0300/1356	LEN=0052	INSTALLED 2004
036 "DIA	CAST IRON	
0300/0926	LEN=0053	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0300/0715	LEN=0046	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0300/0244	LEN=0044	INSTALLED UNKN
068450 FT	1 0 00026	0 01 0073+49
5 0300/0000	LENGTH(AH 3011 BK 2025)	
014 "DIA	CAST IRON	
0290/1877	LEN=0047	INSTALLED UNKN
036 "DIA	CIRC CONCR	
0290/1480	LEN=0052	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0290/1330	LEN=0047	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0290/1197	LEN=0048	INSTALLED UNKN
014 "DIA	CAST IRON	
0290/0972	LEN=0050	INSTALLED UNKN
014 "DIA	CAST IRON	
0290/0505	LEN=0058	INSTALLED UNKN
024 "DIA	CIRC CONCR	
0290/0197	LEN=0058	INSTALLED UNKN
066425 FT	1 0 00026	0 00 0050+37
5 0290/0000	LENGTH(AH 2025 BK 2247)	
018 "DIA	CAST IRON	
0280/1909	LEN=0058	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0280/1544	LEN=0044	INSTALLED UNKN
015 "DIA	CIRC CONCR	
0280/1143	LEN=0044	INSTALLED UNKN

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Location	Segment ID	Length	Material	Status
(T628)	0280/1044			
	0280/0837		024 " DIA CIRC CONCR LEN=0050	INSTALLED UNKN
	0280/0189		030 " DIA CIRC CONCR LEN=0050	INSTALLED UNKN
WATER TOWER RD (T629)	064178 FT 0280/0000	064178 FT	1 0 00026 0 00 0028+00 NC SR 0104 SH	
	0280/0000		LENGTH(AH 2247 BK 1747)	
	0270/1021		024 " DIA CIRC CONCR LEN=0055	INSTALLED UNKN
	0270/0530		015 " DIA CIRC CONCR LEN=0046	INSTALLED UNKN
	0270/0085		FRANKLIN MIDDLEBURG B	
WATER TOWER RD (T629)	0270/0049 062431 FT	062431 FT	015 " DIA CIR PLASTIC LEN=0064	INSTALLED UNKN
	0270/0000		1 0 00026 0 00 0010+70 NEW BERLIN HW (SR1005 SEG 0010/0000)	
	0270/0000		LENGTH(AH 1747 BK 1061)	
	0260/0912		018 " DIA CIRC CONCR LEN=0038	INSTALLED UNKN
OLD SCHOOL RD (BORO)	0260/0679		STUMP RUN AL (BORO)	
	0260/0675		018 " DIA CIRC CONCR LEN=0029	INSTALLED UNKN
	0260/0400		018 " DIA CIRC CONCR LEN=0029	INSTALLED UNKN
PINE ST (BORO)	0260/0368		024 " DIA CIRC CONCR LEN=0029	INSTALLED UNKN
	0260/0210		OAK AV (BORO)	
	0260/0187		015 " DIA CAST IRON LEN=0028	INSTALLED UNKN
	061370 FT	061370 FT	1 0 00026 0 00 0000+00 (APRA) APEX B APEX HOME	
			NC MA IN ST MARKET ST (BORO)	
MARKET ST	INTER-BK		MAIN ST (SR0522 SEG 0390/0000)	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023


ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 52
COUNTY: SNYDER

DIR: B TOTAL LEN: 17.177 MI.
LEFT MUN: MIDDLEBURG B

DIST: 03-5 SR: 104
RIGHT MUN: MIDDLEBURG B

(SR0522 SEG 0390/0000) 0260/0000
061370 FT



0260/0000 LTH AH 001061 BK 001564
061370 FT
7254/0000 LTH AH 001564 BK 001489
INTER-AHD MAIN ST
(SR0522 SEG 0400/0023)
MAIN ST
0250/1489 (SR0522 SEG 0400/0023)
018 " DIA CIR PLASTIC
0250/1454 LEN=0103 INSTALLED UNKN
RELIANCE AV
(BORO)
0250/1163 018 " DIA CIR PLASTIC
0250/1142 LEN=0042 INSTALLED UNKN
RAILROAD AV
(BORO)
0250/0513 018 " DIA CIRC CONCR
0250/0473 LEN=0080 INSTALLED 2003
GRAND ST
(BORO)
0250/0404 014 " DIA CIRC METAL
0250/0382 LEN=0043 INSTALLED UNKN
SCHOCH ST
(BORO)
0250/0167 059881 FT MIDDLEBURG
FRANKLIN T
0250/0000 LENGTH(AH 1489 BK 1810)
THOMAS AV
(BORO)
0240/1753 018 " DIA CIRC CONCR
0240/1749 LEN=0070 INSTALLED UNKN
JC MOBILE HOME CT
(PRDR)
0240/1637
0240/1586
0240/1386
058071 FT
0240/0396 030 " DIA CIRC CONCR
058071 FT 1 0 00195 0 00 0580+05
NC WAUSAU RD
0240/0000 LENGTH(AH 1810 BK 2821)

1 0 00195 0 00 0598+08 059881 FT
PAXTONVILLE RD
(SR3008 SEG 0110/0979) 0250/0000


TIME AL
(BORO)
DINIUS AV
(BORO)

PRATT LN

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

(PRDR)

0230/0774



0230/0753 024 " DIA CIRC CONCR
 LEN=0056 INSTALLED UNKN

055250 FT

0230/0109 015 " DIA CIRC CONCR
 LEN=0064 INSTALLED UNKN
 0230/0027 BMSBN 54/0104/0230/0000
 055250 FT 1 0 00195 0 00 0551+93

5 0230/0000 T.MIDDLE CK.
 BMSBG 54/0104/0230/0000
 LENGTH(AH 2821 BK 2146)
 0220/1564 015 " DIA CIRC CONCR
 LEN=0052 INSTALLED UNKN
 0220/1247 015 " DIA CIRC CONCR
 LEN=0068 INSTALLED UNKN

053104 FT

0220/0108 018 " DIA CIRC CONCR
 LEN=0044 INSTALLED UNKN
 053104 FT 1 0 00195 0 00 0530+46
 5 0220/0000 LENGTH(AH 2146 BK 2122)
 0210/1702 016 " DIA CAST IRON
 LEN=0050 INSTALLED UNKN
 0210/1274 014 " DIA CAST IRON
 LEN=0056 INSTALLED UNKN

050982 FT

0210/0617 014 " DIA CAST IRON
 LEN=0060 INSTALLED UNKN
 0210/0453 FRANKLIN
 WASHINGTON T
 048"H 78"W CON BOX CUL
 0210/0366 LEN=0068 INSTALLED UNKN
 050982 FT 1 0 00195 0 00 0509+22
 SUMMIT RD

5 0210/0000 (T390)
 LENGTH(AH 2122 BK 2494)
 0200/2129 018 " DIA CIRC CONCR
 LEN=0056 INSTALLED UNKN
 0200/1695 018 " DIA CIRC CONCR
 LEN=0060 INSTALLED UNKN
 0200/1282 018 " DIA CIRC CONCR
 LEN=0063 INSTALLED UNKN

048488 FT


0200/0440 018 " DIA CIRC CONCR
 LEN=0067 INSTALLED UNKN
 0200/0073 016 " DIA CAST IRON
 LEN=0064 INSTALLED UNKN
 048488 FT 1 0 00195 0 00 0484+18
 5 0200/0000 LENGTH(AH 2494 BK 2445)

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

SHADE MOUNTAIN RD
 (FRST)

	0190/1717	016 " DIA	CAST IRON	
		LEN=0070	INSTALLED	UNKN
	0190/1352	016 " DIA	CAST IRON	
		LEN=0080	INSTALLED	UNKN
	0190/1070	016 " DIA	CAST IRON	
		LEN=0072	INSTALLED	UNKN
	0190/0481	016 " DIA	CAST IRON	
		LEN=0080	INSTALLED	UNKN
046043 FT	046043 FT	1 0 00195	0 00 0460	+00
	0190/0000	LENGTH(AH	2445 BK	2184)
		018 " DIA	CAST IRON	
	0180/1794	LEN=0060	INSTALLED	UNKN
		024 " DIA	CIRC CONCR	
	0180/1359	LEN=0070	INSTALLED	UNKN
		030 " DIA	CIRC CONCR	
	0180/1066	LEN=0075	INSTALLED	UNKN
		015 " DIA	CIRC CONCR	
	0180/0828	LEN=0070	INSTALLED	UNKN
		015 " DIA	CIRC CONCR	
	0180/0412	LEN=0062	INSTALLED	UNKN
		018 " DIA	CIRC CONCR	
	0180/0023	LEN=0056	INSTALLED	UNKN
043859 FT	043859 FT	1 0 00195	0 00 0437	+70
		PARKWOODS RD		
		(T372)		
	0180/0000	LENGTH(AH	2184 BK	2819)
		015 " DIA	CIRC CONCR	
	0170/2457	LEN=0056	INSTALLED	UNKN
		018 " DIA	CIRC CONCR	
	0170/2209	LEN=0052	INSTALLED	UNKN
		015 " DIA	CIRC CONCR	
	0170/1654	LEN=0061	INSTALLED	UNKN
		048"H 60"W	CON BOX CUL	
	0170/1243	LEN=0048	INSTALLED	UNKN
		015 " DIA	CIRC CONCR	
	0170/0408	LEN=0062	INSTALLED	UNKN
		018 " DIA	CIRC CONCR	
	0170/0176	LEN=0065	INSTALLED	UNKN
		WASHINGTON		
	0170/0085	PERRY T		
041040 FT	041040 FT	1 0 00195	0 00 0409	+62
	0170/0000	LENGTH(AH	2819 BK	2692)
		015 " DIA	CIRC CONCR	
	0160/2439	LEN=0060	INSTALLED	UNKN
		018 " DIA	CIRC CONCR	
	0160/2090	LEN=0075	INSTALLED	UNKN
		015 " DIA	CIRC CONCR	

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: PERRY T RIGHT MUN: PERRY T



038348 FT

CHESTNUT RIDGE LN (PRDR) 0150/0612
 1 0 00195 0 00 0358+23 035884 FT
 HEISTER VALLEY RD
 (SR3006 SEG 0230/2653) 0150/0000

033529 FT

0160/1623 LEN=0065 INSTALLED UNKN
 024 "DIA CIRC CONCR
 0160/1310 LEN=0068 INSTALLED UNKN
 0160/0682 015 "DIA CIRC CONCR
 LEN=0061 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0160/0490 LEN=0055 INSTALLED UNKN
 0160/0013 BMSSEN 54/0104/0160/0000
 038348 FT 1 0 00195 0 00 0382+81
 TRIB NO BR MAHANTANGO C
 BMSBG 54/0104/0160/0000
 5 0160/0000 LENGTH(AH 2692 BK 2464)
 024 "DIA CIRC CONCR
 0150/2330 LEN=0058 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0150/1936 LEN=0055 INSTALLED UNKN
 015 "DIA CIRC METAL
 0150/1423 LEN=0104 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0150/0922 LEN=0086 INSTALLED UNKN
 RED BANK RD
 == 0150/0858 (T391)
 015 "DIA CIRC CONCR
 0150/0618 LEN=0052 INSTALLED UNKN
 ==
 035884 FT
 5 0150/0000 LENGTH(AH 2464 BK 2355)
 015 "DIA CIRC CONCR
 0140/2150 LEN=0054 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0140/1692 LEN=0052 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0140/0885 LEN=0110 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0140/0361 LEN=0044 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0140/0122 LEN=0049 INSTALLED UNKN
 020 "DIA CIRC METAL
 0140/0048 LEN=0112 INSTALLED UNKN
 033529 FT 1 0 00195 0 00 0334+54
 SR 0035 SH
 (SR0035 SEG 0150/0000)
 5 0140/0000 LENGTH(AH 2355 BK 2497)
 018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

CORTLAND ST
 (T370)

0130/1215

1 0 00195 0 00 0309+70 031032 FT
 MILLRACE RD
 (SR3005 SEG 0010/0000) 0130/0000

POTATO VALLEY RD
 (T351)

028162 FT

0120/0000

0130/2350	LEN=0060	INSTALLED	UNKN
0130/1069	LEN=0046	INSTALLED	UNKN
0130/0772	LEN=0040	INSTALLED	UNKN
0130/0567	LEN=0095	INSTALLED	UNKN
0130/0313	LEN=0053	INSTALLED	UNKN
0130/0040	LEN=0058	INSTALLED	UNKN
031032 FT	FLINT VALLEY RD		
0130/0000	LENGTH(AH 2497 BK 2870)		
0120/2492	BMSSEN 54/0104/0120/2463		
	1 0 00195 0 00 0305+57		
	TRIB NO BR MAHANTANGO C		
0120/2463	BMSBG 54/0104/0120/2463		
0120/2383	LEN=0046	INSTALLED	UNKN
0120/1882	LEN=0052	INSTALLED	UNKN
0120/1855	LEN=0052	INSTALLED	UNKN
0120/1370	LEN=0048	INSTALLED	UNKN
0120/0547	LEN=0040	INSTALLED	UNKN
0120/0508	MARTIN BROTHERS RD		
	(SR2006 SEG 0010/0000)		
0120/0029	LEN=0040	INSTALLED	UNKN
028162 FT	1 0 00195 0 00 0281+02		
	VILLAGE: MT PLEAS MILLS		
	STUCK RD		
	(T360)		
0120/0000	LENGTH(AH 2870 BK 2618)		
0110/2477	LEN=0044	INSTALLED	UNKN
0110/1955	LEN=0045	INSTALLED	UNKN
0110/1784	LEN=0048	INSTALLED	UNKN
0110/1465	LEN=0048	INSTALLED	UNKN

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

Stationing	Description	Material	Status
0110/1100	015" DIA	CIRC CONCR	INSTALLED UNKN
0110/0570	018" DIA	CIRC CONCR	INSTALLED UNKN
025544 FT	1 0 00195 0 00 0229+52	023030 FT	023030 FT
0110/0000	LENGTH(AH 2618 BK 2514)	015" DIA	CIRC CONCR
0100/2178	060"H 72"W	CON BOX CUL	INSTALLED UNKN
0100/1982	015" DIA	CIRC CONCR	INSTALLED UNKN
0100/1296	015" DIA	CIRC CONCR	INSTALLED UNKN
0100/0969	STUCK RD (T360)	015" DIA	CIRC CONCR
0100/0635	018" DIA	CIR PLASTIC	INSTALLED UNKN
0100/0300	018" DIA	CIR PLASTIC	INSTALLED UNKN
023030 FT	023030 FT	0100/0000	LENGTH(AH 2514 BK 2905)
0100/0000	018" DIA	CIR PLASTIC	INSTALLED UNKN
0090/2783	TROUP VALLEY RD	018" DIA	CIRC CONCR
0090/2371	(SR3004 SEG 0130/0000)	018" DIA	CIRC CONCR
0090/2352	036" DIA	CIRC CONCR	INSTALLED UNKN
0090/2164	015" DIA	CIRC CONCR	INSTALLED UNKN
0090/1832	015" DIA	CIRC CONCR	INSTALLED UNKN
0090/1434	015" DIA	CIRC CONCR	INSTALLED UNKN
0090/1081	024" DIA	CIRC CONCR	INSTALLED UNKN
0090/0766	015" DIA	CIRC CONCR	INSTALLED UNKN
0090/0269	036" DIA	CIRC CONCR	INSTALLED UNKN
020125 FT	020125 FT	1 0 00195 0 00 0200+53	0200+53
0090/0000	LENGTH(AH 2905 BK 2545)	015" DIA	CIRC CONCR
0080/2226	015" DIA	CIRC CONCR	INSTALLED UNKN
0080/1823	015" DIA	CIRC CONCR	INSTALLED UNKN
0080/1621	018" DIA	CIRC CONCR	INSTALLED UNKN
0080/1057	013" DIA	CIRC CONCR	INSTALLED UNKN

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: PERRY T RIGHT MUN: PERRY T


017580 FT

0080/0717	018 " DIA	CIRC	CONCR	LEN=0054	INSTALLED	UNKN
0080/0430	015 " DIA	CIRC	CONCR	LEN=0064	INSTALLED	UNKN
017580 FT	1 0 00195	0 00	0175+12	LENGTH(AH 2545 BK 2521)		
0080/0000	018 " DIA	CIRC	CONCR	LEN=0072	INSTALLED	UNKN
0070/2122	BMSSEN 54	0104	0070/1660	1 0 00195	0 00	0166+45
0070/1687	TRIB NO	BR	MAHANTANGO C	BMSBG 54	0104	0070/1660
0070/1660	HINKLE RD	(T345)				
0070/1616	015 " DIA	CIRC	CONCR	LEN=0048	INSTALLED	UNKN
0070/1580	024 " DIA	CIRC	CONCR	LEN=0054	INSTALLED	UNKN
0070/1222	030 " DIA	CIRC	CONCR	LEN=0053	INSTALLED	UNKN
0070/1045	GRUBB'S	CHURCH RD				
0070/1039	018 " DIA	CIRC	CONCR	LEN=0048	INSTALLED	UNKN
0070/0930	015 " DIA	CIRC	CONCR	LEN=0044	INSTALLED	UNKN
0070/0830	015 " DIA	CIR	PLASTIC	LEN=0180	INSTALLED	UNKN
0070/0440	1 0 00195 0 00 0149+95 015059 FT					
015059 FT	PINE SWAMP RD					
0070/0000	(SR3016 SEG 0190/1562)					
0070/0000	LENGTH(AH	2521	BK	2915)	0070/0000	
0060/2729	018 " DIA	CIRC	CONCR	LEN=0074	INSTALLED	UNKN
0060/2551	048 " DIA	CIRC	CONCR	LEN=0040	INSTALLED	UNKN
0060/2103	024 " DIA	CIRC	CONCR	LEN=0040	INSTALLED	UNKN
0060/1935	018 " DIA	CIRC	CONCR	LEN=0044	INSTALLED	UNKN
0060/1635	015 " DIA	CIRC	CONCR	LEN=0042	INSTALLED	UNKN
0060/1285	015 " DIA	CIRC	CONCR	LEN=0047	INSTALLED	UNKN
0060/0605	024 " DIA	CIRC	CONCR	LEN=0044	INSTALLED	UNKN
0060/0275	024 " DIA	CIRC	CONCR	LEN=0044	INSTALLED	UNKN
012144 FT	1 0 00195 0 00 0119+85 012144 FT					
	ALINE CHURCH RD					

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

(T333)

0060/0000



0060/0000 LENGTH(AH 2915 BK 3419)
 015 "DIA CIRC CONCR
 0050/3400 LEN=0072 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0050/3318 LEN=0058 INSTALLED UNKN
 PARADISE CHURCH RD
 0050/3062 (T335)
 0050/3034 BMSSEN 54/0104/0050/3019
 1 0 00195 0 00 0116+40
 TRIB NO BR MAHANTANGO C
 0050/3019 BMSBG 54/0104/0050/3019
 015 "DIA CIRC CONCR
 0050/2298 LEN=0070 INSTALLED UNKN
 HILL TOP RD
 0050/2295 (T327)
 036"H 48"W CON BOX CUL
 0050/2112 LEN=0038 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0050/1683 LEN=0040 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0050/1323 LEN=0050 INSTALLED 2005
 024 "DIA CIRC CONCR
 0050/0725 LEN=0042 INSTALLED UNKN
 008725 FT 1 0 00195 0 00 0087+83
 015 "DIA CIRC CONCR
 LEN=0032 INSTALLED UNKN
 PERRY
 CHAPMAN T
 0050/0000 LENGTH(AH 3419 BK 1565)
 MEISERVILLE RD
 (T809)
 T MAHANTANGO
 STRUCTURE LENGTH 10 FT
 0040/1084 BMSID 54/0104/0040/0983
 015 "DIA CIRC CONCR
 0040/0983 LEN=0053 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0040/0690 LEN=0056 INSTALLED UNKN
 007160 FT 1 0 00195 0 00 0071+92
 VILLAGE: MEISERVILLE
 0040/0000 LENGTH(AH 1565 BK 2564)
 024 "DIA CIRC CONCR
 0030/1886 LEN=0087 INSTALLED UNKN
 015 "DIA CIRC CONCR
 0030/1573 LEN=0042 INSTALLED UNKN

008725 FT

MILL RD
(T344)

0040/1249

007160 FT

DIR: B TOTAL LEN: 17.177 MI. DIST: 03-5 SR: 104
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

Stationing	Description	Material	Notes
0030/0699	018" DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
0030/0403	018" DIA CIRC CONCR	LEN=0042	INSTALLED UNKN
004596 FT	1 0 00195 0 00 0045+86		
0030/0000	LENGTH(AH 2564 BK 2460)		
0020/2452	015" DIA CIRC CONCR	LEN=0050	INSTALLED UNKN
0020/2145	016" DIA CAST IRON	LEN=0060	INSTALLED UNKN
0020/1861	015" DIA CAST IRON	LEN=0052	INSTALLED UNKN
0020/1580	014" DIA CAST IRON	LEN=0060	INSTALLED UNKN
MAPLE RD (T343)			
0020/1450	015" DIA CIRC CONCR	LEN=0056	INSTALLED UNKN
0020/1310	015" DIA CIRC CONCR	LEN=0046	INSTALLED UNKN
0020/1050	042" DIA CAST IRON	LEN=0116	INSTALLED UNKN
0020/0667			
1 0 00195 0 00 0020+86			
002136 FT			
MAPLE RD (T343)			
0020/0000	LENGTH(AH 2460 BK 2136)		
0010/1863	DOGWOOD LN (PRDR)		
0010/1340	060"H 72"W CONCR ARCH	LEN=0054	INSTALLED UNKN
0010/1084	ORIENTAL RD (T305)		
0010/1070	018" DIA CIRC CONCR	LEN=0098	INSTALLED UNKN
ORIENTAL RD (SR3002 SEG 0040/3563)			
0010/1065	015" DIA CIRC CONCR	LEN=0044	INSTALLED UNKN
0010/0800			
0010/0133	BMS EN 54/0104/0010/0000		
000000 FT	1 0 00195 0 00 0000+00		
	NC SR 0104 SH		
	INTER-BK SR 0104 SH		
	(SR0104 SEG 0060/0968)		
	MAHANTANGO CREEK		
	BMSBG 54/0104/0010/0000		
	MFC BEGIN = C		
	BK-JUNIATA (34)		
0010/0000	LENGTH(AH 2136 BK 0000)		

EXTRACT DATE: 12/18/2023
 PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
 SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 43
 COUNTY: SNYDER

DIR: B TOTAL LEN: 14.962 MI.
 LEFT MUN: PENN T

DIST: 03-5 SR: 35
 RIGHT MUN: PENN T


078997 FT
 INTER-AHD
 RAMP B RD (SR8003 SEG 0010/2308) 0341/0618
 SR 11
 OP ID 54/0011/0271/0000 0341/0578

018 "DIA CIRC CONCR
 LEN=0060 INSTALLED UNKN 0341/0470
 RAMP D RD
 (SR8003 SEG 0500/0758) 0341/0378

BMS EN 54/0035/0340/0000 0341/0265
 1 0 00194 4 00 0006+18 078379 FT
 PENNS CREEK
 BMSBG 54/0035/0340/0000
 LENGTH(AH 0618 BK 0626) 0341/0000
 018 "DIA CIRC CONCR
 LEN=0070 INSTALLED UNKN 0331/0220

TO 2017/0030 SH
 (CONN) 0331/0199
 1 0 00194 4 00 0000+00 077753 FT
 MARKET ST
 (SR2017 SEG 0030/0000)

MFC BEGIN = B
 LENGTH(AH 0626 BK 2525) 0331/0000
 SR 9103 SH
 (SR9103 SEG 0250/0479) 0320/2242



075228 FT

078989 FT
 INTER-AHD
 RAMP B RD (SR8003 SEG 0020/0000)
 SR 11
 OP ID 54/0011/0271/0000 0340/0578
 018 "DIA CIRC CONCR
 LEN=0070 INSTALLED UNKN 0340/0480

RAMP C RD
 (SR8003 SEG 0250/0000)
 018 "DIA CIRC CONCR
 LEN=0030 INSTALLED UNKN
 BMS EN 54/0035/0340/0000
 1 0 00194 4 00 0006+18
 PENNS CREEK
 BMSBG 54/0035/0340/0000
 LENGTH(AH 0618 BK 0618) 0340/0000

018 "DIA CIRC CONCR
 LEN=0070 INSTALLED UNKN 0330/0200
 1 0 00194 4 00 0000+00
 MARKET ST
 (SR2017 SEG 0030/0000)

MFC BEGIN = B
 LENGTH(AH 0618 BK 2525) 0330/0000
 TO 2017/0020 SH
 (CONN) 0320/2242
 018 "DIA CIRC CONCR
 LEN=0082 INSTALLED UNKN
 036 "DIA CIRC CONCR
 LEN=0060 INSTALLED UNKN
 018 "DIA CIRC CONCR
 LEN=0040 INSTALLED UNKN
 WEDGEWOOD DR
 (TWP)
 018 "DIA CIRC CONCR
 LEN=0045 INSTALLED UNKN
 018 "DIA CIRC CONCR
 LEN=0045 INSTALLED UNKN
 1 0 00194 0 03 0739+97
 LENGTH(AH 2525 BK 2453) 0320/0000

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 42
COUNTY: SNYDER

DIR: B TOTAL LEN: 14.962 MI.
LEFT MUN: PENN T

DIST: 03-5 SR: 35
RIGHT MUN: PENN T


Stationing	Material	Quantity	Notes
0310/2440	018 " DIA CIRC CONCR	LEN=0045	INSTALLED UNKN
0310/2000	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0310/1605	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0310/1353	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0310/1165	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0310/0815	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0310/0665	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0310/0186	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
072775 FT			
0310/0000	1 0 00194	0 03 0715+44	LENGTH(AH 2453 BK 2487)
0300/2375	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0300/1842	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0300/1620	018 " DIA CIRC CONCR	LEN=0045	INSTALLED UNKN
0300/0965	018 " DIA CIRC CONCR	LEN=0048	INSTALLED UNKN
0300/0550	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0300/0109	018 " DIA CIRC CONCR	LEN=0050	INSTALLED UNKN
070288 FT			
0300/0000	1 0 00194	0 03 0690+38	LENGTH(AH 2487 BK 2397)
0290/2060	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0290/1565	018 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0290/0545	018 " DIA CIRC CONCR	LEN=0048	INSTALLED UNKN
0290/0165	018 " DIA CIRC CONCR	LEN=0070	INSTALLED UNKN
0290/0140	MIDDLE CREEK RD	(SR2009 SEG 0070/0000)	
0290/0086	BMS EN 54/0035/0290/0000		PENN

SAND HILL RD
(T393)

0290/1673

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: PENN T RIGHT MUN: PENN T

067891 FT



0290/0044 WASHINGTON T
 067891 FT 1 0 00194 0 03 0666+37
 MIDDLE CRK.
 BMSBG 54/0035/0290/0000
 5 0290/0000 LENGTH(AH 2397 BK 1506)
 018 "DIA CIRC METAL
 0280/1500 LEN=0040 INSTALLED UNKN
 018 "DIA CIRC METAL
 0280/1490 LEN=0020 INSTALLED UNKN
 0280/0818 BMSSEN 54/0035/0280/0722
 1 0 00194 0 03 0658+75
 T.MIDDLE CRK
 0280/0722 BMSBG 54/0035/0280/0722
 066385 FT 066385 FT 1 0 00194 0 03 0651+32
 PRODUCE RD
 (SR2007 SEG 0160/1913)
 5 0280/0000 LENGTH(AH 1506 BK 2576)
 018 "DIA CIRC CONCR
 0270/2564 LEN=0040 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0270/2325 LEN=0060 INSTALLED 2009
 024 "DIA CIR PLASTIC
 0270/1695 LEN=0065 INSTALLED 2003
 036 "DIA CIRC CONCR
 0270/1365 LEN=0048 INSTALLED UNKN
 018 "DIA CIRC CONCR
 0270/1150 LEN=0048 INSTALLED 2009
 018 "DIA CIRC CONCR
 0270/0070 LEN=0036 INSTALLED UNKN
 063809 FT 063809 FT 1 0 00194 0 03 0625+51
 5 0270/0000 LENGTH(AH 2576 BK 2656)
 024 "DIA CIRC CONCR
 0260/2483 LEN=0048 INSTALLED UNKN
 0260/1891 BMSSEN 54/0035/0260/1880
 1 0 00194 0 03 0617+80
 BRANCH SUSQUEHECKA CREE
 0260/1880 BMSBG 54/0035/0260/1880
 015 "DIA CIRC CONCR
 0260/1440 LEN=0045 INSTALLED UNKN
 0260/0900 BMSSEN 54/0035/0260/0889
 1 0 00194 0 03 0607+92
 T.MIDDLE CR.
 0260/0889 BMSBG 54/0035/0260/0889
 015 "DIA CIRC CONCR
 0260/0500 LEN=0048 INSTALLED 2009

066385 FT

063809 FT

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

1 0 00194 0 03 0598+90 061153 FT
 PEACH ORCHARD RD
 (T444) 0260/0000

057710 FT

0260/0220	024 " DIA	CIRC METAL	LEN=0060	INSTALLED	2009
061153 FT					
5 0260/0000	LENGTH(AH	2656 BK	3443)		
	018 " DIA	CIRC CONCR			
0250/3395	LEN=0053	INSTALLED	2009		
	018 " DIA	CIRC CONCR			
0250/2758	LEN=0044	INSTALLED	2009		
	024 " DIA	CIRC METAL			
0250/2530	LEN=0040	INSTALLED	2009		
	024 " DIA	CIRC METAL			
0250/2207	LEN=0046	INSTALLED	2009		
	030 " DIA	CIRC METAL			
0250/1520	LEN=0048	INSTALLED	2009		
	FRONT ST				
0250/1371	(T393)				
0250/0867	BMSSEN 54/0035/0250/0856				
	1 0 00194 0 03 0573+05				
	BRANCH SUSQUEHECKA CREE				
0250/0856	BMSBG 54/0035/0250/0856				
	015 " DIA	CIRC CONCR			
0250/0400	LEN=0035	INSTALLED	UNKN		
057710 FT	1 0 00194 0 03 0564+50				
	NC SR 0035 SH				
	BOROUGH LINE RD				
	(T407)				
	WASHINGTON				
	FREEBURG B				
5 0250/0000	LENGTH(AH	3443 BK	2365)		
	CENTER SQ ST				
	(BORO)				
0240/1844	018 " DIA	CIRC CONCR			
	LEN=0045	INSTALLED	UNKN		
0240/1686	T. MIDDLE CK.				
	STRUCTURE LENGTH 9 FT				
0240/1584	BMSID 54/0035/0240/1584				
	WILLOW ST				
	(BORO)				
0240/1393	018 " DIA	CIRC CONCR			
	LEN=0030	INSTALLED	UNKN		
0240/1370	018 " DIA	CIRC CONCR			
	LEN=0030	INSTALLED	UNKN		
0240/1157	NEW EAST ST				
	(BORO)				
0240/0986	018 " DIA	CIRC CONCR			
	LEN=0030	INSTALLED	UNKN		
0240/0970	FREEBURG	RD			

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: FREEBURG B RIGHT MUN: FREEBURG B

1 0 00194 0 03 0541+05 055345 FT
 SOUTH ST
 (BORO) 0240/0000

WHITE TOP RD
 (SR1007 SEG 0010/0000) 0230/1196

SMITHFIELD LN
 (BORO) 0230/0404
 053659 FT

RED BANK RD
 (T391) 0220/0811

==	==	0240/0583	(BORO)
---	---	0240/0580	018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
---	---	0240/0221	018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
---	---	0240/0020	018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
==	==	0240/0000	SOUTH ST (SR2003 SEG 0090/0885) LENGTH(AH 2365 BK 1686)
---	---	0230/1512	018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
---	---	0230/1214	018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
==	==	0230/1196	WHITE TOP RD (BORO)
---	---	0230/0929	BMSSEN 54/0035/0230/0910 1 0 00194 0 03 0533+29 FOUNTAIN RUN
---	---	0230/0910	BMSBG 54/0035/0230/0910 LC FOR FRONT ST
==	==	0230/0487	(CONN) FRONT ST
==	==	0230/0404	(BORO) 053659 FT
---	---	0230/0000	1 0 00194 0 03 0524+04 NC MARKET ST FREEBURG WASHINGTON T
---	---	0220/3141	LENGTH(AH 1686 BK 3191) BMSSEN 54/0035/0220/3126 1 0 00194 0 02 0497+36
---	---	0220/3126	T.MIDDLE CK. BMSBG 54/0035/0220/3126
---	---	0220/2509	018" DIA CIR PLASTIC LEN=0050 INSTALLED 2006
---	---	0220/2347	024"H 00"W MULT CONCR LEN=0056 INSTALLED UNKN
---	---	0220/2025	018" DIA CIR PLASTIC LEN=0040 INSTALLED 2006
---	---	0220/1865	018" DIA CIR PLASTIC LEN=0040 INSTALLED 2006
==	==	0220/0775	BMSSEN 54/0035/0220/0760 1 0 00194 0 02 0497+36
---	---	0220/0760	TR MIDDLE CREEK BMSBG 54/0035/0220/0760

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

Stationing	Structure	Material	Length	Notes
0220/0587	BMS EN 54	0035	0220/0522	BMS EN 54 / 0035 / 0220 / 0522
	1 0 00194	0 02	0494+89	1 0 00194 0 02 0494+89
	SUSQUEHECKA	CREEK		SUSQUEHECKA CREEK
0220/0522	BMS BG 54	0035	0220/0522	BMS BG 54 / 0035 / 0220 / 0522
	018 " DIA	CIRC CONCR		018 " DIA CIRC CONCR
0220/0234	LEN=0044	INSTALLED	2008	LEN=0044 INSTALLED 2008
050468 FT	1 0 00194	0 02	0489+62	1 0 00194 0 02 0489+62
0220/0000	LENGTH(AH	3191 BK	2478)	LENGTH(AH 3191 BK 2478)
	018 " DIA	CIRC CONCR		018 " DIA CIRC CONCR
0210/2156	LEN=0040	INSTALLED	UNKN	LEN=0040 INSTALLED UNKN
	024 " DIA	CIR PLASTIC		024 " DIA CIR PLASTIC
0210/1650	LEN=0040	INSTALLED	2006	LEN=0040 INSTALLED 2006
	024 " DIA	CIR PLASTIC		024 " DIA CIR PLASTIC
0210/1430	LEN=0048	INSTALLED	2006	LEN=0048 INSTALLED 2006
	MILLER HILL RD			MILLER HILL RD
0210/1039	(T392)			(T392)
	036 " DIA	CIRC METAL		036 " DIA CIRC METAL
0210/0990	LEN=0045	INSTALLED	UNKN	LEN=0045 INSTALLED UNKN
	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
0210/0680	LEN=0040	INSTALLED	UNKN	LEN=0040 INSTALLED UNKN
	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
0210/0552	LEN=0040	INSTALLED	UNKN	LEN=0040 INSTALLED UNKN
	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
0210/0090	LEN=0040	INSTALLED	UNKN	LEN=0040 INSTALLED UNKN
047990 FT	1 0 00194	0 02	0464+86	1 0 00194 0 02 0464+86
0210/0000	LENGTH(AH	2478 BK	2320)	LENGTH(AH 2478 BK 2320)
	030 " DIA	CIR PLASTIC		030 " DIA CIR PLASTIC
0200/1925	LEN=0040	INSTALLED	2006	LEN=0040 INSTALLED 2006
	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
0200/1443	LEN=0044	INSTALLED	2006	LEN=0044 INSTALLED 2006
	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
0200/1102	LEN=0040	INSTALLED	UNKN	LEN=0040 INSTALLED UNKN
0200/0017	BMS EN 54	0035	0200/0000	BMS EN 54 / 0035 / 0200 / 0000
045670 FT	1 0 00194	0 02	0441+66	1 0 00194 0 02 0441+66
	T. MIDDLE CK.			T. MIDDLE CK.
0200/0000	BMS BG 54	0035	0200/0000	BMS BG 54 / 0035 / 0200 / 0000
	LENGTH(AH	2320 BK	2634)	LENGTH(AH 2320 BK 2634)
	018 " DIA	CIRC METAL		018 " DIA CIRC METAL
	LEN=0270	INSTALLED	UNKN	LEN=0270 INSTALLED UNKN
	FLINT HILL RD			FLINT HILL RD
	(T406)			(T406)
0190/1748	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
	LEN=0040	INSTALLED	2006	LEN=0040 INSTALLED 2006
0190/1328	018 " DIA	CIRC CONCR		018 " DIA CIRC CONCR
	LEN=0050	INSTALLED	UNKN	LEN=0050 INSTALLED UNKN
0190/1136	018 " DIA	CIR PLASTIC		018 " DIA CIR PLASTIC
	LEN=0046	INSTALLED	2006	LEN=0046 INSTALLED 2006
0190/0720				

SUMMIT RD
(T390)

0190/1748

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 37
COUNTY: SNYDER

DIR: B TOTAL LEN: 14.962 MI.
LEFT MUN: WASHINGTON T

DIST: 03-5 SR: 35
RIGHT MUN: WASHINGTON T

Stationing	Material	Length	Notes
043036 FT	030 " DIA CIRC CONCR	0190/0396	LEN=0045 INSTALLED UNKN
	043036 FT	043036 FT	1 0 00194 0 02 0415+25
	0190/0000	0190/0000	LENGTH(AH 2634 BK 2213)
	018 " DIA CIRC PLASTIC	0180/2076	LEN=0050 INSTALLED 2006
	018 " DIA CIRC PLASTIC	0180/1843	LEN=0035 INSTALLED 2014
	048 " H 72 " W CONC STRUCT	0180/1408	LEN=0045 INSTALLED UNKN
	0180/1379	0180/1379	BMSSEN 54/0035/0180/1368
	1 0 00194 0 02 0406+95		BRANCH SUSQUEHECKA CREE
	0180/1368	0180/1368	BMSBG 54/0035/0180/1368
	018 " DIA CIRC PLASTIC	0180/1155	LEN=0040 INSTALLED 2014
	018 " DIA CIRC CONCR	0180/0572	LEN=0045 INSTALLED UNKN
	018 " DIA CIRC CONCR	0180/0350	LEN=0040 INSTALLED UNKN
	036 " H 00 " W MULT CONCR	0180/0205	LEN=0052 INSTALLED UNKN
	040823 FT	040823 FT	
1 0 00194 0 02 0393+06 040823 FT	0180/0000	0180/0000	LENGTH(AH 2213 BK 2764)
GREENVILLE RD	0170/2612	0170/2612	018 " DIA CIRC CONCR
(T370)	0170/1758	0170/1758	LEN=0045 INSTALLED UNKN
	0170/1465	0170/1465	018 " DIA CIRC CONCR
	0170/1083	0170/1083	LEN=0040 INSTALLED UNKN
	0170/0455	0170/0455	018 " DIA CIRC METAL
038059 FT	038059 FT	038059 FT	LEN=0065 INSTALLED UNKN
	0170/0000	0170/0000	024 " DIA CIRC PLASTIC
	0160/2185	0160/2185	LEN=0052 INSTALLED 2014
	0160/1142	0160/1142	018 " DIA CIRC CONCR
	0160/0965	0160/0965	LEN=0035 INSTALLED UNKN
	0160/0930	0160/0930	1 0 00194 0 02 0365+43
			LENGTH(AH 2764 BK 2335)
			018 " DIA CIRC METAL
			LEN=0045 INSTALLED UNKN
			018 " DIA CIRC CONCR
			LEN=0040 INSTALLED UNKN
			(APRA) TOP RATE CONSTRU
			FOX CROSSING RD
			(T459)
			024 " DIA CIRC CONCR
			LEN=0048 INSTALLED UNKN

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

SUNNY HILL RD
 (T368)

0160/0132

035724 FT

032806 FT

030526 FT

0160/0645	024 " DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0160/0075	018 " DIA	CIR PLASTIC	LEN=0060	INSTALLED 2007
035724 FT	1 0 00194	0 02 0342+10		WASHINGTON
0160/0000	PERRY T	LENGTH(AH 2335 BK 2918)		
0150/2375	018 " DIA	CIRC METAL	LEN=0045	INSTALLED UNKN
0150/2200	018 " DIA	CIRC METAL	LEN=0040	INSTALLED UNKN
0150/1860	018 " DIA	CIRC METAL	LEN=0040	INSTALLED UNKN
0150/1270	018 " DIA	CIRC METAL	LEN=0040	INSTALLED UNKN
0150/0750	015 " DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0150/0672	018 " DIA	CIRC CONCR	LEN=0099	INSTALLED UNKN
0150/0482	BMSSEN 54/0035/0150/0457	1 0 00194	0 02 0317+66	
0150/0457	TRIB NO BR MAHANTANGO C	BMSBG 54/0035/0150/0457	040"H 60"W	ELLIP CONC
0150/0320	LEN=0057	INSTALLED UNKN		
0150/0108	015 " DIA	CIRC CONCR	LEN=0038	INSTALLED UNKN
032806 FT	1 0 00194	0 02 0313+03		
	SR 0104 SH	(SR0104 SEG 0140/0000)		
0150/0000	LENGTH(AH 2918 BK 2280)			
0140/1980	018 " DIA	CIRC CONCR	LEN=0060	INSTALLED UNKN
0140/1665	018 " DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0140/1375	018 " DIA	CIRC CONCR	LEN=0054	INSTALLED UNKN
0140/0675	018 " DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0140/0302	018 " DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0140/0030	018 " DIA	CIRC CONCR	LEN=0047	INSTALLED UNKN
030526 FT	1 0 00194	0 02 0290+24		
	MILLRACE	RD		

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 35
COUNTY: SNYDER

DIR: B TOTAL LEN: 14.962 MI.
LEFT MUN: PERRY T

DIST: 03-5 SR: 35
RIGHT MUN: PERRY T

027828 FT

026926 FT

			(SR3005 SEG 0020/0000)
5	0140/0000		LENGTH(AH 2280 BK 2698)
			01B "DIA CIRC CONCR
	0130/2351		LEN=0048 INSTALLED UNKN
	0130/2132		BMSSEN 54/0035/0130/2074
			1 0 00194 0 01 0283+94
			NO BRANCH MAHANTANGO CR
	0130/2074		BMSBG 54/0035/0130/2074
			HEALTH CENTER RD
	0130/2050		(T361)
			FREMONT RD
	0130/1606		(T348)
			01B "DIA CIRC CONCR
	0130/1550		LEN=0035 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0130/1280		LEN=0035 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0130/1155		LEN=0145 INSTALLED UNKN
			CENTER RD
	0130/1151		(T352)
			01B "DIA CIRC CONCR
	0130/1145		LEN=0035 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0130/0930		LEN=0035 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0130/0710		LEN=0035 INSTALLED UNKN
			BLACKBERRY RD
	0130/0703		(T363)
			01B "DIA CIRC METAL
	0130/0360		LEN=0042 INSTALLED UNKN
	027828 FT		1 0 00194 0 01 0263+25
			VILLAGE: FREMONT
5	0130/0000		LENGTH(AH 2698 BK 0902)
			HEALTH CENTER RD
	0120/0694		(T361)
			024 "DIA CIR PLASTIC
	0120/0650		LEN=0005 INSTALLED 2002
			01B "DIA CIRC CONCR
	0120/0490		LEN=0054 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0120/0230		LEN=0063 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0120/0030		LEN=0054 INSTALLED UNKN
	026926 FT		1 0 00194 0 00 0252+92
5	0120/0000		LENGTH(AH 0902 BK 2481)
			01B "DIA CIRC CONCR
	0110/2300		LEN=0060 INSTALLED UNKN
			01B "DIA CIRC CONCR
	0110/2130		LEN=0060 INSTALLED UNKN
			024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: PERRY T RIGHT MUN: PERRY T


024445 FT

022007 FT

0110/1825	LEN=0048	INSTALLED	UNKN
0110/1570	OLD RD (T393)		
0110/1456	018" DIA	CIR PLASTIC	
0110/1020	LEN=0055	INSTALLED	UNKN
0110/0670	018" DIA	CIRC CONCR	
0110/0375	LEN=0048	INSTALLED	UNKN
0110/0033	018" DIA	CIRC CONCR	
024445 FT	LEN=0055	INSTALLED	UNKN
0110/0000	1 0 00194	0 00 0228+63	
0100/2180	LENGTH(AH 2481 BK 2438)		
0100/1900	018" DIA	CIRC CONCR	
0100/1620	LEN=0055	INSTALLED	UNKN
0100/1487	018" DIA	CIR PLASTIC	
0100/1120	LEN=0085	INSTALLED	UNKN
0100/0680	OLD RD (T393)		
0100/0385	018" DIA	CIRC CONCR	
0100/0100	LEN=0045	INSTALLED	UNKN
022007 FT	018" DIA	CIRC CONCR	
0100/0000	LEN=0045	INSTALLED	UNKN
0090/2100	1 0 00194	0 00 0204+29	
0090/1763	LENGTH(AH 2438 BK 2242)		
0090/1680	018" DIA	CIRC CONCR	
0090/1385	LEN=0045	INSTALLED	UNKN
0090/0775	MANEVAL RD (T322)		
0090/0750	018" DIA	CIRC CONCR	
0090/0505	LEN=0050	INSTALLED	UNKN
0090/0365	018" DIA	CIRC CONCR	
	LEN=0048	INSTALLED	UNKN
	024"H 24"W	CON BOX CUL	
	LEN=0048	INSTALLED	UNKN
	018" DIA	CIRC CONCR	
	LEN=0048	INSTALLED	UNKN
	018" DIA	CIRC CONCR	
	LEN=0050	INSTALLED	UNKN

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: PERRY T RIGHT MUN: PERRY T

019765 FT



019765 FT 1 0 00194 0 00 0181+91
 PERRY
 WEST PERRY T
 0090/0000 LENGTH(AH 2242 BK 2188)
 018 " DIA CIRC CONCR
 0080/2060 LEN=0050 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0080/1740 LEN=0060 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0080/1510 LEN=0060 INSTALLED UNKN
 024 " DIA CIRC CONCR
 0080/1130 LEN=0045 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0080/0780 LEN=0050 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0080/0105 LEN=0060 INSTALLED UNKN
 017577 FT 1 0 00194 0 00 0160+07
 0080/0000 LENGTH(AH 2188 BK 2500)
 018 " DIA CIRC CONCR
 0070/1370 LEN=0060 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0070/1025 LEN=0040 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0070/0671 LEN=0045 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0070/0410 LEN=0048 INSTALLED UNKN
 018 " DIA CIR PLASTIC
 0070/0320 LEN=0046 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0070/0150 LEN=0060 INSTALLED UNKN
 015077 FT 1 0 00194 0 00 0135+09
 0070/0000 LENGTH(AH 2500 BK 2977)
 018 " DIA CIRC CONCR
 0060/2935 LEN=0050 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0060/2310 LEN=0045 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0060/2010 LEN=0050 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0060/1460 LEN=0045 INSTALLED UNKN
 024 " DIA CIRC CONCR
 0060/0935 LEN=0045 INSTALLED UNKN
 018 " DIA CIRC CONCR
 0060/0697 LEN=0045 INSTALLED UNKN

017577 FT

015077 FT

012100 FT

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 32
COUNTY: SNYDER

DIR: B TOTAL LEN: 14.962 MI.
LEFT MUN: WEST PERRY T

DIST: 03-5 SR: 35
RIGHT MUN: WEST PERRY T

RIDGE RD
(T316)

0050/2120

009622 FT

007110 FT

Stationing	Material	Length	Notes
0060/0000	018" DIA CIRC CONCR	0065	INSTALLED UNKN
0050/2478	024" DIA CIRC CONCR	0065	INSTALLED UNKN
0050/2090	018" DIA CIRC CONCR	0045	INSTALLED UNKN
0050/1920	024" DIA CIRC CONCR	0060	INSTALLED UNKN
0050/1620	018" DIA CIRC CONCR	0045	INSTALLED UNKN
0050/1280	030" H 00" W MULT CONCR	0048	INSTALLED UNKN
0050/0415	018" DIA CIRC CONCR	0045	INSTALLED UNKN
009622 FT	1 0 00194 0 00 0080+56		
0050/0000	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/2348	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/2139	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/1974	018" DIA CIR PLASTIC	0060	INSTALLED 2006
0040/1840	018" DIA CIRC CONCR	0045	INSTALLED 2006
0040/1465	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/1265	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/0990	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/0745	018" DIA CIRC CONCR	0040	INSTALLED UNKN
0040/0485	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0040/0235	018" DIA CIRC CONCR	0050	INSTALLED UNKN
007110 FT	1 0 00194 0 00 0055+20		
0040/0000	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0030/2520	018" DIA CIR PLASTIC	0055	INSTALLED UNKN
0030/2287	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0030/2020	018" DIA CIRC CONCR	0050	INSTALLED UNKN
0030/1745	018" DIA CIRC CONCR	0050	INSTALLED UNKN

DIR: B TOTAL LEN: 14.962 MI. DIST: 03-5 SR: 35
 LEFT MUN: WEST PERRY T RIGHT MUN: WEST PERRY T

Location	Segment ID	Length (FT)	Material	Notes
MILL RD (T312)	0030/1436	0050	018" DIA CIRC CONCR	INSTALLED UNKN
	0030/0880	0045	018" DIA CIRC CONCR	INSTALLED UNKN
	0030/0300	0050	018" DIA CIRC CONCR	INSTALLED UNKN
	004580 FT	1 0 00194	0 00 0030+06	
	0030/0000	LENGTH(AH 2530 BK 3001)		
	0020/2958	0045	018" DIA CIRC CONCR	INSTALLED UNKN
	0020/2602	0045	018" DIA CIRC CONCR	INSTALLED UNKN
	0020/2105	0400	036" DIA CIRC CONCR	INSTALLED UNKN
	0020/1786	SEVEN STARS RD	(SR3016 SEG 0010/0000)	
	0020/1770	0084	018" DIA CIRC CONCR	INSTALLED UNKN
CHERRY HILL RD (T304)	0020/1115	0048	018" DIA CIRC CONCR	INSTALLED UNKN
	001579 FT	1 0 00194	0 00 0000+00	
	001579 FT	SR 0035 SH	(SR0035 SEG 0940/2856)	
	001579 FT	BK-JUNIATA	(34)	
	0020/0000	LTH AH 003001 BK 013197		
	001579 FT	AH-JUNIATA	(34)	
	7012/0000	LTH AH 013197 BK 001579		
	INTER-AHD	SR 0035 SH	(SR0035 SEG 0900/0000)	
	0010/1579	024" DIA CIRC METAL	INSTALLED UNKN	
	0010/1366	0080	024" DIA CIRC METAL	INSTALLED UNKN
	0010/1340	0045	024" DIA CIR PLASTIC	INSTALLED UNKN
	0010/0597	0045	018" DIA CIR PLASTIC	INSTALLED UNKN
	0010/0035	0045	024" DIA CIR PLASTIC	INSTALLED UNKN
	000000 FT	1 0 00194	6 00 0867+44	
	INTER-BK	SR 0035 SH	(SR0035 SEG 0890/2243)	
	0010/0000	MFC BEGIN = C	BK-JUNIATA (34)	
	0010/0000	LENGTH(AH 1579 BK 0000)		

DIR: N TOTAL LEN: 3.023 MI. DIST: 03-5 SR: 15
LEFT MUN: MONROE T RIGHT MUN: MONROE T

Stationing	Description	Length	Material	Status
SR 0015 SH INTER-AHD		015960 FT		
(SR0015 SEG 0011/0000)		0101/2746		
RAMP Q-1				
(SR8015 SEG 0260/0000)		0101/2480		
RAMP R-1				
(SR8015 SEG 0250/1307)				
COUNTY LINE RD				
(T519)		0101/2268		
024 "DIA CIRC CONCR				
LEN=0060 INSTALLED UNKN		0101/2000		
018 "DIA CIRC CONCR				
LEN=0072 INSTALLED UNKN		0101/1625		
FOR SR 0015N TO SR 0015				
(CONN)		0101/1595		
048 "DIA CIRC CONCR				
LEN=0073 INSTALLED UNKN		0101/1505		
018 "DIA CIRC CONCR				
LEN=0075 INSTALLED UNKN		0101/1125		
048 "DIA CIRC CONCR				
LEN=0120 INSTALLED UNKN		0101/0890		
018 "DIA CIRC CONCR				
LEN=0050 INSTALLED UNKN		0101/0285		
018 "DIA CIRC CONCR				
LEN=0052 INSTALLED UNKN		0101/0075		
1 0 00024 0 00 0134+90		013214 FT		
LENGTH(AH 2746 BK 1790)		0101/0000		
036 "DIA CIRC CONCR				
LEN=0100 INSTALLED UNKN		0091/1515		
018 "DIA CIRC CONCR				
LEN=0050 INSTALLED UNKN		0091/0840		
015739 FT				
INTER-AHD SR 0015 SH				
0100/2619 (SR0015 SEG 0010/0000)				
RAMP R-1				
(SR8015 SEG 0250/1307)				
COUNTY LINE RD				
(T519)				
024 "DIA CIRC CONCR				
LEN=0052 INSTALLED UNKN				
FOR SR 0015N TO SR 0015				
(CONN)				
0100/1522				
018 "DIA CIRC CONCR				
LEN=0076 INSTALLED UNKN				
060 "DIA CIRC METAL				
LEN=0115 INSTALLED UNKN				
018 "DIA CIRC CONCR				
LEN=0056 INSTALLED UNKN				
1 0 00024 0 00 0134+90		013214 FT		
LENGTH(AH 2619 BK 1725)		0100/0000		
0090/1504				
BMS 54/0015/0090/1489				
1 0 00024 0 00 0132+07				
T. SUSQ. RIVER				
BMS 54/0015/0090/1489				
018 "DIA CIRC CONCR				
LEN=0076 INSTALLED UNKN				

DIR: N TOTAL LEN: 3.023 MI. DIST: 03-5 SR: 15
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Item ID	Description	Length	Material	Status	Segment	Stationing	Notes
018	"DIA CIRC CONCR	0064	INSTALLED UNKN	0091/0400			
GRANGERS RD							
(SR1020 SEG 0020/0000)							
018	"DIA CIRC CONCR	0065	INSTALLED UNKN	0091/0280			
GRANGERS RD							
(SR1020 SEG 0020/0000)							
048	"H 72"W ELLIP METAL	0065	INSTALLED UNKN	0091/0280			
1 0 00024 0 00	0117+18 011424 FT	0091/0000					
LENGTH(AH 1790 BK 2707)							
018	"DIA CIRC CONCR	0050	INSTALLED UNKN	0081/2590			
018	"DIA CIRC CONCR	0050	INSTALLED UNKN	0081/2335			
018	"DIA CIRC CONCR	0068	INSTALLED UNKN	0081/2040			
024	"DIA CIRC CONCR	0075	INSTALLED UNKN	0081/1675			
018	"DIA CIRC CONCR	0054	INSTALLED UNKN	0081/1065			
024	"DIA CIRC CONCR	0074	INSTALLED UNKN	0081/0750			
SR 9403 SH	(SR9403 SEG 0010/0000)						
SR 9403 RD	(SR9403 SEG 0010/0000)	0081/0683					
036	"DIA CIRC CONCR	0092	INSTALLED UNKN	0081/0440			
0090/0645	015 "DIA CIRC CONCR	LEN=0076	INSTALLED UNKN				
0090/0005	015 "DIA CIRC CONCR	LEN=0062	INSTALLED UNKN				
011395 FT	1 0 00024 0 00	0117+18					
GRANGERS RD							
(SR1020 SEG 0020/0452)							
(T524)							
0090/0000	015 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN				
LENGTH(AH 1725 BK 2718)							
0080/2545	036 "DIA CIRC CONCR	LEN=0072	INSTALLED UNKN				
0080/1475	018 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN				
0080/1200	018 "DIA CIRC CONCR	LEN=0055	INSTALLED UNKN				
0080/0925	018 "DIA CIRC CONCR	LEN=0067	INSTALLED UNKN				
SR 9403 SH							
(SR9403 SEG 0010/0192)							
SR 9403 SH							
(SR9403 SEG 0010/0192)							
LINE RD							
(T513)							
0080/0864	BMSSEN 54/0015/0080/0603						
0080/0616	1 0 00024 0 00	0096+04					
T.CARRIE RUN							
0080/0603	BMSBG 54/0015/0080/0603						

DIR: N TOTAL LEN: 3.023 MI. DIST: 03-5 SR: 15
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Stationing	Description	Stationing	Description
0080/0290	018 "DIA CAST IRON LEN=0048 INSTALLED UNKN	0080/0150	018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN
008677 FT		008677 FT	
0080/0000	1 0 00024 0 00 0090+00 008717 FT LENGTH(AH 2707 BK 2249) 0081/0000	0080/0000	1 0 00024 0 00 0090+00 LENGTH(AH 2718 BK 2090) 024 "DIA CIRC CONCR
0070/2045	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0071/2025	0070/2045	LEN=0054 INSTALLED UNKN
0070/1995	018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN 0071/1720	0070/1995	LINE RD (T513)
0070/1405	018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN 0071/1405	0070/1300	030 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN
0070/1120	018 "DIA CIRC CONCR LEN=0064 INSTALLED UNKN 0071/1120	0070/1251	LUPINE LN (TWP)
0070/0922	BMSBG 54/0015/0070/0148 0071/0142	0070/0922	BMSBG 54/0015/0070/0905 1 0 00024 0 00 0078+14 CARRIE RUN
0070/0905	BMSBG 54/0015/0070/0148 0071/0122	0070/0905	BMSBG 54/0015/0070/0905 018 "DIA CIRC CONCR
0070/0635	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0071/0610	0070/0635	LEN=0100 INSTALLED UNKN
0070/0580	CROSSOVER RD (CONN) 0071/0580	0070/0584	CROSSOVER RD (CONN)
0070/0168	BMSBG 54/0015/0070/0148 0071/0142	0070/0210	018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
0070/0148	1 0 00024 0 00 0070+28 CARRIE RUN BMSBG 54/0015/0070/0148 0071/0122	0070/0168	BMSBG 54/0015/0070/0148 1 0 00024 0 00 0070+28 CARRIE RUN
0071/0010	018 "DIA CIR PLASTIC LEN=0053 INSTALLED UNKN 0071/0010	0070/0148	BMSBG 54/0015/0070/0148
006587 FT	1 0 00024 0 00 0068+97 006468 FT LENGTH(AH 2249 BK 2714) 0071/0000	006587 FT	1 0 00024 0 00 0068+97 018 "DIA CIRC CONCR
0060/2302	BLUE HILL DR (T517) 0061/2286	0070/0000	LEN=0028 INSTALLED UNKN LENGTH(AH 2090 BK 2772) BLUE HILL DR (T517)
0060/2240	BMSBG 54/0015/0060/2218 0061/2221	0060/2302	BMSBG 54/0015/0060/2218
0060/2218	1 0 00024 0 00 0063+61 T.SUSQ.RIVER BMSBG 54/0015/0060/2218 0061/2199	0060/2240	1 0 00024 0 00 0063+61 T.SUSQ.RIVER
0060/2218		0060/2218	BMSBG 54/0015/0060/2218

DIR: N TOTAL LEN: 3.023 MI. DIST: 03-5 SR: 15
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Item ID	Description	Length	Material	Status	Stationing	Notes
018	"DIA CIRC CONCR	0036	INSTALLED	UNKN	0061/1800	
018	"DIA CIRC CONCR	0040	INSTALLED	UNKN	0061/1500	
BMS	SEN 54/0015/0060/1244	0061/1228				
1 0 00024	0 00 0053+78					
T.	SUSQ. RIVER					
BMS	SBG 54/0015/0060/1244	0061/1206				
LC	FOR TOWER RD					
(CONN)		0061/1157				
TOWER	RD					
(T515)		0061/0973				
036	"DIA CIRC CONCR	0115	INSTALLED	UNKN	0061/0700	
018	"DIA CAST IRON	0060	INSTALLED	UNKN	0061/0280	
1 0 00024	0 00 0041+41	003754 FT				
LENGTH(AH	2714 BK 1031)	0061/0000				
018	"DIA CIRC CONCR	0060	INSTALLED	UNKN	0051/0605	
036	"DIA CIRC CONCR	0060	INSTALLED	UNKN	0051/0180	
1 0 00024	0 00 0031+04	002723 FT				
LENGTH(AH	1031 BK 1460)	0051/0000				
036	"DIA CAST IRON	0055	INSTALLED	UNKN	0041/0800	
018	"DIA CAST IRON	0045	INSTALLED	UNKN	0041/0395	
018	"DIA CIRC CONCR	0045	INSTALLED	UNKN	0041/0190	
018	"DIA CIRC CONCR	0045	INSTALLED	UNKN	0041/0190	
018	"DIA CIRC CONCR	0048	INSTALLED	UNKN	0060/1800	
018	"DIA CIRC CONCR	0048	INSTALLED	UNKN	0060/1500	
BMS	SEN 54/0015/0060/1244	0060/1266				
1 0 00024	0 00 0053+78					
T.	SUSQ. RIVER					
BMS	SBG 54/0015/0060/1244	0060/1244				
LC	FOR TOWER RD					
(CONN)		0060/1157				
TOWER	RD					
(T515)		0060/1000				
036	"DIA CIRC CONCR	0040	INSTALLED	UNKN	0060/0680	
018	"DIA CIRC CONCR	0040	INSTALLED	UNKN	0060/0290	
1 0 00024	0 00 0041+41	003815 FT				
LENGTH(AH	2772 BK 1038)	0060/0000				
018	"DIA CIRC CONCR	0036	INSTALLED	UNKN	0050/0620	
036	"DIA CIRC CONCR	0040	INSTALLED	UNKN	0050/0190	
1 0 00024	0 00 0031+04	002777 FT				
015	"DIA CIRC CONCR	0044	INSTALLED	UNKN	0050/0000	
LENGTH(AH	1038 BK 1471)					
036	"DIA CIRC CONCR	0044	INSTALLED	UNKN	0040/0825	
018	"DIA CIRC CONCR	0035	INSTALLED	UNKN	0040/0415	
018	"DIA CIRC CONCR	0035	INSTALLED	UNKN	0040/0190	


DIR: N TOTAL LEN: 3.023 MI. DIST: 03-5 SR: 15
LEFT MUN: MONROE T RIGHT MUN: MONROE T

Segment ID	Description	Start Station	End Station	Length	Material	Notes
0041/0040	018 "DIA CIRC CONCR	0041/0000	0041/0040	001306 FT	018 "DIA CIRC CONCR	LEN=0036 INSTALLED UNKN
0041/0000	018 "DIA CIRC CONCR	0041/0000	0041/0000	000351 FT	018 "DIA CIRC CONCR	LEN=0035 INSTALLED UNKN
0031/0200	018 "DIA CIRC CONCR	0031/0084	0031/0200	000689 FT	018 "DIA CIRC CONCR	LEN=0070 INSTALLED UNKN
0031/0050	018 "DIA CIRC CONCR	0031/0050	0031/0050	000338 FT	018 "DIA CIRC CONCR	LEN=0072 INSTALLED UNKN
0030/0045	018 "DIA CIRC CONCR	0030/0045	0030/0045	000734 FT	018 "DIA CIRC CONCR	LEN=0030 INSTALLED UNKN
0031/0000	018 "DIA CIRC CONCR	0031/0000	0031/0000	000341 FT	018 "DIA CIRC CONCR	LEN=0030 INSTALLED UNKN
0021/0145	018 "DIA CIRC METAL	0021/0145	0021/0145	000393 FT	018 "DIA CIRC METAL	LEN=0030 INSTALLED UNKN
0021/0000	018 "DIA CIRC METAL	0021/0000	0021/0000	000351 FT	018 "DIA CIRC METAL	LEN=0050 INSTALLED UNKN
0011/0250	MONROE SHAMOKIN DAM B	0011/0250	0011/0250	0010/0272	MONROE SHAMOKIN DAM B	STRUCTURE LENGTH 23 FT
0011/0100	CARRIE RUN	0011/0100	0011/0100	000000 FT	CARRIE RUN	STRUCTURE LENGTH 23 FT
0011/0000	SUSQUEHANNA TR	0011/0000	0011/0000	000000 FT	SUSQUEHANNA TR	STRUCTURE LENGTH 23 FT
0011/0000	SUSQUEHANNA TR	0011/0000	0011/0000	000000 FT	SUSQUEHANNA TR	STRUCTURE LENGTH 23 FT
0010/0000	INTER-BK	0010/0000	0010/0000	000000 FT	INTER-BK	STRUCTURE LENGTH 23 FT
0010/0000	INTER-BK	0010/0000	0010/0000	000000 FT	INTER-BK	STRUCTURE LENGTH 23 FT
0009/0000	NC GRANGER HOLLOW RD	0009/0000	0009/0000	7009/0000	NC GRANGER HOLLOW RD	STRUCTURE LENGTH 23 FT
0008/0000	NC GRANGER HOLLOW RD	0008/0000	0008/0000	7008/0000	NC GRANGER HOLLOW RD	STRUCTURE LENGTH 23 FT

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 25
 PRINT DATE: 12/19/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: SNYDER
 DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

101657 FT

100925 FT



102231 FT	AH-UNION	(59)
INTER-AHD	SR 0011 SH	
0490/0732	(SR0011 SEG 0010/0000)	
	015 " DIA CIRC CONCR	
0490/0310	LEN=0070 INSTALLED UNKN	
101499 FT	1 0 00025 7 00 0082+18	
0490/0000	LENGTH(AH 0732 BK 1239)	
	036"H 36"W CON BOX CUL	
0480/0970	LEN=0058 INSTALLED UNKN	

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

099686 FT	0480/0329	018 " DIA	CIRC	CONCR	
	100260 FT	LEN=0055	INSTALLED	UNKN	
	0480/0000	1 0 00025	7 00 0070+00		
		LENGTH(AH	1239	BK 1525)	
	0470/1426	018 " DIA	CIRC	CONCR	
		LEN=0060	INSTALLED	UNKN	
	0470/1399	015 " DIA	CIRC	CONCR	
		LEN=0060	INSTALLED	UNKN	
	0470/1080	018 " DIA	CIRC	CONCR	
		LEN=0056	INSTALLED	UNKN	
	0470/0543	018 " DIA	CIRC	CONCR	
		LEN=0056	INSTALLED	UNKN	
098161 FT	0470/0094	018 " DIA	CIRC	CONCR	
	098735 FT	LEN=0056	INSTALLED	UNKN	
	0470/0000	1 0 00025	7 00 0055+75		
		LENGTH(AH	1525	BK 0858)	
	0460/0601	018 " DIA	CIRC	CONCR	
		LEN=0060	INSTALLED	UNKN	
097303 FT	097877 FT	1 0 00025	7 00 0046+17		
	0460/0000	LENGTH(AH	0858	BK 1340)	
		015 " DIA	CIRC	CONCR	
	0450/1300	LEN=0060	INSTALLED	UNKN	
095963 FT	0450/0330	015 " DIA	CIRC	CONCR	
	096537 FT	LEN=0082	INSTALLED	UNKN	
	0450/0000	1 0 00025	7 00 0032+77		
		LENGTH(AH	1340	BK 1402)	
	0440/1047	015 " DIA	CIRC	CONCR	
		LEN=0065	INSTALLED	UNKN	
	0440/0536	015 " DIA	CIRC	CONCR	
		LEN=0055	INSTALLED	UNKN	
	0440/0386	015 " DIA	CIRC	CONCR	
		LEN=0050	INSTALLED	UNKN	
094561 FT	0440/0036	015 " DIA	CIRC	CONCR	
	095135 FT	LEN=0060	INSTALLED	UNKN	
	0440/0000	1 0 00025	7 00 0018+75		
		LENGTH(AH	1402	BK 1064)	
	0430/0650	015 " DIA	CIRC	CONCR	
		LEN=0050	INSTALLED	UNKN	
093497 FT	0430/0035	015 " DIA	CIRC	CONCR	
	094071 FT	LEN=0075	INSTALLED	UNKN	
	0430/0000	1 0 00025	7 00 0008+22		
		MFC BEGIN = B			
		LENGTH(AH	1064	BK 0968)	
	0420/0965	018 " DIA	CIRC	CONCR	
		LEN=0043	INSTALLED	UNKN	

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN 0421/0525	---				
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN 0421/0330	---				
018 "DIA CIRC CONCR LEN=0031 INSTALLED UNKN 0421/0218	---				
CARRIE RUN STRUCTURE LENGTH 23 FT BMSID 54/0015/0010/0100 0421/0115 1 0 0000 0 00 0000+00 092567 FT GRANGER HOLLOW RD {SR0015 SEG 0011/0000} {SR0015 SEG 0010/0000} NC SR 0011 SH	==				
MONROE SHAMOKIN DAM B LENGTH(AH 0930 BK 1442) 0421/0000	==				
072"H 72"W CON BOX CUL LEN=0040 INSTALLED UNKN 0411/0380 RAMP RD (SR8007 SEG 0760/0250) 0 0 0000 0 00 0000+00 091125 FT BALDWIN BL (BORO)	==				
LENGTH(AH 1442 BK 2092) 0411/0000 018 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN 0401/1970	==				
RAMP 8007 OP ID 54/8007/0750/0675 0401/1705 018 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN 0401/1600	==				
		0420/0319		018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	
		0420/0164		018 "DIA CIRC CONCR LEN=0136 INSTALLED UNKN FROM 0011/0410 SH (CONN)	
		0420/0116		CARRIE RUN STRUCTURE LENGTH 23 FT BMSID 54/0015/0010/0100 1 0 0000 0 00 0000+00 GRANGER HOLLOW RD {SR0015 SEG 0010/0000} {SR0015 SEG 0011/0000} NC SR 0011 SH	
		0420/0110		018 "DIA CIRC CONCR LEN=0136 INSTALLED UNKN FROM 0011/0410 SH (CONN)	
		093103 FT			
		0420/0000		MONROE SHAMOKIN DAM B LENGTH(AH 0968 BK 1436) TO 0011/0420 SH (CONN)	
		0410/1306		SIGN: 4 CHORD TRUSS	
		0410/0923		BMSID 54/0011/0410/0923	
		0410/0867		018 "DIA CIRC METAL LEN=0090 INSTALLED UNKN RAMP RD (SR8007 SEG 0770/0514)	
		0410/0383			
		0410/0052		RAMP RD (SR8007 SEG 0760/0250)	
		091667 FT		1 0 0000 0 00 0000+00 BALDWIN BL (BORO)	
		0410/0000		LENGTH(AH 1436 BK 2073)	
		0400/1943		018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN RAMP 8007	
		0400/1734		OP ID 54/8007/0750/0675	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 22
COUNTY: SNYDER

DIR: N TOTAL LEN: 19.362 MI.
LEFT MUN: SHAMOKIN DAM B

DIST: 03-5 SR: 11
RIGHT MUN: SHAMOKIN DAM B

RAMP RD
(SR8007 SEG 0250/0000) 0401/1355

018 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN 0401/0887
RAMP RD
(SR8007 SEG 0750/2532)
T.SUSQ.RIVER
STRUCTURE LENGTH 10 FT
BMSID 54/0011/0400/0700 0401/0719

0 0 00000 0 00 0000+00 089033 FT
EIGHTH AV
(BORO)

LENGTH(AH 2092 BK 1496) 0401/0000
018 "DIA CIRC CONCR
LEN=0010 INSTALLED UNKN 0391/1487

NINTH AV
(BORO) 0391/0977
024 "DIA CIRC CONCR
LEN=0073 INSTALLED UNKN 0391/0934

018 "DIA CIRC CONCR
LEN=0037 INSTALLED UNKN 0391/0805
TENTH AV
(BORO) 0391/0628

024 "DIA CIRC CONCR
LEN=0037 INSTALLED UNKN 0391/0518
015"H 24"W ELLIP METAL
LEN=0038 INSTALLED UNKN 0391/0335

024 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0391/0013
1 0 00025 0 01 0730+45 087537 FT
ELEVENTH AV
(SR1019 SEG 0010/0440)

LENGTH(AH 1496 BK 2131) 0391/0000

0400/1030 RAMP RD
(SR8007 SEG 0010/0000)

T.SUSQ.RIVER
STRUCTURE LENGTH 10 FT
BMSID 54/0011/0400/0700
018 "DIA CIRC CONCR
LEN=0200 INSTALLED UNKN

089594 FT 1 0 00000 0 00 0000+00
EIGHTH AV
(BORO)

LENGTH(AH 2073 BK 1497)

0390/1010 024 "DIA CIRC CONCR
LEN=0044 INSTALLED 1998
0390/0977 NINTH AV
(BORO)


0390/0818 018 "DIA CIRC CONCR
LEN=0037 INSTALLED 1998

0390/0628 TENTH AV
(BORO)
0390/0526 024 "DIA CIRC CONCR
LEN=0037 INSTALLED 1998

0390/0333 024 "DIA CIRC CONCR
LEN=0037 INSTALLED 1998
0390/0018 024 "DIA CIRC CONCR
LEN=0035 INSTALLED 1998

088097 FT 1 0 00025 0 01 0730+45
ELEVENTH AV
(SR1019 SEG 0010/0440)

LENGTH(AH 1497 BK 2180)
018 "DIA CIRC CONCR



DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: SHAMOKIN DAM B RIGHT MUN: SHAMOKIN DAM B

Left Side Description	Left Side ID	Right Side ID	Right Side Description
MONROE AV (BORO) 018 "DIA CIRC CONCR LEN=0030 INSTALLED 1998	0381/1903	0380/1919	LEN=0052 INSTALLED 1998 MONROE AV
	0381/1876	0380/1903	(BORO)
ARBOGAST AV (BORO) 018 "DIA CIRC CONCR LEN=0038 INSTALLED 1998	0381/1638	0380/1660	018 "DIA CIRC CONCR LEN=0038 INSTALLED 1998
	0381/1618	0380/1638	ARBOGAST AV (BORO)
MAY AV (BORO)	0381/1315	0380/1343	MAY AV (BORO)
018 "DIA CIRC CONCR LEN=0038 INSTALLED 1998	0381/1056	0380/1096	018 "DIA CIRC CONCR LEN=0038 INSTALLED 1998
KESSLER AV (BORO)	0381/0685	0380/0715	KESSLER AV (BORO)
STETTTLER AV (BORO)	0381/0057	0380/0055	STETTTLER AV (BORO)
1 0 00025 0 01 0709+15 085406 FT		0380/0010	024 "DIA CIRC METAL LEN=0005 INSTALLED 1998
STETTTLER AV (BORO)		085917 FT	1 0 00025 0 01 0709+15 STETTTLER AV (BORO)
LENGTH(AH 2131 BK 2390)	0381/0000	0380/0000	LENGTH(AH 2180 BK 2394)
T. SUSQ. RIVER STRUCTURE LENGTH 16 FT BMSID 54/0011/0370/2146	0371/2160	0370/2346	036 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
SHAMOKIN DAM		0370/2146	T. SUSQ. RIVER STRUCTURE LENGTH 16 FT
MONROE T	0371/2091	0370/2088	BMSID 54/0011/0370/2146 SHAMOKIN DAM
LC TO MARKETPLACE BL (CONN)	0371/2019		MONROE T
MARKETPLACE BL (PRDR)	0371/1914	0370/1914	MARKETPLACE BL (PRDR)
018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN	0371/1797	0370/1860	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
LC FROM MARKETPLACE BL (CONN)	0371/1788		
LC TO NINA DR (CONN)	0371/0930		NINA DR

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Item Description	Item ID	Material	Year	Length (ft)	Stationing	Notes
(PRDR)	0371/0769					(PRDR)
024 "DIA CIRC CONCR	0371/0748		1998			024 "DIA CIRC CONCR
LEN=0008 INSTALLED						LEN=0048 INSTALLED UNKN
LC FROM NINA DR	0371/0677					018 "DIA CIRC CONCR
(CONN)						LEN=0053 INSTALLED 1998
018 "DIA CIRC CONCR	0371/0612					018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN						LEN=0142 INSTALLED UNKN
						024 "DIA CIRC CONCR
						LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR	0371/0218					LONG AV
LEN=0050 INSTALLED UNKN						(T510)
LONG AV	0371/0125					018 "DIA CIRC METAL
(T510)						LEN=0045 INSTALLED UNKN
024 "DIA CIRC CONCR	0371/0015					083523 FT 1 0 00025 0 01 0685+28
LEN=0038 INSTALLED UNKN						RUNYAN RD
1 0 00025 0 01 0685+28						(T530)
RUNYAN RD						LENGTH(AH 2394 BK 0722)
(T530)						SIGN: CANTILEVER
LENGTH(AH 2390 BK 0716)	0371/0000					BMSID 54/0011/0360/0600
018 "DIA CIRC METAL	0361/0264		1998			
LEN=0006 INSTALLED						
018 "DIA CIRC CONCR	0361/0033		1998			
LEN=0030 INSTALLED						
1 0 00025 0 01 0678+03						
082300 FT						
PARK RD						
(SR1017 SEG 0010/0587)						
LENGTH(AH 0716 BK 1318)	0361/0000					
015 "DIA CIRC METAL	0351/1186		1998			
LEN=0060 INSTALLED						
018 "DIA CIRC CONCR	0351/1059		1998			
LEN=0060 INSTALLED						
018 "DIA CIRC CONCR	0351/0971		1998			
LEN=0090 INSTALLED						
BROWN ST						
(T455)	0351/0951					
030 "DIA CIRC CONCR	0351/0801		1998			
LEN=0057 INSTALLED						
018 "DIA CIRC CONCR						

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Segment	Material	Year	Stationing	Length	Notes
018 "DIA CIRC CONCR	0351/0739	---	---	---	
LEN=0030 INSTALLED UNKN	0351/0642	---	---	---	
018 "DIA CIRC CONCR	0351/0623	==	==	==	0350/0614 MONROE ST (T512)
LEN=0016 INSTALLED 1998	0351/0468	---	---	---	
018 "DIA CIRC CONCR	0351/0370	---	---	---	
LEN=0021 INSTALLED 1998	0351/0313	---	---	---	
018 "DIA CIRC METAL	0350/0285	---	---	---	018 "DIA CIRC CONCR
LEN=0014 INSTALLED 1998	0350/0256	==	==	==	LEN=0029 INSTALLED 1998
OLD SCHOOL RD	081481 FT				OLD SCHOOL RD
(T456)	080982 FT				(T456)
1 0 00025 0 01 0664+88	0351/0000	==	==	==	1 0 00025 0 01 0664+88
MILL RD	0350/0000	==	==	==	MILL RD
(T618)	0340/1656	>	<		(T618)
MILL RD	0340/1599	---	---	---	MILL RD
(SR1014 SEG 0040/2037)	0340/1109	---	---	---	(SR1014 SEG 0040/2037)
LENGTH(AH 1318 BK 1723)	0340/1065	---	---	---	LENGTH(AH 1320 BK 1723)
T. PENNS CR.	0340/1036	==	==	==	T. PENNS CR.
STRUCTURE LENGTH 14 FT	0340/0889	---	---	---	STRUCTURE LENGTH 14 FT
BMSID 54/0011/0340/1656	0340/0719	---	---	---	BMSID 54/0011/0340/1656
018 "DIA CIRC CONCR	0340/0451	---	---	---	030 "DIA CIRC METAL
LEN=0046 INSTALLED 1998					LEN=0050 INSTALLED 1998
018 "DIA CIRC CONCR					018 "DIA CIRC CONCR
LEN=0038 INSTALLED 1998					LEN=0040 INSTALLED UNKN
LINCOLN AV					018 "DIA CIRC CONCR
(T460)					LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR					LINCOLN AV
LEN=0037 INSTALLED 1998					(T460)
015 "DIA CIRC METAL					015 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998					LEN=0171 INSTALLED UNKN
015 "DIA CIRC METAL					018 "DIA CIRC CONCR
LEN=0037 INSTALLED 1998					LEN=0038 INSTALLED 1998
LORI LN					018 "DIA CIRC CONCR
(T496)					LEN=0040 INSTALLED UNKN

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
LEFT MUN: MONROE T RIGHT MUN: MONROE T

Station	Material	Length	Year	Notes
0341/0350	018 "DIA CIRC CONCR	0341/0206	1998	INSTALLED
0340/0350	018 "DIA CIRC CONCR	0340/0184	1998	INSTALLED UNKN
0340/0184	018 "DIA CIRC CONCR	079758 FT	1 0 00025 0 01 0647+06	FT NC CHARLES ATTIG MEM HW
0341/0000	018 "DIA CIRC CONCR	0341/0000	1998	INSTALLED UNKN
0340/0000	018 "DIA CIRC CONCR	0340/0000	1998	INSTALLED UNKN
0331/3198	021 "DIA CIRC CONCR	0331/2724	1998	INSTALLED UNKN
0330/2930	024 "DIA CIRC METAL	0330/2600	1998	INSTALLED UNKN
0330/2600	015 "DIA CIRC CONCR	0330/2566	1998	INSTALLED UNKN
0330/2566	018 "DIA CIRC CONCR	0330/2558	1998	INSTALLED UNKN
0330/2558	018 "DIA CIRC CONCR	0330/2035	1998	INSTALLED UNKN
0330/2035	030 "DIA CIRC CONCR	0330/1995	1998	INSTALLED UNKN
0331/1995	024 "DIA CIRC CONCR	0331/1918	1998	INSTALLED UNKN
0331/1918	024 "DIA CIRC CONCR	0331/1690	1998	INSTALLED UNKN
0331/1690	024 "DIA CIRC CONCR	0331/1220	1998	INSTALLED UNKN
0331/1220	024 "DIA CIRC CONCR	0331/0736	1998	INSTALLED UNKN
0331/0736	018 "DIA CIRC CONCR	0331/0730	1998	INSTALLED UNKN
0331/0730	018 "DIA CIRC CONCR	0331/0712	1998	INSTALLED UNKN
0331/0712	018 "DIA CIRC CONCR	0331/0712	1998	INSTALLED UNKN

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

Project Description	Stationing	Length	Notes
RAMP C RD (SR9405 SEG 0500/0000)	0331/0492		
T SUSQUE RIV STRUCTURE LENGTH 12 FT	0331/0237		
BMSID 54/0011/0330/0184	0331/0237		
SIGN: 3 CHORD TRUSS			
BMSID 54/0011/0330/0154	0331/0154		
1 0 00025 0 01 0615+29 076017 FT		076546 FT	
SUSQ. VALLEY MALL DR (SR1023 SEG 0010/0000)			
LENGTH(AH 3242 BK 1361)	0331/0000		
018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN PENNS VALLEY DR (T609)	0321/1220		
	0321/0990		
018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN	0321/0860		
018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN	0321/0462		
SR 11/15 NBL OP ID 54/0011/0310/2807	0321/0087		
1 0 00025 0 01 0601+60 074656 FT		075169 FT	
7096SR 11/15 SBL OP ID 54/0011/0311/2708			
SUSQUEHANNA TR INTER-BK (SR0522 SEG 0615/1602)			
LTH AH 001361 BK 000100	0321/0000		
		074656 FT	
LTH AH 000100 BK 002884	7313/0000		
BMS EN 54/0011/0311/2708 RAMP D RD INTER-AHD (SR8005 SEG 0500/1473)	0311/2884		
1 0 01084 0 00 0211+81			
(APRA) MARZONI'S PRIVATE DR (PRDR) RAMP B RD (SR9405 SEG 0750/0000)	0330/0548		
T SUSQUE RIV STRUCTURE LENGTH 12 FT	0330/0349		
BMSID 54/0011/0330/0184	0330/0184		
SIGN: 3 CHORD TRUSS			
BMSID 54/0011/0330/0154	0330/0154		
1 0 00025 0 01 0615+29 076017 FT		076546 FT	
SUSQ. VALLEY MALL DR (SR1023 SEG 0010/0000)			
LENGTH(AH 3212 BK 1377)	0330/0000		
018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN	0320/1326		
BUCHANAN AV (T468) 018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN	0320/1001		
	0320/0970		
018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN	0320/0653		
	0320/0552		
018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN	0320/0218		
SR 11/15 NBL OP ID 54/0011/0310/2807	0320/0093		
1 0 00025 0 01 0601+60 074656 FT		075169 FT	
7096SR 11/15 SBL OP ID 54/0011/0311/2708			
SUSQUEHANNA TR INTER-BK (SR0522 SEG 0614/1565)			
LTH AH 001377 BK 000100	0320/0000		
		075169 FT	
LTH AH 000100 BK 003260	7312/0000		
FUTURE SR 11/15 ROAD CLOSED AHEAD	0310/3260		
BMS EN 54/0011/0310/2807 1 0 01084 0 00 0212+36	0310/2981		

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: MONROE T RIGHT MUN: MONROE T

SR 11 15 BMSBG 54/0011/0311/2708 0311/2708		0310/2807	SR 11/15 BMSBG 54/0011/0310/2807
		0310/1726	RAMP E RD (SR8005 SEG 0010/0000)
		0310/1260	018 "DIA CIRC CONCR
CROSSOVER RD (CONN)	0311/0918	0310/0950	LEN=0115 INSTALLED UNKN CROSSOVER RD
		0310/0635	018 "DIA CIRC METAL LEN=0121 INSTALLED UNKN
1 0 01084 0 00 0184+68 071772 FT LENGTH(AH 2884 BK 2303) 0311/0000		071909 FT 0310/0000	1 0 01084 0 00 0184+68 LENGTH(AH 3260 BK 2294)
		0300/2272	018 "DIA CIRC CONCR LEN=0097 INSTALLED UNKN
027 "DIA CIRC CONCR LEN=0150 INSTALLED UNKN 0301/1761		0300/1761	027 "DIA CIRC CONCR LEN=0126 INSTALLED UNKN
MONROE SELINSGROVE B	0301/1580	0300/1645	018 "DIA CIRC METAL LEN=0091 INSTALLED UNKN
		0300/1526	MONROE SELINSGROVE B
		0300/0921	018 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN 0301/0260		069615 FT	1 0 01084 0 00 0161+55
1 0 01084 0 00 0161+74 069469 FT T PENNS CRK		0300/0000	T PENNS CRK
STRUCTURE LENGTH 12 FT BMSID 54/0011/0300/0000			STRUCTURE LENGTH 12 FT
LENGTH(AH 2303 BK 2892) 0301/0000			BMSID 54/0011/0300/0000
018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0291/2642			LENGTH(AH 2294 BK 2897)
018 "DIA CIRC METAL LEN=0117 INSTALLED UNKN 0291/2175			
BMSEN 54/0011/0291/1472 0291/1627		0290/1633	BMSEN 54/0011/0290/1478
1 0 01084 0 00 0147+51		0290/1478	1 0 01084 0 00 0147+34
NORFOLK SOUTHERN RAI RR			NORFOLK SOUTHERN RAI RR
BMSBG 54/0011/0291/1472 0291/1472			BMSBG 54/0011/0290/1478
018 "DIA CIRC METAL LEN=0160 INSTALLED UNKN 0291/1448			
018 "DIA CIRC METAL LEN=0157 INSTALLED UNKN 0291/0614		0290/0613	024 "DIA CIRC CONCR LEN=0136 INSTALLED UNKN

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: SELINGSGROVE B RIGHT MUN: SELINGSGROVE B

024 "DIA CIRC CONCR LEN=0148 INSTALLED UNKN 0291/0582	---				
018 "DIA CIRC METAL LEN=0142 INSTALLED UNKN 0291/0175	---				
BMSEN 54/0011/0291/0000 0291/0110 1 0 01084 0 00 0132+83 066577 FT	---			0290/0110 BMSEN 54/0011/0290/0000 066718 FT 1 0 01084 0 00 0132+52	
PINE ST. BMSBG 54/0011/0291/0000 LENGTH(AH 2892 BK 2298) 0291/0000	---			0290/0000	PINE ST. BMSBG 54/0011/0290/0000 LENGTH(AH 2897 BK 2306)
018 "DIA CIRC METAL LEN=0128 INSTALLED UNKN 0281/1710	---				
030 "DIA CIRC CONCR LEN=0126 INSTALLED UNKN 0281/1479	---				
				0280/1478	030 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN EMERGENCY RD ISLE OF QU (PRDR)
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0281/1251	---			0280/1458	
CROSSOVER RD (CONN) 0281/1093	---			0280/1102	CROSSOVER RD (CONN)
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN 0281/1005	---				
030 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN 0281/0041	---			0280/0041	027 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN
1 0 01084 0 00 0109+96 064279 FT	---			064412 FT	1 0 01084 0 00 0109+56
LENGTH(AH 2298 BK 2498) 0281/0000	---			0280/0000	LENGTH(AH 2306 BK 2500)
018 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN 0271/2176	---				
018 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN 0271/1513	---				
SELINGSGROVE PENN T 0271/1258	---			0270/1258	SELINGSGROVE PENN T
				0270/1139	018 "DIA CIRC METAL LEN=0119 INSTALLED UNKN
RAMP D RD (SR8003 SEG 0500/0000) 0271/0875	---				
BMSEN 54/0011/0271/0000 0271/0191	---			0270/0191	BMSEN 54/0011/0270/0000
1 0 01084 0 00 0084+97 061781 FT	---			061912 FT	1 0 01084 0 00 0084+61
SR 35 SEG 340	---				SR 8003 SEG. 20 RP B OF
BMSBG 54/0011/0271/0000 LENGTH(AH 2498 BK 2413) 0271/0000	---			0270/0000	BMSBG 54/0011/0270/0000 LENGTH(AH 2500 BK 2409)
018 "DIA CIRC CONCR LEN=0152 INSTALLED UNKN 0261/2123	---				
				0260/2084	RAMP B RD (SR8003 SEG 0020/1950)

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: PENN T RIGHT MUN: PENN T

Segment ID	Description	Material	Length (ft)	Stationing	Notes
RAMP C RD	(SR8003 SEG 0250/1044)	0261/1469			
018 "DIA CIRC METAL	LEN=0174	INSTALLED UNKN	0261/1367		
018 "DIA CIRC METAL	LEN=0120	INSTALLED UNKN	0261/0850		
018 "DIA CIRC CONCR	LEN=0088	INSTALLED UNKN	0261/0549		
1 0 01084 0 00 0060+80	059368 FT				
CROSSOVER RD	(CONN)				
LENGTH(AH 2413 BK 2604)	0261/0000				
018 "DIA CIRC CONCR	LEN=0088	INSTALLED UNKN	0251/2227		
BMS EN 54/0011/0251/0685	0251/1125				
PENN UNION T	0251/1016				
1 0 01084 0 00 0041+59					
PENNS CREEK					
BMSBG 54/0011/0251/0685	0251/0685				
027 "DIA CIRC CONCR	LEN=0156	INSTALLED UNKN	0251/0576		
1 0 01084 0 00 0034+73	056764 FT				
CROSSOVER RD	(CONN)				
LENGTH(AH 2604 BK 2665)	0251/0000				
RAMP A RD	(SR9101 SEG 0010/1148)	0241/0625			
018 "DIA CIRC CONCR	LEN=0080	INSTALLED UNKN	0241/0392		
1 0 01084 0 00 0008+20	054099 FT				
LENGTH(AH 2665 BK 0817)	0241/0000				
0260/0917	RAMP A RD	(SR8003 SEG 0010/0000)			
059503 FT	1 0 01084 0 00 0060+60				
CROSSOVER RD	(CONN)				
LENGTH(AH 2409 BK 2603)	0260/0000				
0250/1594	018 "DIA CIRC CONCR	LEN=0120	INSTALLED UNKN		
0250/1088	BMS EN 54/0011/0250/0648				
0250/0966	PENN UNION T				
1 0 01084 0 00 0041+10					
PENNS CREEK					
BMSBG 54/0011/0250/0648	0250/0648				
018 "DIA CIRC METAL	LEN=0136	INSTALLED UNKN			
0250/0630					
0250/0296	027 "DIA CIRC CONCR	LEN=0156	INSTALLED UNKN		
056900 FT	1 0 01084 0 00 0034+59				
CROSSOVER RD	(CONN)				
LENGTH(AH 2603 BK 2642)	0250/0000				
0240/0385	018 "DIA CIRC METAL	LEN=0130	INSTALLED UNKN		
054258 FT	1 0 01084 0 00 0008+20				
LENGTH(AH 2642 BK 0822)	0240/0000				
0230/0692	024 "DIA CIRC CONCR	LEN=0070	INSTALLED UNKN		

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

Item ID	Description	Material	Len	Inst	Unkn	Station	Length	Item ID	Description	Material	Len	Inst	Unkn	Station	Length
024	"DIA CIRC CONCR														
LEN=0070	INSTALLED	UNKN	0231/0688												
1 0	01084 0 00	0000+00	053282 FT												
030	"DIA CIRC CONCR														
LEN=0020	INSTALLED	UNKN	0231/0000					053436 FT	1 0	01084 0 00	0000+00				
LENGTH(AH 0817 BK 0996)								0230/0000	LEN=0060	DIA CIRC CONCR	0220/0990				
									027	"DIA CIRC CONCR					
									LEN=0055	INSTALLED	UNKN	0220/0685			
027	"DIA CIRC CONCR								018	"DIA CIRC CONCR					
LEN=0060	INSTALLED	UNKN	0221/0685						LEN=0040	INSTALLED	UNKN	0220/0425			
									018	"DIA CIRC CONCR					
									LEN=0055	INSTALLED	UNKN	0220/0185			
018	"DIA CIRC CONCR														
LEN=0056	INSTALLED	UNKN	0221/0184						018	"DIA CIRC CONCR					
									LEN=0040	INSTALLED	UNKN	0220/0175			
1 0	00229 0 01	0514+51	052286 FT					052434 FT	0 0	00000 0 00	0000+00				
LENGTH(AH 0996 BK 2104)								0220/0000	LENGTH(AH 1002 BK 2095)						
									018	"DIA CIRC CONCR					
									LEN=0040	INSTALLED	UNKN	0210/2090			
072	"DIA CIRC CONCR														
LEN=0098	INSTALLED	UNKN	0211/1915						072	"DIA CIRC CONCR					
									LEN=0070	INSTALLED	UNKN	0210/1895			
018	"DIA CIRC CONCR														
LEN=0060	INSTALLED	UNKN	0211/1680						018	"DIA CIRC CONCR					
									LEN=0050	INSTALLED	UNKN	0210/1670			
									018	"DIA CIRC CONCR					
									LEN=0055	INSTALLED	UNKN	0210/1625			
									018	"DIA CIRC CONCR					
									LEN=0065	INSTALLED	UNKN	0210/1385			
									018	"DIA CIRC CONCR					
									LEN=0060	INSTALLED	UNKN	0210/0945			
									024	"DIA CIRC CONCR					
									LEN=0060	INSTALLED	UNKN	0210/0670			
024	"DIA CIRC CONCR														
LEN=0060	INSTALLED	UNKN	0211/0670						018	"DIA CIRC CONCR					
									LEN=0065	INSTALLED	UNKN	0210/0370			
									018	"DIA CIRC CONCR					
									LEN=0060	INSTALLED	UNKN	0210/0150			
SPRING RUN															
STRUCTURE LENGTH	12 FT														
BMSID 54/0011/0210/0041	0211/0049														
1 0	00229 0 01	0493+59	050182 FT												
AQUEDUCT HOLLOW RD															
(T381)															
LENGTH(AH 2104 BK 2813)								050339 FT	0 0	00000 0 00	0000+00				
								0210/0000	LENGTH(AH 2095 BK 2833)						

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

Stationing	Description	Material	Status	Stationing	Description	Material	Status
0201/2641	RAMP G RD (SR9415 SEG 0010/0000)			0200/2661	RAMP G RD (SR9415 SEG 0010/0000)		
				0200/2500	024 "DIA CIRC CONCR	LEN=0070	INSTALLED UNKN
				0200/2320	024 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
0201/2290	024 "DIA CIRC CONCR	LEN=0070	INSTALLED UNKN	0200/2130	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
				0200/1490	036 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
0201/1500	036 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN	0200/1410	030 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
0201/1415	030 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN	0200/1289	030 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
					PENNA FISH COMMISSION D (FISH)		
0201/1203	018 "DIA CIRC CONCR	LEN=0044	INSTALLED UNKN	0200/1190	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
				0200/1075	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
0201/0920	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN	0200/0920	018 "DIA CIR PLASTIC	LEN=0075	INSTALLED UNKN
				0200/0765	018 "DIA CIRC CONCR	LEN=0068	INSTALLED UNKN
				0200/0675	024 "DIA CIRC CONCR	LEN=0087	INSTALLED UNKN
				0200/0495	018 "DIA CIRC CONCR	LEN=0085	INSTALLED UNKN
0201/0480	024 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN	0200/0480	024 "DIA CIRC CONCR	LEN=0100	INSTALLED UNKN
				0200/0060	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
0201/0000	1 0 00229 0 01 0465+41 047369 FT			0200/0000	0 0 00000 0 00 0000+00		
	LENGTH(AH 2813 BK 2258)				LENGTH(AH 2833 BK 2261)		
0191/2250	018 "DIA CIRC CONCR	LEN=0068	INSTALLED UNKN	0190/2250	018 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
				0190/2020	018 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
				0190/1790	018 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN
0191/1453	SCHREY HOLLOW RD (T377)						
	038"H 72"W CON BOX CUL				034"H 72"W CON BOX CUL		

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

Station	Length	Material	Status	Notes	Station	Length	Material	Status	Notes
1 0 00229 0 01 0414+97	042337 FT				0180/0110	030 "DIA	CIRC CONCR		
LENGTH(AH 2774 BK 2142)	0181/0000				LEN=0065	INSTALLED	UNKN		
					042466 FT	0 0 00000	0 00 0000+00		
					0180/0000	LENGTH(AH 2779 BK 2152)			
						018 "DIA	CIRC CONCR		
018 "DIA	CIRC CONCR				0170/1935	LEN=0060	INSTALLED	UNKN	
LEN=0050	INSTALLED	UNKN	0171/1919						
018 "DIA	CIRC CONCR				0170/1645	018 "DIA	CIRC CONCR		
LEN=0052	INSTALLED	UNKN	0171/1633		LEN=0070	INSTALLED	UNKN		
018 "DIA	CIRC CONCR				0170/1435	018 "DIA	CIRC CONCR		
LEN=0046	INSTALLED	UNKN	0171/1426		LEN=0070	INSTALLED	UNKN		
VERDILLA RD									
(T460)			0171/1030						
066 "DIA	CIRC CONCR				0170/0990	066 "DIA	CIRC CONCR		
LEN=0060	INSTALLED	UNKN	0171/0979		LEN=0085	INSTALLED	UNKN		
018 "DIA	CIRC CONCR				0170/0685	018 "DIA	CIRC CONCR		
LEN=0045	INSTALLED	UNKN	0171/0668		LEN=0055	INSTALLED	UNKN		
018 "DIA	CIRC CONCR				0170/0455	018 "DIA	CIRC CONCR		
LEN=0045	INSTALLED	UNKN	0171/0438		LEN=0060	INSTALLED	UNKN		
024 "DIA	CIRC CONCR				0170/0105	024 "DIA	CIRC CONCR		
LEN=0065	INSTALLED	UNKN	0171/0091		LEN=0070	INSTALLED	UNKN		
1 0 00229 0 01 0393+49	040195 FT								
DUNDORE RD					040314 FT	0 0 00000	0 00 0000+00		
(T357)						DUNDORE RD			
LENGTH(AH 2142 BK 2375)	0171/0000					(T357)			
					0170/0000	LENGTH(AH 2152 BK 2396)			
						024 "DIA	CIRC CONCR		
024 "DIA	CIRC CONCR				0160/2350	LEN=0060	INSTALLED	UNKN	
LEN=0050	INSTALLED	UNKN	0161/2345						
018 "DIA	CIRC CONCR								
LEN=0045	INSTALLED	UNKN	0161/2045						
018 "DIA	CIRC CONCR				0160/2040	018 "DIA	CIRC CONCR		
LEN=0046	INSTALLED	UNKN	0161/1685		LEN=0065	INSTALLED	UNKN		
018 "DIA	CIRC CONCR				0160/1685	018 "DIA	CIRC CONCR		
LEN=0045	INSTALLED	UNKN	0161/1425		LEN=0065	INSTALLED	UNKN		

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

018 "DIA CIRC CONCR									018 "DIA CIRC CONCR	
LEN=0050 INSTALLED UNKN	0161/1060								LEN=0060 INSTALLED UNKN	
060 "DIA CIRC CONCR									018 "DIA CIRC CONCR	
LEN=0050 INSTALLED UNKN	0161/0835								LEN=0060 INSTALLED UNKN	
018 "DIA CIRC CONCR									060 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0161/0465								LEN=0077 INSTALLED UNKN	
018 "DIA CIRC CONCR									018 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0161/0350								LEN=0060 INSTALLED UNKN	
018 "DIA CIRC CONCR									018 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0161/0235								LEN=0055 INSTALLED UNKN	
1 0 00229 0 01 0369+74 037820 FT									018 "DIA CIRC CONCR	
LENGTH(AH 2375 BK 2890) 0161/0000									LEN=0050 INSTALLED UNKN	
									0 0 00000 0 00 0000+00	
									LENGTH(AH 2396 BK 2904)	
									036 "DIA CIRC CONCR	
									LEN=0055 INSTALLED UNKN	
030 "DIA CIRC CONCR										
LEN=0045 INSTALLED UNKN	0151/2718									
018 "DIA CIRC CONCR									018 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0151/2378								LEN=0065 INSTALLED UNKN	
018 "DIA CIRC CONCR									024 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0151/2023								LEN=0070 INSTALLED UNKN	
018 "DIA CIRC CONCR									018 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0151/1789								LEN=0070 INSTALLED UNKN	
024 "DIA CIRC CONCR									024 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0151/1487								LEN=0070 INSTALLED UNKN	
024 "DIA CIRC CONCR										
LEN=0045 INSTALLED UNKN	0151/1230									
018 "DIA CIRC CONCR									036 "DIA CIRC CONCR	
LEN=0045 INSTALLED UNKN	0151/0789								LEN=0060 INSTALLED UNKN	
									024 "DIA CIRC CONCR	
									LEN=0060 INSTALLED UNKN	
018 "DIA CIRC CONCR										
LEN=0048 INSTALLED UNKN	0151/0399									
RAMP F RD										
(SR9413 SEG 0010/0000)	0151/0232									
024 "DIA CIR PLASTIC										
									024 "DIA CIRC CONCR	

EXTRACT DATE: 12/18/2023
PRINT DATE: 12/19/2023

ROADWAY MANAGEMENT SYSTEM
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 8
COUNTY: SNYDER

DIR: N TOTAL LEN: 19.362 MI.
LEFT MUN: UNION T

DIST: 03-5 SR: 11
RIGHT MUN: UNION T

LEN	DESCRIPTION	INSTALL	UNKN	START	END	LEN	DESCRIPTION	INSTALL	UNKN
1 0 00229 0 00 0348+06 034930 FT						0 0 00000 0 00 0000+00			
LENGTH(AH 2890 BK 2822)						LENGTH(AH 2904 BK 2840)			
FOR SR 0011 AND 9413						FOR SR 0011 AND 9413			
(CONN)						(CONN)			
027 "DIA CIRC CONCR						024 "DIA CIRC CONCR			
LEN=0065						LEN=0060			
INSTALLED UNKN						INSTALLED UNKN			
0151/0055						0150/0055			
0141/2760						0140/2760			
0141/2670						0140/2670			
0141/2577									
018 "DIA CIRC CONCR						018 "DIA CIRC CONCR			
LEN=0045						LEN=0060			
INSTALLED UNKN						INSTALLED UNKN			
0141/2280									
						018 "DIA CIRC CONCR			
018 "DIA CIRC CONCR						LEN=0060			
LEN=0040						INSTALLED UNKN			
INSTALLED UNKN									
0141/2025						018 "DIA CIRC CONCR			
						LEN=0070			
018 "DIA CIRC CONCR						INSTALLED UNKN			
LEN=0040									
INSTALLED UNKN						027 "DIA CIRC CONCR			
0141/1780						LEN=0090			
						INSTALLED UNKN			
036 "DIA CIRC CONCR									
LEN=0045						036 "DIA CIRC CONCR			
INSTALLED UNKN						LEN=0070			
0141/1436						INSTALLED UNKN			
BRIDGE ST						0140/1425			
(T448)									
024 "DIA CIRC CONCR									
LEN=0048						024 "DIA CIRC CONCR			
INSTALLED UNKN						LEN=0070			
0141/1105						INSTALLED UNKN			
036 "DIA CIRC CONCR						0140/1085			
LEN=0054									
INSTALLED UNKN						042 "DIA CIRC CONCR			
0141/0735						LEN=0060			
						INSTALLED UNKN			
018 "DIA CIRC CONCR									
LEN=0050						018 "DIA CIRC CONCR			
INSTALLED UNKN						LEN=0055			
0141/0410						INSTALLED UNKN			
018 "DIA CIRC CONCR						018 "DIA CIRC CONCR			
LEN=0050						LEN=0060			
INSTALLED UNKN						INSTALLED UNKN			
0141/0145									
						018 "DIA CIRC CONCR			
1 0 00229 0 00 0319+82 032108 FT						LEN=0060			
LENGTH(AH 2822 BK 2401)						INSTALLED UNKN			
0141/0000						0 0 00000 0 00 0000+00			
						LENGTH(AH 2840 BK 2489)			
						018 "DIA CIRC CONCR			
018 "DIA CIRC CONCR						LEN=0100			
LEN=0060						INSTALLED UNKN			
INSTALLED UNKN									
0131/2248						024 "DIA CIRC CONCR			

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0131/1938	0130/2025	LEN=0090	INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN 0131/1672 PARK RD (T333)	0130/1745	024 "DIA CIRC CONCR LEN=0100	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0131/1145	0130/1215	018 "DIA CIRC CONCR LEN=0065	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0131/0695	0130/0770	018 "DIA CIRC CONCR LEN=0075	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN 0131/0322 1 0 00229 0 00 0295+81 029707 FT LENGTH(AH 2401 BK 2601) 0131/0000	0130/0395	018 "DIA CIRC CONCR LEN=0070	INSTALLED UNKN
	029685 FT	0 0 00000 0 00 0000+00	
	0130/0000	LENGTH(AH 2489 BK 2340)	
	0120/2160	024 "DIA CIRC CONCR LEN=0060	INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0121/2336	0120/1860	018 "DIA CIRC CONCR LEN=0065	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN 0121/2020	0120/1450	018 "DIA CIRC CONCR LEN=0050	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0121/1655	0120/0808	018 "DIA CIRC CONCR LEN=0060	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN 0121/0972 BMSSEN 54/0011/0120/0572 0121/0786 0 0 00000 0 00 0000+00 SILVER CRK.	0120/0601	BMSSEN 54/0011/0120/0572 0 0 00000 0 00 0000+00 SILVER CRK.	
BMSBG 54/0011/0120/0572 0121/0757	0120/0572	BMSBG 54/0011/0120/0572	
024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0121/0617	0120/0445	018 "DIA CIRC CONCR LEN=0070	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0121/0440			

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

Item ID	Description	Length	Stationing	Material	Status	Item ID	Description	Length	Stationing	Material	Status
018	"DIA CIRC CONCR	LEN=0060	0121/0193	UNKN	INSTALLED	0120/0030	024 "DIA CIR PLASTIC	LEN=0010	0120/0000	UNKN	INSTALLED
1 0 00229 0 00	0269+72	027106 FT	0121/0000			027345 FT	0 0 00000 0 00 0000+00				
	LENGTH(AH 2601 BK 2133)						VILLAGE: PORT TREVERTON				
	LENGTH(AH 2340 BK 2330)										
LC TO SILVER CREEK RD			0111/1549			0110/1228	INDEPENDENCE RUN				
(CONN)							STRUCTURE LENGTH 8 FT				
INDEPENDENCE RUN			0111/1218			0110/1093	BMSID 54/0011/0110/1228				
STRUCTURE LENGTH 8 FT							PEFFER VALLEY RD				
BMSID 54/0011/0110/1228						0110/0645	(T434)				
PEFFER VALLEY RD							BEAR RUN RD				
(T434)							(BORO)				
BEAR RUN RD			0111/1093				018 "DIA CIRC CONCR				
(BORO)							LEN=0075				
018 "DIA CIRC CONCR			0111/0560				INSTALLED UNKN				
LEN=0040											
018 "DIA CIRC CONCR			0111/0255			0110/0555	018 "DIA CIRC CONCR				
LEN=0045							LEN=0060				
						0110/0255	INSTALLED UNKN				
							018 "DIA CIRC CONCR				
						0110/0080	LEN=0050				
							INSTALLED UNKN				
1 0 00229 0 00	0248+39	024973 FT	0111/0000				018 "DIA CIRC CONCR				
MCNESS RD							LEN=0055				
(T432)							INSTALLED UNKN				
LENGTH(AH 2133 BK 2809)						025015 FT	0 0 00000 0 00 0000+00				
						0110/0000	LENGTH(AH 2330 BK 2803)				
							048"H 60"W CON BOX CUL				
						0100/2765	LEN=0048				
							INSTALLED UNKN				
048"H 60"W CON BOX CUL			0101/2765								
LEN=0045											
018 "DIA CIRC CONCR			0101/2260			0100/2260	018 "DIA CIRC CONCR				
LEN=0045							LEN=0058				
							INSTALLED UNKN				
024 "DIA CIRC CONCR			0101/1770								
LEN=0045											
						0100/1760	024 "DIA CIRC CONCR				
							LEN=0055				
							INSTALLED UNKN				
018 "DIA CIRC CONCR			0101/1525								
LEN=0040											
						0100/1520	018 "DIA CIRC CONCR				
							LEN=0066				
							INSTALLED UNKN				
024 "DIA CIRC CONCR			0101/1275								
LEN=0050											
						0100/1270	024 "DIA CIRC CONCR				
							LEN=0054				
							INSTALLED UNKN				

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: UNION T RIGHT MUN: UNION T

Segment ID	Material	Status	Stationing	Length (ft)	Stationing	Material	Status	Stationing	Length (ft)
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0101/0910		0100/1100	018 "DIA CIRC CONCR	INSTALLED UNKN	0100/1100	0060
LEN=0065						LEN=0064			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0101/0605		0100/0902	018 "DIA CIRC CONCR	INSTALLED UNKN	0100/0902	0064
LEN=0055						LEN=0070			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0101/0430		0100/0598	018 "DIA CIRC CONCR	INSTALLED UNKN	0100/0598	0070
LEN=0050					0100/0434	018 "DIA CIRC CONCR	INSTALLED UNKN	0100/0434	0060
CHAPMAN HOLLOW RD						CHAPMAN HOLLOW RD			
(SR2006 SEG 0170/0329)					0100/0062	(SR2006 SEG 0170/0329)			
BMSSEN 54/0011/0100/0000					0100/0020	BMSSEN 54/0011/0100/0000			
1 0 00229 0 00 0220+35					022212 FT	0 0 00000 0 00 0000+00			
T.SUSQ.RIVER						T.SUSQ.RIVER			
BMSBG 54/0011/0100/0000						BMSBG 54/0011/0100/0000			
UNION						UNION			
CHAPMAN T						CHAPMAN T			
LENGTH(AH 2809 BK 2339)					0100/0000	LENGTH(AH 2803 BK 2336)			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0091/1945		0090/1948	018 "DIA CIRC CONCR	INSTALLED UNKN	0090/1948	0065
LEN=0060						LEN=0065			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0091/1535			018 "DIA CIRC CONCR	INSTALLED UNKN		
LEN=0050						LEN=0056			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0091/1115		0090/1530	018 "DIA CIRC CONCR	INSTALLED UNKN	0090/1530	0056
LEN=0060						LEN=0065			
024 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0091/0685		0090/1110	024 "DIA CIRC CONCR	INSTALLED UNKN	0090/1110	0065
LEN=0055						LEN=0062			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0091/0225		0090/0680	024 "DIA CIRC CONCR	INSTALLED UNKN	0090/0680	0062
LEN=0055						LEN=0062			
018 "DIA CIRC CONCR	CIRC CONCR	INSTALLED UNKN	0091/0055		0090/0220	018 "DIA CIRC CONCR	INSTALLED UNKN	0090/0220	0062
LEN=0070						LEN=0058			
1 0 00229 0 00 0196+91					0090/0055	0 0 00000 0 00 0000+00			
WINDING RD					019876 FT	WINDING RD			
(SR2002 SEG 0100/0314)						(SR2002 SEG 0100/0314)			
LENGTH(AH 2339 BK 2187)					0090/0000	LENGTH(AH 2336 BK 2193)			
T.SUSQ.RIVER						T.SUSQ.RIVER			

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

STRUCTURE	LENGTH	20 FT	BMSID	54/0011/0080/1856	0081/1856	STRUCTURE	LENGTH	20 FT	BMSID	54/0011/0080/1856
024 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN	0081/0750			024 "DIA CIRC CONCR	LEN=0075	INSTALLED UNKN	0080/0835	
036 "DIA CIRC CONCR	LEN=0080	INSTALLED UNKN	0081/0405			036 "DIA CIRC CONCR	LEN=0085	INSTALLED UNKN	0080/0400	
1 0 00229 0 00 0175+13 017638 FT	LENGTH(AH 2187 BK 2499)	0081/0000				0 0 00000 0 00 0000+00	LENGTH(AH 2193 BK 2507)	0080/0000		
024 "DIA CIRC CONCR	LEN=0070	INSTALLED UNKN	0071/2360			036 "DIA CIRC CONCR	LEN=0075	INSTALLED UNKN	0070/2375	
WAGNER HILL RD	(T323)	0071/2325				WAGNER HILL RD	(T323)	0070/2331		
018 "DIA CIRC CONCR	LEN=0055	INSTALLED UNKN	0071/2110			018 "DIA CIRC CONCR	LEN=0070	INSTALLED UNKN	0070/2100	
OLD RT 15 RD	(T875)	0071/1586				024 "DIA CIRC CONCR	LEN=0058	INSTALLED UNKN	0070/1561	
024 "DIA CIRC CONCR	LEN=0070	INSTALLED UNKN	0071/1555			018 "DIA CIRC CONCR	LEN=0054	INSTALLED UNKN	0070/1390	
018 "DIA CIRC CONCR	LEN=0055	INSTALLED UNKN	0071/1390			018 "DIA CIRC CONCR	LEN=0064	INSTALLED UNKN	0070/1140	
018 "DIA CIRC CONCR	LEN=0060	INSTALLED UNKN	0071/1145			024 "DIA CIRC CONCR	LEN=0054	INSTALLED UNKN	0070/0920	
024 "DIA CIRC CONCR	LEN=0045	INSTALLED UNKN	0071/0930			018 "DIA CIRC CONCR	LEN=0064	INSTALLED UNKN	0070/0310	
018 "DIA CIRC CONCR	LEN=0055	INSTALLED UNKN	0071/0313			018 "DIA CIRC CONCR	LEN=0064	INSTALLED UNKN	0070/0000	
1 0 00229 0 00 0150+22 015139 FT	LENGTH(AH 2499 BK 2492)	0071/0000				0 0 00000 0 00 0000+00	LENGTH(AH 2507 BK 2499)	0070/0000		
018 "DIA CIRC CONCR	LEN=0045	INSTALLED UNKN	0061/2295			018 "DIA CIRC CONCR				

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0061/1930	---	---	---	---	0060/2280	LEN=0068	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0061/1700	---	---	---	---	0060/1925	018 "DIA CIRC CONCR LEN=0060	INSTALLED UNKN
048"H 60"W CON BOX CUL LEN=0100 INSTALLED UNKN 0061/1455	---	---	---	---	0060/1695	018 "DIA CIRC CONCR LEN=0065	INSTALLED UNKN
	---	---	---	---	0060/1510	018 "DIA CIRC CONCR LEN=0054	INSTALLED UNKN
	---	---	---	---	0060/1455	048"H 60"W CON BOX CUL LEN=0060	INSTALLED UNKN
	---	---	---	---	0060/1310	018 "DIA CIRC CONCR LEN=0065	INSTALLED UNKN
FERRY HILL RD (T402) 0061/0601 ==	==						
030 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 0061/0595	---	---	---	---	0060/0555	030 "DIA CIRC CONCR LEN=0150	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0061/0420	---	---	---	---	0060/0405	018 "DIA CIRC METAL LEN=0125	INSTALLED UNKN
1 0 00229 0 00 0125+39 012647 FT LENGTH(AH 2492 BK 2428) 0061/0000	5				012677 FT	0 0 00000 0 00 0000+00	
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0051/2412	---	---	---	---	0060/0000	LENGTH(AH 2499 BK 2428)	
	---	---	---	---	0050/2380	024 "DIA CIRC CONCR LEN=0056	INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 0051/1770	---	---	---	---	0050/1755	036 "DIA CIRC CONCR LEN=0064	INSTALLED UNKN
027 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0051/1512	---	---	---	---	0050/1485	027 "DIA CIRC CONCR LEN=0064	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN 0051/0914	---	---	---	---	0050/0895	018 "DIA CIRC CONCR LEN=0064	INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0051/0525	---	---	---	---	0050/0525	036 "DIA CIRC CONCR LEN=0055	INSTALLED UNKN
	---	---	---	---	0050/0215	024 "DIA CIRC CONCR LEN=0056	INSTALLED UNKN
024 "DIA CIRC CONCR							

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

Segment Description	Start Station	End Station	Length (FT)	Notes
LEN=0060 INSTALLED UNKN	0051/0210			
RAMP D RD (SR9411 SEG 0010/0000)	0051/0134			
1 0 00229 0 00 0101+27 010219 FT				
RAMP C RD (SR9411 SEG 0020/0435)	0051/0000	010249 FT	0050/0000	
LENGTH(AH 2428 BK 2557)	0051/0000			
RAMP C RD (SR9411 SEG 0020/0000)				
RAMP D RD (SR9411 SEG 0010/0550)	0041/2376	0040/2388		
018 "DIA CIRC CONCR	0041/2350	0040/2350		
LEN=0066 INSTALLED UNKN	0041/2350			
048"H 72"W CON BOX CUL	0041/2030	0040/2030		
LEN=0090 INSTALLED UNKN	0041/2030			
MCKEES RD (T400)	0041/1966			
018 "DIA CIRC CONCR	0041/1845	0040/1845		
LEN=0055 INSTALLED UNKN	0041/1845			
				POI
024 "DIA CIRC CONCR	0041/1455	0040/1500		
LEN=0055 INSTALLED UNKN	0041/1455	0040/1455		
				POI
018 "DIA CIRC CONCR	0041/0900	0040/0895		
LEN=0045 INSTALLED UNKN	0041/0900	0040/0895		
018 "DIA CIRC CONCR	0041/0535	0040/0535		
LEN=0045 INSTALLED UNKN	0041/0535	0040/0535		
018 "DIA CIRC CONCR	0041/0025			
LEN=0050 INSTALLED UNKN	0041/0025			
1 0 00229 0 00 0075+18 007662 FT				
ULSH RD (T308)	0041/0000	007660 FT	0040/0000	
LENGTH(AH 2557 BK 2513)	0041/0000			
018 "DIA CIRC CONCR	0033/2295	0032/2295		
LEN=0058 INSTALLED UNKN	0033/2295	0032/2295		
024 "DIA CIRC CONCR	0033/1765	0032/1905		
LEN=0052 INSTALLED UNKN	0033/1765	0032/1905		
		0032/1765		
				018 "DIA CIRC CONCR
				LEN=0070 INSTALLED UNKN
				018 "DIA CIRC CONCR
				LEN=0070 INSTALLED UNKN
				024 "DIA CIRC CONCR
				LEN=0072 INSTALLED UNKN
				018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 19.362 MI. DIST: 03-5 SR: 11
 LEFT MUN: CHAPMAN T RIGHT MUN: CHAPMAN T

Stationing	Description	Length	Material	Notes
0032/1605	018 "DIA CIRC CONCR	0068	INSTALLED UNKN	
0033/1320	LEN=0060 INSTALLED UNKN			
0032/1285	016 "DIA CIRC CONCR	0083	INSTALLED UNKN	
0032/0964	HOFFER CRK. STRUCTURE LENGTH 18 FT			
0033/0943	BMSID 54/0011/0032/0964			
0033/0409	RAMP Z RD (SR9419 SEG 0010/0000)			
005147 FT	1 0 00229 0 00 0050+49	005149 FT		
0033/0000	LENGTH(AH 2513 BK 2636)	0033/0000		
0022/2579	SHADY LN (FISH)			
0023/2569	RAMP Z RD (SR9419 SEG 0010/0864)			
0023/2214	036"H 60"W CON BOX CUL			
0023/2085	LEN=0048 INSTALLED UNKN			
0022/2085	024 "DIA CIRC CONCR	0075	INSTALLED UNKN	
0022/1258	LEN=0064 INSTALLED UNKN			
002513 FT	1 0 00229 0 00 0024+58	002513 FT		
0023/0000	NC MARINE CORPS LEAG MEM HW	0023/0000		
0022/0000	LENGTH(AH 2636 BK 2513)	0022/0000		
0013/1905	036 "DIA CIRC CONCR	0130	INSTALLED UNKN	
0012/1870	LEN=0092 INSTALLED UNKN			
0012/0298	BMSEN 54/0011/0012/0000			
0013/0149	CHAPMAN SUSQUEHANNA T			
000000 FT	1 0 00229 0 00 0000+00	000000 FT		
0012/0149	NC SUSQUEHANNA TR	0012/0149		
000000 FT	SUSQUEHANNA TR INTER-BK	000000 FT		
0013/0000	(SR0011 SEG 0033/1184)	0013/0000		
0012/0000	MAHANTANGO CREEK	0012/0000		
0012/0000	BMSBG 54/0011/0012/0000			
0012/0000	MFC BEGIN = B			
0012/0000	BK-JUNIATA (34)			
0012/0000	LENGTH(AH 2513 BK 0000)	0012/0000		