

# **Straight Line Diagram**

**(Including Drain Pipes)**

## **Adams**

# **1**

## **January 2024**

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM  
INDEX FOR SR'S LOCATED IN THE COUNTY OF ADAMS

SR	BGN	PAGE	END	PAGE	SR	BGN	PAGE	END	PAGE	SR	BGN	PAGE	END	PAGE
0015		1		30	2016		283		284	4011		437		437
0016		31		36	2017		285		286	4012		438		441
0030		37		57	2019		287		288	4013		442		442
0034		58		68	2020		289		289	4014		443		444
0094		69		82	2021		290		291	4015		445		446
0097		83		90	2023		292		292	4016		447		447
0116		91		109	2025		293		294	8001		448		448
0134	110			114	2027		295		296	8003		449		450
0194		115		127	2029		297		299	8005		451		452
0233		128		133	2031		300		301	8007		453		454
0234		134		153	2033		302		304	8009		455		455
0394		154		163	2035		305		306	8011		456		457
1001		164		164	3001		307		322	8013		458		458
1002		165		165	3002		323		325	8015		459		459
1003		166		167	3003		326		328					
1004		168		170	3004		329		331					
1005		171		179	3005		332		337					
1006		180		181	3006		338		339					
1007		182		185	3007		340		343					
1008		186		188	3008		344		345					
1009		189		190	3009		346		347					
1010		191		191	3010		348		351					
1011		192		192	3011		352		359					
1012		193		194	3012		360		360					
1013		195		197	3013		361		365					
1014		198		201	3014		366		369					
1015		202		209	3015		370		372					
1016		210		214	3016		373		375					
1017		215		217	3017		376		381					
1018		218		219	3018		382		383					
1019		220		223	3019		384		386					
1020		224		228	3020		387		389					
1021		229		230	3021		390		391					
1022		231		231	3030		392		392					
1023		232		232	3032		393		393					
2001		233		240	3034		394		394					
2002		241		244	3036		395		395					
2003		245		246	3038		396		396					
2004		247		248	3040		397		397					
2005		249		250	3042		398		398					
2006		251		259	4001		399		402					
2007		260		260	4002		403		403					
2008		261		264	4003		404		408					
2009		265		267	4004		409		411					
2010		268		269	4005		412		414					
2011		270		271	4006		415		419					
2012		272		274	4007		420		420					
2013		275		275	4008		421		427					
2014		276		280	4009		428		431					
2015		281		282	4010		432		436					



December 30, 2023

## Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2024 Pennsylvania Straight Line Diagrams (SLDs) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLDs are a graphical representation of State Routes (SRs) that PennDOT maintains. The information shown on the SLD is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SRs found on the list are linked to the actual pages that show the individual SLDs. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Ty Reed, Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Operations, by calling (717) 787-7294.

*Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.*

**Straight Line Diagram Disclaimer:** This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2023 by the Commonwealth of Pennsylvania. All rights reserved.



## **Asset Management Division**

### **Mission Statement**

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.



# CUSTOMER SERVICE RATING FORM

## Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a “grade” from “A” (excellent) to “E” (fail).

**A**                      **B**                      **C**                      **D**                      **E**

If your rating is not an “A,” please let us know what we could do better.

---

---

---

---

---

Name and Organization (optional)

---

Thank You.

*(Fold along line, and tape or staple together before mailing)*

*(Cut along dashed line)*

---

---

---

Bureau of Operations  
Asset Management Division – PennDOT Annex  
907 Elmerton Avenue  
Harrisburg, PA 17110  
ATTN: Ty Reed

**PENNSYLVANIA DEPARTMENT OF TRANSPORTATION**  
**Bureau of Operations, Asset Management Division**

**Location Referencing System (LRS) – Definitions, Uses & Testing**

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

**County (CO)**

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

**State Route (SR)**

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

- |  |           |
|--|-----------|
| 1. Traffic Routes: Routes designated as Interstates, US or PA Routes | 0001-0999 |
| 2. Quadrant Routes (Non-Traffic Routes)                              | 1001-4999 |
| 3. Relocated Traffic Routes  | 6000-6999 |
| 4. Turned Back, Abandoned, or Null Routes                            | 7000-7999 |
| 5. Interchanges  | 8001-8999 |
| 6. WYE's   | 9101-9199 |
| 7. Rest Areas  | 9201-9299 |
| 8. Truck Escape Ramps  | 9301-9399 |
| 9. Others  | 9401-9499 |
| 10. Park and Rides   | 9501-9599 |

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes




FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




FIGURE 2




FIGURE 3

**Segment (SEG)**

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

Undivided Roadways




FIGURE 4

Divided Roadways




FIGURE 5

Interstate Roadways




FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coinciding State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).




FIGURE 7

## Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

## Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.



## Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

## Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.









































Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 1 OF 2


 SEGMENT MARKER	 AHEAD LEFT INTER STATE OWNED	 RAILROAD CROSSING	 INTERSTATE MILEPOST
 TURNBACK	 AHEAD LEFT INTER NON-STATE	 RAILROAD OVER-PASS	 MFC BEGIN
 NULL	 AHEAD RIGHT INTE STATE OWNED	 OVER-PASS	 MUNICIPAL BOUNDARY
 UNDIVIDED HIGHWAY	 AHEAD RIGHT INTE NON-STATE	 BRIDGE END	 VILLAGE BEGIN
 PHYSICALLY DIVIDED	 BACK LEFT INTER STATE OWNED	 BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACKWARD TO PREVIOUS SEGMENT BEGIN
 PAINT DIVIDED	 BACK LEFT INTER NON-STATE	 TUNNEL	
 INTERSECTION AHEAD	 BACK RIGHT INTER STATE OWNED	 SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
 INTERSECTION BACK	 BACK RIGHT INTER NON-STATE	 P3 BRIDGE	
 REFERENCE AHEAD/BACK	 T-LEFT INTERSEC STATE OWNED	 RETAINING WALL	
 DIVIDED CONNECTOR	 T-LEFT INTERSEC NON-STATE	 BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT'S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
 CROSS INTERSEC STATE OWNED	 T-RIGHT INTERSEC STATE OWNED	 PIPE (STAMPP)	
 CROSS INTERSEC NON-STATE	 T-RIGHT INTERSEC NON-STATE	 ROTARY INTERSEC	



FROM 0134/0090 SH (CONN)	002240 FT  0750/0081 001576 FT		002240 FT BK-ADAMS (01) INTER-AHD BLUE-GRAY HW 0750/0664 (SR0015 SEG 0120/0572)  001576 FT 0 0 00000 0 00 0000+00 NC RAMP B-3 RD INTER-BK TANEYTOWN RD (SR0134 SEG 0090/0598) 0750/0000 LENGTH(AH 0664 BK 0452)
	001124 FT		TANEYTOWN RD 0500/0452 (SR0134 SEG 0090/1122) 001124 FT 0 0 00000 0 00 0000+00 NC RAMP B-4 RD INTER-BK BLUE-GRAY HW (SR0015 SEG 0121/0545) 0500/0000 LENGTH(AH 0452 BK 0586)
FROM 0134/0090 SH (CONN)	0250/0068 000538 FT		INTER-AHD BLUE-GRAY HW 0250/0586 (SR0015 SEG 0111/1797)  000538 FT 0 0 00000 0 00 0000+00 NC RAMP B-1 RD INTER-BK TANEYTOWN RD (SR0134 SEG 0090/1088) 0250/0000 LENGTH(AH 0586 BK 0538)
	000000 FT		TANEYTOWN RD 0010/0538 (SR0134 SEG 0090/0559) 000000 FT 0 0 00000 0 00 0000+00 NC RAMP B-2 RD INTER-BK BLUE-GRAY HW (SR0015 SEG 0110/1644) MFC BEGIN = F 0010/0000 LENGTH(AH 0538 BK 0000)

DIR: E TOTAL LEN: .602 MI. DIST: 08-1 SR: 8013  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

003177 FT



003177 FT  
 INTER-AHD BLUE-GRAY HW  
 0750/0826 (SR0015 SEG 0190/0788)


002351 FT

002351 FT 0 0 00000 0 00 0000+00  
 NC RAMP D-4 RD

HANOVER ST  
 (SR0116 SEG 0280/0324)

INTER-BK RAMP D-3 RD  
 (SR8013 SEG 0010/0613)

5 0750/0000 LENGTH(AH 0826 BK 0922)



INTER-AHD RAMP D-1 RD  
 (SR8013 SEG 0250/0000)


0500/0922 (SR0116 SEG 0270/1775)

001429 FT

001429 FT 0 0 00000 0 00 0000+00  
 NC RAMP D-2 RD

INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0191/0976)

5 0500/0000 LENGTH(AH 0922 BK 0816)



INTER-AHD BLUE-GRAY HW  
 0250/0816 (SR0015 SEG 0181/2056)


000613 FT

000613 FT 0 0 00000 0 00 0000+00  
 NC RAMP D-1 RD

HANOVER ST  
 (SR0116 SEG 0270/1775)

INTER-BK RAMP D-2 RD  
 (SR8013 SEG 0500/0922)

5 0250/0000 LENGTH(AH 0816 BK 0613)



INTER-AHD RAMP D-2 RD  
 (SR8013 SEG 0750/0000)

000000 FT

0010/0613 (SR0116 SEG 0280/0324)

000000 FT 0 0 00000 0 00 0000+00  
 NC RAMP D-3 RD

INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0180/2048)

5 0010/0000 LENGTH(AH 0613 BK 0000)



EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 457  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: W      TOTAL LEN: .607 MI.      DIST: 08-1      SR: 8011  
 LEFT MUN: LATIMORE T      RIGHT MUN: LATIMORE T





003204 FT



002467 FT


003204 FT CARLISLE PK  
 (SR0094 SEG 0250/0393)  
 0760/0737 (SR0094 SEG 0251/0401)  
 TO 0094/0250 SH  
 0760/0584 (CONN)  
 058"H 42"W CON BOX CUL  
 0760/0552 LEN=0006 INSTALLED UNKN  
 002467 FT 0 0 00000 0 00 0000+00

DIR: W TOTAL LEN: .607 MI. DIST: 08-1 SR: 8011  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

		NC RAMP A RD (INNER LOOP) INTER-BK BLUE-GRAY HW (SRO015 SEG 0440/0441) 0760/0000 LENGTH(AH 0737 BK 0900)
001567 FT		INTER-AHD BLUE-GRAY HW 0750/0900 (SRO015 SEG 0440/0858) FROM 0094/0250 SH (CONN) 0750/0220 033"H 42"W CON BOX CUL 0750/0073 LEN=0006 INSTALLED UNKN 001567 FT 0 0 00000 0 00 0000+00 NC RAMP A RD (OUTER LOOP) CARLISLE PK (SRO094 SEG 0250/0393) (SRO094 SEG 0251/0401) 0750/0000 LENGTH(AH 0900 BK 0737)
000830 FT		INTER-AHD BLUE-GRAY HW 0510/0737 (SRO015 SEG 0441/0465) FROM 0094/0250 SH (CONN) T. BERMUDIAN STRUCTURE LENGTH 8 FT 0510/0030 BMSID 01/8008/0500/0030 000830 FT 0 0 00000 0 00 0000+00 NC RAMP B RD (INNER LOOP) CARLISLE PK (SRO094 SEG 0251/1322) 0510/0000 LENGTH(AH 0737 BK 0830)
000000 FT		0500/0830 CARLISLE PK (SRO094 SEG 0250/1310) T. BERMUDIAN STRUCTURE LENGTH 8 FT 0500/0746 BMSID 01/8008/0500/0030 TO 0094/0250 SH 0500/0641 (CONN) 000000 FT 0 0 00000 0 00 0000+00 NC RAMP B RD (OUTER LOOP) INTER-BK BLUE-GRAY HW (SRO015 SEG 0441/0826) MFC BEGIN = F 0500/0000 LENGTH(AH 0830 BK 0000)

DIR: E TOTAL LEN: .442 MI. DIST: 08-1 SR: 8009  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

002334 FT




002334 FT  
 INTER-AHD BLUE-GRAY HW  
 0750/0629 (SR0015 SEG 0270/2965)

001705 FT


001705 FT 0 0 00000 0 00 0000+00  
 NC RAMP F-3 RD  
 SHRIVERS CORNER RD  
 (SR0394 SEG 0120/2774)  
 INTER-BK RAMP F-2 RD  
 (SR8009 SEG 0010/0541)  
 0750/0000 LENGTH(AH 0629 BK 0627)

001078 FT




0500/0627 SHRIVERS CORNER RD  
 (SR0394 SEG 0120/2245)  
 001078 FT 0 0 00000 0 00 0000+00  
 NC RAMP F-4 RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0271/2935)  
 0500/0000 LENGTH(AH 0627 BK 0537)

000541 FT



INTER-AHD BLUE-GRAY HW  
 0250/0537 (SR0015 SEG 0271/1794)  
 000541 FT 0 0 00000 0 00 0000+00  
 NC RAMP F-1 RD  
 SHRIVERS CORNER RD  
 (SR0394 SEG 0120/2245)  
 0250/0000 LENGTH(AH 0537 BK 0541)

000000 FT



INTER-AHD RAMP F-3 RD  
 (SR8009 SEG 0750/0000)  
 SHRIVERS CORNER RD  
 (SR0394 SEG 0120/2774)  
 000000 FT 0 0 00000 0 00 0000+00  
 NC RAMP F-2 RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0270/1821)  
 MFC BEGIN = F  
 0010/0000 LENGTH(AH 0541 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 454  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: E TOTAL LEN: .590 MI. DIST: 08-1 SR: 8007  
LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

003115 FT

003115 FT  
INTER-AHD BLUE-GRAY HW


DIR: E TOTAL LEN: .590 MI. DIST: 08-1 SR: 8007  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

002415 FT




0750/0700 (SR0015 SEG 0360/1803)  
 002415 FT 1 0 01036 2 32 0013+50  
 NC RAMP D RD  
 EAST BERLIN RD  
 (SR0234 SEG 0390/0365)  
 INTER-BK RAMP A RD  
 (SR8007 SEG 0010/0862)  
 0750/0000 LENGTH(AH 0700 BK 0857)

001558 FT




INTER-AHD RAMP B RD  
 (SR8007 SEG 0250/0000)  
 HEIDLERSBURG RD  
 0500/0857 (SR0234 SEG 0380/2910)  
 TO 0234/0380 SH  
 0500/0790 (CONN)  
 001558 FT 1 0 01036 2 31 0000+00  
 NC RAMP C RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0361/2041)  
 0500/0000 LENGTH(AH 0857 BK 0696)

000862 FT



INTER-AHD BLUE-GRAY HW  
 0250/0696 (SR0015 SEG 0361/0195)  
 000862 FT 1 0 01036 2 30 0013+62  
 NC RAMP B RD  
 HEIDLERSBURG RD  
 (SR0234 SEG 0380/2910)  
 INTER-BK RAMP C RD  
 (SR8007 SEG 0500/0857)  
 0250/0000 LENGTH(AH 0696 BK 0862)


000000 FT



INTER-AHD RAMP D RD  
 (SR8007 SEG 0750/0000)  
 EAST BERLIN RD  
 0010/0862 (SR0234 SEG 0390/0365)  
 TO 0234/0390 SH  
 0010/0759 (CONN)  
 000000 FT 1 0 01036 2 29 0000+00  
 NC RAMP A RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0360/0277)  
 MFC BEGIN = F  
 0010/0000 LENGTH(AH 0862 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 452  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: E TOTAL LEN: 1.111 MI. DIST: 08-1 SR: 8005  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

005867 FT




005867 FT  
 INTER-AHD BLUE-GRAY HW  
 0750/0791 (SR0015 SEG 0220/0783)

005076 FT

005076 FT 1 0 01036 2 21 0000+00  
 NC RAMP E-3 RD  
 INTER-BK YORK RD  
 (SR0030 SEG 0321/1637)  
 0750/0000 LENGTH(AH 0791 BK 0956)





INTER-AHD BLUE-GRAY HW  
 0510/0956 (SR0015 SEG 0221/0348)

004120 FT



004120 FT 1 0 01036 2 22 0015+00  
 NC RAMP E-4 (INNER LOOP) RD  
 INTER-BK YORK RD  
 (SR0030 SEG 0321/0820)  
 0510/0000 LENGTH(AH 0956 BK 1085)

DIR: E TOTAL LEN: 1.111 MI. DIST: 08-1 SR: 8005  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

003035 FT		YORK RD (SR0030 SEG 0320/0702) 0500/1085 TO 0030/0321 SH 0500/0833 (CONN) 003035 FT 1 0 01036 2 22 0004+29 NC RAMP E-4 (OUTER LOOP) RD INTER-BK BLUE-GRAY HW (SR0015 SEG 0221/0790) 0500/0000 LENGTH(AH 1085 BK 0893)
002142 FT		INTER-AHD BLUE-GRAY HW 0250/0893 (SR0015 SEG 0211/2588) 002142 FT 1 0 01036 2 17 0016+04 NC RAMP E-1 RD INTER-BK YORK RD (SR0030 SEG 0320/0705) 0250/0000 LENGTH(AH 0893 BK 0958)
001184 FT		INTER-AHD BLUE-GRAY HW 0020/0958 (SR0015 SEG 0210/2902) 001184 FT 1 0 01036 2 18 0012+36 NC RAMP E-2 (INNER LOOP) RD INTER-BK YORK RD (SR0030 SEG 0320/1710) 0020/0000 LENGTH(AH 0958 BK 1184)
000000 FT		YORK RD (SR0030 SEG 0320/1845) (SR0030 SEG 0321/1845) 0010/1184 TO 0030/0320 SH 0010/0919 (CONN) 000000 FT 1 0 01036 2 18 0000+00 NC RAMP E-2 (OUTER LOOP) RD INTER-BK BLUE-GRAY HW (SR0015 SEG 0210/2403) MFC BEGIN = F 0010/0000 LENGTH(AH 1184 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 450  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS

DIR: S TOTAL LEN: .478 MI. DIST: 08-1 SR: 8003  
LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

002525 FT




002525 FT  
INTER-AHD BLUE-GRAY HW  
0750/0584 (SR0015 SEG 0160/0580)  
FROM 0097/0184 SH  
0750/0033 (CONN)



DIR: S TOTAL LEN: .478 MI. DIST: 08-1 SR: 8003  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T


001941 FT



001941 FT 1 0 01036 2 12 0000+00  
 NC RAMP C-4 RD  
 BALTIMORE PK  
 (SR0097 SEG 0185/0432)  
 (SR0097 SEG 0184/0440)

INTER-BK RAMP C-3 RD  
 (SR8003 SEG 0010/0627)  
 0750/0000 LENGTH(AH 0584 BK 0569)


001372 FT



INTER-AHD RAMP C-1 RD  
 (SR8003 SEG 0250/0000)  
 BALTIMORE PK  
 (SR2035 SEG 0010/0120)

0500/0569  
 001372 FT 1 0 01036 2 10 0009+52  
 NC RAMP C-2 RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0161/0650)  
 0500/0000 LENGTH(AH 0569 BK 0745)


000627 FT



INTER-AHD BLUE-GRAY HW  
 0250/0745 (SR0015 SEG 0151/2557)

000627 FT 1 0 01036 2 09 0011+96  
 NC RAMP C-1 RD  
 BALTIMORE PK  
 (SR2035 SEG 0010/0120)  
 INTER-BK RAMP C-2 RD  
 (SR8003 SEG 0500/0569)  
 0250/0000 LENGTH(AH 0745 BK 0627)

000000 FT




INTER-AHD RAMP C-4 RD  
 (SR8003 SEG 0750/0000)  
 BALTIMORE PK  
 (SR0097 SEG 0184/0440)  
 (SR0097 SEG 0185/0432)

0010/0627 TO 0097/0185 SH  
 0010/0560 (CONN)  
 000000 FT 1 0 01036 2 11 0000+00  
 NC RAMP C-3 RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0150/2593)  
 MFC BEGIN = F  
 0010/0000 LENGTH(AH 0627 BK 0000)

DIR: S TOTAL LEN: .482 MI. DIST: 08-1 SR: 8001  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T


002545 FT



002545 FT  
 INTER-AHD BLUE-GRAY HW  
 0750/0746 (SR0015 SEG 0040/0542)

001799 FT

001799 FT 1 0 01036 2 03 0000+00  
 NC RAMP A-3 RD  
 STEINWEHR AV  
 (SR3001 SEG 0030/3136)  
 0750/0000 LENGTH(AH 0746 BK 0449)




001350 FT

0500/0449 STEINWEHR AV  
 (SR3001 SEG 0040/0713)  
 TO 3001/0040 SH  
 0500/0373 (CONN)  
 001350 FT 1 0 01036 2 04 0008+06  
 NC RAMP A-4 RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0041/0806)  
 0500/0000 LENGTH(AH 0449 BK 0811)

FROM 3001/0040 SH  
 (CONN)

0250/0261  
 000539 FT



0250/0811 INTER-AHD BLUE-GRAY HW  
 (SR0015 SEG 0031/2401)  
 000539 FT 1 0 01036 2 00 0014+22  
 NC RAMP A-1 RD  
 INTER-BK STEINWEHR AV  
 (SR3001 SEG 0040/0632)  
 0250/0000 LENGTH(AH 0811 BK 0539)

000000 FT



0010/0539 STEINWEHR AV  
 (SR3001 SEG 0030/3085)  
 TO 3001/0030 SH  
 0010/0451 (CONN)  
 000000 FT 1 0 01036 2 02 0000+00  
 NC RAMP A-2 RD  
 INTER-BK BLUE-GRAY HW  
 (SR0015 SEG 0030/1983)  
 MFC BEGIN = F  
 0010/0000 LENGTH(AH 0539 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 447  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: .000 MI. DIST: 08-1 SR: 4016  
LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

000000 FT  
000000 FT



000000 FT  
7020/0000 LENGTH(AH 2574 BK 2459)  
000000 FT  
7010/0000 LENGTH(AH 2459 BK 0000)

BRYSONIA-WENKSVILLE RD 013922 FT  
 (SR4008 SEG 0080/0000) 0060/2426



013922 FT BRYSONIA-WENKSVILLE RD  
 0060/2426 (SR4008 SEG 0080/0000)  
 030 " DIA CIR PLASTIC  
 0060/2370 LEN=0050 INSTALLED 1997

011496 FT

0060/0916 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 0060/0770 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED 1997  
 0060/0511 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED 2014  
 0060/0345 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 011496 FT 2 0 01020 0 00 0115+84  
 S 0060/0000 LENGTH(AH 2426 BK 2047)  
 018 " DIA CIR PLASTIC  
 0050/1922 LEN=0036 INSTALLED UNKN  
 0050/1591 015"H 21"W ELLIP METAL  
 LEN=0032 INSTALLED UNKN

009449 FT

0050/0790 015"H 21"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 009449 FT 2 0 01020 0 00 0094+43  
 S 0050/0000 LENGTH(AH 2047 BK 2148)  
 0040/2148 BMSSEN 01/4015/0040/2133  
 2 0 01020 0 00 0094+67  
 T. CONEWAGO  
 0040/2133 BMSBG 01/4015/0040/2133  
 015 " DIA CIRC METAL  
 0040/2024 LEN=0040 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 0040/1747 LEN=0036 INSTALLED 1997  
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.637 MI. DIST: 08-1 SR: 4015  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

	0040/1530	LEN=0043	INSTALLED	1997
	0040/0359	015"H 21"W	ELLIP METAL	
007301 FT	007301 FT	LEN=0030	INSTALLED	UNKN
	0040/0000	2 0 01020 0 00 0073+01		
	0030/2102	LENGTH(AH 2148 BK 2257)		
		018 "DIA CIR PLASTIC		
		LEN=0030	INSTALLED	UNKN
	005044 FT			
	0030/0000	LENGTH(AH 2257 BK 2554)		
	0020/2554	015"H 21"W	ELLIP METAL	
	0020/2395	LEN=0040	INSTALLED	UNKN
	0020/1857	015 "DIA CIR PLASTIC		
	0020/1392	LEN=0035	INSTALLED	1997
	0020/0848	015 "DIA CIR PLASTIC		
	002490 FT	LEN=0037	INSTALLED	1997
	0020/0000	036 "DIA CIR PLASTIC		
		LEN=0036	INSTALLED	1997
		029"H 42"W	ELLIP METAL	
		LEN=0030	INSTALLED	UNKN
002490 FT	002490 FT	2 0 01020 0 00 0024+90		
	0010/1838	LENGTH(AH 2554 BK 2490)		
		015"H 21"W	ELLIP METAL	
		LEN=0045	INSTALLED	UNKN
	0010/0625	015"H 21"W	ELLIP METAL	
	0010/0454	LEN=0042	INSTALLED	UNKN
	0010/0126	015"H 21"W	ELLIP METAL	
000000 FT	000000 FT	LEN=0030	INSTALLED	UNKN
		015"H 21"W	ELLIP METAL	
		LEN=0050	INSTALLED	UNKN
		2 0 01020 0 00 0000+00		
		NC NAWAKWA RD		
		NARROWS RD		
		(SR0234 SEG 0130/0000)		
		MFC BEGIN = E		
	0010/0000	LENGTH(AH 2490 BK 0000)		

LC TO CELEBRATION HILL  
 (CONN) 0030/0108  
 2 0 01020 0 00 0050+44 005044 FT  
 CELEBRATION HILL RD  
 (T370) 0030/0000

001651 FT		001651 FT	
001651 FT		7070/0000	LENGTH(AH 2704 BK 2581)
001651 FT		001651 FT	
001651 FT		7060/0000	LENGTH(AH 2581 BK 0905)
		001651 FT	
		7054/0000	LENGTH(AH 0905 BK 0012)
		INTER-AHD	BMSEN 01/4014/0050/0000
		0050/0012	BEECHERSTOWN RD
001639 FT		001639 FT	(TWP )
		INTER-BK	2 0 01018 0 02 0329+94
		BEECHERSTOWN RD	
		(TWP )	
		TRIB. CONEWAGO CK.	
		BMSBG 01/4014/0050/0000	
001639 FT	001639 FT	LENGTH(AH 0012 BK 2887)	
001639 FT	7050/0000	LENGTH(AH 2887 BK 1151)	
001639 FT	001639 FT		
001639 FT	7040/0000	LENGTH(AH 1151 BK 1779)	
	001639 FT		
	7034/0000	LENGTH(AH 1779 BK 0085)	
		BMSEN 01/4014/0030/0000	

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 443  
COUNTY: ADAMS

DIR: B TOTAL LEN: .313 MI.  
LEFT MUN: BUTLER T


DIST: 08-1 SR: 4014  
RIGHT MUN: BUTLER T

Distance (FT)	Diagram	Segment Description
001554	INTER-AHD	BEECHERSTOWN RD (TWP)
001554	INTER-BK	BEECHERSTOWN RD (TWP)
001554	0030/0085	LENGTH(AH 0085 BK 1037)
001554	7030/0000	LENGTH(AH 1037 BK 0009)
001545	INTER-AHD	BEECHERSTOWN RD (TWP)
001545	INTER-BK	BEECHERSTOWN RD (TWP)
001545	0024/0000	LENGTH(AH 0009 BK 0100)
001545	7024/0000	LENGTH(AH 0100 BK 0006)
001539	INTER-AHD	BEECHERSTOWN RD (TWP)
001539	INTER-BK	BEECHERSTOWN RD (TWP)
001539	0022/0000	LENGTH(AH 0006 BK 1018)
001539	7020/0000	LENGTH(AH 1018 BK 0207)
001539	7012/0000	LENGTH(AH 0207 BK 1539)
0010/1539	ARENDT SVILLE B	015" DIA CIRC METAL
0010/1530	LEN=0035	INSTALLED UNKN
0010/0876	LEN=0037	INSTALLED 1997
0010/0545	LEN=0030	INSTALLED UNKN
000000	GETTYSBURG ST	(SR3017 SEG 0150/1119)
0010/0000	MFC BEGIN = E	LENGTH(AH 1539 BK 0000)

GETTYSBURG ST  
(SR3017 SEG 0150/1119) 0010/0000

EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 442  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: B      TOTAL LEN: .012 MI.      DIST: 08-1      SR: 4013  
 LEFT MUN: BUTLER T      RIGHT MUN: BUTLER T

000065 FT  
  
 000000 FT  
  
 000000 FT




000065 FT  
 7022/0000 LENGTH(AH 0100 BK 0065)  
 BMSSEN 01/4013/0010/0000  
 INTER-AHD RENTZEL RD  
 0010/0065 (T502)  
 000000 FT 2 0 01038 0 00 0129+40  
 NC RENTZEL RD  
 INTER-BK RENTZEL RD  
 (T502)  
 CONEWAGO CK.  
 BMSBG 01/4013/0010/0000  
 0010/0000 LENGTH(AH 0065 BK 0100)  
 000000 FT  
 7004/0000 LENGTH(AH 0100 BK 0000)



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 441  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS

DIR: B TOTAL LEN: 5.141 MI. DIST: 08-1 SR: 4012  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

027142 FT  
 GALDERS RD  
 (SR1020 SEG 0010/0737) 0100/2265  
 COON RD  
 (T387) 0100/1222  
 024877 FT



027142 FT  
 INTER-AHD PEACH GLEN-IDAVILLE RD  
 (SR1020 SEG 0010/0737)  
 GALDERS RD  
 0100/2265 (SR4003 SEG 0120/2239)  
 018 " DIA CIR PLASTIC  
 0100/1881 LEN=0036 INSTALLED UNKN  
 NC PEACH GLEN-IDAVILLE RD  
 018 " DIA CIR PLASTIC  
 0100/1013 LEN=0040 INSTALLED UNKN  
 024877 FT 2 0 01080 0 00 0249+66  
 0100/0000 LENGTH(AH 2265 BK 3224)

DIR: B TOTAL LEN: 5.141 MI. DIST: 08-1 SR: 4012  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Material	Length	Notes
0090/1946	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
021653 FT	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
021653 FT	2 0 01080 0 00 0216+95		HIGH RD (T399)
0090/0000	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0080/1525	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0080/0637	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
019643 FT	0080/0122		MENALLEN T
019643 FT	2 0 01080 0 00 0196+85		LENGTH(AH 2010 BK 2785)
0080/0000	048" DIA CIR PLASTIC	LEN=0050	INSTALLED 2001
0070/2476	018" DIA CIR PLASTIC	LEN=0047	INSTALLED UNKN
0070/1833	034"H 52"W ELLIP CONC	LEN=0036	INSTALLED UNKN
0070/1573	015" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
0070/1008	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0070/0834	036" DIA CIRC CONCR	LEN=0042	INSTALLED UNKN
0070/0722	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
016858 FT	016858 FT	2 0 01080 0 00 0169+00	LAUREL RD (T390)
0070/0000	024" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0060/2924	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN

DIR: B TOTAL LEN: 5.141 MI. DIST: 08-1 SR: 4012  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Stationing	Description	Material	Length	Notes
013611 FT	0060/0729	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0060/0017	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	013611 FT	2 0 01080 0 00 0136+53		PINE GROVE FURNACE RD (SR4007 SEG 0030/0000)
	0060/0000	LENGTH(AH 3247 BK 2965)		
	0050/2950	018" DIA CIR PLASTIC	LEN=0053	INSTALLED UNKN
	0050/2315	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0050/1448	030" DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
010646 FT	0050/0190	024" DIA CIR PLASTIC	LEN=0030	INSTALLED 1997
	010646 FT	2 0 01080 0 00 0106+46		WEST POINT RD (T385)
	0050/0000	LENGTH(AH 2965 BK 2696)		
	0040/2599	044"H 72"W CONC STRUCT	LEN=0040	INSTALLED UNKN
	0040/2460	TR. OPPOSSUM STRUCTURE LENGTH 10 FT	BMSID 01/4012/0040/2599	
	0040/1372	018" DIA CIR PLASTIC	LEN=0045	INSTALLED 1997
	0040/0355	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
007950 FT	0040/0221	030" DIA CIR PLASTIC	LEN=0030	INSTALLED 1997
	007950 FT	2 0 01080 0 00 0079+50		
	0040/0000	LENGTH(AH 2696 BK 1212)		
006738 FT	006738 FT	2 0 01080 0 00 0067+38		BACK RD

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 438  
COUNTY: ADAMS

DIR: B TOTAL LEN: 5.141 MI.  
LEFT MUN: MENALLEN T

DIST: 08-1 SR: 4012  
RIGHT MUN: MENALLEN T


003003 FT

000000 FT

Segment ID	Length	Material	Status
0030/0000	(T386)	LENGTH(AH 1212 BK 3735)	
0020/3564	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0020/3183	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0020/2537	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0020/2418	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0020/2349	MEMORY LN		
0020/2051	(T384)		
0020/2032	BMSBG 01/4012/0020/2036		
0020/1605	2 0 0 01080 0 00 0030+03		
0020/0670	T.OPOSSUM CK		
0020/0273	BMSBG 01/4012/0020/2036		
0020/0097	018 " DIA	CIR PLASTIC	INSTALLED UNKN
003003 FT	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0020/0000	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/2516	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/1932	015 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/1735	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/1445	024 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/1291	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/0507	018 " DIA	CIR PLASTIC	INSTALLED UNKN
0010/0083	024 " DIA	CIR PLASTIC	INSTALLED UNKN
000000 FT	2 0 0 01080 0 00 0000+00		
0010/0000	NC CO ON RD		
0010/0000	WENKSVILLE RD		
0010/0000	(SR4010 SEG 0120/1692)		
0010/0000	MFC BEGIN = E		
0010/0000	LENGTH(AH 3003 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 437  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .315 MI. DIST: 08-1 SR: 4011  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

001665 FT



001665 FT LINCOLN HW  
 0010/1665 (SR0030 SEG 0010/0710)  
 015 " DIA CIRC METAL  
 0010/1297 LEN=0035 INSTALLED UNKN  
  
 0010/1072 BMS EN 01/4011/0010/1013  
 2 0 28077 6 00 0058+60  
 P3  
 CARBAUGH RUN  
 0010/1013 BMSBG 01/4011/0010/1013  
 018"H 24"W ELLIPTICAL\*  
 0010/0737 LEN=0056 INSTALLED UNKN  
  
 000000 FT 2 0 28077 6 00 0048+81  
 NC GO LF COURSE RD  
 INTER-BK GOLF COURSE RD  
 (SR2028 SEG 0020/2085)  
 MFC BEGIN = E  
 BK-FRANKLIN (28)  
 0010/0000 LENGTH(AH 1665 BK 0000)

000000 FT

EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 436  
PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
DIR: B      TOTAL LEN: 5.986 MI.      DIST: 08-1      SR: 4010  
LEFT MUN: MENALLEN T      RIGHT MUN: MENALLEN T

DIR: B TOTAL LEN: 5.986 MI. DIST: 08-1 SR: 4010  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

2 0 01010 0 01 0295+75 029470 FT  
 MIDDLE RD  
 (T385) 0130/0000  
 COON RD  
 (SR4012 SEG 0010/0000) 0120/1692

027060 FT

SLATERSVILLE RD  
 (T379) 0110/1884

023985 FT

Segment ID	Length (FT)	Material / Description	Installation Date
0130/2134	2134	INTER-AHD BENDERSVILLE-WENKSVILLE (SR4008 SEG 0110/0000) BRYSONIA-WENKSVILLE RD (SR4008 SEG 0110/0000)	
0130/1650	1650	030 " DIA CIR PLASTIC LENO=0040	INSTALLED 2000
0130/0841	841	015"H 21"W ELLIP METAL LENO=0026	INSTALLED UNKN
029470 FT	29470		
0130/0000	0000	LENGTH(AH 2134 BK 2410)	
0120/1654	1654	024 " DIA CIR PLASTIC LENO=0030	INSTALLED UNKN
0120/1410	1410	015"H 21"W ELLIP METAL LENO=0028	INSTALLED UNKN
0120/0515	515	029"H 42"W ELLIP METAL LENO=0030	INSTALLED UNKN
0120/0270	270	024 " DIA CIR PLASTIC LENO=0036	INSTALLED 2001
027060 FT	27060		
0120/0000	0000	LENGTH(AH 2410 BK 3075)	
0110/2702	2702	015"H 21"W ELLIP METAL LENO=0030	INSTALLED UNKN
0110/0960	960	018 " DIA CIR PLASTIC LENO=0028	INSTALLED UNKN
0110/0762	762	020"H 28"W ELLIP METAL LENO=0030	INSTALLED UNKN
023985 FT	23985		
0110/0000	0000	LENGTH(AH 3075 BK 2266)	
0100/2258	2258	020"H 28"W ELLIP METAL LENO=0040	INSTALLED 2002
0100/1580	1580	042"H 72"W ELLIP METAL LENO=0032	INSTALLED UNKN
0100/1236	1236	015"H 21"W ELLIP METAL LENO=0035	INSTALLED 2002

2 0 01010 0 01 0240+64  
 DUG HILL RD  
 (T381)





DIR: B TOTAL LEN: 5.986 MI. DIST: 08-1 SR: 4010  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Stationing	Description	Material	Length	Notes
013613 FT	0060/0256	013"H 17"W ELLIP METAL	LEN=0035	INSTALLED 2002
	013613 FT	2 0 01010 0 01 0136+79		
	0060/0000	LENGTH(AH 1852 BK 3063)		
		018 "DIA CIR PLASTIC		
	0050/3053	LEN=0030		INSTALLED UNKN
		024 "DIA CIR PLASTIC		
	0050/2308	LEN=0036		INSTALLED 2002
010550 FT	0050/0010	BMS EN 01/4010/0050/0000		
	010550 FT	2 0 01010 0 01 0106+16		
		T. CONEWAGO		
	0050/0000	BMSBG 01/4010/0050/0000		
		LENGTH(AH 3063 BK 1775)		
		048"H 84"W CON BOX CUL		
	0040/1775	LEN=0025		INSTALLED UNKN
		015 "DIA CIR PLASTIC		
	0040/1474	LEN=0035		INSTALLED 2002
BOYDS SCHOOLHOUSE RD (PRDR) 0040/1308		015 "DIA CIR PLASTIC		
	0040/0831	LEN=0035		INSTALLED 2002
		015 "DIA CIR PLASTIC		
	0040/0502	LEN=0035		INSTALLED 2002
		018 "DIA CIRC CONCR		
	0040/0239	LEN=0040		INSTALLED UNKN
		018 "DIA CIR PLASTIC		
	0040/0016	LEN=0052		INSTALLED UNKN
008775 FT	008775 FT	2 0 01010 0 01 0088+44		
		NC WE NKSVILLE RD		
SHIPPENSBURG RD (SR4009 SEG 0010/0000) 0040/0000		MFC BEGIN = E		
	0040/0000	LENGTH(AH 1775 BK 2382)		
		024 "DIA CIRC CONCR		
	0030/2233	LEN=0056		INSTALLED UNKN
		018 "DIA CIRC CONCR		
	0030/1953	LEN=0036		INSTALLED UNKN
		015"H 21"W ELLIP METAL		
	0030/1618	LEN=0025		INSTALLED UNKN
		015 "DIA CIR PLASTIC		
	0030/0842	LEN=0025		INSTALLED UNKN
		PEBBLE LN		
	0030/0665	(TWP )		
		015"H 21"W ELLIP METAL		

DIR: B TOTAL LEN: 5.986 MI. DIST: 08-1 SR: 4010  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

DALE RD  
(TWP)

0030/0290  
006393 FT

0030/0495 LEN=0035 INSTALLED UNKN  
 ==  
 006393 FT 2 0 01010 0 01 0064+62  
 ROCKY RD  
 (TWP)  
 == 5 0030/0000 LENGTH(AH 2382 BK 2843)  
 015 "DIA CIR PLASTIC  
 0020/2510 LEN=0040 INSTALLED UNKN  
 015 "DIA CIR PLASTIC  
 0020/2252 LEN=0035 INSTALLED UNKN

GUN CLUB RD  
(T365)

0020/1802

==  
 0020/1785 015 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 0020/1181 015 "H 21 "W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 0020/0872 015 "H 21 "W ELLIP METAL  
 LEN=0038 INSTALLED UNKN  
 015 "H 21 "W ELLIP METAL  
 0020/0410 LEN=0040 INSTALLED UNKN  
 003550 FT 2 0 01010 0 01 0036+19  
 BOYDS HOLLOW RD  
 (T368)

003550 FT

== 5 0020/0000 LENGTH(AH 2843 BK 3550)  
 015 "H 21 "W ELLIP METAL  
 0010/3252 LEN=0040 INSTALLED UNKN  
 0010/2363 021 "H 28 "W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 0010/1692 013 "H 17 "W ELLIP METAL  
 LEN=0035 INSTALLED UNKN

2 0 01010 0 00 0000+00 000000 FT  
 BUCHANAN VALLEY RD  
 (SR0234 SEG 0120/1640) 0010/0000

0010/0977 BMS EN 01/4010/0010/0894  
 2 0 01010 0 00 0008+98  
 CONEWAGO CREEK  
 0010/0914 BMSBG 01/4010/0010/0894  
 MENALLEN  
 FRANKLIN T  
 0010/0913 015 "H 21 "W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 015 "DIA CIR PLASTIC  
 0010/0100 LEN=0034 INSTALLED UNKN  
 NC SHIPPENSBURG RD  
 BUCHANAN VALLEY RD  
 000000 FT (SR0234 SEG 0120/1640)  
 MFC BEGIN = D  
 5 0010/0000 LENGTH(AH 3550 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 431  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 3.478 MI. DIST: 08-1 SR: 4009  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

UNKNOWN RD  
 (TWP)  
 LC TO UNKNOWN RD  
 (CONN)

018363 FT

0070/1886

0070/1838



018363 FT AH-CUMBERLAND (21)  
 INTER-AHD SHIPPENSBURG RD  
 0070/2146 (SR3001 SEG 0010/0000)  
 015"H 21"W ELLIP METAL  
 0070/2005 LEN=0050 INSTALLED UNKN

0070/1618 015"H 21"W ELLIP METAL  
 LEN=0048 INSTALLED UNKN  
 018 " DIA CIRC CONCR

DIR: B TOTAL LEN: 3.478 MI. DIST: 08-1 SR: 4009  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

MOUNTAIN VIEW AV  
 (TWP )  
 JOHN F KENNEDY BL  
 (TWP )

0070/0976  
 0070/0917

2 0 01041 0 04 0161+87 016217 FT  
 BIRCH RUN RD  
 (FRST)

0070/0000

CAMP 18 RD  
 (FRST)

0060/0280

014057 FT

011514 FT

0070/1072	LEN=0046	INSTALLED UNKN
0070/1016	LC FROM MNTN VIEW AV (CONN)	
0070/0842	018 " DIA CIRC CONCR LEN=0030	INSTALLED UNKN
0070/0578	018 " DIA CIRC CONCR LEN=0050	INSTALLED UNKN
0070/0272	024 " DIA CIRC CONCR LEN=0046	INSTALLED UNKN
016217 FT		
0070/0000	LENGTH(AH 2146 BK 2160) 013"H 22"W ELLIP METAL	
0060/1917	LEN=0036	INSTALLED UNKN
0060/1646	018 " DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0060/1418	018 " DIA CIRC CONCR LEN=0048	INSTALLED UNKN
0060/0979	024 " DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0060/0678	013"H 22"W ELLIP METAL LEN=0036	INSTALLED UNKN
0060/0343	024 " DIA CIRC CONCR LEN=0042	INSTALLED UNKN
0060/0142	015"H 21"W ELLIP METAL LEN=0050	INSTALLED UNKN
014057 FT		
0060/0000	LENGTH(AH 2160 BK 2543) 024 " DIA CIRC CONCR	
0050/2310	LEN=0040	INSTALLED UNKN
0050/1933	036 " DIA CIRC CONCR LEN=0042	INSTALLED UNKN
0050/1615	024 " DIA CIRC CONCR LEN=0052	INSTALLED UNKN
0050/1281	024 " DIA CIRC CONCR LEN=0052	INSTALLED UNKN
0050/0828	047"H 71"W ELLIP METAL LEN=0056	INSTALLED UNKN
0050/0555	030 " DIA CIRC CONCR LEN=0075	INSTALLED UNKN
0050/0334	018 " DIA CIRC CONCR LEN=0030	INSTALLED UNKN
011514 FT		
0050/0000	LENGTH(AH 2543 BK 2614) 2 0 01041 0 04 0115+34	

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 429  
COUNTY: ADAMS

DIR: B TOTAL LEN: 3.478 MI.  
LEFT MUN: MENALLEN T

DIST: 08-1 SR: 4009  
RIGHT MUN: MENALLEN T

008900 FT

005022 FT


0040/2595	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0040/2258	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0040/2127	UNKNOWN RD			
	(TWP )			
0040/0585	MOUNTAIN CK.			
008900 FT	STRUCTURE LENGTH 9 FT			
	BMSID 01/4009/0040/0585			
	2 0 01041 0 04 0089+20			
	PINE GROVE RD			
0040/0000	(SR0233 SEG 0140/0000)			
	LENGTH(AH 2614 BK 3878)			
0030/3823	018 "DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	UNKN	
0030/3603	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0030/3364	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0030/3114	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0030/2868	018 "DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	UNKN	
0030/2676	018 "DIA	CIRC	CONCR	
	LEN=0042	INSTALLED	UNKN	
0030/2439	018 "DIA	CIRC	CONCR	
	LEN=0051	INSTALLED	UNKN	
0030/2225	018 "DIA	CIRC	CONCR	
	LEN=0048	INSTALLED	UNKN	
0030/1977	018 "DIA	CIRC	CONCR	
	LEN=0045	INSTALLED	UNKN	
0030/1722	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0030/1450	043 "H 64 "W	ELLIP	METAL	
	LEN=0045	INSTALLED	UNKN	
0030/1121	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0030/0821	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
0030/0547	UNKNOWN RD			
	(TWP )			
0030/0530	018 "DIA	CIRC	CONCR	
	LEN=0035	INSTALLED	UNKN	
0030/0202	018 "DIA	CIRC	CONCR	
	LEN=0030	INSTALLED	UNKN	
005022 FT	2 0 01041 0 04 0050+42			

DIR: B TOTAL LEN: 3.478 MI. DIST: 08-1 SR: 4009  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

ROAD NAME	STATIONING	DESCRIPTION	LENGTH	DIAMETER	INSTALLATION	STATUS	
WOODVIEW RD (PRDR)	0020/1007	LOOP RD (T335)	3878	1443			
		0030/0000	024"		CIRC CONC		
		0020/1334	LEN=0062		INSTALLED	UNKN	
		0020/1084	018"		CIRC CONC		
			LEN=0025		INSTALLED	UNKN	
AMITY RD (TWP )	0010/2829	0020/0884	018"		CIRC CONC		
			LEN=0025		INSTALLED	UNKN	
		0020/0629	018"		CIRC CONC		
			LEN=0050		INSTALLED	UNKN	
		0020/0328	018"		CIRC CONC		
PLANTATION RD (T367)	0010/1952	0020/0328	LEN=0035		INSTALLED	UNKN	
		003579 FT	2 0 01041	0 04	0035+79		
		0010/2829	0020/0000	024"		CIRC CONC	
			LEN=0050		INSTALLED	UNKN	
		0010/3125	030"		CIRC CONC		
	0010/2863	LEN=0056		INSTALLED	UNKN		
	0010/2362	018"		CIRC CONC			
	0010/2183	LEN=0065		INSTALLED	UNKN		
	0010/1927	BOYDS SCHOOLHOUSE RD (PRDR)					
	0010/1155	018"		CIRC CONC			
	0010/0657	LEN=0050		INSTALLED	UNKN		
	0010/0365	018"		CIRC CONC			
	0010/0030	LEN=0042		INSTALLED	UNKN		
	000000 FT	018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
	0010/0000	0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPPENSBURG RD WENKSVILLE RD (SR4010 SEG 0040/0000) MFC BEGIN = D					
		0010/0000	024"		CIRC CONC		
		LEN=0068		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0050		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0042		INSTALLED	UNKN		
		018"		CIRC CONC			
		LEN=0040		INSTALLED	UNKN		
		2 0 01041	0 00	0000+00			
		NC SHIPP					

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 427  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 9.012 MI. DIST: 08-1 SR: 4008  
 LEFT MUN: BENDERSVILLE B RIGHT MUN: BENDERSVILLE B

CARLISLE RD 047584 FT  
 (SR0034 SEG 0190/2533) 0200/2892  
 FOR SR 0034 AND 4008  
 (CONN) 0200/2380  
 PENNDOT STOCKYARD



047584 FT CARLISLE RD  
 0200/2892 (SR0034 SEG 0190/2533)  
 0200/2709 01B " DIA CIRC METAL  
 LEN=0098 INSTALLED UNKN

DIR: B TOTAL LEN: 9.012 MI. DIST: 08-1 SR: 4008  
 LEFT MUN: BENDERSVILLE B RIGHT MUN: BENDERSVILLE B

Segment ID	Description	Length (FT)	Material / Notes
(GOVT)	0200/2242		015 " DIA CIR PLASTIC LEN=0035 INSTALLED 2003
	0200/1948		015 " DIA CIR PLASTIC LEN=0036 INSTALLED 2003
LIBERTY LN (BORO)	0200/0160	044692 FT	BMS EN 01/4008/0200/0001 2 0 01010 0 01 0517+76 T. OPPOSUM CK BMSBG 01/4008/0200/0001 LENGTH(AH 2892 BK 1963)
ROUTSONG LN (PRDR)	0190/1097		036"H 36"W CON BOX CUL LEN=0550 INSTALLED UNKN
LAUREL LN (BORO)	0190/0917		CEMETERY LN (BORO)
2 0 01010 0 01 0498+32 PARK ST (SR4006 SEG 0100/0000) RAMPIKE HILL RD (BORO)	0190/0000	042729 FT	CHURCH ST (SR4006 SEG 0100/0000) LENGTH(AH 1963 BK 1510) KIME AV (BORO)
UNNAMED AL (BORO)	0180/1121		UNNAMED AL (BORO)
	0180/0949		UNNAMED AL (BORO)
LAUREL LN (BORO)	0180/0426		UNNAMED AL (BORO)
	0180/0779		UNNAMED AL (BORO)
	0180/0409		UNNAMED AL (BORO)
	0180/0237		RICE LN (BORO)
	0180/0087		APPLE LN (BORO)
MOUNT TABOR RD (SR4005 SEG 0010/0000)	0180/0000	041219 FT	2 0 01010 0 01 0483+29 NC MA IN ST LENGTH(AH 1510 BK 2188) 018 " DIA CIRC METAL



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 425  
COUNTY: ADAMS

DIR: B TOTAL LEN: 9.012 MI.  
LEFT MUN: BENDERSVILLE B

DIST: 08-1 SR: 4008  
RIGHT MUN: BENDERSVILLE B

Stationing	Length	Description	Material	Status
0170/2116	0055	INSTALLED	UNKN	
0170/1860	0035	INSTALLED	UNKN	
0170/1425	0056	INSTALLED	UNKN	
0170/0900	0038	INSTALLED	UNKN	
0170/0742	0035	INSTALLED	UNKN	
0170/0585	0035	INSTALLED	UNKN	
039031 FT	01010	0 01 0461+27		
0170/0000	2188	BK 3338		
0160/2808	0030	INSTALLED	UNKN	
0160/1789	0042	INSTALLED	2006	
0160/1345	0030	INSTALLED	UNKN	
0160/0749	0035	INSTALLED	UNKN	
0160/0427	0040	INSTALLED	UNKN	
0160/0150	0030	INSTALLED	UNKN	
0160/0092		MARYLAND AV		
035693 FT	01/4008	0160/0001		
0160/0056	01010	0 01 0427+89		
035693 FT		OPOSSUM CREEK		
0160/0000	01/4008	0160/0001		
		LENGTH(AH 3338 BK 1078)		
0150/0698	0030	INSTALLED	UNKN	
034615 FT	01010	0 01 0417+07		
0150/0030	0030	INSTALLED	UNKN	
034615 FT		OPOSSUM CK.		
0150/0000	01/4008	0150/0000		
		MFC BEGIN = D		
		LENGTH(AH 1078 BK 1572)		
033043 FT				
0140/0000				
033043 FT				
0140/0000				
		LENGTH(AH 1572 BK 2599)		

2 0 01010 0 01 0401+14 033043 FT  
WEST POINT RD  
(T386) 0140/0000

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 424  
COUNTY: ADAMS

DIR: B TOTAL LEN: 9.012 MI.  
LEFT MUN: MENALLEN T

DIST: 08-1 SR: 4008  
RIGHT MUN: MENALLEN T

Stationing	Material	Length	Notes
0130/2171	024" DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
030444 FT			
0130/0000	2 0 01010 0 01 0375+15	LENGTH(AH 2599 BK 2442)	
0120/2096	024" DIA CIR PLASTIC	LEN=0037	INSTALLED 2006
0120/1264	018" DIA CIRC METAL	LEN=0030	INSTALLED UNKN
0120/0594	030" DIA CIR PLASTIC	LEN=0040	INSTALLED 2006
028002 FT	024"H 00"W MULT PLSTIC	LEN=0040	INSTALLED 2003
0120/0323	2 0 01010 0 01 0350+73	LENGTH(AH 2442 BK 3394)	
0120/0000	020"H 28"W ELLIP METAL	LEN=0038	INSTALLED UNKN
0110/3040	015" DIA CIR PLASTIC	LEN=0036	INSTALLED 2000
0110/2402	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2006
0110/1623	024" DIA CIRC METAL	LEN=0034	INSTALLED UNKN
0110/1212	024" DIA CIR PLASTIC	LEN=0035	INSTALLED 2006
0110/1197	024" DIA CIR PLASTIC	LEN=0040	INSTALLED 2006
0110/0834	018" DIA CIR PLASTIC	LEN=0032	INSTALLED 2006
0110/0240	2 0 01010 0 01 0316+79	LENGTH(AH 3394 BK 2212)	
024608 FT	NC BENDERSVILLE-WENKSVILLE		
0110/0000	0100/1508	BMS EN 01/4008/0100/1497	2 0 01001 0 04 1165+85
	0100/1497	T.OPOSSUM CK	BMSBG 01/4008/0100/1497
	0100/0701	015" DIA CIR PLASTIC	LEN=0048 INSTALLED 2000

WENKSVILLE RD  
(SR4010 SEG 0130/2134) 0110/0000


DIR: B TOTAL LEN: 9.012 MI. DIST: 08-1 SR: 4008  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Stationing	Segment	Length	Material	Notes
022396	0100/0054	024" H 35" W	ELLIP METAL	LEN=0036 INSTALLED UNKN
	022396	2 0 01001 0 04 1150+88		
	0100/0000	LENGTH(AH 2212 BK 3101)		
	0090/1861	018" DIA CIR PLASTIC		LEN=0043 INSTALLED 2000
	0090/1345	057" H 38" W METAL ARCH		LEN=0050 INSTALLED 2000
	0090/0641	024" DIA CIR PLASTIC		LEN=0040 INSTALLED UNKN
	0090/0015	024" H 18" W METAL ARCH		LEN=0040 INSTALLED 2000
2 0 01001 0 04 1119+67	019295	019295		
DUG HILL RD	0090/0000	LENGTH(AH 3101 BK 2422)		
(T381)	0080/2160	024" H 35" W ELLIPTICAL*		LEN=0040 INSTALLED UNKN
	0080/1141	036" DIA CIR PLASTIC		LEN=0050 INSTALLED UNKN
	0080/0909	015" DIA CIR PLASTIC		LEN=0048 INSTALLED 2000
	0080/0364	021" H 15" W METAL ARCH		LEN=0040 INSTALLED 2000
2 0 01001 0 04 1095+45	016873	016873		
NAWAKWA RD	0080/0000	LENGTH(AH 2422 BK 2995)		
(SR4015 SEG 0060/2426)	0070/2902	015" H 18" W ELLIP METAL		LEN=0040 INSTALLED UNKN
UPPER TEMPLE RD	0070/2058			
(T363)	0070/0879	018" DIA CIRC METAL		LEN=0050 INSTALLED UNKN
	0070/0751	015" DIA CIR PLASTIC		LEN=0031 INSTALLED 2000
013878	013878	2 0 01001 0 04 1065+89		
	0070/0000	LENGTH(AH 2995 BK 2517)		
		015" H 21" W ELLIP METAL		

DIR: B TOTAL LEN: 9.012 MI. DIST: 08-1 SR: 4008  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Stationing / Description	Item ID	Length	Material / Notes
	0060/1502	0042	INSTALLED UNKN
	0060/0866	0060	035"H 24"W METAL ARCH INSTALLED 2000
011361 FT	0060/0181	0036	024"H 48"W ELLIP METAL INSTALLED UNKN
	011361 FT		2 0 01001 0 04 1040+24
	0060/0000		NC BR BRYSONIA-WENKSVILLE RD LENGTH(AH 2517 BK 2832)
	0050/2247	0030	018" DIA CIR PLASTIC INSTALLED UNKN
	0050/1899	0045	024" DIA CIR PLASTIC INSTALLED UNKN
	0050/1544	0036	018" DIA CIRC METAL INSTALLED UNKN
	0050/1088	0036	018" DIA CIRC METAL INSTALLED UNKN
	0050/0818	0048	018" DIA CIR PLASTIC INSTALLED 2000
	0050/0449	0120	024" DIA CIR PLASTIC INSTALLED 1999
POTATO RD (SR4006 SEG 0010/0000)	0050/0418		POTATO RD (SR4006 SEG 0010/0000)
	0050/0317	0032	042"H 72"W CON BOX CUL INSTALLED UNKN
	0050/0311		BMSSEN 01/4008/0050/0318 2 0 01001 0 04 1011+63 PLSMTDL CK.
2 0 01001 0 04 1011+63 BRYSONIA SCHOOL RD (T372)	0050/0302	008529 FT	BMSBG 01/4008/0050/0318
	0050/0000		LENGTH(AH 2832 BK 1323)
	0040/0667		BMSSEN 01/4008/0040/0688 2 0 01001 0 04 0998+11 PLEASNTDL CR
	0040/0656		BMSBG 01/4008/0040/0688
007206 FT	0040/0047	0048	018" DIA CIR PLASTIC INSTALLED 1999
	007206 FT		2 0 01001 0 04 0998+11 PLEASANTDALE RD (T340)
	0040/0000		LENGTH(AH 1323 BK 2959)
	0030/2761	0036	015" DIA CIR PLASTIC INSTALLED 1999
	0030/2575	0041	015" DIA CIR PLASTIC INSTALLED UNKN
	0030/1976		BMSSEN 01/4008/0030/1950

DIR: B TOTAL LEN: 9.012 MI. DIST: 08-1 SR: 4008  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T



004247 FT

2 0 01001 0 04 0954+04 002751 FT  
 FAIRGROUND RD  
 (T342) 0020/0000

000000 FT

0030/1963 2 0 01001 0 04 0988+65  
 PLEASANTDALE  
 BMSBG 01/4008/0030/1950

0030/0654 BMSSEN 01/4008/0030/0617  
 2 0 01001 0 04 0975+36  
 PLEASANTDALE  
 BMSBG 01/4008/0030/0617

0030/0633 BMSBG 01/4008/0030/0617

004247 FT 2 0 01001 0 04 0969+00  
 QUAKER VALLEY RD  
 (SR4004 SEG 0010/0000)  
 MFC BEGIN = E

**S** 0030/0000 LENGTH(AH 2959 BK 1496)  
 015"H 21"W ELLIP METAL  
 0020/1458 LEN=0038 INSTALLED UNKN  
 018"DIA CIR PLASTIC  
 0020/1114 LEN=0036 INSTALLED 1999

002751 FT HECKENLUBER RD  
 (T369)

**S** 0020/0000 LENGTH(AH 1496 BK 2751)  
 0010/2505 BMSSEN 01/4008/0010/2477  
 2 0 01001 0 04 0951+53  
 PLEASANTDLE  
 BMSBG 01/4008/0010/2477

0010/2484 BMSBG 01/4008/0010/2477

0010/1380 BMSSEN 01/4008/0010/1350  
 2 0 01001 0 03 0938+64  
 CONEWAGO CK  
 BMSBG 01/4008/0010/1350

0010/1338 BMSSEN 01/4008/0010/1211  
 0010/1258 BMSSEN 01/4008/0010/1211  
 MENALLEN  
 FRANKLIN T

0010/1221 2 0 01001 0 03 0926+63  
 CONEWAGO CK.  
 BMSBG 01/4008/0010/1211

0010/1200 BMSBG 01/4008/0010/1211


000000 FT 2 0 01001 0 03 0926+63  
 NC BR YSONIA RD  
 BRYSONIA ROAD  
 (SR0234 SEG 0170/0000)  
 MFC BEGIN = D

**S** 0010/0000 LENGTH(AH 2751 BK 0000)



DIR: B TOTAL LEN: 6.927 MI. DIST: 08-1 SR: 4006  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

036575 FT



036575 FT OLD CARLISLE RD  
 0160/3005 (SR4001 SEG 0070/0000)

TYRONE  
 0160/2226 MENALLEN T  
 0160/2208 036"H 48"W CONCR ARCH  
 LEN=0030 INSTALLED UNKN

0160/1221 018 " DIA CIRC CONCR  
 LEN=0035 INSTALLED UNKN

0160/0568 018 " DIA CIRC CONCR  
 LEN=0025 INSTALLED UNKN

0160/0136 015 " DIA CAST IRON  
 LEN=0030 INSTALLED UNKN  
 033570 FT 2 0 01011 0 00 0045+54  
 NURSERY RD  
 (T541)

033570 FT

0160/0000 LENGTH(AH 3005 BK 2018)  
 038"H 60"W ELLIP CONC  
 0150/1511 LEN=0040 INSTALLED UNKN  
 018 " DIA CIRC METAL  
 0150/1364 LEN=0035 INSTALLED UNKN  
 013"H 17"W ELLIP METAL

DIR: B TOTAL LEN: 6.927 MI. DIST: 08-1 SR: 4006  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Stationing	Description	Material / Details
0150/1182	LEN=0025	INSTALLED UNKN
0150/0858	LEN=0085	036" DIA CIR PLASTIC INSTALLED UNKN
031552 FT	031552 FT	2 0 01011 0 00 0025+62
0150/0000	LEN=0000	LENGTH(AH 2018 BK 2962)
0140/1922	LEN=0032	024" DIA CIRC CONCR INSTALLED UNKN
0140/0884	LEN=0034	MOTTS GETTYSBURG BRANCH (PRDR) 013"H 21"W ELLIP METAL INSTALLED UNKN
0140/0859	LEN=0034	(AAR 593395K) #TRKS 03
0140/0489	LEN=0030	018" DIA CAST IRON INSTALLED UNKN
0140/0178	LEN=0030	INSTALLED UNKN
0140/0001	LEN=0000	MFC BEGIN = E
028590 FT	028590 FT	2 0 01011 0 00 0000+00
0140/0000	LEN=0000	NC AS PERS RD CENTERS MILL RD (SR4003 SEG 0040/0000) LENGTH(AH 2962 BK 3072)
0120/2962	LEN=0034	BMS EN 01/4006/0120/2897 1 1 05260 0 00 0029+10 P3
0120/2897	LEN=0034	OPOSSUM CREEK BMSBG 01/4006/0120/2897 CLEARVIEW RD
0120/2678	LEN=0030	(T535) 012" DIA CAST IRON INSTALLED UNKN
0120/2483	LEN=0030	INSTALLED UNKN
0120/1012	LEN=0034	018"H 01"W ELLIP CAST INSTALLED UNKN
025518 FT	025518 FT	1 1 05260 0 00 0000+00
0120/0000	LEN=0000	CARLISLE RD (SR0034 SEG 0220/0000) LENGTH(AH 3072 BK 2288)
0110/1791	LEN=0038	024" DIA CIRC METAL INSTALLED UNKN



DIR: B TOTAL LEN: 6.927 MI. DIST: 08-1 SR: 4006  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Street Name	Segment ID	Length (FT)	Material / Notes
	0110/1291		001"H 21"W ELLIP METAL LEN=0037 INSTALLED UNKN
	0110/1237		STAYMEN DR (PRDR)
	0110/0559	023230 FT	015 " DIA CIRC METAL LEN=0045 INSTALLED UNKN
	023230 FT		1 0 00041 7 00 0000+00 NC AS PERS-BENDERSVILLE RD MENALLEN BENDERSVILLE B
	0110/0000		LENGTH(AH 2288 BK 1910) LIBERTY LN
	0100/1779		(BORO)
	0100/1682		013"H 17"W ELLIP METAL LEN=0040 INSTALLED UNKN
PARK LN (BORO)	0100/1075		
	0100/0817		024 " DIA CIRC CONCR LEN=0027 INSTALLED UNKN
	0100/0649		CHERRY LN (BORO)
LAUREL LN (BORO)	0100/0188		LAUREL LN (BORO)
	021320 FT		NC PARK ST MAIN ST (SR4008 SEG 0190/0000)
2 0 01010 0 01 0547+28 RAMPIKE HILL RD (BORO)	0100/0000		MFC BEGIN = D LENGTH(AH 1910 BK 0705) APPLE LN
	0090/0527	020615 FT	(BORO)
	020615 FT		2 0 01063 0 01 0206+43 CEMETERY LN (BORO)
	0090/0000		LENGTH(AH 0705 BK 1340)
KIME AV (BORO)	0080/0910		
	0080/0652		032"H 46"W ELLIP METAL LEN=0040 INSTALLED UNKN
	0080/0442	019275 FT	FAIRMOUNT RD (BORO)
	019275 FT		2 0 01063 0 01 0193+03 NC CHURCH ST BENDERSVILLE MENALLEN T
	0080/0000		LENGTH(AH 1340 BK 3236)
	0070/3186		030 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 6.927 MI. DIST: 08-1 SR: 4006  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

	0070/1956	018 " DIA	CIRC METAL	
		LEN=0030	INSTALLED	UNKN
	0070/1845	018 " DIA	CAST IRON	
		LEN=0030	INSTALLED	UNKN
	0070/1242	036 " DIA	CIRC METAL	
		LEN=0036	INSTALLED	UNKN
	0070/0608	015 " DIA	CAST IRON	
		LEN=0028	INSTALLED	UNKN
016039 FT	016039 FT	2 0 01063	0 00 0160+81	
	0070/0000	LENGTH(AH 3236 BK 2934)		
		015 "H 21" W	ELLIP METAL	
	0060/2895	LEN=0035	INSTALLED	UNKN
	0060/2215	016 " DIA	CAST IRON	
		LEN=0032	INSTALLED	UNKN
	0060/1042	030 " DIA	CAST IRON	
		LEN=0032	INSTALLED	UNKN
	0060/0241	023 " DIA	CIR PLASTIC	
		LEN=0032	INSTALLED	UNKN
013105 FT	013105 FT	2 0 01063	0 00 0131+27	
	0060/0000	LENGTH(AH 2934 BK 2072)		
		036 " DIA	CIR PLASTIC	
	0050/2055	LEN=0050	INSTALLED	UNKN
	0050/0290	024 " DIA	CIRC CONCR	
		LEN=0032	INSTALLED	UNKN
011033 FT	011033 FT	2 0 01063	0 00 0110+55	
	0050/0000	LENGTH(AH 2072 BK 2998)		
	0040/2220	018 " DIA	CIRC CONCR	
		LEN=0040	INSTALLED	UNKN
	0040/1636	015 " DIA	CIRC CONCR	
		LEN=0042	INSTALLED	UNKN
	0040/1042	015 " DIA	CIRC CONCR	
		LEN=0042	INSTALLED	UNKN
008035 FT	008035 FT	2 0 01063	0 00 0080+35	
		BEAR MOUNTAIN RD		

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 415  
COUNTY: ADAMS

DIR: B TOTAL LEN: 6.927 MI.  
LEFT MUN: MENALLEN T


DIST: 08-1 SR: 4006  
RIGHT MUN: MENALLEN T

Stationing	Description	Material	Length	Status
0040/0000	(T383)	LENGTH(AH 2998 BK 2786)		
0030/2581	042"H 60"W ELLIP METAL		LEN=0042	INSTALLED UNKN
0030/1918	017"H 25"W ELLIP METAL		LEN=0036	INSTALLED UNKN
0030/0068	017"H 13"W ELLIP METAL		LEN=0045	INSTALLED 2000
005249 FT	2 0 01063 0 00 0052+49	P AND Q RD		
0030/0000	(T380)	LENGTH(AH 2786 BK 2656)		
0020/1996	043"H 64"W ELLIP METAL		LEN=0050	INSTALLED 2000
0020/1414	024 "DIA CIR PLASTIC		LEN=0036	INSTALLED UNKN
0020/0763	036 "DIA CIR PLASTIC		LEN=0042	INSTALLED UNKN
002593 FT	2 0 01063 0 00 0025+93			
0020/0000	(T380)	LENGTH(AH 2656 BK 2593)		
0010/2347	030 "DIA CIR PLASTIC		LEN=0045	INSTALLED UNKN
0010/2139	024 "DIA CIR PLASTIC		LEN=0055	INSTALLED UNKN
0010/0910	018 "DIA CIRC METAL		LEN=0040	INSTALLED UNKN
0010/0381	015"H 20"W ELLIP METAL		LEN=0040	INSTALLED UNKN
0010/0280	012 "DIA CIRC METAL		LEN=0035	INSTALLED UNKN
0010/0163	018 "DIA CIRC METAL		LEN=0030	INSTALLED UNKN
000000 FT	2 0 01063 0 00 0000+00	NC PO		
0010/0000	TATO RD			
0010/0000	BRYSONIA RD			
0010/0000	(SR4008 SEG 0050/0418)	MFC BEGIN = E		
0010/0000	LENGTH(AH 2593 BK 0000)			

BRYSONIA-WENKSVILLE RD  
(SR4008 SEG 0050/0418) 0010/0000

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 414  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 2.954 MI. DIST: 08-1 SR: 4005  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

015597 FT




015597 FT  
 INTER-AHD BIG HILL RD  
 (T395)  
 GABLER RD  
 (SR4003 SEG 0110/0000)  
 0060/3418 009 " DIA CIR PLASTIC  
 0060/3342 LEN=0030 INSTALLED UNKN  
 0060/2690 015 " DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0060/2413 015 " DIA CIRC METAL  
 LEN=0060 INSTALLED UNKN  
 0060/1635 015 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED UNKN

HIGH RD

DIR: B TOTAL LEN: 2.954 MI. DIST: 08-1 SR: 4005  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

(T399)

0060/1545



0060/0936 018 "DIA CIRC METAL  
 LEN=0060 INSTALLED UNKN

012179 FT

012179 FT 2 0 01064 0 00 0121+78  
 COTTAGE HILL RD  
 (T389)

S 0060/0000 LENGTH(AH 3418 BK 1418)  
 064"H 93"W ELLIP METAL  
 0050/0849 LEN=0040 INSTALLED UNKN

010761 FT

010761 FT 2 0 01064 0 00 0107+61  
 HILLVIEW RD  
 (T396)

S 0050/0000 LENGTH(AH 1418 BK 2507)  
 0040/1826 024 "DIA CIRC METAL  
 LEN=0055 INSTALLED UNKN

2 0 01064 0 00 0082+54 008254 FT  
 LAUREL RD  
 (T390)  
 0040/0000

0040/0591 018 "DIA CIR PLASTIC  
 LEN=0056 INSTALLED UNKN  
 0040/0020 024 "DIA CIRC METAL  
 008254 FT LEN=0054 INSTALLED UNKN

S 0040/0000 LENGTH(AH 2507 BK 3237)

0030/2228 013"H 17"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 0030/2025 013"H 17"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 0030/1708 030 "DIA CIR PLASTIC  
 LEN=0050 INSTALLED UNKN  
 0030/1608 015 "DIA CIRC METAL  
 LEN=0200 INSTALLED UNKN  
 0030/1160 036 "DIA CIRC METAL  
 LEN=0036 INSTALLED UNKN  
 0030/1017 018 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 0030/0548 045"H 48"W CONCR ARCH  
 LEN=0036 INSTALLED UNKN  
 0030/0189 015"H 21"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 005017 FT 2 0 01064 0 00 0050+17  
 S 0030/0000 LENGTH(AH 3237 BK 3454)

005017 FT



EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 411  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: B      TOTAL LEN: 3.405 MI.      DIST: 08-1      SR: 4004  
 LEFT MUN: MENALLEN T      RIGHT MUN: MENALLEN T

017980 FT



017980 FT CARLISLE RD  
 0070/3222 (SR0034 SEG 0180/1173)

0070/1928 018 " DIA CIR PLASTIC  
 0070/1799 LEN=0030 INSTALLED UNKN  
 BMSN 01/4004/0070/1786  
 2 0 01019 0 01 0165+93

DIR: B TOTAL LEN: 3.405 MI. DIST: 08-1 SR: 4004  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T


Stationing	Notes	Material	Length	Installation
0070/1786	QUAKER RUN	BMSBG 01/4004/0070/1786		
0070/1371	018" DIA CIR PLASTIC	LEN=0040		INSTALLED UNKN
0070/1246	018" DIA CIR PLASTIC	LEN=0040		INSTALLED UNKN
014758 FT	0070/0062	015"H 21"W ELLIP METAL	LEN=0030	INSTALLED UNKN
	014758 FT	2 0 01019 0 01 0148+08		
	0070/0000	LENGTH(AH 3222 BK 2238)		
	0060/1900	024" DIA CIR PLASTIC	LEN=0040	INSTALLED 2003
	0060/1450	015" DIA CIR PLASTIC	LEN=0041	INSTALLED 2003
012520 FT	0060/0665	015" DIA CIR PLASTIC	LEN=0035	INSTALLED 2003
	012520 FT	2 0 01019 0 00 0124+83		
	0060/0000	LENGTH(AH 2238 BK 1987)		
	0050/1911	015"H 21"W ELLIP METAL	LEN=0030	INSTALLED UNKN
	0050/1008	030" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0050/0716	015"H 21"W ELLIP METAL	LEN=0032	INSTALLED UNKN
010533 FT	0050/0029	024" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
BEAR MOUNTAIN RD (T383)	010533 FT			
008936 FT	0050/0000	LENGTH(AH 1987 BK 1597)		
	0040/1287	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0040/1135	015"H 21"W ELLIP METAL	LEN=0040	INSTALLED UNKN
	0040/0631	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0040/0325	018" DIA CIR PLASTIC	LEN=0032	INSTALLED UNKN
	0040/0013	BMSSEN 01/4004/0040/0000		
	008936 FT	2 0 01019 0 00 0088+99		
	0040/0000	TRIB. TO QUAKER RUN		
	0040/0000	BMSBG 01/4004/0040/0000		
	0040/0000	LENGTH(AH 1597 BK 3835)		





EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 408  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 6.008 MI. DIST: 08-1 SR: 4003  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

031722 FT  
 PEACH GLEN IDAVILLE RD  
 (SR4012 SEG 0100/2265) 0120/2239



031722 FT  
 INTER-AHD GABLERS RD  
 (SR1020 SEG 0010/0737)  
 PEACH GLEN IDAVILLE RD  
 (SR1020 SEG 0010/0737)  
 0120/2239 020"H 28"W ELLIP METAL  
 0120/2157 LEN=0040 INSTALLED 2001  
 0120/0816 024 "DIA CIRC METAL  
 LEN=0055 INSTALLED UNKN


DIR: B TOTAL LEN: 6.008 MI. DIST: 08-1 SR: 4003  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Description	Material	Length	Notes
029483 FT				
029483 FT	RESERVOIR RD		2 0 01006 0 01 0620+09	
0110/0000	(T401)			
0110/2168	LENGTH(AH 2239 BK 2345)			
0110/2157	BMSSEN 01/4003/0110/2157			
0110/2150	2 0 01006 0 01 0618+20			
	T. BERMUDIAN			
	BMSBG 01/4003/0110/2157			
	090"H 72"W CONC STRUCT			
	LEN=0025 INSTALLED UNKN			
027138 FT				
0110/0000	TYRONE MENALLEN T			
0110/0000	2 0 01006 0 01 0596+48			
0110/0000	BIG HILL RD (T395)			
0110/0000	LENGTH(AH 2345 BK 1561)			
0100/0639	024 " DIA CIR PLASTIC			
025577 FT	LEN=0030 INSTALLED UNKN			
0100/0000	LENGTH(AH 1561 BK 3316)			
0090/3303	018 " DIA CIR PLASTIC			
0090/2715	LEN=0036 INSTALLED UNKN			
0090/2356	018 " DIA CIR PLASTIC			
0090/2282	LEN=0043 INSTALLED 2005			
0090/2000	024 " DIA CIR PLASTIC			
0090/1782	LEN=0037 INSTALLED UNKN			
0090/1534	015 " DIA CIR PLASTIC			
0090/1048	LEN=0030 INSTALLED UNKN			
0090/0441	018 " DIA CIR PLASTIC			
022261 FT	LEN=0030 INSTALLED UNKN			
022261 FT	018 " DIA CIR PLASTIC			
	LEN=0036 INSTALLED 2001			

DIR: B TOTAL LEN: 6.008 MI. DIST: 08-1 SR: 4003  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

HILL VIEW RD  
 (T396)

0090/0000



⊘ 0090/0000 LENGTH(AH 3316 BK 1759)  
 015 "DIA CIR PLASTIC  
 0080/1722 LEN=0036 INSTALLED 2001  
 018 "DIA CIR PLASTIC  
 0080/1481 LEN=0035 INSTALLED 2006  
 018 "DIA CIR PLASTIC  
 0080/1258 LEN=0030 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 0080/1051 LEN=0035 INSTALLED UNKN  
 018 "DIA CIR PLASTIC  
 0080/0281 LEN=0040 INSTALLED 2005  
 020502 FT 2 0 01006 0 01 0530+12  
 ⊘ 0080/0000 LENGTH(AH 1759 BK 2288)  
 024 "DIA CIR PLASTIC  
 0070/2139 LEN=0036 INSTALLED UNKN  
 015 "DIA CIRC METAL  
 0070/1762 LEN=0040 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 0070/0613 LEN=0036 INSTALLED UNKN  
 015 "DIA CIR PLASTIC  
 0070/0320 LEN=0036 INSTALLED 2001  
 018 "DIA CIR PLASTIC  
 0070/0030 LEN=0035 INSTALLED 2005  
 018214 FT  
 ⊘ 0070/0000 LENGTH(AH 2288 BK 2487)  
 024 "DIA CIR PLASTIC  
 0060/2110 LEN=0040 INSTALLED 2001  
 015 "DIA CIR PLASTIC  
 0060/1091 LEN=0040 INSTALLED 2006  
 035"H 24"W ELLIP METAL  
 0060/0085 LEN=0040 INSTALLED 2002  
 015727 FT 2 0 01006 0 01 0482+40  
 OPOSSUM HILL RD  
 (T393)  
 ⊘ 0060/0000 LENGTH(AH 2487 BK 2685)  
 035"H 24"W ELLIP METAL  
 0050/1950 LEN=0045 INSTALLED 2001  
 021"H 15"W ELLIP METAL  
 0050/1570 LEN=0035 INSTALLED 2001

020502 FT

2 0 01006 0 01 0507+72 018214 FT  
 CREEK RD  
 (T391)

0070/0000

RAMPIKE HILL RD  
 (T392)

0060/1681

015727 FT

DIR: B TOTAL LEN: 6.008 MI. DIST: 08-1 SR: 4003  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

013042 FT

0050/0830	024 " DIA CIR PLASTIC LEN=0040 INSTALLED 2006
0050/0081	036 "H 72 "W CON BOX CUL LEN=0085 INSTALLED UNKN
013042 FT	2 0 01006 0 01 0455+55 NC GA BLER RD CARLISLE RD (SR0034 SEG 0230/0000)
0050/0000	LENGTH(AH 2685 BK 3731) 036 "H 72 "W CON BOX CUL
0040/3731	LEN=0060 INSTALLED UNKN
0040/3570	BMSSEN 01/4003/0040/3551 2 0 01006 0 01 0453+72
0040/3551	OPOSSUM CR BMSBG 01/4003/0040/3551
0040/3264	030 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0040/2902	013 "H 17 "W ELLIP METAL LEN=0030 INSTALLED UNKN
0040/2240	020 "H 36 "W ELLIP CONC LEN=0036 INSTALLED UNKN
0040/1751	015 " DIA CIR PLASTIC LEN=0047 INSTALLED 2003
0040/1339	029 "H 42 "W ELLIP METAL LEN=0036 INSTALLED UNKN
0040/1271	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2003
0040/0371	035 " DIA CIRC METAL LEN=0030 INSTALLED 2004
0040/0222	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
009311 FT	ASPERS NORTH RD (SR4006 SEG 0140/0000)
0040/0000	LENGTH(AH 3731 BK 3423) 018 " DIA CIRC CONCR
0030/3380	LEN=0065 INSTALLED UNKN
0030/3090	021 "H 15 "W METAL ARCH LEN=0030 INSTALLED 2003
0030/2983	015 " DIA CIR PLASTIC LEN=0030 INSTALLED 2003
0030/2931	018 " DIA CIR PLASTIC LEN=0038 INSTALLED 2003
0030/2682	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 2003
0030/2467	029 "H 42 "W ELLIP METAL LEN=0038 INSTALLED UNKN

2 0 01006 0 01 0418+25 009311 FT  
 ASPERS-BENDERVILLE RD  
 (SR4006 SEG 0140/0000) 0040/0000

DIR: B TOTAL LEN: 6.008 MI. DIST: 08-1 SR: 4003  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

2 0 01006 0 01 0383+88 005888 FT  
 ORCHARD LN  
 (T542) 0030/0000

003038 FT

000000 FT

0030/1741	024 " DIA CIRC METAL LEN=0032 INSTALLED UNKN
0030/1162	018"H 48"W ELLIP METAL LEN=0040 INSTALLED UNKN
0030/0209	BMS EN 01/4003/0030/0192 2 0 01006 0 01 0385+96 T.OPOSSUM CK
0030/0192	BMSBG 01/4003/0030/0192
0030/0000	LENGTH(AH 3423 BK 2850) NURSERY RD (T541)
0020/2304	(AAR 593401L)#TRKS 01
0020/2186	020"H 28"W ELLIP METAL
0020/2034	LEN=0030 INSTALLED UNKN
0020/1348	018 " DIA CIR PLASTIC LEN=0032 INSTALLED 1997
0020/0764	015 " DIA CIR PLASTIC LEN=0003 INSTALLED 2003
0020/0422	015 " DIA CIR PLASTIC LEN=0003 INSTALLED 2003 MENALLEN
0020/0117	BUTLER T
003038 FT	2 0 01006 0 01 0355+38
0020/0000	LENGTH(AH 2850 BK 3038)
0010/2198	015 " DIA CIR PLASTIC LEN=0032 INSTALLED 1997
0010/1776	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 1998
0010/1355	BULL VALLEY RD (T539)
0010/0068	BMS EN 01/4003/0010/0047 2 0 01006 0 01 0325+44 T.OPOSSUM CK
0010/0047	BMSBG 01/4003/0010/0047
000000 FT	2 0 01006 0 01 0325+00 NC CENTER MILLS RD OLD CARLISLE RD (SR4001 SEG 0020/3637) MFC BEGIN = D
0010/0000	LENGTH(AH 3038 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 403  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: .000 MI. DIST: 08-1 SR: 4002  
LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

000000 FT  
000000 FT




000000 FT  
7020/0000 LENGTH(AH 1381 BK 3005)  
000000 FT  
7010/0000 LENGTH(AH 3005 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 402  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS

DIR: B TOTAL LEN: 5.293 MI. DIST: 08-1 SR: 4001  
LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

CARLISLE RD 027949 FT  
(SR0034 SEG 0260/2336) 0100/2941

GARDNERS STATION RD  
(T397) 0100/1574



027949 FT CARLISLE RD  
0100/2941 (SR0034 SEG 0260/2336)  
0100/2782 018 " DIA CIR PLASTIC  
LEN=0032 INSTALLED UNKN

0100/1548 018 " DIA CIR PLASTIC  
LEN=0037 INSTALLED 1997



DIR: B TOTAL LEN: 5.293 MI. DIST: 08-1 SR: 4001  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Structure ID	Structure Description	Material	Length	Status
	0100/1343	GARDNERS STATION RD	(T397)		
025008 FT	0100/0254	028"H 42"W ELLIP METAL	LEN=0035	025008 FT	INSTALLED UNKN
	0100/0000	UPPER BERMUDIAN RD	(SR1016 SEG 0032/0281)		LENGTH(AH 2941 BK 3089)
	0090/2378	015"H 21"W ELLIP METAL	LEN=0030		INSTALLED UNKN
	0090/1209	015"H 21"W ELLIP METAL	LEN=0027		INSTALLED UNKN
	0090/1066	KIME HATCHERY RD	(T650)		
1 0 00531 0 01 0218+99 021919 FT	0090/0000	POND RD	(T395)	021919 FT	
	0090/0000				LENGTH(AH 3089 BK 3421)
	0080/2231	028"H 42"W ELLIP METAL	LEN=0033		INSTALLED UNKN
	0080/2083	018" DIA CIR PLASTIC	LEN=0034		INSTALLED UNKN
	0080/0850	015"H 21"W ELLIP METAL	LEN=0036		INSTALLED UNKN
018498 FT	0080/0050	015"H 21"W ELLIP METAL	LEN=0028	018498 FT	INSTALLED UNKN
	0080/0000	LOBAUGH RD	(T649)		LENGTH(AH 3421 BK 2242)
	0070/2209	015"H 21"W ELLIP METAL	LEN=0026		INSTALLED UNKN
	0070/1305	018"H 24"W ELLIP METAL	LEN=0035		INSTALLED UNKN
	0070/0717	021"H 15"W ELLIP METAL	LEN=0036		INSTALLED 1997

DIR: B TOTAL LEN: 5.293 MI. DIST: 08-1 SR: 4001  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Length	Description	Material	Length	Notes
1 0 00531 0 01 0162+62	016256 FT	ASPERS NORTH RD	018 " DIA CIR PLASTIC	0070/0042	LEN=0035 INSTALLED 1997
(SR4006 SEG 0160/3005)	0070/0000		015" H 21" W ELLIP METAL	016256 FT	LEN=0035 INSTALLED UNKN
	014450 FT			0060/1486	
				014450 FT	1 0 00531 0 01 0144+56
				0060/0000	LENGTH(AH 1806 BK 2220)
		CRANBERRY RD		0050/1216	(SR1014 SEG 0010/0000)
		TYRONE		0050/1186	BUTLER T
1 0 00531 0 01 0122+36	012230 FT	TREE LN	018 " DIA CIR PLASTIC	0050/0557	LEN=0032 INSTALLED UNKN
(T345)	0050/0000		TREE LN	012230 FT	(T345)
				0050/0000	LENGTH(AH 2220 BK 2828)
				0040/2796	015 " DIA CIR PLASTIC
				0040/2020	LEN=0030 INSTALLED UNKN
				0040/2020	024 " DIA CIR PLASTIC
				0040/1055	LEN=0030 INSTALLED UNKN
				0040/0302	024 " DIA CIR PLASTIC
	009402 FT			009402 FT	LEN=0028 INSTALLED UNKN
				0040/0000	1 0 00531 0 01 0094+08
				0030/2534	LENGTH(AH 2828 BK 3227)
				0030/2534	018 " DIA CIR PLASTIC
				0030/1055	LEN=0035 INSTALLED UNKN
		BULL VALLEY RD		0030/1055	(T539)
					024 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.293 MI. DIST: 08-1 SR: 4001  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

Stationing / Description	Length (FT)	Structure / Notes
006175 FT	0030/0127	LEN=0031 INSTALLED UNKN
CENTER MILLS RD (SR4003 SEG 0010/0000)	0020/3637	006175 FT 1 0 00531 0 00 0061+75 CENTER MILLS RD (T530) 5 0030/0000 LENGTH(AH 3227 BK 3679)
	0020/3593	BMSSEN 01/4001/0020/3580 1 0 00531 0 00 0060+87
	0020/3580	MILL RACE BMSBG 01/4001/0020/3580
	0020/3362	BMSSEN 01/4001/0020/3231 1 0 00531 0 00 0024+96
	0020/3231	OPOSSUM CREEK BMSBG 01/4001/0020/3231
GUERNSEY RD (T535)	0020/3146	024 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN
	0020/2778	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0020/2025	039"H 52"W CON BOX CUL LEN=0026 INSTALLED UNKN
	0020/0570	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
002496 FT	0020/0255	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2002
	0020/0000	002496 FT 1 0 00531 0 00 0024+96 5 0020/0000 LENGTH(AH 3679 BK 2496)
	0010/0679	T.OPOSSUM CK STRUCTURE LENGTH 15 FT BMSID 01/4001/0010/0679
000000 FT	0010/0000	000000 FT 1 0 00531 0 00 0000+00 HEIDLERSBURG RD (SR0234 SEG 0290/0000)
HEIDLERSBURG RD (SR0234 SEG 0290/0000)	0010/0000	NC OL INTER-BK OLD CARLISLE RD (T500) MFC BEGIN = D 5 0010/0000 LENGTH(AH 2496 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 398  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .025 MI. DIST: 08-1 SR: 3042  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

000132 FT  
 000000 FT



000132 FT BMS EN 01/3042/0010/0000  
 INTER-AHD BOYLE RD  
 0010/0132 (T313)  
 000000 FT 1 0 01036 0 00 0020+22  
 NC BOYLE RD  
 INTER-BK BOYLE RD  
 (T313)  
 US 15 (NB)  
 BMSBG 01/3042/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0132 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 397  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .004 MI. DIST: 08-1 SR: 3040  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T


000021 FT  
 000000 FT



000021 FT BMS EN 01/3040/0010/0000  
 INTER-AHD CROOKED CREEK RD  
 0010/0021 (T310)  
 000000 FT 2 0 01002 0 04 0651+62  
 NC CROOKED CREEK RD  
 INTER-BK CROOKED CREEK RD  
 (T310)  
 MUMS: BRG. RUN  
 BMSBG 01/3040/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0021 BK 0000)

EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 396  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: B      TOTAL LEN: .014 MI.      DIST: 08-1      SR: 3038  
 LEFT MUN: FRANKLIN T      RIGHT MUN: FRANKLIN T

000073 FT  
 000000 FT



000073 FT BMS EN 01/3038/0010/0000  
 INTER-AHD CROOKED CREEK RD  
 0010/0073 (T310)  
 000000 FT 2 0 01002 0 04 0638+51  
 NC CR CROOKED CREEK RD  
 INTER-BK CROOKED CREEK RD  
 (T310)  
 MARSH CREEK  
 BMSBG 01/3038/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0073 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 395  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .002 MI. DIST: 08-1 SR: 3036  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

000012 FT  
 000000 FT



000012 FT BMS EN 01/3036/0010/0000  
 INTER-AHD PLEASANT VALLEY RD  
 0010/0012 (T311)  
 000000 FT 2 0 01071 0 00 0081+74  
 NC PL PLEASANT VALLEY RD  
 INTER-BK PLEASANT VALLEY RD  
 (T311)  
 MUSKRAT RUN  
 BMSBG 01/3036/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0012 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 394  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .002 MI. DIST: 08-1 SR: 3034  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

000013 FT  
 000000 FT



000013 FT BMS EN 01/3034/0010/0000  
 INTER-AHD TILLIE TOWN RD  
 0010/0013 (T315)  
 000000 FT 2 0 01018 0 00 0042+16  
 NC T I LLIE TOWN RD  
 INTER-BK TILLIE TOWN RD  
 (T315)  
 MCKNIGHTS R  
 BMSBG 01/3034/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0013 BK 0000)




EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 393  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .002 MI. DIST: 08-1 SR: 3032  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

000011 FT

000000 FT


000000 FT



000011 FT  
 7012/0000 LENGTH(AH 0100 BK 0011)  
 BMSBN 01/3032/0010/0000  
 INTER-AHD BOYER NURSERY RD  
 0010/0011 (T309)  
 000000 FT 2 0 01001 0 02 0849+19  
 NC BOYER NURSERY RD  
 INTER-BK BOYER NURSERY RD  
 (T309)  
 TR. MARSH CRK  
 BMSBG 01/3032/0010/0000  
 MFC BEGIN = D  
 0010/0000 LENGTH(AH 0011 BK 0100)  
 000000 FT  
 7006/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 392  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .003 MI. DIST: 08-1 SR: 3030  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

000018 FT



000000 FT

000000 FT

000018 FT  
 7014/0000 LENGTH(AH 0100 BK 0018)  
 BMSSEN 01/3030/0010/0000  
 INTER-AHD CHURCH RD  
 0010/0018 (T311)  
 000000 FT 2 0 01035 0 00 0012+69  
 NC CHURCH RD  
 INTER-BK CHURCH RD  
 (T311)  
 CONEWAGO CK  
 BMSBG 01/3030/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0018 BK 0100)  
 000000 FT  
 7006/0000 LENGTH(AH 0100 BK 0000)



DIR: B TOTAL LEN: 2.837 MI. DIST: 08-1 SR: 3021  
 LEFT MUN: CARROLL VALLEY B RIGHT MUN: CARROLL VALLEY B


Location	Start Station	End Station	Length	Notes
CARROLL VALLEY HAMILTONBAN T	007910	0040/0000	0040	2 0 01053 0 01 0076+24 PINE HILL TR (TWP) LENGTH(AH 1945 BK 2813)
			0030	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
			0030	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
LEDGE LN (PRDR)	0030/0519	005097	005097	2 0 01053 0 01 0048+11 SKYLARK TR (TWP) LENGTH(AH 2813 BK 2106)
			0020	024 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
			0020	CHERYL TR (TWP)
	002991		002991	2 0 01053 0 01 0027+05 LENGTH(AH 2106 BK 2991)
			0010	015 "DIA CIR PLASTIC LEN=0050 INSTALLED 2004
			0010	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
TAYLOR LN (PRDR)	0010/1367		0010/1262	BMS EN 01/3021/0010/1226 2 0 01053 0 01 0007+46 MINEY BRANCH
			0010/1226	BMSBG 01/3021/0010/1226 CARROLL VALLEY
			0010/1099	HAMILTONBAN T
OLD WAYNESBORO PK (T809)	0010/0464	000000	0010/0464	OLD WAYNESBORO PK (T302)
			000000	2 0 01053 0 00 0000+00 WAYNESBORO PK (SR0016 SEG 0040/3055)
WAYNESBORO PK (SR0016 SEG 0040/3055)	0010/0000		0010/0000	NC JACKS MOUNTAIN RD MFC BEGIN = D LENGTH(AH 2991 BK 0000)

FAIRFIELD RD 021801 FT  
 (SR0116 SEG 0160/2191) 0100/2862

2 0 01017 0 02 0186+89 017562 FT  
 BYERS LN  
 (T335) 0090/0000

018939 FT

015821 FT



021801 FT FAIRFIELD RD  
 0100/2862 (SR0116 SEG 0160/2191)

0100/1770 015"H 21"W ELLIP METAL  
 LEN=0032 INSTALLED UNKN

0100/1142 018 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN

018939 FT 2 0 01017 0 02 0200+66  
 5 0100/0000 LENGTH(AH 2862 BK 1377)  
 018 "DIA CIR PLASTIC  
 0090/1105 LEN=0030 INSTALLED UNKN

017562 FT

5 0090/0000 LENGTH(AH 1377 BK 1741)  
 020"H 28"W ELLIP METAL  
 0080/1437 LEN=0047 INSTALLED UNKN  
 030 "DIA CIR PLASTIC  
 0080/1344 LEN=0050 INSTALLED UNKN

015821 FT 2 0 01017 0 01 0166+83



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 387  
COUNTY: ADAMS

DIR: B TOTAL LEN: 4.129 MI.  
LEFT MUN: HIGHLAND T

DIST: 08-1 SR: 3020  
RIGHT MUN: HIGHLAND T

2 0 01017 0 01 0081+38 007209 FT  
RAILROAD LN  
(T346)


0040/0000

004504 FT

001827 FT

000000 FT


ORRTANNA RD  
(SR3011 SEG 0090/0000) 0010/0000



0040/0361 BMS EN 01/3020/0040/0344  
2 0 01017 0 01 0084+89  
T.MARSH CK.  
0040/0344 BMSBG 01/3020/0040/0344  
007209 FT  
5 0040/0000 LENGTH(AH 2955 BK 2705)  
015"H 21"W ELLIP METAL  
LEN=0040 INSTALLED UNKN  
0030/2666 018 " DIA CIR PLASTIC  
LEN=0035 INSTALLED UNKN  
0030/1979 018 " DIA CIRC METAL  
LEN=0035 INSTALLED UNKN  
0030/1479 013"H 17"W ELLIP METAL  
LEN=0040 INSTALLED UNKN  
0030/0502 018 " DIA CIR PLASTIC  
LEN=0035 INSTALLED UNKN  
0030/0168 2 0 01017 0 00 0054+17  
004504 FT  
5 0030/0000 LENGTH(AH 2705 BK 2677)  
013"H 17"W ELLIP METAL  
LEN=0035 INSTALLED UNKN  
0020/2207 015 " DIA CIR PLASTIC  
LEN=0035 INSTALLED UNKN  
0020/1895 018 " DIA CIR PLASTIC  
LEN=0028 INSTALLED UNKN  
0020/1303 017"H 25"W ELLIP METAL  
LEN=0040 INSTALLED UNKN  
0020/0469 0020/0011 BMS EN 01/3020/0020/0000  
001827 FT 2 0 01017 0 00 0027+40  
T.MARSH CK.  
BMSBG 01/3020/0020/0000  
5 0020/0000 LENGTH(AH 2677 BK 1827)  
0010/0033 017"H 29"W ELLIP METAL  
LEN=0095 INSTALLED UNKN  
000000 FT 2 0 01017 0 00 0008+96  
ORRTANNA RD  
(SR3011 SEG 0090/0000)  
NC KN NOXLYN ORRTANNA RD  
MFC BEGIN = D  
5 0010/0000 LENGTH(AH 1827 BK 0000)

024030 FT

024030 FT  
 INTER-AHD SHRIVERS CORNER RD  
 (SR0394 SEG 0070/0000)  
 TABLEROCK RD  
 (SR0394 SEG 0070/0000)  
 018 " DIA CIR METAL  
 0100/2432  
 0100/2337 LEN=0036 INSTALLED UNKN



0100/1405 084"H 01"W CONCR ARCH  
 LEN=0045 INSTALLED UNKN  
 T.CONEWAGO  
 STRUCTURE LENGTH 8 FT  
 0100/1404 BMSID 01/3019/0100/1404  
 024 " DIA CIR PLASTIC  
 0100/0909 LEN=0038 INSTALLED UNKN

021598 FT

0100/0305 015 " DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 021598 FT 2 0 01006 0 00 0214+95  
 5 0100/0000 LENGTH(AH 2432 BK 2011)  
 024 " DIA CIR PLASTIC  
 0090/1896 LEN=0035 INSTALLED 1997  
 024 " DIA CIR PLASTIC  
 0090/1502 LEN=0044 INSTALLED UNKN  
 024 " DIA CIR PLASTIC  
 0090/0916 LEN=0040 INSTALLED 1997

019587 FT


0090/0203 018 " DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 019587 FT 2 0 01006 0 00 0194+53  
 5 0090/0000 LENGTH(AH 2011 BK 2676)  
 0080/1831 018 " DIA CIR PLASTIC  
 LEN=0034 INSTALLED UNKN  
 0080/1125 048"H 48"W CON BOX CUL  
 LEN=0026 INSTALLED UNKN



DIR: B TOTAL LEN: 4.551 MI. DIST: 08-1 SR: 3019  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

Distance (FT)	Segment ID	Description
016911 FT	0080/0653	GOLDENVILLE RD (T501)
	0080/0615	018" DIA CIRC METAL LEN=0075 INSTALLED UNKN
	016911 FT	2 0 01006 0 00 0167+02
	0080/0000	LENGTH(AH 2676 BK 3396) 024" DIA CIR PLASTIC
	0070/3373	LEN=0040 INSTALLED 2007
013515 FT	0070/3114	BUTLER STRABAN T
	0070/2460	STRABAN CUMBERLAND T
	0070/2189	024" DIA CIR PLASTIC LEN=0033 INSTALLED UNKN
	013515 FT	2 0 01006 0 00 0133+88
010756 FT	0070/0000	LENGTH(AH 3396 BK 2759)
	0060/1439	BMSSEN 01/3019/0060/1426 2 0 01006 0 00 0120+67
	0060/1426	T. ROCK CK. BMSBG 01/3019/0060/1426
	0060/0752	024" DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
	010756 FT	0060/0019 BMSSEN 01/3019/0060/0000 010756 FT 2 0 01006 0 00 0106+29
008569 FT	0060/0000	T. ROCK CK. BMSBG 01/3019/0060/0000 LENGTH(AH 2759 BK 2187)
	0050/0840	044"H 72"W ELLIPTICAL* LEN=0035 INSTALLED UNKN
	008569 FT	2 0 01006 0 00 0085+69
	0050/0000	LENGTH(AH 2187 BK 2227) 018" DIA CIR PLASTIC
	0040/1760	LEN=0035 INSTALLED 2007

DIR: B TOTAL LEN: 4.551 MI. DIST: 08-1 SR: 3019  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T



006342 FT

003852 FT


WINSLOW CT  
 (TWP )  
 APPLE AV  
 (TWP )  
 2 0 01006 0 00 0018+45 001845 FT  
 MAPLE AV  
 (T343)  
 CEDAR AV  
 (T345)

2 0 01006 0 00 0000+00 000000 FT  
 BIGLERVILLE RD  
 (SR0034 SEG 0030/0000) 0010/0000

0040/1203 024 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2002  
 0040/0663 021"H 15"W METAL ARCH  
 LEN=0040 INSTALLED 2002  
 006342 FT 2 0 01006 0 00 0063+42  
 MILLER RD  
 (T508)  
 0040/0000 LENGTH(AH 2227 BK 2490)  
 0030/0414 018 " DIA CIR PLASTIC  
 LEN=0047 INSTALLED 2007  
 0030/0041 BMS EN 01/3019/0030/002B  
 2 0 01006 0 00 0037+78  
 T. ROCK CK.  
 0030/0028 BMSBG 01/3019/0030/002B  
 003852 FT 2 0 01006 0 00 0038+52  
 BOYDS SCHOOL RD  
 (T341)  
 0030/0000 LENGTH(AH 2490 BK 2007)  
 0020/1633 043"H 68"W ELLIP METAL  
 LEN=0048 INSTALLED UNKN  
 0020/0832 018 " DIA CIR PLASTIC  
 LEN=0033 INSTALLED 2007  
 0020/0309 PIN OAK LN  
 (TWP )  
 0020/0309 001845 FT  
 0020/0000 LENGTH(AH 2007 BK 1845)  
 0010/1369 020"H 28"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 0010/0119 019"H 28"W ELLIP METAL  
 LEN=0090 INSTALLED UNKN  
 NC TA BLEROCK RD  
 000000 FT BIGLERVILLE RD  
 (SR0034 SEG 0030/0000)  
 MFC BEGIN = D  
 0010/0000 LENGTH(AH 1845 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 383  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: .513 MI. DIST: 08-1 SR: 3018  
LEFT MUN: HIGHLAND T RIGHT MUN: HIGHLAND T

002707 FT



002707 FT ORRTANNA RD  
0030/2666 (SR3011 SEG 0090/1360)  
0030/1960 018 "DIA CIR PLASTIC  
LEN=0030 INSTALLED 1997

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 382  
COUNTY: ADAMS

DIR: B TOTAL LEN: .513 MI.  
LEFT MUN: HIGHLAND T

DIST: 08-1 SR: 3018  
RIGHT MUN: HIGHLAND T

Distance (FT)	Stationing	Description
	0030/1958	HIGHLAND HAMILTONBAN T
	0030/1708	036 " DIA CIR PLASTIC LEN=0070 INSTALLED 1997
	0030/1375	015 " DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
		FIRST ST (TWP)
	0030/0410	CARROLL'S TRACT RD (TWP)
	0030/0408	(AAR 871055R)#TRKS 02
	0030/0058	HAMILTONBAN FRANKLIN T
000041 FT	0030/0037	BMSSEN 01/3018/0030/0000
	000041 FT	2 0 01057 0 01 0250+10
	INTER-BK	MOUNT CARMEL RD (TBK) (T312)
		LIT. MARSH. CK
000041 FT	0030/0000	BMSBG 01/3018/0030/0000
	000041 FT	LENGTH(AH 2666 BK 0554)
	7028/0000	LENGTH(AH 0554 BK 0020)
	INTER-AHD	BMSSEN 01/3018/0026/0000
	0026/0020	MOUNT CARMEL RD (TBK) (T312)
000021 FT	000021 FT	2 0 01057 0 00 0244+36
	INTER-BK	MOUNT CARMEL RD (TBK) (T312)
		POPLAR SP R
000021 FT	0026/0000	BMSBG 01/3018/0026/0000
	000021 FT	LENGTH(AH 0020 BK 9999)
	7024/0000	LENGTH(AH 9999 BK 0021)
	INTER-AHD	BMSSEN 01/3018/0022/0000
	0022/0021	MOUNT CARMEL RD (TBK) (T312)
000000 FT	000000 FT	HAMILTONBAN T
	000000 FT	2 0 01057 0 00 0070+78
	INTER-BK	MOUNT CARMEL RD (TBK) (T312)
		LITTLE MARSH
000000 FT	0022/0000	BMSBG 01/3018/0022/0000
	000000 FT	LENGTH(AH 0021 BK 3586)
	7020/0000	LENGTH(AH 3586 BK 3469)
000000 FT	000000 FT	LENGTH(AH 3469 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 381  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 7.509 MI. DIST: 08-1 SR: 3017  
LEFT MUN: ARENDSVILLE B RIGHT MUN: ARENDSVILLE B

039649 FT




039649 FT  
INTER-AHD PEARL ST  
(BORO)  
MAIN ST  
0160/1169 (SR0234 SEG 0180/0505)

DIR: B TOTAL LEN: 7.509 MI. DIST: 08-1 SR: 3017  
 LEFT MUN: ARENDSVILLE B RIGHT MUN: ARENDSVILLE B

ALLEY  
 (BORO) 0160/0412  
 2 0 01002 0 06 0850+56 038480 FT  
 CHESTNUT ST  
 (BORO) 0160/0000

FAIRVIEW FRUIT RD  
 (SR3015 SEG 0070/2654) 0140/0000



0160/0847 BMS EN 01/3017/0160/0838  
 2 0 01002 0 06 0858+95  
 T. CONEWAGO C  
 0160/0838 BMSBG 01/3017/0160/0838  
 072"H 72"W OTHER STRUC  
 0160/0832 LEN=0046 INSTALLED UNKN  
 038480 FT  
 5 0160/0000 LENGTH(AH 1169 BK 1576)  
 015 "DIA CIR PLASTIC  
 0150/1464 LEN=0060 INSTALLED UNKN  
 CHERRY ST  
 0150/1119 (SR4014 SEG 0010/0000)  
 028"H 20"W METAL ARCH  
 0150/1067 LEN=0060 INSTALLED 2005  
 NC GETTYSBURG ST  
 ARENDSVILLE  
 0150/0029 FRANKLIN T  
 036904 FT 2 0 01002 0 06 0834+92  
 5 0150/0000 LENGTH(AH 1576 BK 2606)  
 048 "DIA CIR CONCR  
 0140/2097 LEN=0031 INSTALLED UNKN  
 018 "DIA CIR PLASTIC  
 0140/1688 LEN=0030 INSTALLED 2005  
 015"H 21"W ELLIP METAL  
 0140/1220 LEN=0037 INSTALLED UNKN  
 018"H 24"W ELLIP METAL  
 0140/0588 LEN=0038 INSTALLED UNKN  
 034298 FT 2 0 01002 0 05 0808+57  
 BLUE RIBBON RD  
 (T645)  
 5 0140/0000 LENGTH(AH 2606 BK 3230)  
 015"H 21"W ELLIP METAL  
 0130/1848 LEN=0033 INSTALLED UNKN  
 024 "DIA CIR METAL  
 0130/1091 LEN=0355 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 0130/0767 LEN=0046 INSTALLED UNKN  
 015 "DIA CIR PLASTIC  
 0130/0549 LEN=0035 INSTALLED 2005  
 013"H 17"W ELLIP METAL

036904 FT

034298 FT

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 379  
COUNTY: ADAMS

DIR: B TOTAL LEN: 7.509 MI.  
LEFT MUN: FRANKLIN T

DIST: 08-1 SR: 3017  
RIGHT MUN: FRANKLIN T

Stationing	Length	Item	Description
		0130/0352	LEN=0030 INSTALLED UNKN
		0130/0209	013"H 17"W ELLIP METAL LEN=0030 INSTALLED UNKN
		0130/0025	015"H 21"W ELLIP METAL LEN=0035 INSTALLED UNKN
031068 FT		031068 FT	2 0 01002 0 05 0776+45 APPLEWAY RD (T647)
		0130/0000	LENGTH(AH 3230 BK 2645) 015"H 21"W ELLIP METAL
		0120/2136	LEN=0029 INSTALLED UNKN
		0120/1959	018 "DIA CIR PLASTIC LEN=0037 INSTALLED 2005
		0120/1411	015 "DIA CIR PLASTIC LEN=0036 INSTALLED 2005
		0120/1190	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2003
		0120/0850	024 "DIA CIR PLASTIC LEN=0036 INSTALLED 2005
		0120/0136	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2005
028423 FT		028423 FT	2 0 01002 0 05 0750+00
		0120/0000	LENGTH(AH 2645 BK 3149) 013"H 17"W ELLIP METAL
		0110/3031	LEN=0029 INSTALLED UNKN
		0110/2508	018"H 24"W ELLIP METAL LEN=0034 INSTALLED UNKN
		0110/1596	013"H 17"W ELLIP METAL LEN=0065 INSTALLED UNKN
		0110/0896	015"H 21"W ELLIP METAL LEN=0032 INSTALLED UNKN
		0110/0340	018"H 24"W ELLIP METAL LEN=0046 INSTALLED UNKN
2 0 01002 0 05 0718+51 025274 FT		025274 FT	
HILLTOWN RD (T355)		0110/0000	LENGTH(AH 3149 BK 3406) 042 "DIA CIR PLASTIC
		0100/3263	LEN=0045 INSTALLED UNKN
		0100/3158	042"H 42"W OTHER STRUC LEN=0034 INSTALLED UNKN
		0100/2989	GOLDENVILLE RD (T316)
		0100/2597	024"H 24"W OTHER STRUC LEN=0029 INSTALLED UNKN
		0100/2197	013"H 17"W ELLIP METAL LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 7.509 MI. DIST: 08-1 SR: 3017  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

1 0 00889 0 00 0218+84 021868 FT  
 CROOKED CREEK RD  
 (T310) 0100/0000

BELMONT RD  
 (T348) 0080/0000



0100/1031 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN

021868 FT

5 0100/0000 LENGTH(AH 3406 BK 2708)

0090/1642 BMS EN 01/3017/0090/1598  
 1 0 00889 0 00 0207+61

0090/1608 BRANCH OF MARSH CREEK  
 BMSBG 01/3017/0090/1598

019160 FT

0090/0010 072 "DIA CIRC CONCR  
 LEN=0048 INSTALLED UNKN  
 019160 FT 1 0 00889 0 00 0191+58  
 5 0090/0000 LENGTH(AH 2708 BK 2552)  
 018"H 24"W ELLIP METAL  
 0080/2449 LEN=0035 INSTALLED UNKN  
 0080/2110 018"H 24"W ELLIP METAL  
 LEN=0042 INSTALLED UNKN

0080/1079 015"H 21"W ELLIP METAL  
 LEN=0051 INSTALLED UNKN  
 0080/0631 018 "DIA CIR PLASTIC  
 LEN=0050 INSTALLED 2004

016608 FT

0080/0010 015 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2004  
 016608 FT 1 0 00889 0 00 0166+06  
 BELMONT RD  
 (T348)  
 5 0080/0000 LENGTH(AH 2552 BK 2543)  
 FRANKLIN  
 0070/2101 CUMBERLAND T  
 0070/2086 024 "DIA CIR PLASTIC  
 LEN=0033 INSTALLED UNKN

0070/1362 015"H 21"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN



DIR: B TOTAL LEN: 7.509 MI. DIST: 08-1 SR: 3017  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Notes	Object ID	Description
014065 FT	--- ---	0070/0020	015 " DIA CIRC METAL LEN=0045 INSTALLED 2004
	==	014065 FT	1 0 00889 0 00 0140+63 RUSSEL TAVERN RD (T340)
	--- ---	0070/0000	LENGTH(AH 2543 BK 2698)
011367 FT	--- ---	0060/1089	036 " DIA CIR PLASTIC LEN=0060 INSTALLED 2005
	--- ---	0060/0025	BMSBN 01/3017/0060/0000 1 0 00889 0 00 0113+65 WILOUGHBY RN
	--- ---	0060/0000	BMSBG 01/3017/0060/0000 LENGTH(AH 2698 BK 1711)
009656 FT	--- ---	0050/0414	029"H 42"W ELLIP METAL LEN=0040 INSTALLED UNKN
	==	009656 FT	1 0 00889 0 00 0096+23 HERRS RIDGE RD (T338)
HERRS RIDGE RD (T338)	--- ---	0050/0000	LENGTH(AH 1711 BK 1660)
0040/1634	==	0040/1145	015"H 21"W ELLIP METAL LEN=0060 INSTALLED UNKN
	--- ---	0040/0495	018 " DIA CIR PLASTIC LEN=0050 INSTALLED 2004
	--- ---	0040/0216	018"H 24"W ELLIP METAL LEN=0055 INSTALLED 2004
007996 FT	--- ---	0040/0141	030 " DIA CIR PLASTIC LEN=0040 INSTALLED 2004
	--- ---	007996 FT	1 0 00889 0 00 0079+63 RIDGWOOD DR (T342)
	==	0040/0000	LENGTH(AH 1660 BK 3258)
	--- ---	0030/2492	018 " DIA CIRC CONCR LEN=0032 INSTALLED UNKN
BUFORD AV (PARK)	==	0030/1392	CONFEDERATE AV (PARK)

DIR: B TOTAL LEN: 7.509 MI. DIST: 08-1 SR: 3017  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Location	Segment ID	Length (FT)	Material / Details
	0030/0782	004738	024 " DIA CIR PLASTIC LEN=0045 INSTALLED 2004
DOUBLE DAY AV (PARK)	0030/0000	004738	1 0 00889 0 00 0047+27 CONFEDERATE AV (PARK) NC MUMMASBURG RD
ROBINSON AV (PARK)	0020/2423	0030/0000	LENGTH(AH 3258 BK 2814) 015 " DIA CIRC METAL
CUMBERLAND GETTYSBURG B	0020/2319	0020/2319	LEN=0032 INSTALLED UNKN (AAR 593420R)#TRKS 01
	0020/1710	0020/1710	015 " DIA CIRC METAL LEN=0065 INSTALLED UNKN
	0020/0576	0020/0576	CUMBERLAND GETTYSBURG B HOWARD AV (PARK)
	0020/0573	001924	0020/0573 001924 FT 1 0 00889 0 00 0019+24
	0020/0000	0020/0000	LENGTH(AH 2814 BK 1924) UNNAMED AL
	0010/1908	0010/1908	(BORO) WEST BROADWAY
	0010/1681	0010/1681	(BORO)
	0010/1452	0010/1452	UNNAMED AL (BORO)
LINCOLN AV (BORO)	0010/1242	0010/1242	NC COLLEGE AV
	0010/1225	0010/1225	013"H 17"W ELLIP METAL LEN=0041 INSTALLED UNKN WASHINGTON ST
	0010/0632	0010/0632	(BORO) UNNAMED AL
	0010/0212	0010/0212	(BORO)
	0010/0200	0010/0200	013"H 17"W ELLIP METAL LEN=0040 INSTALLED UNKN
	000000	000000	000000 FT 1 0 00889 0 00 0000+00 NC LINCOLN AV
CARLISLE ST (SR3001 SEG 0210/0000)	0010/0000	0010/0000	CARLISLE ST (SR0034 SEG 0010/0000) INTER-BK LINCOLN AV (SR3001 SEG 0210/0000) MFC BEGIN = D LENGTH(AH 1924 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 375  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 2.683 MI. DIST: 08-1 SR: 3016  
LEFT MUN: FAIRFIELD B RIGHT MUN: FAIRFIELD B

014167 FT

014167 FT  
INTER-AHD MILLER ST

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 374  
COUNTY: ADAMS

DIR: B TOTAL LEN: 2.683 MI.  
LEFT MUN: FAIRFIELD B

DIST: 08-1 SR: 3016  
RIGHT MUN: FAIRFIELD B

UNNAMED RD  
(PRDR)

Distance (FT)	Segment ID	Material / Description	Length (FT)	Notes
	0070/1493	(BORO) MAIN ST		
	0070/1205	(SR0116 SEG 0080/1977) LANDIS DR		
	0070/0795	(BORO) 015" DIA CIR PLASTIC	LEN=0032	INSTALLED 2005
	0070/0318	018" DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
012674	012674 FT	2 0 01015 0 00 0359+99		
	0070/0000	LENGTH(AH 1493 BK 1814)		
	0060/0408	015"H 21"W ELLIP METAL	LEN=0036	INSTALLED UNKN
010860	010860 FT	2 0 01015 0 00 0341+79		
	0060/0000	NC MI MILLER ST FAIRFIELD HAMILTONBAN T		LENGTH(AH 1814 BK 1867)
0050/1588	0050/1558	018" DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
	0050/0480	018" DIA CIR PLASTIC	LEN=0065	INSTALLED UNKN
008993	008993 FT	2 0 01015 0 00 0323+12		
	0050/0000	(AAR 001285*)#TRKS 02		LENGTH(AH 1867 BK 2324)
	0040/2046	(AAR 871071C)#TRKS 02		
	0040/2016	018" DIA CIR PLASTIC	LEN=0060	INSTALLED UNKN
	0040/0398	036" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0040/0260	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0040/0017	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
006669	006669 FT	2 0 01015 0 00 0299+88		
	0040/0000	LENGTH(AH 2324 BK 2140)		
	0030/1374	018" DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 373  
COUNTY: ADAMS


DIR: B TOTAL LEN: 2.683 MI.  
LEFT MUN: HAMILTONBAN T

DIST: 08-1 SR: 3016  
RIGHT MUN: HAMILTONBAN T

Stationing	Material	Length	Notes
004529 FT	018" DIA CIR PLASTIC	0030/0725	LEN=0040 INSTALLED UNKN
	018" DIA CIR PLASTIC	0030/0212	LEN=0040 INSTALLED UNKN
	BMSSEN 01/3016/0030/0000	0030/0010	2 0 01015 0 00 0278+48
	SPRING RUN	004529 FT	
	BMSBG 01/3016/0030/0000	0030/0000	LENGTH(AH 2140 BK 1271)
003258 FT	2 0 01015 0 00 0265+69	003258 FT	
	034"H 53"W ELLIP CONC	0020/0000	LEN=0024 INSTALLED 2006
	018" DIA CIR PLASTIC	0010/3148	LENGTH(AH 1271 BK 3258)
	018" DIA CIR PLASTIC	0010/2785	LEN=0035 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/2392	LEN=0030 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/2237	LEN=0034 INSTALLED UNKN
	036" DIA CIR PLASTIC	0010/2168	LEN=0040 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/2086	LEN=0046 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/1973	LEN=0035 INSTALLED UNKN
	013"H 17"W ELLIP METAL	0010/1865	LEN=0025 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/1657	LEN=0040 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/1304	LEN=0040 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/1017	LEN=0040 INSTALLED UNKN
	018" DIA CIR PLASTIC	0010/0774	LEN=0040 INSTALLED UNKN
	(AAR 871075C)#TRKS 01	0010/0691	018" DIA CIR PLASTIC
000000 FT	2 0 01015 0 00 0233+11	000000 FT	
	NC FA		
	IRFIELD STATION RD		
	IRON SPRINGS RD		
	(SR3014 SEG 0110/0000)		
	MFC BEGIN = E		
	018" DIA CIR PLASTIC	0010/0000	LENGTH(AH 3258 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 372  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 3.206 MI. DIST: 08-1 SR: 3015  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

016926 FT  
 MUMMASBURG RD  
 (SR3017 SEG 0140/0000) 0070/2654  
 WINDING RD  
 (T358) 0070/1259



016926 FT  
 INTER-AHD BLUE RIBBON RD  
 (T362)  
 MUMMASBURG RD  
 (SR3017 SEG 0140/0000) 0070/2654  
 018 " DIA CIRC METAL  
 0070/1970 LEN=0030 INSTALLED UNKN  
 017 " DIA CIRC METAL  
 0070/1778 LEN=0025 INSTALLED UNKN  
 0070/1033 BMS EN 01/3015/0070/1017

DIR: B TOTAL LEN: 3.206 MI. DIST: 08-1 SR: 3015  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T



DIR: B TOTAL LEN: 3.206 MI. DIST: 08-1 SR: 3015  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Distance (FT)	Segment ID	Length (FT)	Material / Description	Status
	0030/2151	LEN=0030	INSTALLED UNKN	
004075	0030/0000	2 0 01018 0 00 0098+25	LENGTH(AH 2189 BK 1540) 057"H 38"W METAL ARCH	5
	0020/1538	LEN=0050	INSTALLED 1998	
	0020/1154	BMSSEN 01/3015/0020/1145	2 0 01018 0 00 0094+12	
	0020/1145	BMSBG 01/3015/0020/1145	057"H 64"W OTHER STRUC	
	0020/1131	LEN=0030	INSTALLED UNKN	
	0020/0983	LEN=0040	INSTALLED UNKN	
	0020/0649	LEN=0035	INSTALLED UNKN	
	0020/0403	LEN=0035	INSTALLED UNKN	
002535	0020/0267	LEN=0035	INSTALLED UNKN	
	0020/0089	BMSSEN 01/3015/0020/0000	MARSH CREEK	
	002535 FT	2 0 01018 0 00 0082+64	BMSBG 01/3015/0020/0000	
	0020/0000	LENGTH(AH 1540 BK 2535)	018 "DIA CIR PLASTIC	5
	0010/2111	LEN=0040	INSTALLED UNKN	
	0010/0592	013"H 21"W ELLIP METAL	LEN=0030 INSTALLED UNKN	
	0010/0022	018 "DIA CIR CONCR	LEN=0022 INSTALLED UNKN	
000000	000000 FT	2 0 01018 0 00 0057+22	018 "DIA CIR CONCR	
		LEN=0046	INSTALLED UNKN	
	NC FA	IRVIEW FRUIT RD	CHAMBERSBURG RD	
	INTER-BK	(SRO030 SEG 0160/1945)	FAIRVIEW FRUIT RD	
		(T317)	MFC BEGIN = D	
	0010/0000	LENGTH(AH 2535 BK 0000)		5



DIR: B TOTAL LEN: 5.459 MI. DIST: 08-1 SR: 3014  
 LEFT MUN: HAMILTONBAN T RIGHT MUN: HAMILTONBAN T

FAIRFIELD RD 028826 FT  
 (SR0116 SEG 0070/0000) 0120/3099


UNKNOWN RD  
 (PRDR) 0120/2367

025727 FT

2 0 01021 0 00 0000+00 023273 FT  
 FAIRFIELD STATION RD  
 (SR3016 SEG 0010/0000) 0110/0000

020995 FT

019103 FT



028826 FT FAIRFIELD RD  
 0120/3099 (SR0116 SEG 0070/0000)

0120/2165 015 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2003

025727 FT 2 0 01021 0 01 0024+97  
 0120/0000 LENGTH(AH 3099 BK 2454)

0110/0962 072 "DIA CIRC METAL  
 LEN=0034 INSTALLED UNKN  
 0110/0700 015 "DIA CIRC METAL  
 LEN=0050 INSTALLED UNKN

023273 FT  
 0110/0000 LENGTH(AH 2454 BK 2278)  
 ZOO RD  
 (T303)

0100/1995 013"H 17"W ELLIP METAL  
 0100/1945 LEN=0039 INSTALLED UNKN

0100/1012 015 "DIA CIRC METAL  
 LEN=0035 INSTALLED UNKN  
 0100/0471 024 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN

0100/0176 015 "DIA CIRC METAL  
 LEN=0036 INSTALLED UNKN  
 020995 FT 2 0 01015 0 00 0210+33  
 0100/0000 LENGTH(AH 2278 BK 1892)

0090/0887 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 0090/0768 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN

0090/0426 021"H 21"W ELLIP METAL  
 LEN=0025 INSTALLED UNKN  
 019103 FT 2 0 01015 0 00 0190+46  
 0090/0000 LENGTH(AH 1892 BK 2140)

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 368  
COUNTY: ADAMS

DIR: B TOTAL LEN: 5.459 MI.  
LEFT MUN: HAMILTONBAN T

DIST: 08-1 SR: 3014  
RIGHT MUN: HAMILTONBAN T

016963 FT

014654 FT

Stationing	Structure	Material	Length	Status
0080/2109	CSX RAIL OVERPASS	IS RR X-ING		
0080/2025	015" DIA	CIRC METAL	LEN=0025	INSTALLED UNKN
0080/1877	024" DIA	CIRC METAL	LEN=0030	INSTALLED UNKN
0080/1176	015" DIA	CIRC METAL	LEN=0030	INSTALLED UNKN
0080/0408	013"H 17"W	ELLIP METAL	LEN=0030	INSTALLED UNKN
0080/0207	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED UNKN
0080/0037	018" DIA	CIRC METAL	LEN=0035	INSTALLED UNKN
016963 FT	2 0 01015	0 00 0169+38		
0080/0000	LENGTH(AH	2140 BK 2309)		
0070/1596	013"H 17"W	ELLIP METAL	LEN=0035	INSTALLED UNKN
0070/1411	013"H 17"W	ELLIP METAL	LEN=0040	INSTALLED UNKN
0070/1083	013"H 17"W	ELLIP METAL	LEN=0030	INSTALLED UNKN
0070/0911	015" DIA	CIRC METAL	LEN=0031	INSTALLED UNKN
0070/0644	015"H 21"W	ELLIP METAL	LEN=0030	INSTALLED UNKN
014654 FT	2 0 01015	0 00 0146+29		
0070/0000	TOM'S CREEK	STRUCTURE LENGTH 25 FT		
0070/0000	BMSID 01/3014/0070/0000	LENGTH(AH 2309 BK 3171)		
0060/2286	015" DIA	CIR PLASTIC	LEN=0035	INSTALLED 2006
0060/2000	015" DIA	CIRC METAL	LEN=0029	INSTALLED UNKN
0060/1714	013"H 17"W	ELLIP METAL	LEN=0041	INSTALLED UNKN
0060/1113	015" DIA	CIR PLASTIC	LEN=0034	INSTALLED 2006
0060/0684	013"H 17"W	ELLIP METAL	LEN=0040	INSTALLED UNKN
0060/0512	018" DIA	CIR PLASTIC	LEN=0040	INSTALLED UNKN
	015"H 21"W	ELLIP METAL		

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 367  
COUNTY: ADAMS

DIR: B TOTAL LEN: 5.459 MI.  
LEFT MUN: HAMILTONBAN T

DIST: 08-1 SR: 3014  
RIGHT MUN: HAMILTONBAN T

2 0 01015 0 00 0114+58 011483 FT  
GUM SPRINGS RD  
(T305)

0060/0000

010045 FT

007510 FT

005041 FT

Station	Length	Material	Notes
0060/0130	0041	INSTALLED	UNKN
011483 FT			
0060/0000	LENGTH(AH 3171 BK 1438)	015"H 21"W ELLIP METAL	
0050/1137	LEN=0036	INSTALLED	UNKN
0050/0892	LEN=0035	INSTALLED	UNKN
0050/0302	LEN=0036	INSTALLED	UNKN
010045 FT	2 0 01015 0 00 0100+29		
0050/0000	LENGTH(AH 1438 BK 2535)	018" DIA CIRC PLASTIC	
0040/2378	LEN=0040	INSTALLED	UNKN
0040/1721	015"H 21"W ELLIP METAL	LEN=0040	INSTALLED UNKN
0040/1282	015"H 21"W ELLIP METAL	LEN=0040	INSTALLED UNKN
0040/1011	015"H 21"W ELLIP METAL	LEN=0030	INSTALLED UNKN
0040/0723	015"H 21"W ELLIP METAL	LEN=0030	INSTALLED UNKN
0040/0234	029"H 42"W ELLIP METAL	LEN=0050	INSTALLED UNKN
007510 FT	2 0 01015 0 00 0074+85		
0040/0000	LENGTH(AH 2535 BK 2469)	018"H 24"W ELLIP METAL	
0030/2317	LEN=0039	INSTALLED	UNKN
0030/1726	015"H 21"W ELLIP METAL	LEN=0041	INSTALLED UNKN
0030/1513	FIVE FORKS LN (PRDR)		
0030/1447	015"H 21"W ELLIP METAL	LEN=0041	INSTALLED UNKN
0030/0908	015"H 21"W ELLIP METAL	LEN=0039	INSTALLED UNKN
0030/0751	THUNDER TR (T350)		
0030/0646	018" DIA CIRC METAL	LEN=0039	INSTALLED UNKN
0030/0576	018" DIA CIRC METAL	LEN=0030	INSTALLED UNKN
0030/0525	RUM TR (T353)		
0030/0133	015"H 21"W ELLIP METAL	LEN=0034	INSTALLED UNKN
005041 FT	2 0 01015 0 00 0050+16		
0030/0000	LENGTH(AH 2469 BK 2112)	015"H 21"W ELLIP METAL	

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 366  
COUNTY: ADAMS

DIR: B TOTAL LEN: 5.459 MI.  
LEFT MUN: HAMILTONBAN T

DIST: 08-1 SR: 3014  
RIGHT MUN: HAMILTONBAN T


002929 FT

0020/1863	LEN=0035	INSTALLED UNKN
0020/1093	LEN=0051	INSTALLED UNKN
0020/0830	LEN=0040	INSTALLED UNKN
0020/0616	LEN=0055	INSTALLED UNKN
0020/0421	LEN=0049	INSTALLED UNKN
0020/0181	LEN=0030	INSTALLED UNKN
0020/0045	LEN=0040	INSTALLED UNKN
0020/0030	LEN=0045	INSTALLED UNKN
002929 FT	2 0 01015 0 00 0029+04	(AAR 872261G)#TRKS 02
0020/0000	LENGTH(AH 2112 BK 2929)	
0010/2590	LEN=0050	INSTALLED UNKN
0010/2428	LEN=0047	INSTALLED UNKN
0010/2392	LEN=0030	INSTALLED UNKN
0010/2370	LEN=0040	INSTALLED UNKN
0010/2070	LEN=0040	INSTALLED UNKN
0010/1716	LEN=0030	INSTALLED UNKN
0010/1458	LEN=0025	INSTALLED UNKN
0010/1163	LEN=0025	INSTALLED UNKN
0010/0965	LEN=0036	INSTALLED UNKN
0010/0752	LEN=0045	INSTALLED 2004
0010/0650	LEN=0038	INSTALLED 2004
0010/0449	LEN=0005	INSTALLED 2004
0010/0340	LEN=0030	INSTALLED UNKN
	NC IRON SPRINGS RD	
	OLD WAYNESBORO RD	
	(T809)	
	MFC BEGIN = D	
0010/0000	LENGTH(AH 2929 BK 0000)	

2 0 01015 0 00 0000+00 000000 FT  
OLD WAYNESBORO RD  
(T809) 0010/0000

EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 365  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: B      TOTAL LEN: 6.383 MI.      DIST: 08-1      SR: 3013  
 LEFT MUN: CUMBERLAND T      RIGHT MUN: CUMBERLAND T

033702 FT



033702 FT LINCOLN HW  
 0140/1454 (SR0030 SEG 0220/0000)  
 018 " DIA CIR PLASTIC  
 0140/1118 LEN=0030 INSTALLED UNKN  
 015 " DIA CIR PLASTIC  
 0140/0279 LEN=0035 INSTALLED UNKN  
 032248 FT 2 0 01002 0 03 0604+03

032248 FT

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 364  
COUNTY: ADAMS

DIR: B TOTAL LEN: 6.383 MI.  
LEFT MUN: CUMBERLAND T

DIST: 08-1 SR: 3013  
RIGHT MUN: CUMBERLAND T

029704 FT

025935 FT

5	0140/0000	LENGTH(AH 1454 BK 2544)
	015 "DIA	CIRC METAL
	0130/2054	LEN=0025 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0130/1500	LEN=0030 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0130/1121	LEN=0030 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0130/0551	LEN=0025 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0130/0145	LEN=0040 INSTALLED 2005
	029704 FT	2 0 01002 0 03 0576+65
		OLD MILL RD
		(T337)
		CUMBERLAND
		HIGHLAND T
5	0130/0000	LENGTH(AH 2544 BK 3769)
	015 "DIA	CIRC METAL
	0120/3063	LEN=0035 INSTALLED 2005
	018 "DIA	CIRC METAL
	0120/2344	LEN=0035 INSTALLED UNKN
		BLACK HORSE TAVERN RD
	0120/1930	(T334)
	0120/1881	BMSSEN 01/3013/0120/1795
		2 0 01002 0 03 0558+26
		MARSH CREEK
	0120/1795	BMSBG 01/3013/0120/1795
		SAMS LN
	0120/1374	(T336)
	018 "DIA	CIR PLASTIC
	0120/1346	LEN=0047 INSTALLED UNKN
		SAMS LN
	0120/0914	(T336)
	018 "DIA	CIR PLASTIC
	0120/0523	LEN=0035 INSTALLED UNKN
	025935 FT	2 0 01002 0 03 0538+96
5	0120/0000	LENGTH(AH 3769 BK 3036)
	018 "DIA	CIR PLASTIC
	0110/2859	LEN=0040 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0110/2181	LEN=0030 INSTALLED UNKN
	013 "DIA	CIR PLASTIC
	0110/1860	LEN=0030 INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	0110/1290	LEN=0030 INSTALLED UNKN
	014 "DIA	CIR PLASTIC
	0110/0890	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 6.383 MI. DIST: 08-1 SR: 3013  
 LEFT MUN: HIGHLAND T RIGHT MUN: HIGHLAND T

Stationing	Notes	Material	Length	Status
022899 FT	0110/0452	018" DIA CIR PLASTIC	LEN=0025	INSTALLED UNKN
	022899 FT	2 0 01002 0 03 0508+60		
	0110/0000	LENGTH(AH 3036 BK 2544)		
	0100/2129	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
GLENWOOD DR (T342)	0100/1501			
	0100/1419	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
	0100/1094	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
	0100/0877	015" DIA CIR PLASTIC	LEN=0001	INSTALLED UNKN
	0100/0526	060" DIA CIRC METAL	LEN=0045	INSTALLED UNKN
	0100/0053	BMS EN 01/3013/0100/0061	2 0 01002 0 03 0482+76	
		P3		
	0100/0021	LITTLE MARSH CREEK		
	020355 FT	BMSBG 01/3013/0100/0061	2 0 01002 0 03 0482+76	
	0100/0000	LENGTH(AH 2544 BK 1639)		
KNOXLYN ORRTANNA RD (SR3020 SEG 0060/1127)	0090/1528	NC KN NOXLYN RD		
	0090/1317	MFC BEGIN = D		
	0090/1290	018" DIA CIRC METAL	LEN=0068	INSTALLED UNKN
		KNOXLYN ORRTANNA RD		
	0090/0986	(SR3020 SEG 0070/0000)		
	0090/0602	NC KN NOXLYN-ORRTANNA RD		
	0090/0245	015"H 23"W ELLIP METAL	LEN=0030	INSTALLED 2006
	018716 FT	033"H 49"W ELLIP METAL	LEN=0030	INSTALLED UNKN
	0090/0000	013"H 17"W ELLIP METAL	LEN=0035	INSTALLED UNKN
		024"H 54"W METAL ARCH	LEN=0022	INSTALLED UNKN
	0080/2731	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2006
	0080/2060	018" DIA CIR PLASTIC	LEN=0035	INSTALLED 2006
	0080/1808	015" DIA CIRC METAL		


DIR: B TOTAL LEN: 6.383 MI. DIST: 08-1 SR: 3013  
 LEFT MUN: HIGHLAND T RIGHT MUN: HIGHLAND T

	0080/1493	LEN=0035	INSTALLED UNKN
	0080/1112	THOMPSON LN (T333)	
	0080/1102	018" DIA CIR PLASTIC LEN=0045	INSTALLED 2006
	0080/0704	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
015975 FT	015975 FT	2 0 01002 0 03 0440+22	
	0080/0000	LENGTH(AH 2741 BK 1842) 036"H 60"W CONCR ARCH	
	0070/1828	LEN=0025	INSTALLED UNKN
	0070/0661	037"H 21"W CON BOX CUL LEN=0030	INSTALLED UNKN
	0070/0353	035" DIA CIRC METAL LEN=0005	INSTALLED 2007
014133 FT	014133 FT	2 0 01002 0 03 0421+80	
	0070/0000	LENGTH(AH 1842 BK 1565) 030"H 60"W CONCR ARCH	
	0060/1558	LEN=0030	INSTALLED UNKN
	0060/0147	043"H 61"W ELLIP METAL LEN=0030	INSTALLED UNKN
012568 FT	012568 FT	2 0 01002 0 03 0406+15	
		NC KN NOXLYN RD FAIRFIELD RD	
	0060/0000	(SR0116 SEG 0130/1288) LENGTH(AH 1565 BK 1261)	
	0050/1005	018" DIA CIRC CONCR LEN=0030	INSTALLED UNKN
	0050/0195	015" DIA CIRC CONCR LEN=0040	INSTALLED UNKN
011307 FT	011307 FT	2 0 01002 0 02 0387+95	
	0050/0000	LENGTH(AH 1261 BK 3353) T. MARSH CK. STRUCTURE LENGTH 14 FT	
	0040/2958	BMSID 01/3013/0040/2958	
	0040/2350	018" DIA CIRC CONCR LEN=0030	INSTALLED UNKN
	0040/2128	018" DIA CIRC METAL LEN=0030	INSTALLED UNKN
	0040/1667	030" DIA CIRC CONCR LEN=0036	INSTALLED UNKN



DIR: B TOTAL LEN: 6.383 MI. DIST: 08-1 SR: 3013  
 LEFT MUN: HIGHLAND T RIGHT MUN: HIGHLAND T

2 0 01002 0 02 0354+66 007954 FT  
 STOOPS RD  
 (T322) 0040/0000



007954 FT  
 S 0040/0000 LENGTH(AH 3353 BK 3344)  
 060 " DIA CIRC CONCR  
 0030/3301 LEN=0043 INSTALLED UNKN

0030/2134 018 " DIA CIRC CONCR  
 LEN=0045 INSTALLED UNKN  
 HIGHLAND  
 0030/1581 FREEDOM T  
 BIGHAM RD  
 0030/1214 (T323)

T324  
 (T324)  
 0030/0580 036 " DIA CIR PLASTIC  
 LEN=0060 INSTALLED 2000  
 0030/0417 004610 FT

2 0 01002 0 02 0321+22 004610 FT  
 DAWN RD  
 (T324) 0030/0000

S 0030/0000 LENGTH(AH 3344 BK 2950)  
 0020/2343 015 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2000

0020/0898 042 " DIA CIRC METAL  
 LEN=0040 INSTALLED 2000

2 0 01002 0 02 0291+72 001660 FT  
 MCGAUGHLIN RD  
 (T318) 0020/0000


S 0020/0000 LENGTH(AH 2950 BK 1660)  
 0010/1049 015 " DIA CIRC CONCR  
 LEN=0030 INSTALLED UNKN

0010/0199 036 " DIA CIR PLASTIC  
 LEN=0048 INSTALLED 2000  
 000000 FT 2 0 01002 0 02 0275+12  
 NC CAMP GETTYSBURG RD  
 PUMPING STATION RD  
 (SR3005 SEG 0140/0000)

INTER-BK RED ROCK RD  
 (T327)  
 MFC BEGIN = E  
 S 0010/0000 LENGTH(AH 1660 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 360  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .547 MI. DIST: 08-1 SR: 3012  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T

WATER ST 002890 FT  
 (SR3010 SEG 0080/0000) 0010/2890



000000 FT


002890 FT  
 INTER-AHD PUMPING STATION RD  
 0010/2890 (SR3010 SEG 0080/0000)

0010/1001 030 "DIA CIR PLASTIC  
 LEN=0060 INSTALLED UNKN

0010/0026 030 "DIA CIRC METAL  
 000000 FT LEN=0050 INSTALLED UNKN  
 2 0 01052 0 00 0000+00  
 NC PUMPING STATION RD  
 TRACT RD  
 (SR3007 SEG 0070/0000)  
 MFC BEGIN = D  
 0010/0000 LENGTH(AH 2890 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 359  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 11.492 MI. DIST: 08-1 SR: 3011  
 LEFT MUN: ARENDSVILLE B RIGHT MUN: ARENDSVILLE B

060679 FT



060679 FT  
 INTER-AHD HIGH ST  
 (SR0234 SEG 0180/0000)  
 MAIN ST  
 0210/2419 (SR0234 SEG 0180/0000)  
 0210/2338 BMSSEN 01/3011/0210/2333  
 2 0 01071 0 00 0132+54  
 NC HIGH ST  
 HIGH ST  
 (BORO)  
 T. CONEWAGO  
 0210/2329 BMSBG 01/3011/0210/2333  
 018 "DIA CIR PLASTIC  
 0210/2042 LEN=0056 INSTALLED 2002

DIR: B TOTAL LEN: 11.492 MI. DIST: 08-1 SR: 3011  
 LEFT MUN: ARENDSVILLE B RIGHT MUN: ARENDSVILLE B

WINDING RD  
(T358)

Segment ID	Length (FT)	Material / Notes
0210/1865		APPLE LN (BORO)
0210/1828		018" DIA CIRC METAL INSTALLED UNKN
0210/1596		018" DIA CIRC METAL INSTALLED 2002
0210/0649		018" DIA CIRC PLASTIC INSTALLED 2002
0210/0540		NC CHAMBERSBURG ST ARENDSVILLE FRANKLIN T
0210/0034	058260 FT	018" DIA CIRC CONCR INSTALLED UNKN
0210/0010	058260 FT	2 0 01071 0 00 0132+54 WINDING RD (T358)
0210/0000		LENGTH(AH 2419 BK 2249)
0200/2184		024" DIA CIRC METAL INSTALLED UNKN
0200/0208	056011 FT	018"H 24"W ELLIP METAL INSTALLED 2002
0200/0000		LENGTH(AH 2249 BK 2657)
0190/2155		018" DIA CIRC CONCR INSTALLED UNKN
0190/1510		020"H 28"W ELLIP METAL INSTALLED UNKN
0190/0298		BMS EN 01/3011/0190/0281 2 0 01075 0 00 0065+87
0190/0281	053354 FT	MUMMASBURG R BMSBG 01/3011/0190/0281 2 0 01075 0 00 0063+25
0190/0000		FLOHRS CHURCH RD (T356) LENGTH(AH 2657 BK 3273)

BOYERS NURSERY RD  
(T309)

050081 FT

0170/0084  
047018 FT

043366 FT

---	0180/1364	020"H 28"W ELLIP METAL LEN=0065 INSTALLED UNKN
---	0180/0823	018" DIA CIR PLASTIC LEN=0050 INSTALLED 2003
---	050081 FT	2 0 01075 0 00 0030+47
---	0180/0000	LENGTH(AH 3273 BK 3063) 015" DIA CIR PLASTIC
---	0170/2579	LEN=0060 INSTALLED 2002
---	0170/1469	015" DIA CIR PLASTIC LEN=0040 INSTALLED 2002
---	0170/0158	035"H 24"W METAL ARCH LEN=0070 INSTALLED 2002
---	047018 FT	2 0 01075 0 00 0000+00 FOX HILL RD (T359)
---	0170/0000	LENGTH(AH 3063 BK 3652)
---	0160/3147	BMSSEN 01/3011/0160/3115 2 0 01001 0 02 0781+62 T. MARSH CK.
---	0160/3138	BMSBG 01/3011/0160/3115
---	0160/3124	066"H 72"W CONC STRUCT LEN=0043 INSTALLED UNKN
---	0160/1925	015" DIA CIR PLASTIC LEN=0040 INSTALLED 2002
---	0160/1473	015" DIA CIR PLASTIC LEN=0032 INSTALLED 2002
---	0160/1261	015"H 21"W ELLIP METAL LEN=0076 INSTALLED UNKN
---	0160/1063	029"H 42"W ELLIP METAL LEN=0030 INSTALLED UNKN
---	043366 FT	2 0 01001 0 02 0750+35
---	0160/0000	LENGTH(AH 3652 BK 2926) 030" DIA CIRC METAL
---	0150/2664	LEN=0050 INSTALLED 2002
---	0150/2450	BMSSEN 01/3011/0150/2440

DIR: B TOTAL LEN: 11.492 MI. DIST: 08-1 SR: 3011  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Segment Description	Segment ID	Length	Notes
NEW RD (T364)	0150/2434		2 0 01001 0 02 0745+27 T. MARSH CK. BMSBG 01/3011/0150/2440
	0150/2419		042"H 72"W OTHER STRUC LEN=0035 INSTALLED UNKN
	0150/2372		BMSSEN 01/3011/0150/2355 2 0 01001 0 02 0744+68 TRIB. MARSH CREEK
SHORT CUT RD (T357)	0150/1760		BMSBG 01/3011/0150/2355
LC FOR SHORT CUT RD (T357)	0150/1633		
	0150/1222		024 " DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
	0150/0916		BMSSEN 01/3011/0150/0903 2 0 01001 0 02 0729+97 BRANCH OF MARSH CREEK
	0150/0903		BMSBG 01/3011/0150/0903
	0150/0586		BMSSEN 01/3011/0150/0551 2 0 01001 0 02 0726+49 MARSH RUN
	0150/0551		BMSBG 01/3011/0150/0551
TO 0030/0110 SH (CONN)	0150/0119		030 " DIA CIRC CONCR LEN=0084 INSTALLED UNKN FROM 0030/0120 SH
	040440 FT		0150/0081 040440 FT 2 0 01001 0 02 0721+00 NC CA SHTOWN RD CHAMBERSBURG RD (SR0030 SEG 0120/0000)
FROM 0030/0110 SH (CONN)	0144/1930		5 0150/0000 LENGTH(AH 2926 BK 2034) TO 0030/0120 SH (CONN) HILLTOWN RD
	0144/1548		(T355)
	0144/1533		018"H 24"W ELLIP METAL LEN=0046 INSTALLED UNKN
	0144/1035		015"H 21"W ELLIP METAL LEN=0036 INSTALLED UNKN
	0144/0630		018"H 24"W ELLIP METAL LEN=0035 INSTALLED UNKN
	038406 FT		5 038406 FT 2 0 01001 0 00 0700+66 5 0144/0000 LENGTH(AH 2034 BK 2053)

DIR: B TOTAL LEN: 11.492 MI. DIST: 08-1 SR: 3011  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

0140/1915	018"H 21"W ELLIP METAL
	LEN=0031 INSTALLED UNKN
0140/1717	015" DIA CIRC METAL
	LEN=0032 INSTALLED UNKN
0140/1546	015" DIA CIRC METAL
	LEN=0040 INSTALLED UNKN
0140/1316	013"H 17"W ELLIP METAL
	LEN=0030 INSTALLED UNKN
0140/0971	013"H 17"W ELLIP METAL
	LEN=0031 INSTALLED UNKN
0140/0763	020"H 28"W ELLIP METAL
	LEN=0034 INSTALLED UNKN
0140/0671	013"H 17"W ELLIP METAL
	LEN=0035 INSTALLED UNKN
	NC HIGH ST
036353 FT	2 0 01001 0 01 0687+85
	OLD US 30
	(T314)
0140/0000	LENGTH(AH 2053 BK 2519)
	024"H 35"W ELLIP METAL
0130/2350	LEN=0036 INSTALLED UNKN
0130/1447	024" DIA CIR PLASTIC
	LEN=0048 INSTALLED UNKN
033834 FT	2 0 01001 0 01 0662+45
	024"H 38"W ELLIP CONC
	LEN=0040 INSTALLED UNKN
0130/0000	LENGTH(AH 2519 BK 2788)
	013"H 17"W ELLIP METAL
0120/2646	LEN=0031 INSTALLED UNKN
	014"H 23"W ELLIP CONC
0120/2130	LEN=0032 INSTALLED UNKN
0120/1507	014"H 23"W ELLIP CONC
	LEN=0032 INSTALLED UNKN
031046 FT	
0120/0000	LENGTH(AH 2788 BK 2763)
	018" DIA CIRC CONCR
0110/2550	LEN=0040 INSTALLED UNKN

OLD US 30  
(T314)

0140/0417  
036353 FT

033834 FT

2 0 01001 0 01 0634+79 031046 FT  
SCOTT SCHOOL RD  
(T351) 0120/0000





DIR: B TOTAL LEN: 11.492 MI. DIST: 08-1 SR: 3011  
 LEFT MUN: HAMILTONBAN T RIGHT MUN: HAMILTONBAN T

Location / Notes	Segment ID	Length (FT)	Material / Details
	0080/1055		030 " DIA CIRC METAL LEN=0086 INSTALLED UNKN
019586 FT	0080/0391		018 " DIA CIRC METAL LEN=0034 INSTALLED UNKN
	019586 FT		2 0 01001 0 00 0519+75
	0080/0000		LENGTH(AH 2721 BK 2341) 018 " DIA CIRC METAL
	0070/1810		LEN=0055 INSTALLED UNKN
	0070/1387		024"H 31"W ELLIP METAL LEN=0056 INSTALLED UNKN
	0070/1113		020"H 28"W ELLIP METAL LEN=0060 INSTALLED UNKN
CARROLLS TRACT RD (T314)	0070/0945		NC ORRTANNA RD
DEIST LN (PRDR)	0070/0257		
017245 FT	0070/0000		017245 FT 2 0 01001 0 00 0496+34 LENGTH(AH 2341 BK 2979)
	0060/1845		018 " DIA CIR PLASTIC LEN=0033 INSTALLED 2005
014266 FT	0060/0024		018 " DIA CIR PLASTIC LEN=0005 INSTALLED 2007
	014266 FT		2 0 01001 0 00 0466+58 KNOX RD
	0060/0000		(T331) LENGTH(AH 2979 BK 3120)
	0050/2618		018 " DIA CIRC METAL LEN=0050 INSTALLED 2005
011146 FT	0050/0000		011146 FT 2 0 01001 0 00 0435+35 LENGTH(AH 3120 BK 2772)
			030 " DIA CIR PLASTIC

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 352  
COUNTY: ADAMS

DIR: B TOTAL LEN: 11.492 MI.  
LEFT MUN: HAMILTONBAN T

DIST: 08-1 SR: 3011  
RIGHT MUN: HAMILTONBAN T


Stationing	Length	Description	Material	Installation
008374 FT	0040/1813	015" DIA CIR PLASTIC	LEN=0042	INSTALLED 2005
	0040/1122	COLD SPRINGS RD	LEN=0034	INSTALLED 2005
	008374 FT	2 0 01001 0 00 0407+63		
	0040/0000	(T307) LENGTH(AH 2772 BK 2873)		
	0030/1969	033"H 49"W ELLIP METAL	LEN=0045	INSTALLED UNKN
005501 FT	0030/0325	013"H 22"W ELLIP METAL	LEN=0028	INSTALLED UNKN
	005501 FT	2 0 01001 0 00 0378+90		
	0030/0000	LENGTH(AH 2873 BK 2813)		
	0020/2707	018"H 24"W ELLIP METAL	LEN=0028	INSTALLED UNKN
2 0 01001 0 00 0350+77 MT HOPE RD (T309)	002688 FT	BULLFROG RD		
	0020/0000	(T321) LENGTH(AH 2813 BK 2688)		
	0010/2205	HAMILTONBAN FAIRFIELD B		
000000 FT	0010/0107	FOR SR 0116 AND 3011		
	000000 FT	(CONN) 2 0 01001 0 00 0323+89		
		FAIRFIELD RD		
		(SR0116 SEG 0090/0965)		
FAIRFIELD RD (SR0116 SEG 0090/0965)	0010/0000	NC CARROLL'S TRACT RD		
		MFC BEGIN = D		
	0010/0000	LENGTH(AH 2688 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 351  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 4.777 MI. DIST: 08-1 SR: 3010  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

BULLFROG RD  
(T321)

025223 FT

0100/2616



025223 FT  
INTER-AHD

0100/2616


PUMPING STATION RD  
(SR3005 SEG 0110/0000)  
WATER ST  
(SR3005 SEG 0110/0000)

0100/1684	018 " DIA	CIRC METAL	LEN=0035	INSTALLED UNKN
0100/1091	018 " DIA	CIR PLASTIC	LEN=0040	INSTALLED UNKN
0100/0779	018 " DIA	CIR PLASTIC	LEN=0030	INSTALLED UNKN
0100/0397	018 " DIA	CIR PLASTIC	LEN=0030	INSTALLED UNKN

DIR: B TOTAL LEN: 4.777 MI. DIST: 08-1 SR: 3010  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

022607 FT

022607 FT 2 0 01052 0 01 0080+18  
 S 0100/0000 LENGTH(AH 2616 BK 2279)  
 018 " DIA CIR PLASTIC  
 0090/1893 LEN=0027 INSTALLED UNKN



0090/0452 BMS EN 01/3010/0090/0388  
 2 0 01052 0 00 0060+96  
 MIDDLE CREEK  
 0090/0388 BMSBG 01/3010/0090/0388  
 MIDDLE CREEK RD

020328 FT



0090/0205 (T329)  
 020328 FT 2 0 01052 0 00 0057+70  
 S 0090/0000 LENGTH(AH 2279 BK 2816)  
 030 " DIA CIR PLASTIC  
 0080/2682 LEN=0015 INSTALLED UNKN  
 036 " DIA CIR PLASTIC  
 0080/2545 LEN=0045 INSTALLED UNKN

018 " DIA CIR PLASTIC  
 0080/1889 LEN=0035 INSTALLED UNKN  
 024 " DIA CIR PLASTIC  
 0080/1458 LEN=0030 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 0080/1150 LEN=0035 INSTALLED UNKN  
 015 "H 21 "W ELLIP METAL  
 0080/1091 LEN=0025 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 0080/0974 LEN=0040 INSTALLED UNKN  
 015 " DIA CIR PLASTIC  
 0080/0585 LEN=0025 INSTALLED UNKN  
 018 " DIA CIRC METAL  
 0080/0202 LEN=0035 INSTALLED UNKN  
 024 " DIA CIR PLASTIC

017512 FT



0080/0103 LEN=0035 INSTALLED UNKN  
 017512 FT 2 0 01052 0 00 0029+54  
 NC PUMPING STATION RD  
 PUMPING STATION RD  
 (SR3012 SEG 0010/2890)  
 FREEDOM  
 LIBERTY T  
 S 0080/0000 LENGTH(AH 2816 BK 3007)  
 018 " DIA CIRC METAL  
 0070/2908 LEN=0032 INSTALLED UNKN  
 024 " DIA CIR PLASTIC  
 0070/2590 LEN=0032 INSTALLED 2003  
 015 " DIA CIR PLASTIC  
 0070/2492 LEN=0038 INSTALLED UNKN  
 018 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.777 MI. DIST: 08-1 SR: 3010  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T

---	0070/2008	LEN=0032	INSTALLED	UNKN
---	0070/1419	LEN=0032	INSTALLED	UNKN
---	0070/1060	LEN=0032	INSTALLED	UNKN
---	0070/0670	LEN=0030	INSTALLED	UNKN
---	0070/0408	LEN=0030	INSTALLED	UNKN
---	0070/0025	LEN=0038	INSTALLED	UNKN
---	014505 FT	2 0 01072 0 00 0030+07	LIBERTY HALL RD (T317)	
==	5 0070/0000	LENGTH(AH 3007 BK 1899)		
---	0060/1830	LEN=0040	INSTALLED	UNKN
---	0060/1427	LEN=0030	INSTALLED	UNKN
---	0060/1219	LEN=0036	INSTALLED	UNKN
---	0060/0842	LEN=0032	INSTALLED	UNKN
---	0060/0508	LEN=0032	INSTALLED	UNKN
---	012606 FT			
==	5 0060/0000	LENGTH(AH 1899 BK 2573)		
---	0050/1938	054"H 95"W CON BOX CUL	LEN=0032 INSTALLED UNKN	
---	0050/1899	T.MIDDLE CK	STRUCTURE LENGTH 8 FT	
---	0050/0920	013"H 17"W ELLIPTICAL*	LEN=0030 INSTALLED UNKN	
---	0050/0575	024"DIA CIRC METAL	LEN=0020 INSTALLED UNKN	
---	0050/0008	015"DIA CIR PLASTIC	LEN=0035 INSTALLED 2005	
---	010033 FT	2 0 01072 0 00 0075+41		
---	5 0050/0000	LENGTH(AH 2573 BK 2237)		
---	0040/1882	018"DIA CIR PLASTIC	LEN=0030 INSTALLED UNKN	
---	0040/1794	018"DIA CIR PLASTIC	LEN=0030 INSTALLED UNKN	
---	0040/1250	013"H 17"W ELLIP METAL	LEN=0020 INSTALLED UNKN	

014505 FT

2 0 01072 0 00 0049+68 012606 FT  
 MCGLAUGHLIN RD  
 (T318) 0060/0000

010033 FT




DIR: B TOTAL LEN: 1.551 MI. DIST: 08-1 SR: 3009  
 LEFT MUN: HAMILTONBAN T RIGHT MUN: HAMILTONBAN T

008190 FT

007805 FT

005542 FT



008190 FT	0040/0385	WAYNESBORO PK (TBO9)
0040/0075	007805 FT	018 " DIA CIRC CONCR LEN=0100 INSTALLED UNKN 2 0 01024 0 00 0078+00
0040/0000	0030/2263	WAYNESBORO PK (SR0016 SEG 0030/0483)
0030/2130	0030/2130	LENGTH(AH 0385 BK 2263) 018 " DIA CIRC CONCR LEN=0100 INSTALLED UNKN BMSSEN 01/3009/0030/2088 2 0 01024 0 00 0076+31
0030/2088	0030/1841	MINEY BR. BMSBG 01/3009/0030/2088 018 " DIA CIRC CONCR
0030/1740	0030/1740	LEN=0042 INSTALLED 2014 018 " DIA CIRC CONCR
0030/1417	0030/1417	LEN=0040 INSTALLED UNKN 018 " DIA CIRC CONCR
0030/1170	0030/1170	LEN=0040 INSTALLED UNKN 018 " DIA CIRC CONCR
0030/0960	0030/0960	LEN=0040 INSTALLED UNKN 018 " DIA CIRC CONCR
0030/0691	0030/0691	LEN=0045 INSTALLED UNKN 018 " DIA CIRC CONCR
0030/0570	0030/0570	LEN=0040 INSTALLED UNKN BMSSEN 01/3009/0030/0557 2 0 01024 0 00 0061+00
0030/0557	0030/0557	T. MINEY BR. BMSBG 01/3009/0030/0557 018 " DIA CIRC CONCR
0030/0238	005542 FT	LEN=0065 INSTALLED UNKN 2 0 01024 0 00 0055+43
0030/0000	0030/0000	LENGTH(AH 2263 BK 2493) 030 " DIA CIRC CONCR

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 346  
COUNTY: ADAMS

DIR: B TOTAL LEN: 1.551 MI.  
LEFT MUN: HAMILTONBAN T

DIST: 08-1 SR: 3009  
RIGHT MUN: HAMILTONBAN T

GLADHILL RD  
(T301)

0020/0559  
003049 FT


UNKNOWN RD  
(PRDR)

0010/2260  
000000 FT

0020/2394	LEN=0050	INSTALLED UNKN
018 "DIA	CIRC CONCR	
0020/1925	LEN=0055	INSTALLED UNKN
018 "DIA	CIRC CONCR	
0020/1777	LEN=0040	INSTALLED UNKN
HAMILTONBAN		
0020/1717	LIBERTY T	
018 "DIA	CIRC CONCR	
0020/1528	LEN=0054	INSTALLED UNKN
018 "DIA	CIRC CONCR	
0020/1327	LEN=0040	INSTALLED UNKN
018 "DIA	CIRC CONCR	
0020/1116	LEN=0045	INSTALLED UNKN
018 "DIA	CIRC CONCR	
0020/0919	LEN=0055	INSTALLED UNKN
018 "DIA	CIRC CONCR	
0020/0773	LEN=0054	INSTALLED UNKN
LC FROM GOVERNMENT RD		
0020/0616	(CONN)	
US GOVERNMENT RD		
0020/0559	(GOVT)	
018 "DIA	CIRC CONCR	
0020/0517	LEN=0074	INSTALLED UNKN
003049 FT	2 0 01024 0 00 0030+24	
0020/0000	LENGTH(AH 2493 BK 3049)	
0010/2456	024 "DIA CIR PLASTIC	
LEN=0038	INSTALLED 2007	
0010/2228	018 "DIA CIR PLASTIC	
LEN=0005	INSTALLED 2007	
0010/1396	015 "DIA CIR PLASTIC	
LEN=0040	INSTALLED 2007	
0010/1095	015 "DIA CIR PLASTIC	
LEN=0065	INSTALLED 2007	
036"H 57"W	ELLIP METAL	
0010/0783	LEN=0030	INSTALLED UNKN
US GOVERNMENT RD		
0010/0586	(GOVT)	
021"H 15"W	METAL ARCH	
0010/0585	LEN=0005	INSTALLED 2007
015 "DIA	CIR PLASTIC	
0010/0010	LEN=0040	INSTALLED 2005
000000 FT	2 0 01024 0 00 0000+00	
NC HA RBAUGH VALLEY RD		
INTER-BK MARYLAND STATE LINE		
(STBD)		
MFC BEGIN = E		
0010/0000	LENGTH(AH 3049 BK 0000)	



011266 FT



011266 FT 018 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 EMMITSBURG RD  
 0040/2834 (SR3001 SEG 0080/1065)

0040/1200 024"H 18"W METAL ARCH  
 LEN=0050 INSTALLED 2005

0040/0267 BMS EN 01/3008/0040/0131  
 024 "DIA CIR PLASTIC  
 0040/0195 LEN=0045 INSTALLED 2002  
 CUMBERLAND

008432 FT

0040/0071 FREEDOM T  
 008432 FT 2 0 01002 0 01 0141+00  
 MARSH CREEK  
 BMSBG 01/3008/0040/0131  
 0040/0000 LENGTH(AH 2834 BK 3503)

0030/2113 015 "DIA CIRC METAL  
 0030/1622 LEN=0028 INSTALLED UNKN  
 BMS EN 01/3008/0030/1591  
 2 0 01002 0 01 0158+91



DIR: B TOTAL LEN: 6.123 MI. DIST: 08-1 SR: 3007  
 LEFT MUN: FAIRFIELD B RIGHT MUN: FAIRFIELD B

Stationing	Description	Material / Details
032329 FT	MAIN ST	(SRO116 SEG 0080/0515)
0120/1443	015"H 21"W ELLIP METAL	LEN=0055 INSTALLED UNKN
0120/1153	STEELMAN ST	
0120/1143	(BORO)	
0120/0823	BMSSEN 01/3007/0120/0815	048"H 92"W CONC STRUCT
0120/0820	LEN=0045 INSTALLED UNKN	0 0 0000 0 00 0000+00
0120/0815	MILL CREEK	BMSBG 01/3007/0120/0815
030886 FT	2 0 01001 0 00 0309+46	NC MC GINLEY DR
0120/0000	FAIRFIELD	HAMILTONBAN T
0110/1994	LENGTH(AH 1443 BK 2845)	015"H 21"W ELLIP METAL
0110/1588	LEN=0040 INSTALLED UNKN	015 "DIA CIR PLASTIC
0110/1440	LEN=0060 INSTALLED 2001	013"H 17"W ELLIP METAL
0110/1183	LEN=0036 INSTALLED UNKN	
028041 FT	015"H 21"W ELLIP METAL	LEN=0034 INSTALLED UNKN
0110/0134	2 0 01001 0 00 0280+99	HAMILTONBAN
0110/0000	LIBERTY T	LENGTH(AH 2845 BK 3021)
0100/1609	015 "DIA CIR PLASTIC	LEN=0035 INSTALLED UNKN
025020 FT	030 "DIA CIR PLASTIC	LEN=0036 INSTALLED 1999
0100/0163	2 0 01001 0 00 0250+78	

BANTY LN  
(PRDR)

GRASSHOPPER LN  
(PRDR)

DIR: B TOTAL LEN: 6.123 MI. DIST: 08-1 SR: 3007  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T

Segment / Location	Segment ID	Length	Material / Notes
SANDERS RD (T322)	0090/3851		BRENT RD (T309) LENGTH(AH 3021 BK 3870)
	0090/3815		015"H 21"W ELLIP METAL LEN=0049 INSTALLED UNKN
	0090/3595		015"DIA CIR PLASTIC LEN=0044 INSTALLED UNKN
	0090/3180		015"DIA CIR PLASTIC LEN=0036 INSTALLED 2001
	0090/2472		015"DIA CIR PLASTIC LEN=0048 INSTALLED 2001
	0090/1768		036"DIA CIRC METAL LEN=0050 INSTALLED UNKN
	0090/1170		015"H 21"W ELLIP METAL LEN=0036 INSTALLED 2001
LC FOR PECHER RD (CONN)	0090/0201		
2 0 01001 0 00 0212+08	021150 FT		
PECHER RD (T312)	0090/0000		0090/0112 021150 FT LEN=0092 INSTALLED UNKN
AIRDALE TR (TWP) COLLIE TR (PRDR)	0080/1558		0090/0000 LENGTH(AH 3870 BK 3762)
	0080/1160		015"H 21"W ELLIP METAL LEN=0032 INSTALLED UNKN
	0080/0584		018"DIA CIR PLASTIC LEN=0036 INSTALLED 1999
	0080/0297		015"H 21"W ELLIP METAL LEN=0041 INSTALLED UNKN
	017388 FT		030"DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
	0080/0000		018"DIA CIRC METAL LEN=0030 INSTALLED UNKN
			015"DIA CIR PLASTIC LEN=0048 INSTALLED 1999
			2 0 01001 0 00 0174+00 LIBERTY HALL RD (T317)
			0080/0000 LENGTH(AH 3762 BK 2623)

DIR: B TOTAL LEN: 6.123 MI. DIST: 08-1 SR: 3007  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T


Stationing	Structure Type	Dimensions	Material	Status	Year
014765 FT	--- ---	0070/1859	015" DIA CIR PLASTIC	INSTALLED	2000
	--- ---	0070/1228	015" DIA CIR PLASTIC	INSTALLED	1999
	--- ---	0070/0800	015" DIA CIR PLASTIC	INSTALLED	1999
	--- ---	0070/0139	035"H 24"W METAL ARCH	INSTALLED	1999
	== ==	014765 FT	2 0 01001 0 00 0147+77		
	== ==	0070/0000	PUMPING STATION RD		
	--- ---	0060/2180	(SR3012 SEG 0010/0000)		
	--- ---	0060/1976	LENGTH(AH 2623 BK 2237)		
	--- ---		024"H 35"W ELLIP METAL	INSTALLED	UNKN
	--- ---		013"H 17"W ELLIP METAL	INSTALLED	UNKN
012528 FT	^ _	0060/0013	BMSEN 01/3007/0060/0000		
	^ _	012528 FT	2 0 01001 0 00 0125+51		
	^ _	0060/0000	BR. FLAT RUN		
	^ _	0050/1662	BMSBG 01/3007/0060/0000		
	--- ---		LENGTH(AH 2237 BK 2150)		
	--- ---		013"H 17"W ELLIP METAL	INSTALLED	UNKN
010378 FT	^ _	0050/0013	BMSEN 01/3007/0050/0000		
	^ _	010378 FT	2 0 01001 0 00 0103+86		
	^ _	0050/0000	BR. FLAT RUN		
	^ _		BMSBG 01/3007/0050/0000		
	--- ---		LENGTH(AH 2150 BK 2305)		
	--- ---	0040/1540	013"H 17"W ELLIP METAL	INSTALLED	UNKN
	--- ---	0040/1138	013"H 17"W ELLIP METAL	INSTALLED	UNKN
0040/0766	== ==	0040/0766	WENSCHOFF RD		
	== ==		(T324)		
008073 FT	^ _	0040/0013	BMSEN 01/3007/0040/0000		
	^ _	008073 FT	2 0 01001 0 00 0080+71		
	^ _		BR. FLAT RUN		

CRUM RD  
(T111)



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 339  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 2.107 MI. DIST: 08-1 SR: 3006  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

011125 FT



011125 FT TANEYTOWN RD  
 0040/2957 (SR0134 SEG 0070/0000)  
 021 " DIA CIRC METAL  
 0040/2611 LEN=0030 INSTALLED 1998  
  
 0040/1586 021 " DIA CIRC METAL  
 LEN=0030 INSTALLED 1998  
  
 0040/0960 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 021"H 01"W ELLIP METAL  
 0040/0605 LEN=0030 INSTALLED 1998  
 048 " DIA CIRC METAL  
 0040/0026 LEN=0055 INSTALLED UNKN  
 008168 FT 2 0 01002 0 00 0029+31  
 0040/0000 LENGTH(AH 2957 BK 3881)  
 021 " DIA CIRC METAL  
 0030/3336 LEN=0035 INSTALLED 1998

008168 FT

DIR: B TOTAL LEN: 2.107 MI. DIST: 08-1 SR: 3006  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Structure	Material	Length	Notes
0030/2464	018" DIA	CIRC METAL	LEN=0040	INSTALLED 1998
0030/1995	024" DIA	CIRC METAL	LEN=0040	INSTALLED 1998
0030/1459	021" DIA	CIRC METAL	LEN=0030	INSTALLED 1998
RIDGE RD (T404)				
004287 FT	0030/0779			
004287 FT	2 0 01002 0 00	0068+60		
0030/0000	LENGTH(AH 3881 BK 2373)			
0020/1805	018" DIA	CIRC CONCR	LEN=0056	INSTALLED UNKN
0020/1803	BMSBN 01/3006/0020/1612			
0020/1612	2 0 01002 0 00	0090+09		
0020/1598	US 15 NB			
0020/1487	BMSBG 01/3006/0020/1436			
0020/1436	018" DIA	CIRC CONCR	LEN=0048	INSTALLED UNKN
0020/1200	BMSBN 01/3006/0020/1436			
0020/1200	2 0 01002 0 00	0077+92		
0020/1179	US 15 (SB)			
0020/1179	BMSBG 01/3006/0020/1436			
0020/1179	018" DIA	CIRC METAL	LEN=0080	INSTALLED UNKN
CHAPEL-RIDGE RD (T409)				
0020/0423	BMSBN 01/3006/0020/0000			
0020/0023	2 0 01002 0 00	0091+98		
001914 FT	T. MARSH CK.			
0020/0000	BMSBG 01/3006/0020/0000			
0020/0000	LENGTH(AH 2373 BK 1914)			
0010/1810	018" DIA	CIRC CONCR	LEN=0025	INSTALLED UNKN
0010/1008	017"H 13"W METAL ARCH		LEN=0030	INSTALLED 1997
0010/0350	018" DIA	CIRC METAL	LEN=0030	INSTALLED UNKN
000000 FT	2 0 01002 0 00	0111+39		
000000 FT	NC BA			
0010/0000	ARLOW-GREENMOUNT RD			
0010/0000	EMMITSBURG RD			
0010/0000	(SR3001 SEG 0090/0000)			
0010/0000	MFC BEGIN = E			
0010/0000	LENGTH(AH 1914 BK 0000)			




EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 337  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 8.592 MI. DIST: 08-1 SR: 3005  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

CONFEDERATE AV  
(PARK)

045364 FT

0180/2356



045364 FT  
INTER-AHD

0180/2356  
0180/2223  
0180/1853

WHEATFIELD RD  
(PARK)  
CONFEDERATE AV  
(PARK)  
018 " DIA CIR PLASTIC  
LEN=0050 INSTALLED UNKN  
018 " DIA CIR PLASTIC  
LEN=0050 INSTALLED UNKN

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 336  
COUNTY: ADAMS

DIR: B TOTAL LEN: 8.592 MI.  
LEFT MUN: CUMBERLAND T

DIST: 08-1 SR: 3005  
RIGHT MUN: CUMBERLAND T

Station	Length	Material	Notes
0180/1435	024"	DIA CIR PLASTIC	LEN=0054 INSTALLED 2000
0180/1111	018"	DIA CIR PLASTIC	LEN=0044 INSTALLED 2000
0180/0850	018"	DIA CIR PLASTIC	LEN=0048 INSTALLED 2000
0180/0565	018"	DIA CIR PLASTIC	LEN=0045 INSTALLED 2000
0180/0388	024"	DIA CIR PLASTIC	LEN=0048 INSTALLED UNKN
0180/0265	024"	DIA CIR PLASTIC	LEN=0056 INSTALLED UNKN
043008 FT	2 0 0	01026 0 00 0124+08	
0180/0000	LENGTH(AH	2356 BK 2336)	
0170/2259	015"	DIA CIR PLASTIC	LEN=0042 INSTALLED 2000
0170/1939	018"	DIA CIRC CONCR	LEN=0030 INSTALLED UNKN
0170/1720	018"	DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0170/1692		RED ROCK RD (T509)	
0170/1661			
0170/1471		BMS EN 01/3005/0170/1401	2 0 0 01026 0 00 0114+65
0170/1401		WILLOUGHBY RN BMSBG 01/3005/0170/1401	
0170/0442		ROBERTA WY (TWP)	
040672 FT	2 0 0	01026 0 00 0100+23	
0170/0000	LENGTH(AH	2336 BK 3261)	
0160/2368	024"	DIA CIRC CONCR	LEN=0060 INSTALLED UNKN
0160/2136	048"	DIA CIR PLASTIC	LEN=0060 INSTALLED UNKN
0160/1252		BMS EN 01/3005/0160/1071	NC MI LLERSTOWN RD
0160/1091		CUMBERLAND T FREEDOM T	2 0 0 01026 0 00 0078+56
0160/1071		MARSH CREEK BMSBG 01/3005/0160/1071	
0160/1022		WATERWORKS RD (T405)	
0160/1022			

BLACK HORSE TAVERN RD  
(T334)

SCOTT RD  
(T326)

DIR: B TOTAL LEN: 8.592 MI. DIST: 08-1 SR: 3005  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

Stationing	Notes	Material	Length	Installation
037411 FT		013 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
		037411 FT	2 0 01026	0 00 0067+62
		0160/0000	LENGTH(AH 3261 BK 3167)	
		015 " DIA CIR PLASTIC	LEN=0035	INSTALLED 1997
		0150/2870		
		0150/1619	071"H 00"W MULT METAL	LEN=0033 INSTALLED UNKN
			T.MARCH CK.	
			STRUCTURE LENGTH 22 FT	
		0150/1602	BMSID 01/3005/0150/1602	
		0150/1063	015 " DIA CIR PLASTIC	LEN=0035 INSTALLED UNKN
			015 " DIA CIR PLASTIC	
034244 FT		0150/0504	LEN=0036	INSTALLED 2000
		034244 FT	2 0 01026	0 00 0035+95
		0150/0000	LENGTH(AH 3167 BK 3595)	
		015 " DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
		0140/3548	015 " DIA CIR PLASTIC	LEN=0035 INSTALLED 1997
		0140/2973		
		0140/2308	015 " DIA CIR PLASTIC	LEN=0032 INSTALLED 2000
BIGHAM RD (T323)		0140/1818		
		0140/1219	015 " DIA CIR PLASTIC	LEN=0035 INSTALLED UNKN
			015 " DIA CIR PLASTIC	
		0140/0787	LEN=0036	INSTALLED 2000
		0140/0125	015 " DIA CIR PLASTIC	LEN=0035 INSTALLED UNKN
			015 " DIA CIR PLASTIC	
030649 FT		0140/0039	LEN=0053	INSTALLED 2000
		030649 FT	2 0 01026	0 00 0000+00
			RED ROCK RD	
CAMP GETTYSBURG RD (SR3013 SEG 0010/0000)		0140/0000	(T327)	LENGTH(AH 3595 BK 3677)
			020 " DIA CIR PLASTIC	LEN=0041 INSTALLED UNKN
		0130/3139		
		0130/2510	036 " DIA CIR PLASTIC	LEN=0055 INSTALLED UNKN
			013 " DIA CIR PLASTIC	
		0130/2350	LEN=0130	INSTALLED UNKN
		0130/1769	BMSID 01/3005/0130/1745	

DIR: B TOTAL LEN: 8.592 MI. DIST: 08-1 SR: 3005  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

Stationing	Description	Material	Length	Notes
0130/1745	PLUM RUN	BMSBG 01/3005/0130/1745		
0130/1294	015" DIA CIR PLASTIC	LEN=0032		INSTALLED 1999
026972 FT	0130/0300	013" DIA CIR PLASTIC		LEN=0035 INSTALLED UNKN
025992 FT	026972 FT	2 0 01002 0 02 0238+35		
0130/0000	024" DIA CIR PLASTIC	LEN=0035		INSTALLED UNKN
025992 FT	025992 FT	2 0 01002 0 02 0228+33		
0120/0000	CUNNINGHAM RD	(SR3008 SEG 0010/0000)		LENGTH(AH 0980 BK 2400)
023592 FT	023592 FT			
0110/0000	NC PUMPING STATION RD			LENGTH(AH 2400 BK 3509)
0100/1843	021"H 15"W ELLIP METAL	LEN=0004		INSTALLED 2003
020083 FT	020083 FT	2 0 01025 0 01 0175+96		
0100/0000	0100/0000	LENGTH(AH 3509 BK 2077)		
018006 FT	018006 FT			



DIR: B TOTAL LEN: 8.592 MI. DIST: 08-1 SR: 3005  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

	0050/0928	038 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
008929 FT	008929 FT	2 0 01025 0 00 0074+79
	0050/0000	LENGTH(AH 1914 BK 1727) 015 " DIA CIR PLASTIC
	0040/1184	LEN=0030 INSTALLED UNKN
	0040/0453	015 " DIA CIR PLASTIC LEN=0030 INSTALLED 2003
007202 FT	007202 FT	2 0 01025 0 00 0057+16
	0040/0000	NATURAL DAM RD (T401) LENGTH(AH 1727 BK 2761)
	0030/0865	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2003
	0030/0388	013"H 17"W ELLIPTICAL*
004441 FT	004441 FT	2 0 01025 0 00 0029+55
	0030/0000	LENGTH(AH 2761 BK 2955) 015 " DIA CIR PLASTIC
	0020/2825	LEN=0035 INSTALLED 2003
	0020/1529	030 " DIA CIR PLASTIC LEN=0048 INSTALLED 2003
001486 FT	001486 FT	2 0 01025 0 00 0000+00
	0020/0000	MASON DIXON RD (SR3002 SEG 0010/0000) LENGTH(AH 2955 BK 1486)
000000 FT	000000 FT	2 0 01003 0 00 0000+00
	0010/0000	NC BU LLFROG RD INTER-BK MARYLAND STATE LINE (STBD) MFC BEGIN = E LENGTH(AH 1486 BK 0000)







DIR: B TOTAL LEN: 4.062 MI. DIST: 08-1 SR: 3004  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T


CHAPEL RD  
(T407)

2 0 01054 0 00 0031+77  
 CHAPEL RD ET  
(T403)

Stationing	Description	Material / Details
0040/0740	TRB. MARSH	BMSBG 01/3004/0040/0740
006589 FT	LENGTH(AH 1898 BK 1701)	2 0 01054 0 00 0065+87
0030/0882	BMSBG 01/3004/0030/0668	2 0 01054 0 00 0055+86
0030/0668	US 15 (NB)	BMSBG 01/3004/0030/0668
0030/0649	018"H 12"W ELLIP METAL	LEN=0030 INSTALLED UNKN
004888 FT	015 "DIA CIRC METAL	LEN=0045 INSTALLED UNKN
0030/0000	024 "DIA CIR PLASTIC	LEN=0036 INSTALLED 2006
0020/1000	021"H 29"W ELLIP METAL	LEN=0030 INSTALLED UNKN
003209 FT	LENGTH(AH 1679 BK 3209)	018 "DIA CIR PLASTIC
0020/0000	024 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2006
0010/3160	015 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2006
0010/2800	015 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2006
0010/2274	015 "DIA CIRC METAL	LEN=0030 INSTALLED UNKN
0010/1720	015"H 12"W ELLIP METAL	LEN=0030 INSTALLED UNKN
0010/1014	015"H 12"W ELLIP METAL	LEN=0030 INSTALLED UNKN
0010/0548	015"H 12"W ELLIP METAL	LEN=0030 INSTALLED UNKN
000000 FT	015"H 12"W ELLIP METAL	LEN=0030 INSTALLED UNKN
000000 FT	NC MA	2 0 01054 0 00 0000+00
0010/0000	EMMITSBURG RD	(SR3001 SEG 0080/0000)
	MFC BEGIN = E	
	LENGTH(AH 3209 BK 0000)	

DIR: B TOTAL LEN: 4.428 MI. DIST: 08-1 SR: 3003  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

023379 FT




023379 FT SHRIVERS CORNER RD  
 0090/2208 (SR0394 SEG 0140/2258)  
 018"H 36"W CON BOX CUL  
 0090/2180 LEN=0060 INSTALLED UNKN

021171 FT



0090/0416 024 " DIA CIR PLASTIC  
 LEN=0034 INSTALLED UNKN  
 021171 FT 2 0 01040 0 00 0211+74  
 024"H 35"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 0090/0000 LENGTH(AH 2208 BK 2541)


018630 FT



0080/1139 013"H 17"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 0080/0700 015"H 21"W ELLIPTICAL+  
 LEN=0032 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 0080/0229 LEN=0040 INSTALLED UNKN  
 018630 FT 2 0 01040 0 00 0186+25  
 0080/0000 LENGTH(AH 2541 BK 3738)

MARTIN RD  
 (T513)

0070/2236



0070/2435 018 " DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 327  
COUNTY: ADAMS

DIR: B TOTAL LEN: 4.428 MI.  
LEFT MUN: STRABAN T

DIST: 08-1 SR: 3003  
RIGHT MUN: STRABAN T

Stationing	Notes	Object ID	Description
014892 FT		0070/1167	036 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0070/0635	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		014892 FT	2 0 01040 0 00 0148+87 FLICKINGER RD (T512)
		0070/0000	LENGTH(AH 3738 BK 1899)
		0060/1833	018 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
		0060/0920	013 " H 17 " W ELLIP METAL LEN=0035 INSTALLED UNKN
012993 FT		0060/0616	036 " DIA CIR PLASTIC LEN=0044 INSTALLED UNKN
		0060/0031	BMSSEN 01/3003/0060/0000
		012993 FT	2 0 01040 0 00 0129+88 ROCK CREEK
		0060/0000	BMSBG 01/3003/0060/0000 LENGTH(AH 1899 BK 1927)
		0050/0676	036 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
011066 FT		0050/0560	024 " DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
		011066 FT	2 0 01040 0 00 0110+80
THREE SPRINGS RD (T507)		0050/0000	LENGTH(AH 1927 BK 2434)
0040/2152		0040/1819	018 " DIA CIRC METAL LEN=0078 INSTALLED UNKN SMITH RD
		0040/1482	(T509)
		0040/1438	018 " DIA CIRC METAL LEN=0085 INSTALLED UNKN
		0040/1244	BMSSEN 01/3003/0040/1108
		0040/1108	2 0 01040 0 00 0097+59 US 15 (NB)
WEANER RD (T571)		0040/0868	BMSBG 01/3003/0040/1108
008632 FT		008632 FT	2 0 01040 0 00 0086+46 FAIRVIEW RD (T504)
		0040/0000	LENGTH(AH 2434 BK 2721)


DIR: B TOTAL LEN: 4.428 MI. DIST: 08-1 SR: 3003  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Location	Segment ID	Length	Material / Notes
	0030/2617		018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	0030/0051	005911 FT	036 " DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	0030/0000		2 0 01040 0 00 0059+25 SHEALER RD (T341) LENGTH(AH 2721 BK 3306)
	0020/2893		018 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
	0020/2413		018 " DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	0020/1948		015"H 21"W ELLIPTICAL* LEN=0032 INSTALLED UNKN
FOX TR (TWP )	0020/1753		
	0020/1555		015"H 21"W ELLIP METAL LEN=0013 INSTALLED UNKN
HOUNDS RUN RD (PRDR)	0020/0705		
	0020/0017	002605 FT	BMS EN 01/3003/0020/0000 2 0 01040 0 00 0026+19 TRIB ROCK CK
	0020/0000		BMSBG 01/3003/0020/0000 LENGTH(AH 3306 BK 2605)
	0010/0531		BMS EN 01/3003/0010/0519 2 0 01040 0 00 0005+39 T. ROCK CK.
	0010/0519		BMSBG 01/3003/0010/0519
	0010/0073	000000 FT	(AAR 832145J) #TRKS 02 2 0 01040 0 00 0000+00 YORK RD (SR0030 SEG 0300/1291)
YORK RD (SR0030 SEG 0300/1291)	0010/0000		NC HUNTERSTOWN RD MFC BEGIN = D LENGTH(AH 2605 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 325  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 3.677 MI. DIST: 08-1 SR: 3002  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

019414 FT

019414 FT  
 INTER-AHD SPANGLER SCHOOL RD  
 (T409)  
 TANEYTOWN RD  
 (SR0134 SEG 0010/1564)  
 048 " DIA CIR PLASTIC  
 0090/2097  
 0090/2031 LEN=0120 INSTALLED 1997  
  
 0090/1050 018 " DIA CIRC METAL  
 LEN=0040 INSTALLED UNKN  
  
 0090/0349 018 " DIA CIRC METAL  
 LEN=0036 INSTALLED UNKN  
 017317 FT 2 0 01066 0 00 0084+77  
 0090/0000 LENGTH(AH 2097 BK 2614)




017317 FT

DIR: B TOTAL LEN: 3.677 MI. DIST: 08-1 SR: 3002  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

SAVANNAH DR  
 (TWP )

0080/2223



0080/1585 015 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2001  
 0080/1112 015 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2001

014703 FT

0080/0027 BMS EN 01/3002/0080/0000  
 014703 FT 2 0 01066 0 00 0059+04  
 T. ROCK CK.  
 BMSBG 01/3002/0080/0000  
 LENGTH(AH 2614 BK 1937)

0070/1128 CLUBHOUSE DR  
 (PRDR)

012766 FT

0070/0197 BMS EN 01/3002/0070/0000  
 MOUNT JOY  
 0070/0148 CUMBERLAND T  
 012766 FT 2 0 01066 0 00 0039+45  
 ROCK CREEK

0070/0000 BMSBG 01/3002/0070/0000  
 LENGTH(AH 1937 BK 1460)  
 024 " DIA CIR PLASTIC  
 0060/0925 LEN=0048 INSTALLED 2001

SWETLAND RD  
 (T408)

0060/0567  
 011306 FT

011306 FT 2 0 01066 0 00 0024+95  
 LENGTH(AH 1460 BK 2495)  
 0060/0000 019"H 58"W CON BOX CUL  
 0050/2236 LEN=0030 INSTALLED UNKN

0050/1493 019"H 40"W CON BOX CUL  
 LEN=0030 INSTALLED UNKN  
 0050/0933 015 " DIA CIR PLASTIC  
 LEN=0032 INSTALLED 2001

2 0 01066 0 00 0000+00 008811 FT  
 BARLOW RD  
 (SR2001 SEG 0010/0000) 0050/0000

0050/0315 015 " DIA CIRC METAL  
 008811 FT LEN=0030 INSTALLED UNKN  
 0050/0000 LENGTH(AH 2495 BK 1841)

0040/0874 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 015 " DIA CIRC METAL



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 322  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
LEFT MUN: YORK SPRINGS B RIGHT MUN: HUNTINGTON T

118603 FT

118603 FT  
INTER-AHD OLD RT 15





DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

1 0 00123 0 00 0612+15 108856 FT  
 FARM VIEW RD  
 (T596)

WILLOW LN  
 (T585)

OXFORD RD  
 (SR1016 SEG 0142/2091) 0410/1230

0440/0404	012 "DIA CIRC CONCR
108856 FT	LEN=0040 INSTALLED UNKN
0440/0000	LENGTH(AH 2289 BK 3147)
0430/2678	015 "DIA CIRC CONCR
0430/2525	LEN=0040 INSTALLED UNKN
0430/2074	WIERMAN'S MILL RD
0430/1518	(SR1009 SEG 0060/2010)
0430/1280	015 "DIA CIRC CONCR
0430/1191	LEN=0041 INSTALLED UNKN
105709 FT	BMS EN 01/3001/0430/1191
0430/0000	1 0 00123 0 00 0578+36
0420/3458	BERMUDIAN CK
0420/2248	BMSBG 01/3001/0430/1191
0420/1357	1 0 00123 0 00 0543+53
102231 FT	LENGTH(AH 3147 BK 3478)
0420/0000	048"H 60"W CONC STRUCT
0410/2899	LEN=0040 INSTALLED UNKN
0410/2226	012 "DIA CIRC CONCR
0410/1286	LEN=0040 INSTALLED UNKN
0410/1230	012 "DIA CIRC CONCR
0410/1221	LEN=0041 INSTALLED UNKN
	018 "DIA CIRC CONCR
	LEN=0057 INSTALLED UNKN
	OXFORD RD
	(T590)
	018 "DIA CIRC CONCR
	LEN=0056 INSTALLED UNKN
	012 "DIA CIRC CONCR

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T


1 0 00123 0 00 0510+78 098956 FT  
 COMPANY FARM RD  
 (T567) 0410/0000

0410/0837	LEN=0040	INSTALLED UNKN
0410/0377	012 "DIA	CIRC CONCR
098956 FT	LEN=0040	INSTALLED UNKN
0410/0000	LENGTH(AH 3275 BK 3293)	018 "DIA CIRC CONCR
0400/3098	LEN=0040	INSTALLED UNKN
0400/2644	HUNTINGTON TYRONE T	
0400/1876	024 "H 36 "W	ELLIPTICAL*
0400/1840	LEN=0050	INSTALLED UNKN
0400/1191	018 "DIA	CIRC CONCR
0400/1174	BMSBG 01/3001/0400/1174	T. CONEWAGO
0400/1029	BMSBG 01/3001/0400/1174	SMITH RD
0400/0983	LEN=0039	INSTALLED UNKN
095663 FT	1 0 00123 0 00	0477+85
0400/0000	HEIDLERSBURG RD	(SR0234 SEG 0380/0000)
0390/0960	LENGTH(AH 3293 BK 1681)	018 "DIA CIR PLASTIC
0390/0322	LEN=0036	INSTALLED 2000
093982 FT	030 "DIA	CIR PLASTIC
0390/0000	LEN=0038	INSTALLED 2001
0380/0633	1 0 00123 0 00	0461+01
0380/0027	SPICER RD	(T550)
092662 FT	0390/0000	LENGTH(AH 1681 BK 1320)
0380/0548	018 "DIA	CIR PLASTIC
0380/0000	LEN=0042	INSTALLED 2000
0380/0000	BMSBG 01/3001/0380/0000	1 0 00123 0 00
0380/0000	0448+01	TRIB. TO CONEWAGO CREEK
0380/0000	BMSBG 01/3001/0380/0000	LENGTH(AH 1320 BK 1312)

QUALITY HOME INC. RD  
 (PRDR) 0380/0548

092662 FT

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T



091350 FT

0370/0854 015 " DIA CIRC METAL  
 LEN=0042 INSTALLED UNKN  
 091350 FT 1 0 00123 0 00 0434+75  
 S 0370/0000 LENGTH(AH 1312 BK 2541)  
 0360/2189 024 " DIA CIRC METAL  
 LEN=0042 INSTALLED UNKN

TWIN BRIDGES RD  
 (T521)

0360/0506

0360/0431 BMSSEN 01/3001/0360/0323  
 TYRONE  
 0360/0373 BUTLER T  
 1 0 00123 0 00 0412+72  
 CONEWAGO CREEK  
 0360/0323 BMSBG 01/3001/0360/0323  
 0360/0102 BMSSEN 01/3001/0360/0000  
 088809 FT 1 0 00123 0 00 0409+34  
 CONEWAGO CREEK  
 BMSBG 01/3001/0360/0000  
 S 0360/0000 LENGTH(AH 2541 BK 1905)

088809 FT

086904 FT

086904 FT 1 0 00123 0 00 0390+01  
 S 0350/0000 LENGTH(AH 1905 BK 2348)  
 0340/1940 030 " DIA CIR PLASTIC  
 LEN=0055 INSTALLED UNKN  
 0340/1410 015 " DIA CIRC METAL  
 LEN=0038 INSTALLED UNKN  
 0340/1169 BMSSEN 01/3001/0340/1151  
 1 0 00123 0 00 0378+35  
 TRIB TO CONEWAGO CREEK  
 0340/1151 BMSBG 01/3001/0340/1151  
 BUTLER  
 0340/1140 STRABAN T  
 0340/0781 015 " DIA CIRC METAL  
 LEN=0050 INSTALLED UNKN

1 0 00123 0 00 0366+53 084556 FT  
 PLAINVIEW RD  
 (T520) 0340/0000

084556 FT  
 S 0340/0000 LENGTH(AH 2348 BK 3677)  
 PLAINVIEW RD  
 0330/3645 (T520)

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

STONE JUG RD  
 (T530)

0330/0935

080879 FT

1 0 00123 0 00 0294+97 077400 FT  
 RENTZEL RD  
 (T532)

0320/0000

075377 FT

---	---	0330/2917	018 " DIA	CIRC METAL
---	---		LEN=0041	INSTALLED UNKN
---	---	0330/2360	018 " DIA	CIRC METAL
---	---		LEN=0036	INSTALLED UNKN
---	---	0330/1856	018 " DIA	CIRC METAL
---	---		LEN=0042	INSTALLED UNKN
---	---	0330/1678	018 " DIA	CIRC CONCR
---	---		LEN=0040	INSTALLED UNKN
---	---	0330/1082	024 " DIA	CIRC METAL
---	---		LEN=0041	INSTALLED UNKN
==	==	0330/0911	WOODSIDE RD (T529)	
---	---	080879 FT	1 0 00123 0 00	0329+76
---	---	0330/0000	LENGTH(AH 3677 BK 3479)	
---	---		018 "H 00 "W	MULT CONCR
---	---	0320/3280	LEN=0042	INSTALLED UNKN
---	---		018 " DIA	CIRC CONCR
---	---	0320/2970	LEN=0041	INSTALLED UNKN
---	---		015 " DIA	CIRC CONCR
---	---	0320/2332	LEN=0043	INSTALLED UNKN
---	---		018 "H 00 "W	MULT CONCR
---	---	0320/1867	LEN=0049	INSTALLED UNKN
---	==	0320/1253	CASHMAN RD (T524)	
---	---		015 " DIA	CIRC CONCR
---	---	0320/1049	LEN=0042	INSTALLED UNKN
---	---		015 "H 21 "W	ELLIP METAL
---	---	0320/0711	LEN=0036	INSTALLED UNKN
---	---	077400 FT		
---	==	0320/0000	LENGTH(AH 3479 BK 2023)	
---	---		015 " DIA	CIRC CONCR
---	---	0310/1994	LEN=0057	INSTALLED UNKN
---	---		015 " DIA	CIRC CONCR
---	---	0310/0954	LEN=0038	INSTALLED UNKN
---	---	075377 FT	1 0 00123 0 00	0274+74
---	---	0310/0000	LENGTH(AH 2023 BK 3736)	

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Notes	Material	Length	Installation
0300/2727		024 " DIA CIR PLASTIC	LEN=0036	INSTALLED 1999
0300/2010		015 " DIA CIRC CONCR	LEN=0038	INSTALLED UNKN
0300/1704		015 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0300/1580	==			
0300/0982		015 " DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
0300/0311		018 " DIA CIRC CONCR	LEN=0041	INSTALLED UNKN
071641 FT		1 0 00123 0 00 0237+38		SHRIVER CORNER RD (SR0394 SEG 0120/0000) MFC BEGIN = D
0300/0000	5	LENGTH(AH 3736 BK 2098)		
0290/2060		015 " DIA CIRC CONCR	LEN=0043	INSTALLED UNKN
0290/0943	==	CASTLE HILL MOBILE HOME (PRDR)		
0290/0477		036 " DIA CIRC CONCR	LEN=0043	INSTALLED UNKN
069543 FT		1 0 00123 0 00 0216+67		SANDERS RD (T505)
0290/0000	5	LENGTH(AH 2098 BK 2670)		
0280/2006	==			
0280/1977		015 " DIA CIRC CONCR	LEN=0039	INSTALLED UNKN
0280/0517	==			
066873 FT		1 0 00123 0 00 0189+97		
0280/0000	5	LENGTH(AH 2670 BK 3441)		
0270/3303		015 " DIA CIRC CONCR	LEN=0039	INSTALLED UNKN
0270/2859		018 " DIA CIRC CONCR	LEN=0036	INSTALLED UNKN

LEEDY RD  
(T519)

KELLER RD  
(T506)

DOUBLE PLAY DR  
(TWP )

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Description	Material	Status
0270/1646	015 " DIA	CIRC CONCR	INSTALLED UNKN
0270/0966	024 " DIA	CIRC CONCR	INSTALLED UNKN
063432 FT	0270/0061	BMS EN 01/3001/0270/0000	
	063432 FT	1 0 00123 0 00 0155+56	
		T ROCK CREEK	
	0270/0000	BMSBG 01/3001/0270/0000	LENGTH(AH 3441 BK 2581)
	0260/1816	015 " DIA	CIRC CONCR INSTALLED UNKN
	0260/1162	015 " DIA	CIRC CONCR INSTALLED UNKN
060851 FT	0260/0380	015 " DIA	CIRC CONCR INSTALLED UNKN
	060851 FT	1 0 00123 0 00 0129+83	
		WEANER RD	
	0260/0000	(T571)	LENGTH(AH 2581 BK 2426)
	0250/1893	024 " DIA	CIRC CONCR INSTALLED UNKN
	0250/1332	018 " DIA	CIRC CONCR INSTALLED UNKN
058425 FT	0250/0187	018 " DIA	CIRC CONCR INSTALLED UNKN
	058425 FT	1 0 00123 0 00 0105+57	
	0250/0000	LENGTH(AH 2426 BK 2291)	(APRA) SCOTTLAND ESTATE
	0240/2100	CHARMED CIRCLE DR	(TWP)
		SHEALER RD	
	056134 FT	(T341)	
1 0 00123 0 00 0082+66	056134 FT		
BOYDS SCHOOL RD			
(T342)	0240/0000	LENGTH(AH 2291 BK 1828)	

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

GETTYSBURG AREA H.S. DR  
 (PRDR) 0230/0760

054306 FT

051180 FT

HOWARD AV  
 (PARK)

0220/0000

BROADWAY ST  
 (BORO)

0210/1279

==				
---		0230/0648	030"H 48"W CON BOX CUL	
	==		LEN=0038 INSTALLED UNKN	
---		0230/0384	SPIRITRUST LUTHERAN DR	
	==		(PRDR)	
---		0230/0020	015" DIA CIRC METAL	
	==		LEN=0038 INSTALLED UNKN	
	==	054306 FT	1 0 00123 0 00 0064+38	
	==		HOKE DR	
	==		(T485)	
	==	0230/0000	LENGTH(AH 1828 BK 3126)	
	==		JOHNSON DR	
	==		(T492)	
---		0220/2562	012" DIA CIRC CONCR	
	==		LEN=0041 INSTALLED UNKN	
	==		EARLY AV	
	==		(T487)	
	==		GORDON AV	
	==		(T489)	
---		0220/1180	018" DIA CIRC CONCR	
	==		LEN=0040 INSTALLED UNKN	
---		0220/0780	BMSBN 01/3001/0220/0699	
	==		STRABAN	
---		0220/0751	CUMBERLAND T	
	==		0 0 00000 0 00 0000+00	
	==		ROCK CREEK	
---		0220/0699	BMSBG 01/3001/0220/0699	
	==		018" DIA CIRC CONCR	
---		0220/0664	LEN=0050 INSTALLED UNKN	
---		0220/0596	036" DIA CIRC CONCR	
	==		LEN=0050 INSTALLED UNKN	
---		0220/0512	018" DIA CIRC CONCR	
	==		LEN=0100 INSTALLED UNKN	
---		0220/0024	012" DIA CIRC METAL	
	==		LEN=0028 INSTALLED UNKN	
	==	051180 FT	1 0 00123 0 00 0033+12	
	==		NC OL	
	==	0220/0000	LD HARRISBURG RD	
	==		LENGTH(AH 3126 BK 3312)	
---		0210/2958	030" DIA CIRC CONCR	
	==		LEN=0042 INSTALLED UNKN	
	==		036"H 00"W MULT CONCR	
---		0210/1662	LEN=0050 INSTALLED UNKN	
	==		POINT	
	==	0210/1279	(APRA) VILLA HOMES SUPP	



DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

UNNAMED AL  
 (BORO)


0210/1026

1 0 00123 0 00 0000+00 047868 FT  
 CARLISLE ST  
 (SR0034 SEG 0010/0000)  
 LINCOLN AV  
 (SR3017 SEG 0010/0000) 0210/0000

DELAP AV  
 (BORO)  
 RAILROAD ST  
 (BORO)

0200/0536  
 0200/0334

1 0 00041 0 00 0000+00 045727 FT  
 CHAMBERSBURG ST  
 (SR0030 SEG 0273/0078) 0200/0000  
 045727 FT



0210/1222 BROADWAY ST  
 (BORO)  
 0210/1082 CUMBERLAND  
 GETTYSBURG B  
 0210/0790 013"H 17"W ELLIP METAL  
 LEN=0164 INSTALLED UNKN  
 LINCOLN AV  
 (BORO)  
 NC HA HARRISBURG ST  
 0210/0610 013"H 17"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 STRATTON ST  
 (BORO)  
 0210/0600 UNNAMED AL  
 (BORO)  
 0210/0195 (BORO)  
 047868 FT  
 NC LINCOLN AV  
 0210/0000 LENGTH(AH 3312 BK 2141)  
 STEVENS ST  
 (BORO)  
 WATER ST  
 (BORO)  
 0200/0962  
 0200/0947 BMS EN 01/3001/0200/0979  
 1 0 00041 0 00 0000+00  
 STEVENS RN  
 0200/0927 BMS BG 01/3001/0200/0979  
 0200/0321 (AAR 871031C)#TRKS 01  
 RACE HORSE AL  
 (BORO)  
 0200/0113 NC CA  
 CARLISLE ST  
 GETTYSBURG-YORK ST  
 (BORO)  
 045727 FT CHAMBERSBURG ST  
 INTER-BK (SR0030 SEG 0273/0078)  
 0200/0000 LTH AH 002141 BK 000100  
 045727 FT  
 7194/0000 LTH AH 000100 BK 002045  
 INTER-AHD BALTIMORE ST  
 (SR0116 SEG 0244/0000)  
 MIDDLE ST

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: GETTYSBURG B RIGHT MUN: GETTYSBURG B

MIDDLE ST  
 (SR0116 SEG 0244/0000) 0190/2045

BRECKENRIDGE ST  
 (BORO) 0190/0996


SOUTH ST  
 (BORO) 0190/0597

TO 3001/0180 SH  
 (CONN) 0190/0101  
 043682 FT

FROM 3001/0190 SH  
 (CONN) 0180/1445

S WASHINGTON ST  
 (BORO) 0180/0357  
 1 0 00298 0 01 0421+69 042212 FT  
 QUEEN ST  
 (BORO) 0180/0000

CULP ST  
 (BORO) 0170/1372



(BORO)  
 0190/2045  
 0190/1994 018" DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 LEGION AL  
 0190/1837 (BORO)  
 HIGH ST  
 (BORO)  
 0190/1623  
 0190/1412 WALL ST  
 (BORO)  
 WADE AV  
 (BORO)  
 0190/1202  
 UNNAMED AL  
 (BORO)  
 0190/0754  
 018"H 36"W CON BOX CUL  
 0190/0740 LEN=0035 INSTALLED UNKN  
 0190/0525 072"H 60"W CON BOX CUL  
 LEN=0040 INSTALLED UNKN  
 LEFEVER ST  
 (BORO)  
 0190/0495  
 LOCUST AV  
 (BORO)  
 0190/0225  
 043682 FT 1 0 00042 0 02 0622+88  
 NC BA BALTIMORE ST  
 BALTIMORE ST  
 (SR2035 SEG 0050/1478)  
 0190/0000 LENGTH(AH 2045 BK 1470)  
 S WASHINGTON ST  
 (SR0134 SEG 0150/2541)  
 0180/0357  
 042212 FT  
 0180/0000 LENGTH(AH 1470 BK 1981)  
 018" DIA CIRC CONCR  
 0170/1676 LEN=0040 INSTALLED UNKN  
 018" DIA CIRC METAL  
 0170/1375 LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: GETTYSBURG B RIGHT MUN: GETTYSBURG B

Location	Segment ID	Length	Material	Notes
KING ST (BORO)	0170/0940			
	040231 FT			
LONG LN (TWP)	0170/0000			
	0160/1426		012 " DIA CIRC METAL	LEN=0050 INSTALLED UNKN
038494 FT	0160/0598		014 "H 23 "W ELLIP CONC	LEN=0040 INSTALLED UNKN
	0160/0558		018 " DIA CIRC METAL	LEN=0030 INSTALLED UNKN
	0160/0435		030 " DIA CAST IRON	LEN=0039 INSTALLED UNKN
	038494 FT		018 " DIA CIR PLASTIC	LEN=0042 INSTALLED 2002
036751 FT	0150/0959		030 " DIA CAST IRON	LEN=0043 INSTALLED UNKN
	0150/0919		018 " DIA CIR PLASTIC	LEN=0042 INSTALLED 2002
MILLERSTOWN RD (PARK)	036751 FT			
	0150/0000		018 " DIA CIRC METAL	LEN=0036 INSTALLED UNKN
0140/1585			015 " DIA CIRC METAL	LEN=0042 INSTALLED UNKN
	0140/1555		024 " DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0140/0859				
	0140/0460			
033385 FT				
	033385 FT			
0140/0000				
	0130/2959			

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

1 0 00298 0 01 0296+52 029837 FT  
 CONFEDERATE AV  
 (PARK)  
 EISENHOWER FARM RD  
 (PARK)

0130/1967	024 "DIA CIRC CONCR LEN=0052	INSTALLED UNKN
0130/1121	015 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0130/0519 029837 FT	018 "DIA CIRC CONCR LEN=0041	INSTALLED UNKN
0130/0000	CONFEDERATE AV (PARK)	LENGTH(AH 3548 BK 3791)
0120/2316	015 "DIA CIRC METAL LEN=0039	INSTALLED UNKN
0120/1836	015 "DIA CIRC CONCR LEN=0041	INSTALLED UNKN
0120/0879	015 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0120/0742	012 "DIA CIRC CONCR LEN=0039	INSTALLED UNKN
0120/0014 026046 FT	015 "DIA CIRC CONCR LEN=0036	INSTALLED UNKN
0120/0000	1 0 00298 0 01 0258+83 RIDGE RD (T404)	LENGTH(AH 3791 BK 1131)
0110/0437 024915 FT	015 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0110/0000	1 0 00298 0 01 0247+52	LENGTH(AH 1131 BK 1944)
0100/1663	015 "DIA CIRC CONCR LEN=0039	INSTALLED UNKN
0100/0991	015 "DIA CIRC CONCR LEN=0039	INSTALLED UNKN
022971 FT	1 0 00298 0 01 0228+08 US GOV'T RD (GOVT)	LENGTH(AH 1944 BK 2470)
0090/2004	032"H 48"W CON BOX CUL LEN=0037	INSTALLED UNKN

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Length	Material	Notes
0090/1405	015"	DIA CIRC CONCR	LEN=0041 INSTALLED UNKN
0090/0462	015"	DIA CIRC CONCR	LEN=0039 INSTALLED UNKN
0090/0078	015"	DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
020501 FT	1 0 00298	0 01 0203+38	BARLOW GREENMOUNT RD (SR3006 SEG 0010/0000)
0090/0000	5	LENGTH(AH 2470 BK 3783)	
0080/2309	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0080/1722	015"	DIA CIRC CONCR	LEN=0036 INSTALLED UNKN
0080/1397	015"	DIA CIRC METAL	LEN=0036 INSTALLED UNKN
CUNNINGHAM RD (SR3008 SEG 0040/2834)	0080/1065		
0080/1048	018"	DIA CIRC CONCR	LEN=0036 INSTALLED UNKN
0080/0541	015"	DIA CIRC METAL	LEN=0100 INSTALLED UNKN
016718 FT	1 0 00298	0 01 0165+55	MARSH CREEK RD (SR3004 SEG 0010/0000)
0080/0000	5	LENGTH(AH 3783 BK 0913)	CUMBERLAND FREEDOM T
0070/0516	024"	DIA CIRC CONCR	LEN=0025 INSTALLED UNKN
0070/0508	024"	DIA CIRC CONCR	LEN=0012 INSTALLED UNKN
0070/0496	024"	DIA CIRC CONCR	LEN=0043 INSTALLED UNKN
0070/0140	018"	DIA CIRC CONCR	LEN=0032 INSTALLED UNKN
0070/0117	BMS	SEN 01/3001/0070/0000	1 0 00298 0 01 0157+31
015805 FT	0070/0000	5	MARSH CREEK BMSBG 01/3001/0070/0000
0060/3568	5	LENGTH(AH 0913 BK 3736)	MARSH CREEK HEIGHTS RD (PRDR)

Stationing	Description	Stationing	Description
		0060/0800	030 " DIA CIRC METAL
		0060/0489	LEN=0044 INSTALLED UNKN
			BMSEN 01/3001/0060/0476
			1 0 00298 0 01 0124+65
			T. MARSH CK.
		0060/0476	BMSBG 01/3001/0060/0476
			015 " DIA CIRC METAL
012069 FT		0060/0010	LEN=0039 INSTALLED UNKN
		012069 FT	1 0 00298 0 01 0118+83
		0060/0000	LENGTH(AH 3736 BK 2263)
			015 " DIA CIRC METAL
		0050/1782	LEN=0038 INSTALLED UNKN
			015 " DIA CIRC METAL
		0050/1290	LEN=0038 INSTALLED UNKN
1 0 00298 0 00 0097+97	009806 FT	009806 FT	
BULLFROG RD			
(SR3005 SEG 0060/0000)	0050/0000	0050/0000	LENGTH(AH 2263 BK 1566)
			FROM 8001/0500 SH
		0040/0791	(CONN)
			RAMP A-4 RD
		0040/0713	(SR8001 SEG 0500/0449)
RAMP A-1 RD			
(SR8001 SEG 0250/0000)	0040/0632		
TO 8001/0250 SH			
(CONN)	0040/0402		
		0040/0333	018 " DIA CIRC METAL
		0040/0306	LEN=0050 INSTALLED UNKN
008240 FT		008240 FT	BMSEN 01/3001/0040/0030
			1 0 00298 0 00 0082+42
			US 15 (NB)
		0040/0000	BMSBG 01/3001/0040/0030
			LENGTH(AH 1566 BK 3261)
			018 " DIA CIRC METAL
		0030/3201	LEN=0060 INSTALLED UNKN
			RAMP A-3 RD
		0030/3136	(SR8001 SEG 0750/0000)
RAMP A-2 RD		0030/3085	MFC BEGIN = C
(SR8001 SEG 0010/0539)	0030/3085		BULLFROG RD
FROM 8001/0010 SH			(SR3005 SEG 0050/1914)
(CONN)	0030/2974	0030/2974	

DIR: B TOTAL LEN: 22.463 MI. DIST: 08-1 SR: 3001  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

SHORBS MILL RD  
 (T320)

0030/1373

0030/2100 018 " DIA CIRC METAL  
 LEN=0040 INSTALLED UNKN  
 0030/1980 018 " DIA CIRC METAL  
 LEN=0040 INSTALLED UNKN

004979 FT

0030/0631 015 " DIA CIRC METAL  
 LEN=0039 INSTALLED UNKN  
 0030/0381 015 " DIA CIRC METAL  
 LEN=0040 INSTALLED UNKN  
 0030/0140 015 " DIA CIRC METAL  
 LEN=0038 INSTALLED UNKN  
 004979 FT 1 0 00298 0 00 0049+79  
 0030/0000 LENGTH(AH 3261 BK 2174)  
 0020/1834 015 " DIA CIRC METAL  
 LEN=0036 INSTALLED UNKN  
 0020/1517 018 " DIA CIRC METAL  
 LEN=0038 INSTALLED UNKN

1 0 00298 0 00 0028+05 002805 FT  
 SHORBS MILL RD  
 (T320)

0020/0000

0020/0812 015 " DIA CIRC METAL  
 LEN=0040 INSTALLED UNKN  
 0020/0159 BMS EN 01/3001/0020/0095  
 1 0 00298 0 00 0028+86  
 MIDDLE CREEK  
 0020/0075 BMSBG 01/3001/0020/0095  
 002805 FT  
 0020/0000 LENGTH(AH 2174 BK 2805)

CHAPMAN RD  
 (PRDR)  
 BOYLE RD  
 (T313)

0010/2203

0010/1820

0010/1109 018 " DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN

000000 FT

0010/0010 018 " DIA CIRC CONCR  
 LEN=0036 INSTALLED UNKN  
 000000 FT 1 0 00298 0 00 0000+00  
 NC EM MITSBURG RD  
 INTER-BK MARYLAND STATE LINE  
 (STBD)  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 2805 BK 0000)

DIR: B TOTAL LEN: 2.415 MI. DIST: 08-1 SR: 2035  
 LEFT MUN: GETTYSBURG B RIGHT MUN: GETTYSBURG B

Stationing	Description	Stationing	Description
012749 FT		012749 FT	INTER-AHD BALTIMORE ST
STEINWEHR AV (SR3001 SEG 0190/0000)	0050/1478	0050/1478	(SR3001 SEG 0190/0000)
011271 FT		011271 FT	1 0 00042 0 02 0607+93
		0050/0000	LENGTH(AH 1478 BK 3112)
			NC BALTIMORE ST
		0040/3065	GETTYSBURG
		0040/2565	CUMBERLAND T
		0040/2511	018 " DIA CIRC CONCR
		0040/2265	LEN=0099 INSTALLED UNKN
		0040/1952	SLOCUM AV
		0040/1430	(PARK)
			030 " DIA CIRC CONCR
			LEN=0070 INSTALLED UNKN
			018 " DIA CIRC CONCR
			LEN=0050 INSTALLED UNKN
			024 " DIA CIRC CONCR
			LEN=0065 INSTALLED UNKN
1 0 00042 0 01 0576+07	008159 FT	008159 FT	
HUNT AV	0040/0000	0040/0000	LENGTH(AH 3112 BK 1809)
(PARK)			015 " DIA CIRC CONCR
		0030/1469	LEN=0057 INSTALLED 2014
		0030/1378	018 " DIA CIRC CONCR
		0030/1245	LEN=0057 INSTALLED UNKN
		0030/0760	018 " DIA CIRC CONCR
		0030/0760	LEN=0054 INSTALLED UNKN
VISITOR CENTER DR	006350 FT	006350 FT	1 0 00042 0 01 0558+34
(PARK)			PARK RD
		0030/0000	(PARK)
			LENGTH(AH 1809 BK 2822)
			TR. ROCK CK.



DIR: B TOTAL LEN: 2.415 MI. DIST: 08-1 SR: 2035  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T


GRANITE SCHOOLHOUSE RD  
 (TWP) 0020/1733

PRIVATE DR  
 (PRDR) 0020/0351  
 003528 FT

000000 FT

				0020/2725	STRUCTURE LENGTH 10 FT BMSID 01/2035/0020/2725
				0020/2100	024 " DIA CIRC CONCR LEN=0150 INSTALLED UNKN
				0020/1710	MCCALLISTER MILL RD (TWP)
				0020/1149	CUMBERLAND MOUNT JOY T
				0020/1007	024 " DIA CIRC CONCR LEN=0055 INSTALLED UNKN
				0020/0351	(APRA) VALLEY QUARRIES
				0020/0098	BMSEN 01/2035/0020/0000
				003528 FT	1 0 00042 0 01 0529+48
				0020/0000	ROCK CREEK BMSBG 01/2035/0020/0000 LENGTH(AH 2822 BK 3528)
				0010/2638	TR. ROCK CK. STRUCTURE LENGTH 12 FT BMSID 01/2035/0010/2638
				0010/2025	024 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
				0010/1295	015 " DIA CIRC CONCR LEN=0055 INSTALLED UNKN
				0010/0795	018 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
				0010/0398	HIGHLAND AV RD (T420)
				0010/0165	018 " DIA CIRC CONCR LEN=0055 INSTALLED UNKN
				0010/0120	RAMP C-1 RD (SR8003 SEG 0250/0000)
				000000 FT	RAMP C-2 RD (SR8003 SEG 0500/0569)
				000000 FT	1 0 00042 0 00 0494+30
					018 " DIA CIRC CONCR LEN=0055 INSTALLED UNKN
					LTIMORE PK (SRO097 SEG 0190/0143)
					MFC BEGIN = B
				0010/0000	LENGTH(AH 3528 BK 0000)

DIR: B TOTAL LEN: 3.545 MI. DIST: 08-1 SR: 2033  
 LEFT MUN: BERWICK T RIGHT MUN: BERWICK T






DIR: B TOTAL LEN: 3.545 MI. DIST: 08-1 SR: 2033  
 LEFT MUN: BERWICK T RIGHT MUN: BERWICK T

STAMBAUGH RD (PRDR)	0030/1340	==	0030/1546	018 "DIA CIR PLASTIC LEN=0066 INSTALLED 2000
				BROAD WING DR (PRDR)
			0030/0709	015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	005261 FT	---	0030/0336	LEN=0035 INSTALLED UNKN
			005261 FT	2 0 01046 0 00 0052+91
HUFF RD (T501)	0020/2236	==	0030/0000	LENGTH(AH 2855 BK 2639)
		---	0020/2138	038"H 57"W ELLIP METAL LEN=0050 INSTALLED UNKN
		---	0020/1899	015 "DIA CIR PLASTIC LEN=0033 INSTALLED UNKN
		---	0020/1777	015 "DIA CIR PLASTIC LEN=0045 INSTALLED 2002
		---	0020/1297	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2002
HUFF RD (T501)	0020/0982	==	0020/0662	018 "DIA CIRC METAL LEN=0030 INSTALLED UNKN
LC FOR MUNICIPAL RD (CONN)	0020/0089	==	0020/0012	015"H 21"W ELLIP METAL LEN=0050 INSTALLED 2001
2 0 01046 0 00 0026+52	002622 FT	---	002622 FT	
MUNICIPAL RD (T509)	0020/0000	==	0020/0000	LENGTH(AH 2639 BK 2622) LEDGER DR (PRDR)
			0010/2136	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		---	0010/1294	LEDGER DR (PRDR)
			0010/0668	024 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
	000000 FT	---	0010/0565	2 0 01046 0 00 0000+00
			000000 FT	NC GR
			INTER-BK	CARLISLE PK (SR0094 SEG 0030/0000)
				APPLER RD (SR1015 SEG 0002/0000)
				MFC BEGIN = E
		---	0010/0000	LENGTH(AH 2622 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 301  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 2.170 MI. DIST: 08-1 SR: 2031  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

YORK RD 011458 FT  
 (SR0030 SEG 0410/1005) 0040/2940



011458 FT YORK RD  
 0040/2940 (SR0030 SEG 0410/1005)  
 030"H 66"W CONCR ARCH  
 0040/2605 LEN=0025 INSTALLED UNKN  
 013"H 17"W ELLIP METAL  
 0040/2252 LEN=0040 INSTALLED UNKN  
 021"DIA CIRC METAL  
 0040/1965 LEN=0035 INSTALLED 2000

008518 FT


008518 FT 2 0 01069 0 00 0084+95  
 5 0040/0000 LENGTH(AH 2940 BK 2253)  
 036"H 12"W CONC STRUCT  
 0030/1826 LEN=0033 INSTALLED 1997



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 299  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 3.720 MI. DIST: 08-1 SR: 2029  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

BALTIMORE PK 019640 FT  
 (SR0097 SEG 0150/0000) 0080/0965

018675 FT



019640 FT BALTIMORE PK  
 0080/0965 (SR0097 SEG 0150/0000)  
 0080/0932 018 "DIA CIRC CONCR  
 LEN=0058 INSTALLED UNKN  
 0080/0011 BMS EN 01/2029/0080/0000  
 018675 FT 1 1 04 120 0 00 0132+00  
 TR. LITTLE CK  
 BMSBG 01/2029/0080/0000  
 0080/0000 LENGTH(AH 0965 BK 2879)  
 0070/2227 018 "DIA CIRC CONCR  
 LEN=0028 INSTALLED UNKN  
 0070/2053 018 "DIA CIRC CONCR  
 LEN=0032 INSTALLED UNKN  
 0070/1729 015 "DIA CIRC CONCR  
 LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 3.720 MI. DIST: 08-1 SR: 2029  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

Stationing	Material	Length	Notes
0070/1208	012" DIA CIRC CONCR	LEN=0032	INSTALLED UNKN
0070/1100	024" DIA CIRC CONCR	LEN=0028	INSTALLED UNKN
0070/0340	014" DIA CIRC CONCR	LEN=0028	INSTALLED UNKN
0070/0012	024"H 60"W CON BOX CUL	LEN=0028	INSTALLED UNKN
015796 FT	1 1 04120 0 00 0103+09		
0070/0000	LENGTH(AH 2879 BK 1841)		
0060/1104	SPEELMAN KLINGER RD (T426)		
0060/1089	KING RD (T427)		
0060/1077	012" DIA CAST IRON	LEN=0045	INSTALLED UNKN
0060/0520	014" DIA CAST IRON	LEN=0028	INSTALLED UNKN
0060/0149	012" DIA CIRC CONCR	LEN=0028	INSTALLED UNKN
013955 FT	1 1 04120 0 00 0084+68		
0060/0000	LENGTH(AH 1841 BK 2393)		
0050/2366	030"H 60"W CON BOX CUL	LEN=0028	INSTALLED UNKN
0050/1214	014" DIA CAST IRON	LEN=0028	INSTALLED UNKN
0050/0204	014" DIA CAST IRON	LEN=0028	INSTALLED UNKN
011562 FT	1 1 04120 0 00 0060+75		
0050/0000	LENGTH(AH 2393 BK 2860)		
0040/2795	014" DIA CAST IRON	LEN=0028	INSTALLED UNKN
0040/2577	014" DIA CAST IRON	LEN=0028	INSTALLED UNKN
0040/2173	015" DIA CAST IRON	LEN=0028	INSTALLED UNKN
0040/1355	LONG RD (T425)		
0040/0881	015" DIA CAST IRON	LEN=0028	INSTALLED UNKN
0040/0388	KRUG RD (T429)		
	018" DIA CIR PLASTIC		



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 297  
COUNTY: ADAMS

DIR: B TOTAL LEN: 3.720 MI.  
LEFT MUN: MOUNT JOY T

DIST: 08-1 SR: 2029  
RIGHT MUN: MOUNT JOY T

1 1 04120 0 00 0032+15 008702 FT  
ORPHANAGE RD  
(SR2010 SEG 0040/3215) 0040/0000

---|---

0040/0378 LEN=0040 INSTALLED UNKN  
008702 FT

==|

0040/0000 LENGTH(AH 2860 BK 3269)  
015 "DIA CIRC CONCR  
0030/3234 LEN=0038 INSTALLED UNKN  
015 "DIA CIR PLASTIC  
0030/2795 LEN=0036 INSTALLED 1999

---|---

---|---

---|---

---|---

0030/2127 018 "DIA CIR PLASTIC  
LEN=0030 INSTALLED UNKN

005433 FT

---|---

0030/0459 030 "DIA CIR PLASTIC  
LEN=0040 INSTALLED UNKN  
005433 FT 2 0 01027 0 00 0108+91  
FISH & GAME RD  
(SR2012 SEG 0010/0000)

==|

0030/0000 LENGTH(AH 3269 BK 2163)  
018 "DIA CIR PLASTIC  
0020/1634 LEN=0030 INSTALLED UNKN

---|---

2 0 01027 0 00 0130+52 003270 FT  
BASEHOAR ROTH RD  
(T415) 0020/0000

---|---

0020/0140 024 "DIA CIR PLASTIC  
LEN=0042 INSTALLED 1999  
003270 FT

==|

0020/0000 LENGTH(AH 2163 BK 3270)

---|---

0010/1729 018 "DIA CIR PLASTIC  
LEN=0032 INSTALLED 2017

---|---

0010/0963 015 "DIA CIR PLASTIC  
LEN=0025 INSTALLED 1999

000000 FT

---|---

0010/0018 015 "DIA CIR PLASTIC  
LEN=0096 INSTALLED 2000  
000000 FT 2 0 01027 0 00 0163+22  
NC HOFFMAN HOME RD  
HARNEY RD  
(SR2014 SEG 0030/0025)

==|

0010/0000 MFC BEGIN = E  
LENGTH(AH 3270 BK 0000)



DIR: B TOTAL LEN: 2.769 MI. DIST: 08-1 SR: 2027  
 LEFT MUN: UNION T RIGHT MUN: UNION T

Stationing	Description	Material	Length	Notes
008012 FT		008012 FT	2 0 01029 0 01 0080+18	
		0040/0000	LENGTH(AH 3000 BK 2747)	
		0030/2514	JOHN EDWARD DR (PRDR)	
		0030/2153	018 " DIA CIR PLASTIC LEN=0030 INSTALLED 1998	
JUNIPER DR (T493)	0030/1145			
		0030/0901	013 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN	
2 0 01029 0 01 0052+71 MEHRING RD (T452)	005265 FT	005265 FT		
	0030/0000	0030/0000	LENGTH(AH 2747 BK 2746)	
		0020/2021	018 " DIA CIR PLASTIC LEN=0028 INSTALLED UNKN	
KINDIG RD (T448)	0020/1345			
		0020/1407	UNION GERMANY T MATHIAS RD	
		0020/1345	(T435)	
		0020/1142	018 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN	
	002519 FT	002519 FT	2 0 01029 0 00 0025+47	
		0020/0000	LENGTH(AH 2746 BK 2519)	
		0010/2310	015 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN	
LUCAS DR (TWP )	0010/2221			
		0010/1971	MARCY CT (PRDR)	
		0010/0830	030 " DIA CIR PLASTIC LEN=0035 INSTALLED 2017	
	000000 FT	0010/0030	018 "H 24 "W ELLIP METAL LEN=0136 INSTALLED UNKN	
		000000 FT	2 0 01029 0 00 0000+00	
		NC BO	LLINGER RD BALTIMORE PK (SRO097 SEG 0020/0000)	
		0010/0000	MFC BEGIN = D LENGTH(AH 2519 BK 0000)	


DIR: B TOTAL LEN: 3.158 MI. DIST: 08-1 SR: 2025  
 LEFT MUN: UNION T RIGHT MUN: UNION T

016672 FT




016672 FT LITTLESTOWN RD  
 0070/2145 (SR0194 SEG 0120/1774)  
 024 "DIA CIR CONC  
 0070/2079 LEN=0054 INSTALLED UNKN

014527 FT



014527 FT 2 0 01030 0 00 0200+01  
 0070/0000 LENGTH(AH 2145 BK 2526)  
 0060/1848 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0060/1813 015 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN

012001 FT



0060/0031 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 012001 FT 2 0 01030 0 00 0226+42  
 0060/0000 LENGTH(AH 2526 BK 2510)  
 0050/2069 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0050/2040 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0050/1880 015"H 21"W ELLIP METAL  
 LEN=0032 INSTALLED UNKN  
 0050/1644 015 "DIA CIR PLASTIC  
 LEN=0032 INSTALLED UNKN  
 0050/0839 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN

009491 FT

009491 FT 2 0 01030 0 00 0251+52

DIR: B TOTAL LEN: 3.158 MI. DIST: 08-1 SR: 2025  
 LEFT MUN: UNION T RIGHT MUN: UNION T

BARTS CHURCH RD  
 (T459)

0040/0179  
 007568 FT

2 0 01070 0 00 0027+36  
 BRIERWOOD BL  
 (T501)

0030/0000

ELMWOOD AV  
 (T502)

0020/1600


002657 FT

LINE RD  
 (T453)

0010/0000

0050/0000	LENGTH(AH 2510 BK 1923)
0040/1232	013 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
007568 FT	2 0 01030 0 00 0270+97 PINETOWN RD (T486)
0040/0000	LENGTH(AH 1923 BK 2212)
0030/1395	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0030/0279 005356 FT	015 "DIA CIRC METAL LEN=0038 INSTALLED UNKN
0030/0000	LENGTH(AH 2212 BK 2699)
0020/2180	018 "DIA CIR PLASTIC LEN=0025 INSTALLED UNKN
0020/0800	015 "DIA CIR PLASTIC LEN=0025 INSTALLED UNKN
002657 FT	2 0 01070 0 00 0000+00 OLD WESTMINSTER RD (T485)
0020/0000	LENGTH(AH 2699 BK 2657)
0010/1976	020"H 28"W ELLIP METAL LEN=0034 INSTALLED UNKN
0010/1595	BEE JAY LN (T484)
0010/0701	015 "DIA CIRC ALUMIN LEN=0035 INSTALLED UNKN
0010/0150	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
000000 FT	2 0 01031 0 00 0000+00 NC PINE GROVE RD INTER-BK MARYLAND STATE LINE (STBD)
0010/0000	MFC BEGIN = D LENGTH(AH 2657 BK 0000)

008809 FT



008809 FT SELLS STATION RD  
 0030/3468 (SR2016 SEG 0030/1746)

0030/2157 043"H 68"W ELLIP CONC  
 LEN=0032 INSTALLED UNKN  
 0030/2045 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN

0030/0917 015 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN

005341 FT

005341 FT 2 0 01029 0 01 0200+00  
 0030/0000 LENGTH(AH 3468 BK 3004)

0020/2192 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2002

0020/0601 024"H 38"W ELLIP CONC  
 LEN=0040 INSTALLED UNKN

002337 FT

002337 FT 2 0 01029 0 01 0170+00  
 0020/0000 LENGTH(AH 3004 BK 2337)

0010/0665 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2002  
 0010/0550 015 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2002  
 0010/0464 015 "DIA CIR PLASTIC  
 LEN=0050 INSTALLED 2002

000000 FT

000000 FT 2 0 01029 0 01 0146+44  
 NC CHRIST CHURCH RD  
 HANOVER PK  
 (SR0194 SEG 0100/1896)  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 2337 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 291  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS

DIR: B TOTAL LEN: 2.289 MI. DIST: 08-1 SR: 2021  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T


012085 FT

012085 FT  
 INTER-AHD

SUNDAY DR  
 (TWP)  
 HANOVER RD  
 (SR0116 SEG 0460/0000)

0050/1886  
 0050/1863

018 " DIA CIRC METAL  
 LEN=0060 INSTALLED UNKN



2 0 01033 0 00 0102+27 010199 FT  
 HOSTETTLER RD  
 (T465) 0050/0000

010199 FT

5 0050/0000 LENGTH(AH 1886 BK 2668)  
 018 " DIA CIR PLASTIC  
 0040/2634 LEN=0035 INSTALLED UNKN  
 018 " DIA CIRC METAL  
 0040/2076 LEN=0030 INSTALLED UNKN


013"H 17"W ELLIP METAL

DIR: B TOTAL LEN: 2.289 MI. DIST: 08-1 SR: 2021  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

	0040/1291	LEN=0030	INSTALLED UNKN
	0040/0684	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
007531 FT	0040/0051	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
	007531 FT	2 0 01033 0 00 0075+31	
	0040/0000	LENGTH(AH 2668 BK 2566)	
	0030/1967	024 "DIA CIR PLASTIC LEN=0040	INSTALLED 2000
	0030/1343	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
	0030/0955	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
004965 FT	004965 FT	2 0 01033 0 00 0049+65	
	0030/0000	LENGTH(AH 2566 BK 2486)	
	0020/1810	013"H 17"W ELLIP METAL LEN=0033	INSTALLED UNKN
	0020/1697	015 "DIA CIR PLASTIC LEN=0048	INSTALLED 2000
	0020/0892	013"H 17"W ELLIP METAL LEN=0030	INSTALLED UNKN
	0020/0621	015 "DIA CIR PLASTIC LEN=0040	INSTALLED 2003
002479 FT	002479 FT	2 0 01033 0 00 0024+79	
	0020/0000	LENGTH(AH 2486 BK 2479)	
	0010/1840	018 "DIA CIR PLASTIC LEN=0080	INSTALLED UNKN
	0010/0779	018"H 24"W ELLIP METAL LEN=0030	INSTALLED UNKN
000000 FT	000000 FT	2 0 01033 0 00 0000+00	
		NC RA ACE HORSE RD HANOVER PK (SRO194 SEG 0140/1951)	
	INTER-BK	LOVERS DR (T461)	
	0010/0000	MFC BEGIN = D LENGTH(AH 2479 BK 0000)	



000200 FT  
 000046 FT  
 000046 FT  
 000000 FT



000200 FT BMS EN 01/2020/0020/0000  
 INTER-AHD SACHS RD  
 0020/0154 (T417)  
 000046 FT 2 0 01 036 0 00 0365+58  
 INTER-BK SACHS RD  
 (T417)  
 US 15 (NB)  
 BMSBG 01/2020/0020/0000  
 0020/0000 LTH AH 000154 BK 000100  
 000046 FT  
 7014/0000 LTH AH 000100 BK 000046  
 BMS EN 01/2020/0010/0000  
 INTER-AHD SACHS RD  
 0010/0046 (T417)  
 000000 FT 1 0 01 036 0 00 0365+58  
 NC SA CHS RD  
 INTER-BK SACHS RD  
 (T417)  
 US 15 (SB)  
 BMSBG 01/2020/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0046 BK 0000)



DIR: B TOTAL LEN: 2.900 MI. DIST: 08-1 SR: 2019  
 LEFT MUN: UNION T RIGHT MUN: UNION T

Stationing	Description	Material	Length	Notes
008498 FT		018 " DIA CIR PLASTIC	0040/1257	LEN=0040 INSTALLED 2005
		018 " DIA CIR PLASTIC	0040/0773	LEN=0040 INSTALLED 2005
008498 FT		2 0 01032 0 00 0085+15	0040/0000	LENGTH(AH 2551 BK 2397)
		018 " DIA CIR PLASTIC	0030/2272	LEN=0036 INSTALLED 2005
		018 " DIA CIR PLASTIC	0030/1648	LEN=0040 INSTALLED 2005
		024 " DIA CIR PLASTIC	0030/1558	LEN=0060 INSTALLED 2005
006101 FT	FLATBUSH RD (T655)	SELLS STATION RD	006101 FT	(SR2016 SEG 0010/0000)
		018 " DIA CIR PLASTIC	0030/0000	LENGTH(AH 2397 BK 3115)
002986 FT	SPRING HILL LN (T446)	018 " DIA CIR PLASTIC	0020/0774	LEN=0040 INSTALLED 2005
		018 " DIA CIR PLASTIC	0020/0000	LENGTH(AH 3115 BK 2986)
		018 " DIA CIR PLASTIC	0010/2879	LEN=0040 INSTALLED 2005
000000 FT	WHITEHALL RD (SR2002 SEG 0080/1512)	015 " DIA CIR PLASTIC	0010/0407	LEN=0035 INSTALLED 2005
		MFC BEGIN = D	000000 FT	(SR2002 SEG 0080/1512)
		015 " DIA CIR PLASTIC	0010/0000	LENGTH(AH 2986 BK 0000)

DIR: B TOTAL LEN: 2.997 MI. DIST: 08-1 SR: 2017  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Stationing (Left)	Stationing (Right)	Description
015822 FT	015822 FT	CENTENNIAL RD
	0060/2393	(SR2006 SEG 0140/1671)
	0060/2375	018 " DIA CIR PLASTIC
	0060/2050	LEN=0066 INSTALLED UNKN
		015 " DIA CIR PLASTIC
		LEN=0036 INSTALLED 2000
013429 FT	0060/0581	018 " DIA CIR PLASTIC
	013429 FT	LEN=0036 INSTALLED 2000
		2 0 01068 0 00 0134+61
		SMOKETOWN RD
		(T467)
	0060/0000	LENGTH(AH 2393 BK 2501)
	0050/2158	015 " DIA CIR PLASTIC
	0050/1739	LEN=0030 INSTALLED 2000
	0050/1430	018 " DIA CIR PLASTIC
		LEN=0036 INSTALLED 2000
		018 " DIA CIR PLASTIC
		LEN=0040 INSTALLED UNKN
	0050/0620	018 " DIA CIR PLASTIC
		LEN=0036 INSTALLED 2000
010928 FT	010928 FT	2 0 01068 0 00 0109+49
	0050/0000	LENGTH(AH 2501 BK 1810)
	0040/1781	018 " DIA CIR PLASTIC
	0040/1361	LEN=0035 INSTALLED UNKN
		018 " DIA CIR PLASTIC
		LEN=0035 INSTALLED 2007
009118 FT	0040/0015	024 " DIA CIR PLASTIC
	009118 FT	LEN=0040 INSTALLED UNKN
		2 0 01068 0 00 0091+39
		HANOVER RD
		(SR0116 SEG 0410/0000)

DIR: B TOTAL LEN: 2.997 MI. DIST: 08-1 SR: 2017  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Stationing	Description	Material	Length	Notes
0040/0000	LENGTH(AH 1810 BK 2582)	018" DIA CIR PLASTIC		
0030/2332	LEN=0036	INSTALLED	2001	
0030/1711	018" DIA CIR PLASTIC	LEN=0036	INSTALLED	2001
0030/1036	018" DIA CIR PLASTIC	LEN=0036	INSTALLED	2001
006536 FT	2 0 01068 0 00 0065+49	KUHN RD (T445)		
0030/0000	LENGTH(AH 2582 BK 3601)	018" DIA CIR PLASTIC		
0020/3052	LEN=0036	INSTALLED	2001	
0020/2472	015"H 00"W MULT PLSTIC	LEN=0036	INSTALLED	2001
0020/1698	HOFFACKERS RD (T438)	018" DIA CIR PLASTIC		
0020/1246	LEN=0036	INSTALLED	2001	
0020/0539	018" DIA CIR PLASTIC	LEN=0042	INSTALLED	2001
002935 FT	2 0 01068 0 00 0029+35	015" DIA CIR PLASTIC		
0020/0000	LENGTH(AH 3601 BK 2935)	018" DIA CIR PLASTIC		
0010/2906	LEN=0058	INSTALLED	UNKN	
0010/2245	015" DIA CIR PLASTIC	LEN=0039	INSTALLED	2001
0010/1384	015" DIA CIR PLASTIC	LEN=0036	INSTALLED	2001
0010/1013	015" DIA CIR PLASTIC	LEN=0036	INSTALLED	2001
0010/0482	018" DIA CIR PLASTIC	LEN=0035	INSTALLED	UNKN
0010/0307	SCHOOL HOUSE RD (T655)	NC HO		
000000 FT	WHITEHALL RD (SR2002 SEG 0050/0417)	MFC BEGIN = E		
0010/0000	LENGTH(AH 2935 BK 0000)			

2 0 01068 0 00 0000+00 000000 FT  
 WHITEHALL RD  
 (SR2002 SEG 0050/0417) 0010/0000

DIR: B TOTAL LEN: 3.373 MI. DIST: 08-1 SR: 2016  
 LEFT MUN: UNION T RIGHT MUN: UNION T


CREEKVIEW DR  
 (TWP )

017811 FT  
 017238 FT

0060/0664  
 013576 FT

011080 FT

008252 FT



017811 FT HANOVER PK  
 0070/0573 (SR0194 SEG 0130/0946)  
 017238 FT 2 0 01030 0 00 0172+83  
 0070/0000 LENGTH(AH 0573 BK 3662)

0060/1778 014"H 23"W ELLIP CONC  
 LEN=0026 INSTALLED UNKN

0060/0777 018 "DIA CIR PLASTIC  
 LEN=0026 INSTALLED UNKN

013576 FT 2 0 01030 0 00 0135+61  
 0060/0000 LENGTH(AH 3662 BK 2496)


0050/0715 014"H 23"W ELLIP CONC  
 LEN=0040 INSTALLED UNKN

011080 FT 2 0 01030 0 00 0110+65  
 0050/0000 LENGTH(AH 2496 BK 2828)  
 0040/2794 014"H 23"W ELLIP CONC  
 LEN=0038 INSTALLED UNKN

0040/0028 BMS EN 01/2016/0030/3308  
 008252 FT 2 0 01030 0 00 0082+65  
 STEMERS CK.  
 BMSBG 01/2016/0030/3308  
 0040/0000 LENGTH(AH 2828 BK 3308)  
 0030/3192 BMS EN 01/2016/0030/3174



DIR: B TOTAL LEN: 2.968 MI. DIST: 08-1 SR: 2015  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T



015671 FT

015671 FT INTER-AHD BEAVER RUN RD (T521)  
 0060/2191 HUNTERSTOWN-HAMPTON RD (SR0394 SEG 0200/0000)

013480 FT

0060/0608 024" DIA CIR PLASTIC LEN=0030 INSTALLED UNKN  
 013480 FT 2 0 01067 0 00 0135+32  
 0060/0000 LENGTH(AH 2191 BK 2230)

011250 FT

NEW CHESTER RD (T514)

0050/0000

0050/0030 015"H 21"W ELLIP METAL LEN=0045 INSTALLED UNKN  
 011250 FT 2 0 01067 0 00 0112+57 NEW CHESTER RD (T514)  
 0050/0000 LENGTH(AH 2230 BK 2819)  
 0040/2800 015"H 21"W ELLIP METAL LEN=0045 INSTALLED UNKN  
 0040/2225 018" DIA CIRC CONCR LEN=0054 INSTALLED 1996

008431 FT

0040/1065 T. SWIFT RUN STRUCTURE LENGTH 15 FT BMSID 01/2015/0040/1065  
 0040/0053 BMS EN 01/2015/0040/0000  
 008431 FT 2 0 01067 0 00 0084+38 SWIFT RUN  
 BMSBG 01/2015/0040/0000  
 STRABAN  
 MOUNT PLEASANT T




DIR: B TOTAL LEN: 2.968 MI. DIST: 08-1 SR: 2015  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Description	Material	Length
0040/0000	LENGTH(AH 2819 BK 2870)		
0030/1958	015"H 21"W ELLIP METAL LEN=0055	INSTALLED UNKN	
0030/1624	018"DIA CIRC CONCR LEN=0055	INSTALLED UNKN	
0030/1190	024"DIA CIRC CONCR LEN=0062	INSTALLED UNKN	
0030/0906	015"H 21"W ELLIP METAL LEN=0045	INSTALLED UNKN	
0030/0316	015"H 21"W ELLIP METAL LEN=0035	INSTALLED UNKN	
005561 FT	2 0 01067 0 00 0055+61		
0030/0000	LENGTH(AH 2870 BK 3465) SPANGLER RD		
0020/3257	(T525)		
0020/3012	015"DIA CIR PLASTIC LEN=0030	INSTALLED 2004	
0020/0806	036"DIA CIR PLASTIC LEN=0030	INSTALLED 1997	
0020/0796	(AAR 832149L)#TRKS 01		
0020/0762	036"DIA CIR PLASTIC LEN=0030	INSTALLED UNKN	
0020/0746	024"DIA CIR PLASTIC LEN=0030	INSTALLED 1997	
002096 FT	2 0 01067 0 00 0020+96		
	FLESHMAN MILL RD		
	(T493)		
0020/0000	LENGTH(AH 3465 BK 2096)		
0010/0758	018"DIA CIR PLASTIC LEN=0030	INSTALLED 2004	
0010/0022	018"DIA CIRC METAL LEN=0300	INSTALLED UNKN	
	NC BRICKCRAFTERS RD		
000000 FT	YORK RD		
	(SR0030 SEG 0440/2134)		
	MFC BEGIN = E		
0010/0000	LENGTH(AH 2096 BK 0000)		

2 0 01067 0 00 0000+00 000000 FT  
 YORK RD  
 (SR0030 SEG 0440/2134) 0010/0000

039937 FT



039937 FT BALTIMORE PK  
 0160/2608 (SR0097 SEG 0010/1070)  
 024 "DIA CIR PLASTIC  
 0160/2562 LEN=0060 INSTALLED 2006  
 036 "DIA CIR PLASTIC  
 0160/2256 LEN=0040 INSTALLED 2005

037329 FT

0160/1127 024 "DIA CIRC METAL  
 LEN=0034 INSTALLED UNKN  
 037329 FT 2 0 01056 0 00 0125+51  
 0160/0000 LENGTH(AH 2608 BK 2478)

2 0 01056 0 00 0100+66 034851 FT  
 BITTLE RD  
 (T446) 0150/0000

0150/0313 013"H 17"W ELLIP METAL  
 034851 FT LEN=0030 INSTALLED UNKN  
 0150/0000 LENGTH(AH 2478 BK 3440)  
 018 "DIA CIR PLASTIC  
 0140/3229 LEN=0036 INSTALLED 2000

0140/1499 024 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2000  
 024 "DIA CIR PLASTIC  
 0140/1437 LEN=0040 INSTALLED UNKN  
 0140/0403 018 "DIA CIR PLASTIC  
 LEN=0033 INSTALLED 2000

DIR: B TOTAL LEN: 7.564 MI. DIST: 08-1 SR: 2014  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

ROADWAY	START STATION	END STATION	LENGTH (FT)	DESCRIPTION
MENGUS MILL RD (T438)	031411	0130/1418	0140/0000	2 0 01056 0 00 0066+26 LENGTH(AH 3440 BK 1944)
	0130/1399	0130/0874	0130/0500	030 " DIA CIRC CONCR LEN=0059 INSTALLED UNKN 024 " DIA CIRC CONCR LEN=0066 INSTALLED UNKN BMSBG 01/2014/0130/0473 2 0 01056 0 00 0051+70 PINEY CREEK
	0130/0473	029467	029467	BMSBG 01/2014/0130/0473 2 0 01056 0 00 0046+82 BABYLON RD
	0130/0000	0120/1899	0120/1853	(T437) LENGTH(AH 1944 BK 1947) BMSBG 01/2014/0120/1853 2 0 01056 0 00 0045+86 PINEY CK.
	0120/1853	0120/1725	0120/1720	BMSBG 01/2014/0120/1853
ULRICKTOWN RD (T436)	0120/1720	0120/1425	0120/1117	018 " DIA CIRC CONCR LEN=0072 INSTALLED UNKN 024 " DIA CIRC CONCR LEN=0060 INSTALLED UNKN 018 " DIA CIRC CONCR LEN=0075 INSTALLED UNKN 024 " DIA CIRC CONCR LEN=0056 INSTALLED UNKN
	0120/0634	027520	027520	0120/0634
	0120/0000	0110/2468	0110/2418	027520 FT 2 0 01056 0 00 0027+35 LENGTH(AH 1947 BK 2735) 036 " DIA CIRC METAL LEN=0032 INSTALLED UNKN 048"H 36"W CON BOX CUL LEN=0032 INSTALLED UNKN 060 " DIA CIRC METAL LEN=0052 INSTALLED UNKN 072 " DIA CIRC METAL LEN=0034 INSTALLED UNKN 018"H 24"W ELLIP METAL LEN=0030 INSTALLED UNKN
	0110/2418	0110/2191	0110/1683	
	0110/2191	0110/1425	0110/1425	
	0110/1683	0110/0030	0110/0030	015"H 21"W ELLIP METAL LEN=0033 INSTALLED UNKN
	0110/1425	024785	024785	2 0 01056 0 00 0000+00 FREDERICK PK

DIR: B TOTAL LEN: 7.564 MI. DIST: 08-1 SR: 2014  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

Stationing	Feature	Description	Material	Length	Notes
024785 FT	INTER-BK	(SR0194 SEG 0020/0000) NC GEORGETOWN RD			
		KINGSDALE RD (T435)			
		FREDRICK PK (SR0194 SEG 0020/0000)			
		MFC BEGIN = E			
		LTH AH 002735 BK 001267			
0100/3847	INTER-AHD	FREDRICK PK (SR0194 SEG 0020/1254)			
		024 " DIA CIR PLASTIC			
		LEN=0080	INSTALLED	UNKN	
		024 " DIA CIR PLASTIC			
		LEN=0040	INSTALLED	UNKN	
		018 " DIA CIR PLASTIC			
		LEN=0042	INSTALLED	1998	
		018 " DIA CIR PLASTIC			
		LEN=0036	INSTALLED	1998	
020938 FT		2 0 01014 0 00 0208+74			
		KINGSDALE RD (T439)			
		LENGTH(AH 3847 BK 2320)			
		018"H 24"W ELLIPTICAL*			
		LEN=0050	INSTALLED	UNKN	
		018"H 24"W ELLIPTICAL*			
		LEN=0038	INSTALLED	UNKN	
		018"H 24"W ELLIP METAL			
		LEN=0036	INSTALLED	UNKN	
		018 " DIA CIR PLASTIC			
		LEN=0036	INSTALLED	1999	
018618 FT		2 0 01014 0 00 0185+66			
		LENGTH(AH 2320 BK 2255)			
		018 " DIA CIRC METAL			
		LEN=0034	INSTALLED	UNKN	
		018 " DIA CIR PLASTIC			
		LEN=0036	INSTALLED	1998	
		015"H 21"W ELLIP METAL			
		LEN=0036	INSTALLED	UNKN	

FREDRICK PK  
 (SR0194 SEG 0020/1254)

TYOAKA DR  
 (TWP )

AMANDA DR

DIR: B TOTAL LEN: 7.564 MI. DIST: 08-1 SR: 2014  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

(TWP )

Stationing	Notes	Stationing	Notes
0080/0751	==	0080/0327	015"H 21"W ELLIP METAL LEN=0035 INSTALLED UNKN
016363 FT	---	016363 FT	2 0 01014 0 00 0163+11 TEETER RD (T423)
	==	0080/0000	LENGTH(AH 2255 BK 1843)
	---	0070/1753	015 "DIA CIR METAL LEN=0028 INSTALLED UNKN
	---	0070/0953	015"H 21"W ELLIP METAL LEN=0043 INSTALLED UNKN
	---	0070/0602	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
014520 FT	---	0070/0146	GERMANY MOUNT JOY T
	---	014520 FT	2 0 01014 0 00 0144+68
	---	0070/0000	LENGTH(AH 1843 BK 1305)
	---	0060/0782	BMSSEN 01/2014/0060/0704 2 0 01014 0 00 0138+70
	---	0060/0704	ALLOWAY CK. BMSBG 01/2014/0060/0704
013215 FT	---	0060/0090	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	---	013215 FT	2 0 01014 0 00 0131+63
	---	0060/0000	LENGTH(AH 1305 BK 1546)
	---	0050/0657	036 "DIA CIR PLASTIC LEN=0036 INSTALLED 1998
011669 FT	---	0050/0015	BMSSEN 01/2014/0050/0000
	---	011669 FT	2 0 01014 0 00 0116+17
	---	0050/0000	BOWERS RUN BMSBG 01/2014/0050/0000
	---	0040/2271	LENGTH(AH 1546 BK 3196)
	==	0040/2071	029"H 42"W ELLIP METAL LEN=0036 INSTALLED 1997
	---	0040/1195	UNKNOWN RD (PRDR)
008473 FT	---	0040/0000	042 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
	---	008473 FT	2 0 01014 0 00 0084+73
	---	0040/0000	LENGTH(AH 3196 BK 2963)
	---		013"H 17"W ELLIP METAL

DIR: B TOTAL LEN: 7.564 MI. DIST: 08-1 SR: 2014  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

HOFFMAN HOME RD  
 (SR2029 SEG 0010/0000)

0030/0025  
 005510 FT

CROUSE RD  
 (T419)

0020/2261

002547 FT


000000 FT

---	0030/2963	LEN=0032	INSTALLED UNKN
==	0030/1240	SCHOTTIE RD (T673)	
---	0030/1080	024"H 35"W ELLIP METAL LEN=0050	INSTALLED UNKN
---	0030/1024	018"DIA CIR PLASTIC LEN=0036	INSTALLED 1998
---	0030/0546	017"H 13"W METAL ARCH LEN=0035	INSTALLED 1999
==	005510 FT	2 0 01014 0 00 0055+10 MARYLAND LINE RD (T442)	
==	0030/0000	LENGTH(AH 2963 BK 2963) 024"DIA CIR PLASTIC	
---	0020/2664	LEN=0040	INSTALLED UNKN
==	0020/2029	018"DIA CIR PLASTIC LEN=0036	INSTALLED 1998
---	0020/1318	018"DIA CIR PLASTIC LEN=0040	INSTALLED UNKN
---	0020/0849	036"DIA CIR PLASTIC LEN=0048	INSTALLED 1998
==	002547 FT	2 0 01014 0 00 0025+47	
==	0020/0000	LENGTH(AH 2963 BK 2547) 017"H 13"W METAL ARCH	
---	0010/1938	LEN=0035	INSTALLED 1999
---	0010/1024	024"DIA CIR PLASTIC LEN=0033	INSTALLED 2017
---	0010/0739	013"H 17"W ELLIP METAL LEN=0034	INSTALLED UNKN
---	0010/0165	015"DIA CIR PLASTIC LEN=0040	INSTALLED UNKN
---	000000 FT	2 0 01014 0 00 0000+00	
---	0010/0000	NC HARNEY RD INTER-BK MARYLAND STATE LINE (STBD) MFC BEGIN = D	
==	0010/0000	LENGTH(AH 2547 BK 0000)	

Location	Segment	Length (FT)	Material / Description
	006916 FT	0030/2906	IRISHTOWN RD (SR2009 SEG 0080/0000) 018" DIA CIR PLASTIC
		0030/2863	LEN=0048 INSTALLED 2000 024"H 00"W MULT PLSTIC
		0030/2714	LEN=0050 INSTALLED UNKN 018" DIA CIR PLASTIC
		0030/2388	LEN=0035 INSTALLED UNKN
DANIEL LN (PRDR)	0030/0567	004010 FT	015"H 21"W ELLIP METAL LEN=0025 INSTALLED UNKN
		004010 FT	2 0 01061 0 00 0040+29 015"H 48"W CONC STRUCT LEN=0025 INSTALLED UNKN
RED HILL RD (T495)	0020/0000	0020/2490	LENGTH(AH 2906 BK 2523) 018"H 24"W ELLIP METAL LEN=0025 INSTALLED UNKN
		0020/0150	024" DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		001487 FT	2 0 01061 0 00 0014+94 RED HILL RD (T495) LENGTH(AH 2523 BK 1487)
2 0 01061 0 00 0000+00 BLACK LN (SR2009 SEG 0040/1069)	0010/0466	0010/0000	012"H 18"W ELLIP METAL LEN=0030 INSTALLED UNKN
	0010/0077	0010/0000	018"H 36"W CONC STRUCT LEN=0028 INSTALLED UNKN
	0010/0000	0010/0000	NC MT MISERY RD BLACK LN (SR2009 SEG 0040/1069) MFC BEGIN = E LENGTH(AH 1487 BK 0000)

DIR: B TOTAL LEN: 4.224 MI. DIST: 08-1 SR: 2012  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

022305 FT



019937 FT

022305 FT	FREDERICK PK
0080/2368	(SR0194 SEG 0040/1572)
0080/2337	018 " DIA CIR PLASTIC
	LEN=0067 INSTALLED UNKN
0080/1627	018 " DIA CIR PLASTIC
	LEN=0036 INSTALLED UNKN
0080/1067	015"H 21"W ELLIP METAL
	LEN=0035 INSTALLED UNKN
0080/0673	024 " DIA CIR PLASTIC
	LEN=0042 INSTALLED UNKN
0080/0115	018 " DIA CIR PLASTIC
	LEN=0032 INSTALLED 2017
019937 FT	2 0 01055 0 00 0200+34
5 0080/0000	LENGTH(AH 2368 BK 2155)
0070/1918	018 " DIA CIR PLASTIC
	LEN=0048 INSTALLED UNKN
0070/1655	048"H 76"W ELLIP CONC
	LEN=0044 INSTALLED UNKN
0070/1296	015 " DIA CIR PLASTIC
	LEN=0030 INSTALLED UNKN
0070/0595	018 " DIA CIR PLASTIC
	LEN=0030 INSTALLED UNKN
	018 " DIA CIR PLASTIC




DIR: B TOTAL LEN: 4.224 MI. DIST: 08-1 SR: 2012  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

017782 FT	---	0070/0013	LEN=0030	INSTALLED UNKN
		017782 FT	2 0 01055	0 00 0177+90
	==		GETTYSBURG RD	
	---	0070/0000	LENGTH(AH 2155	BK 2065)
			018 "DIA CIR PLASTIC	
	---	0060/2028	LEN=0035	INSTALLED UNKN
			036"H 00"W MULT PLSTIC	
	---	0060/0850	LEN=0072	INSTALLED 2001
015717 FT	---	015717 FT	2 0 01055	0 00 0157+25
		0060/0000	LENGTH(AH 2065	BK 2772)
	---	0050/2431	015 "DIA	CIR PLASTIC
			LEN=0036 INSTALLED 2001	
	---	0050/1870	018 "DIA	CIR PLASTIC
			LEN=0036 INSTALLED 2001	
	---	0050/1423	018 "DIA	CIR PLASTIC
			LEN=0042 INSTALLED 2001	
	==	0050/1178	QUAIL CT (TWP)	
	---	0050/0470	018 "DIA	CIR PLASTIC
			LEN=0040 INSTALLED UNKN	
	---	0050/0460	018 "DIA	CIR PLASTIC
			LEN=0032 INSTALLED UNKN	
012945 FT	---	012945 FT	2 0 01055	0 00 0129+53
			T.ALLOWAY CK	
	---	0050/0000	STRUCTURE LENGTH	12 FT
			BMSID 01/2012/0050/0000	
	---	0040/2393	LENGTH(AH 2772	BK 3061)
			018 "DIA CIR PLASTIC	
	---	0040/1421	LEN=0036	INSTALLED 2001
			018 "DIA CIR PLASTIC	
	---	0040/0658	LEN=0040	INSTALLED 2003
		0040/0179	024 "DIA	CIR PLASTIC
	---	009884 FT	LEN=0040	INSTALLED 2003
			BMSSEN 01/2012/0040/0039	
	---	0040/0000	2 0 01055	0 00 0099+37
			ALLOWAY CK	
	---	0040/0000	BMSBG 01/2012/0040/0039	LENGTH(AH 3061
			BK 3413)	
	---	0030/2528	036 "DIA	CIR PLASTIC
			LEN=0065 INSTALLED UNKN	

DIR: B TOTAL LEN: 4.224 MI. DIST: 08-1 SR: 2012  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

MUD COLLEGE RD  
 (T431)

0030/2444



0030/1846 018 "DIA CIR PLASTIC  
 LEN=0042 INSTALLED 2004

0030/0740 024 "DIA CIR PLASTIC  
 LEN=0041 INSTALLED 2004

006471 FT

006471 FT 2 0 01055 0 00 0064+71  
 GERMANY

**S** 0030/0000 MOUNT JOY T  
 LENGTH(AH 3413 BK 2988)  
 T.ALLOWAY CK  
 STRUCTURE LENGTH 12 FT  
 BMSID 01/2012/0020/2715

0020/2054 048"H 76"W ELLIP CONC  
 LEN=0040 INSTALLED UNKN

0020/1490 024 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2004

0020/0915 024 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2004

003483 FT

**S** 003483 FT 2 0 01055 0 00 0034+83  
**S** 0020/0000 LENGTH(AH 2988 BK 3483)  
 024 "DIA CIR PLASTIC

0010/3310 024 "DIA CIR PLASTIC  
 LEN=0034 INSTALLED 2003

0010/2467 030 "DIA CIR PLASTIC  
 LEN=0060 INSTALLED 2005

0010/2280 018 "DIA CIR PLASTIC  
 LEN=0060 INSTALLED UNKN

0010/2180 015"H 21"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN

0010/0505 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2003

0010/0388 024 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2003

000000 FT

000000 FT 2 0 01055 0 00 0000+00  
 NC F I SH & GAME RD  
 HOFFMAN HOME RD  
 (SR2029 SEG 0030/0000)  
 MFC BEGIN = E

**S** 0010/0000 LENGTH(AH 3483 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 271  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 1.183 MI. DIST: 08-1 SR: 2011  
LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

006247 FT

006247 FT EDGE GROVE RD


DIR: B TOTAL LEN: 1.183 MI. DIST: 08-1 SR: 2011  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

Street Name	Segment ID	Length	Material / Details
WAPPLER DR (T677)	0030/2212		0030/2679 (SR2008 SEG 0060/0000)
			0030/1975 BMS EN 01/2011/0030/1965 0 0 00000 0 00 0000+00 T. PLUM CK
			0030/1965 BMSBG 01/2011/0030/1965
			0030/0846 015 " DIA CAST IRON LEN=0033 INSTALLED UNKN
	003568 FT		003568 FT 1 1 05510 0 00 0035+70
			0030/0000 LENGTH(AH 2679 BK 2315)
			0020/2033 018 " DIA CAST IRON LEN=0035 INSTALLED UNKN
CONEWAGO DR (T531)	0020/1551		VINCENT DR (T500)
OBRIEN LN (T533)	0020/0927		0020/0811 015 " DIA CIRC CONCR LEN=0030 INSTALLED UNKN
			0020/0333 027"H 00"W MULT CONCR LEN=0031 INSTALLED UNKN
	001253 FT		001253 FT 1 1 05510 0 00 0012+53 NC CHURCH ST FAIRVIEW AV (TWP ) CONEWAGO MCSHERRYSTOWN B
OAK LN (TWP )	0020/0000		0020/0000 LENGTH(AH 2315 BK 1253)
			0010/0440 NORTH ST (BORO)
			0010/0415 013"H 17"W ELLIP METAL LEN=0002 INSTALLED UNKN
			0010/0229 MAPLE ST (BORO)
MAPLE ST (BORO)	0010/0200		000000 FT 1 1 05510 0 00 0000+00 NC SECOND ST MAIN ST (SR0116 SEG 0480/0000)
	000000 FT		INTER-BK SECOND ST (BORO)
			0010/0000 MFC BEGIN = D LENGTH(AH 1253 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 269  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS

DIR: B TOTAL LEN: 2.050 MI. DIST: 08-1 SR: 2010  
LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

010822 FT



010822 FT HOFFMAN HOME RD  
0040/3215 (SR2029 SEG 0040/0000)  
014 " DIA CAST IRON  
0040/2934 LEN=0028 INSTALLED UNKN  
014 " DIA CAST IRON  
0040/2324 LEN=0028 INSTALLED UNKN  
024 " DIA CIRC CONCR  
0040/1118 LEN=0028 INSTALLED UNKN

DIR: B TOTAL LEN: 2.050 MI. DIST: 08-1 SR: 2010  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

Stationing	Description	Material	Length	Notes
007607 FT	0040/0478	018" DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
	007607 FT	1 1 04120	0 00 0000+00	
	0040/0000	LENGTH(AH 3215 BK 2601)		
	0030/2519	024" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0030/1805	018" DIA CIR PLASTIC	LEN=0034	INSTALLED UNKN
005006 FT	005006 FT	2 0 01027	0 00 0050+06	
	0030/0000	LENGTH(AH 2601 BK 2147)		
	0020/1915	018" DIA CIR PLASTIC	LEN=0032	INSTALLED UNKN
	0020/0811	024" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0020/0545	DAGUE RD (T421)		
2 0 01027 0 00 0028+59	002859 FT			
FURNEY RD (T446)	0020/0000	LENGTH(AH 2147 BK 2859)		
	0010/0766	YINGLING RD (T410)		
	0010/0525	024" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
	0010/0513	028"H 20"W METAL ARCH	LEN=0035	INSTALLED UNKN
	0010/0195	BMSSEN 01/2010/0010/0184		
	0010/0190	056"H 95"W OTHER STRUC	LEN=0028	INSTALLED UNKN
	0010/0184	2 0 01027 0 00 0002+02		
000000 FT	000000 FT	TR. ROCK CK.		
	000000 FT	BMSBG 01/2010/0010/0184		
		2 0 01027 0 00 0000+00		
		NC OR PHANAGE RD		
		BARLOW-TWO TAVERNS RD		
		(SR2001 SEG 0080/2834)		
BARLOW-TWO TAVERNS RD (T405)	0010/0000	MFC BEGIN = D		
	0010/0000	LENGTH(AH 2859 BK 0000)		

FROM	SR	TO	LEN (FT)	DESCRIPTION
FROM SR 1015/0050 SH (CONN) BOUGH LN (TWP)		018958	018958	FT HANOVER ST
		0080/2351	0080	(SR1015 SEG 0040/2832)
		0080/1799	0080	
		0080/1763	0080	015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0080/1117	0080	015 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
		0080/0550	0080	036"H 48"W CON BOX CUL LEN=0030 INSTALLED UNKN
LINGG RD (T480)		0080/0378	0080	
		016555	016555	FT 1 1 06810 0 00 0210+07 MT MISERY RD (SR2013 SEG 0030/2906)
		0080/0000	0080	LENGTH(AH 2403 BK 2777) 034"H 50"W CONC STRUCT
		0070/2728	0070	LEN=0045 INSTALLED UNKN
		0070/2328	0070	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0070/1630	0070	015 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
		0070/0630	0070	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
		013778	013778	FT 1 1 06810 0 00 0182+16
		0070/0000	0070	LENGTH(AH 2777 BK 2811) 018 "DIA CIRC CONCR
		0060/2676	0060	LEN=0063 INSTALLED UNKN
KOHLER MILL RD (T493)		0060/2510	0060	

DIR: B TOTAL LEN: 3.591 MI. DIST: 08-1 SR: 2009  
 LEFT MUN: OXFORD T RIGHT MUN: OXFORD T

UNKNOWN RD  
(PRDR)

0060/0061  
010967 FT

IRISHTOWN RD  
(T495)

0050/0037  
009654 FT

006539 FT

---	0060/1375	015 " DIA CIRC CONCR LEN=0032	INSTALLED UNKN
---	0060/0579	015 " DIA CAST IRON LEN=0030	INSTALLED UNKN
---	0060/0243	015 " DIA CAST IRON LEN=0033	INSTALLED UNKN
==	010967 FT	1 1 06810 0 00 0154+05	
5	0060/0000	LENGTH(AH 2811 BK 1313) 030"H 48"W CON BOX CUL	
---	0050/1100	LEN=0030	INSTALLED UNKN
---	0050/0870	024 " DIA CAST IRON LEN=0030	INSTALLED UNKN
---	0050/0400	018 " DIA CAST IRON LEN=0032	INSTALLED UNKN
---	0050/0262	013"H 17"W ELLIP METAL LEN=0032	INSTALLED UNKN
==	009654 FT	1 1 05510 0 00 0140+92	
		NC IRISHTOWN RD RED HILL RD (T495)	
5	0050/0000	LENGTH(AH 1313 BK 3115) 015 " DIA CIRC METAL	
---	0040/2850	LEN=0040	INSTALLED UNKN
---	0040/1587	024 " DIA CAST IRON LEN=0036	INSTALLED UNKN
---	0040/1135	030 " DIA CAST IRON LEN=0047	INSTALLED UNKN
==	0040/1069	MT MISERY RD (SR2013 SEG 0010/0000)	
---	0040/0701	BMSSEN 01/2009/0040/0634 OXFORD	
---	0040/0672	CONEWAGO T 1 1 05510 0 00 0116+20	
---	0040/0634	TRIB TO S BR CONEWAGO C BMSBG 01/2009/0040/0634	
	006539 FT	1 1 05510 0 00 0109+11	
		OXFORD AV (T476)	
5	0040/0000	LENGTH(AH 3115 BK 2047)	





EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 264  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 4.101 MI. DIST: 08-1 SR: 2008  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

ROLLER CR  
 (TWP )

021653 FT

0100/1594



021653 FT AH-YORK (66)  
 INTER-AHD ELM AV  
 0100/1705 (SR3098 SEG 0010/0000)

0100/1446 GARFIELD ST (T467)  
 029"H 42"W ELLIP METAL  
 0100/1105 LEN=0068 INSTALLED UNKN  
 LINCOLN ST  
 0100/1082 (T466)  
 024 " DIA CIRC CONCR

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 263  
COUNTY: ADAMS

DIR: B TOTAL LEN: 4.101 MI.  
LEFT MUN: CONEWAGO T

DIST: 08-1 SR: 2008  
RIGHT MUN: CONEWAGO T

LINDEN AV  
(T471)  
UNNAMED AL  
(TWP)

019948 FT

0090/0517  
0090/0254  
018395 FT

KINDIG LN  
(T477)

0080/0804  
016059 FT

0100/1001	LEN=0044	INSTALLED UNKN
JACKSON ST	(T474)	
0100/0720	015" DIA	CIRC METAL
0100/0706	LEN=0050	INSTALLED UNKN
MADISON ST	(T470)	
0100/0360	024" DIA	CIRC CONCR
0100/0222	LEN=0048	INSTALLED UNKN
019948 FT	2 0 01062 0 00	0015+43
JEFFERSON ST	(T529)	
0100/0000	LENGTH(AH 1705 BK 1553)	
WASHINGTON ST	(T472)	
0090/1188	LINDEN AV	
0090/0517	(T471)	
UNNAMED AL	(TWP)	
0090/0254	2 0 01062 0 00	0000+00
018395 FT	THIRD ST	
(SR0116 SEG 0490/0000)	NC ELM AV	
MAIN ST	(SR0116 SEG 0490/0000)	
MFC BEGIN = C	0090/0000	LENGTH(AH 1553 BK 2336)
MAPLE ST	(T664)	
0080/2064	NORTH ST	
0080/1832	(T662)	
018" DIA	CIRC CONCR	
0080/1515	LEN=0053	INSTALLED UNKN
RIDGE AV	(T663)	
0080/1482	SANDUNE CT	
(PRDR)	0080/1261	018" DIA
CIRC CONCR	LEN=0032	INSTALLED UNKN
0080/1194	018" DIA	CIRC METAL
0080/0892	LEN=0046	INSTALLED UNKN
015"H 21"W	ELLIP METAL	
LEN=0046	INSTALLED UNKN	
016059 FT	2 0 01034 0 00	0023+36
0080/0000	LENGTH(AH 2336 BK 3128)	
018" DIA	CIRC CONCR	

DIR: B TOTAL LEN: 4.101 MI. DIST: 08-1 SR: 2008  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

Location / Segment	Start Station	End Station	Length (FT)	Item ID	Description	Status
				0070/2560	LEN=0042	INSTALLED UNKN
OXFORD AV (T476)	012931		FT	0070/0048	030 " DIA CIRC CONCR LEN=0044	INSTALLED UNKN
		012931	FT	2 0 01034	0 00 0054+46	
	0070/0000			5 0070/0000	NC OXFORD AV LENGTH(AH 3128 BK 2389) 013"H 17"W ELLIP METAL	
				0060/2175	LEN=0050	INSTALLED UNKN
OAK DR (T678) PEANUT DR (T479)	010542		FT	0060/0660	015"H 21"W ELLIP METAL LEN=0045	INSTALLED UNKN
		010542	FT	2 0 01034	0 00 0078+35	
	0050/2202			5 0060/0000	CHURCH ST (SR2011 SEG 0030/2679) LENGTH(AH 2389 BK 2717)	
				0050/1785		
CONEWAGO CONTRACTORS IN (PRDR)	0050/1703			0050/1703	BASILICA RD (T675)	
	0050/1060			0050/1060	(APRA) CONEWAGO CONTRAC	
	0050/0480			0050/0480	015 " DIA CIRC CONCR LEN=0061	INSTALLED UNKN
				0050/0421	CHAPEL RD (SR2009 SEG 0020/2502)	
				0050/0250	018 " DIA CIR PLASTIC LEN=0050	INSTALLED 2005
1 1 05510 0 00 0089+14 BLACK LN (SR2009 SEG 0030/0000)	0050/0066		007825 FT	0050/0066	015 " DIA CIRC METAL LEN=0034	INSTALLED UNKN
	0050/0000			5 0050/0000	MFC BEGIN = D LENGTH(AH 2717 BK 0850)	
	006975		FT	006975 FT	0 0 00000 0 00 0000+00	
				INTER-BK	CLOSED RD - BRIDGE OUT (TWP )	


DIR: B TOTAL LEN: 4.101 MI. DIST: 08-1 SR: 2008  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

Location / Description	Start Station	End Station	Length (FT)	Notes / Details
			006975	OPPOSSUM CREEK ROAD CLOSED BACK
	0044/0000	006975		LTH AH 000850 BK 000100
	006975	7042/0000		LTH AH 000100 BK 000856
				OPPOSSUM CREEK ROAD CLOSED AHEAD
CUL-DE-SAC (ROAD CLOSED) (TWP )	0040/0856			INTER-AHD CLOSED RD - BRIDGE OUT (TWP )
CUL-DE-SAC (TWP )	0040/0718			MOUNT PLEASANT T
			006119	024 " DIA CIR PLASTIC
	0040/0579			LEN=0030 INSTALLED UNKN
	006119			2 0 01060 0 00 0027+71
	0040/0000			LENGTH(AH 0856 BK 2468)
				013"H 17"W ELLIP METAL
	0030/2041			LEN=0030 INSTALLED UNKN
EDGE GROVE RD (SR2007 SEG 0010/0000)	0030/0000			003651 FT 2 0 01060 0 00 0000+00
				NC ED GEGROVE RD
	0030/0000			LENGTH(AH 2468 BK 1713)
				018 " DIA CIRC METAL
	0020/1669			LEN=0035 INSTALLED UNKN
				013"H 17"W ELLIP METAL
	0020/1124			LEN=0035 INSTALLED 1999
HILL RD (T478)	0020/1100			015 " DIA CIRC METAL
				LEN=0025 INSTALLED UNKN
			001938	001938 FT 2 0 01059 0 00 0019+38
	0020/0000			LENGTH(AH 1713 BK 1938)
				018 " DIA CIR PLASTIC
	0010/1926			LEN=0030 INSTALLED UNKN
				024"H 18"W ELLIP METAL
	0010/0741			LEN=0035 INSTALLED 1999
			000000	000000 FT 2 0 01059 0 00 0000+00
				NC IR ISHTOWN RD
				CENTENNIAL RD
				(SR2006 SEG 0160/0000)
				MFC BEGIN = E
	0010/0000			LENGTH(AH 1938 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 260  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .133 MI. DIST: 08-1 SR: 2007  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

000701 FT

000000 FT



IRISHTOWN RD  
 (SR2008 SEG 0030/0000) 0010/0000

000701 FT BMS EN 01/2007/0010/0598  
 INTER-AHD IRISHTOWN RD  
 0010/0701 (T495)  
 2 0 01059 0 00 0042+48  
 S. BR. CONEWAG  
 0010/0598 BMSBG 01/2007/0010/0598  
 018 "DIA CIRC CONCR  
 0010/0359 LEN=0025 INSTALLED UNKN  
 000000 FT 2 0 01059 0 00 0036+64  
 NC ED GEGROVE RD  
 INTER-BK EDGE GROVE RD  
 (SR2008 SEG 0030/0000)  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0701 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 259  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 12.100 MI. DIST: 08-1 SR: 2006  
LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

063887 FT




063887 FT AH-YORK (66)  
INTER-AHD FAIRVIEW DR  
0250/3560 (SR3062 SEG 0010/0000)

DIR: B TOTAL LEN: 12.100 MI. DIST: 08-1 SR: 2006  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

060327 FT

057056 FT



0250/1651 BMS EN 01/2006/0250/1629  
 2 0 01005 0 00 0035+82  
 INDIAN RUN

0250/1629 BMSBG 01/2006/0250/1629

0250/0351 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 018 "DIA CIR PLASTIC

0250/0013 0250/0013 LEN=0055 INSTALLED UNKN  
 060327 FT 2 0 01005 0 00 0035+82  
 LOVERS DR  
 (PRDR)

5 0250/0000 LENGTH(AH 3560 BK 3271)

0240/2583 013"H 17"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 013 "DIA CIR PLASTIC

0240/2163 013 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 018 "DIA CIR PLASTIC

0240/1758 0240/1758 LEN=0045 INSTALLED 2017  
 029"H 42"W ELLIP METAL

0240/1239 0240/1239 LEN=0038 INSTALLED UNKN

057056 FT 2 0 01005 0 00 0068+23  
 NC NA ARROW DR  
 HANOVER PK  
 (SR0194 SEG 0170/0303)

5 0240/0000 LENGTH(AH 3271 BK 3188)  
 018 "DIA CIRC CONCR

0230/3160 0230/3160 LEN=0042 INSTALLED UNKN  
 UNKNOWN AL

0230/2976 (TWP )  
 0230/2976 015"H 21"W ELLIP METAL  
 LEN=0034 INSTALLED UNKN

0230/2895 0230/2895 015 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2002




DIR: B TOTAL LEN: 12.100 MI. DIST: 08-1 SR: 2006  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

LYNX DR  
(TWP)

053868 FT

053868 FT 2 0 01005 0 00 0099+78  
 0230/0000 LENGTH(AH 3188 BK 2352)



0220/1185 020"H 28"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN

051516 FT

0220/0420 048 "DIA CIRC METAL  
 LEN=0034 INSTALLED UNKN  
 0220/0066 BMSSEN 01/2006/0220/0000  
 051516 FT 2 0 01005 0 00 0123+58  
 PLUM RUN  
 BMSBG 01/2006/0220/0000  
 0220/0000 LENGTH(AH 2352 BK 2736)

0210/1127

0210/1127 AIRPORT RD  
(PRDR)

048780 FT

0210/0517 PUMA DR  
(TWP)  
 048780 FT 2 0 01005 0 00 0151+10  
 NC MOUNT PLEASANT RD  
 0210/0000 LENGTH(AH 2736 BK 1826)

0200/1571 015 "DIA CIRC METAL  
 LEN=0060 INSTALLED UNKN

0200/1555 015 "DIA CIRC METAL  
 LEN=0060 INSTALLED UNKN

0200/1551 STAFFORD DR  
(TWP)

0200/1500 018 "DIA CIRC CONCR  
 LEN=0065 INSTALLED UNKN

0200/0753 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN

0200/0652 033"H 49"W ELLIP METAL  
 LEN=0101 INSTALLED UNKN

0200/0645 033 "DIA CIRC METAL  
 LEN=0007 INSTALLED UNKN

0200/0437 018 "DIA CIRC METAL  
 LEN=0330 INSTALLED UNKN

0200/0413 SOUTH ST  
(BORO)


0200/0399 030 "DIA CIRC METAL  
 LEN=0035 INSTALLED UNKN

WILLOW ST

DIR: B TOTAL LEN: 12.100 MI. DIST: 08-1 SR: 2006  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

2 0 01005 0 00 0169+36 046954 FT  
 MAIN ST  
 (SR0116 SEG 0480/0580)  
 THIRD ST  
 (BORO)

0200/0000  
 046954 FT



0200/0208 (BORO)  
 046954 FT  
 NC TH  
 INTER-BK  
 MAIN ST  
 (SR0116 SEG 0480/0580)  
 LTH AH 001826 BK 003440  
 LTH AH 003440 BK 003062  
 HANOVER PK  
 (SR0116 SEG 0460/2748)  
 HANOVER PK  
 (SR0116 SEG 0460/2748)  
 SENECA DR  
 (TWP)  
 030 " DIA CIR PLASTIC  
 LEN=0060 INSTALLED UNKN  
 DAKOTA DR  
 (TWP)  
 015"H 21"W ELLIP METAL  
 LEN=0037 INSTALLED UNKN  
 MICHAEL ST  
 (T480)  
 030 " DIA CIR PLASTIC  
 LEN=0048 INSTALLED 2003  
 2 0 01005 0 01 0199+98  
 LENGTH(AH 3062 BK 2988)  
 015"H 21"W ELLIP METAL  
 LEN=0045 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 SUNDAY DR  
 (T460)  
 013"H 17"W ELLIP METAL  
 LEN=0053 INSTALLED UNKN  
 018 " DIA CIRC CONCR  
 LEN=0100 INSTALLED UNKN  
 0180/0034  
 040904 FT  
 0180/0000 LENGTH(AH 2988 BK 1471)  
 048 " DIA CIRC CONCR  
 LEN=0065 INSTALLED UNKN  
 0170/1235


043892 FT

RAINBOW DR  
 (TWP ) 0180/0691

2 0 01005 0 01 0229+81 040904 FT  
 CHAPEL RD  
 (SR2009 SEG 0010/0000) 0180/0000

DIR: B TOTAL LEN: 12.100 MI.  
 LEFT MUN: CONEWAGO T

DIST: 08-1 SR: 2006  
 RIGHT MUN: CONEWAGO T



039433 FT

2 0 01005 0 02 0272+17 036652 FT  
 IRISHTOWN RD  
 (SR2008 SEG 0010/0000) 0160/0000

2 0 01005 0 02 0298+46 034023 FT  
 HILL RD  
 (T478) 0150/0000

0170/0931 BMS EN 01/2006/0170/0826  
 CONEWAGO  
 0170/0854 MOUNT PLEASANT T  
 2 0 01005 0 01 0236+33  
 S. BR. CONWAGO  
 0170/0826 BMSBG 01/2006/0170/0826  
 BENDER RD  
 0170/0380 (T464)  
 013"H 17"W ELLIP METAL  
 0170/0216 LEN=0055 INSTALLED UNKN  
 039433 FT 2 0 01005 0 01 0244+36  
 0170/0000 LENGTH(AH 1471 BK 2781)  
 0160/1150 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 0160/0369 CENTENNIAL AV  
 (TWP) 036652 FT  
 0160/0000 LENGTH(AH 2781 BK 2629)  
 018" DIA CIRC METAL  
 0150/2286 LEN=0036 INSTALLED UNKN  
 0150/1682 018" DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2003  
 0150/1455 018"H 24"W ELLIP METAL  
 LEN=0061 INSTALLED UNKN  
 SMOKETOWN RD  
 0150/1410 (T467)  
 0150/0525 BMS EN 01/2006/0150/0505  
 2 0 01005 0 02 0294+56  
 T. CONEWAGO  
 0150/0505 BMSBG 01/2006/0150/0505  
 018" DIA CIRC CONCR  
 0150/0439 LEN=0068 INSTALLED UNKN  
 024" DIA CIRC CONCR  
 0150/0269 LEN=0004 INSTALLED UNKN  
 034023 FT  
 0150/0000 LENGTH(AH 2629 BK 3005)  
 0140/2392 036" DIA CIR PLASTIC  
 LEN=0048 INSTALLED 2003  
 HONDA RD

DIR: B TOTAL LEN: 12.100 MI. DIST: 08-1 SR: 2006  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Stationing	Notes	Object ID	Description
		0140/1671	(SR2017 SEG 0060/2393)
		0140/1319	015"H 21"W ELLIP METAL LEN=0040 INSTALLED UNKN
031018 FT		0140/0165	018 " DIA CIR PLASTIC LEN=0046 INSTALLED 2006
		031018 FT	2 0 01005 0 02 0328+51
		0140/0000	LENGTH(AH 3005 BK 3193)
		0130/3166	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0130/2416	013"H 17"W ELLIP METAL LEN=0030 INSTALLED UNKN
		0130/1412	BMS EN 01/2006/0130/1379 2 0 01005 0 02 0347+61 SHULSBG.RUN
		0130/1379	BMSBG 01/2006/0130/1379
		0130/1000	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 2003
		0130/0808	024 " DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
027825 FT		027825 FT	2 0 01005 0 02 0360+44 STORM'S STORE RD (T428)
		0130/0000	LENGTH(AH 3193 BK 2265)
		0120/2241	015 " DIA CIR PLASTIC LEN=0055 INSTALLED 2006
		0120/1962	013"H 17"W ELLIP METAL LEN=0028 INSTALLED UNKN
		0120/1375	024"H 18"W METAL ARCH LEN=0040 INSTALLED 2006
		0120/0505	036 " DIA CIR PLASTIC LEN=0060 INSTALLED 2003
		0120/0091	021"H 15"W METAL ARCH LEN=0060 INSTALLED 2006
025560 FT		025560 FT	2 0 01005 0 03 0383+28
		0120/0000	LENGTH(AH 2265 BK 1859)
		0110/1303	005"H 21"W ELLIP METAL LEN=0030 INSTALLED UNKN
		0110/0520	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 2003
STONE BRIDGE RD (T491)		0110/0052	
		023701 FT	2 0 01005 0 03 0401+87

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 253  
COUNTY: ADAMS

DIR: B TOTAL LEN: 12.100 MI.  
LEFT MUN: MOUNT PLEASANT T

DIST: 08-1 SR: 2006  
RIGHT MUN: MOUNT PLEASANT T

Stationing	Structure	Description
0110/0000	5	STONE BRIDGE RD (T491) LENGTH(AH 1859 BK 2518)
0100/1976		018" DIA CIR PLASTIC LENS=0040 INSTALLED UNKN
0100/1217		018" DIA CIR PLASTIC LENS=0036 INSTALLED 2003
0100/0906		015"H 21"W ELLIP METAL LENS=0034 INSTALLED UNKN
0100/0212		018" DIA CIR PLASTIC LENS=0038 INSTALLED UNKN
0100/0021		030" DIA CIR PLASTIC LENS=0045 INSTALLED 2003
021183 FT		2 0 01005 0 03 0427+05 BON-OX RD (SR2001 SEG 0190/1205)
0100/0000	5	LENGTH(AH 2518 BK 2949)
0090/2758		BMSBG 01/2006/0090/2741
0090/2741		2 0 01005 0 03 0430+23 BRUSH RUN
0090/1949		BMSBG 01/2006/0090/2741
0090/1028		033"H 49"W CON BOX CUL LENS=0036 INSTALLED UNKN
0090/0407		SEYMORE RD (T441)
018234 FT		018" DIA CIR PLASTIC LENS=0036 INSTALLED 2003
0090/0000	5	LENGTH(AH 2949 BK 2211)
0080/1638		018"H 24"W ELLIP METAL LENS=0040 INSTALLED UNKN
0080/0720		021"H 15"W METAL ARCH LENS=0040 INSTALLED 2006
0080/0017		013"H 17"W ELLIP METAL LENS=0042 INSTALLED UNKN
016023 FT		2 0 01005 0 03 0479+86 KILPATRICK RD (SR2031 SEG 0030/0000)
0080/0000	5	LENGTH(AH 2211 BK 2419)
		018"H 24"W ELLIP METAL

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 252  
COUNTY: ADAMS


DIR: B TOTAL LEN: 12.100 MI.  
LEFT MUN: MOUNT PLEASANT

DIST: 08-1 SR: 2006  
RIGHT MUN: MOUNT PLEASANT

Stationing	Notes	Stationing	Notes
		0070/2370	LEN=0030 INSTALLED UNKN
013604 FT		0070/0016	BMS EN 01/2006/0070/0000
		013604 FT	2 0 01005 0 03 0504+10
			BR. SWIFT RUN
		0070/0000	BMSBG 01/2006/0070/0000
			LENGTH(AH 2419 BK 1683)
011921 FT		0060/0271	024 " DIA CIR PLASTIC
		011921 FT	LEN=0036 INSTALLED 2003
			2 0 01005 0 03 0520+75
			MASON RD
		0060/0000	(T490)
			LENGTH(AH 1683 BK 2900)
		0050/2150	MOUNT PLEASANT
			STRABANT
		0050/1679	015"H 21"W ELLIP METAL
			LEN=0035 INSTALLED UNKN
			030 " DIA CIR PLASTIC
		0050/1102	LEN=0036 INSTALLED 2003
009021 FT		009021 FT	2 0 01005 0 03 0549+75
			YORK RD
			(SR0030 SEG 0380/3156)
			NC CENTENNIAL RD
		INTER-BK	YORK RD
			(SR0030 SEG 0380/3156)
009021 FT		0050/0000	LTH AH 002900 BK 000304
		009021 FT	
		7042/0000	LTH AH 000304 BK 001207
YORK RD (SR0030 SEG 0380/3430)		0040/1207	YORK RD
			(SR0030 SEG 0380/3430)
		0040/1180	018 " DIA CIRC CONCR
			LEN=0042 INSTALLED UNKN
		0040/1090	018 " DIA CIR PLASTIC
			LEN=0047 INSTALLED 2005
		0040/0666	BMS EN 01/2006/0040/0591
			2 0 01005 0 03 0555+94

DIR: B TOTAL LEN: 12.100 MI. DIST: 08-1 SR: 2006  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Description	Material	Length	Notes
007814 FT	0040/0591	BMSBG 01/2006/0040/0591	0066	RR
	0040/0285	018" DIA CIRC METAL	0050	UNKN
	0040/0035	018" DIA CIR PLASTIC	0050	2005
	007814 FT	2 0 01005 0 03 0561+82		
	0040/0000	LENGTH(AH 1207 BK 1870)		
005944 FT	0030/1136	013"H 19"W ELLIP METAL	0030	UNKN
	0030/0670	015" DIA CIR PLASTIC	0040	2005
	0030/0598	015" DIA CIR PLASTIC	0040	2005
	005944 FT	2 0 01005 0 03 0580+56		
	0030/0000	LENGTH(AH 1870 BK 3002)		
	0020/2833	018" DIA CIR PLASTIC	0040	2005
	0020/2256	017"H 13"W METAL ARCH	0005	2005
	0020/1272	015" DIA CIR PLASTIC	0037	2005
	0020/0906	015" DIA CIR PLASTIC	0037	2005
002942 FT	0020/0295	042"H 29"W METAL ARCH	0040	2005
	0020/0122	013"H 19"W ELLIP METAL	0030	UNKN
	002942 FT	2 0 01005 0 03 0610+58		
	0020/0000	LENGTH(AH 3002 BK 2942)		
	0010/2525	018" DIA CIR PLASTIC	0080	2005
	0010/1944	024" DIA CIR PLASTIC	0036	2005
	0010/1183	015" DIA CIR PLASTIC	0035	2005
	0010/0445	015" DIA CIR PLASTIC	0035	2005
2 0 01005 0 03 0640+00	000000 FT	NC CO LEMAN RD		
SWIFT RUN RD		INTER-BK		
(T515)		SHRIVERS CORNER RD		
HUNTERSTOWN-HAMPTON RD		(SR0394 SEG 0160/0000)		
(SR0394 SEG 0160/0000)	0010/0000	MFC BEGIN = D		
	0010/0000	LENGTH(AH 2942 BK 0000)		



DIR: B TOTAL LEN: 3.114 MI. DIST: 08-1 SR: 2005  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

016441 FT

016441 FT  
 INTER-AHD

GRANITE STATION RD  
 (T486)  
 YORK RD  
 (SR0030 SEG 0370/0000)

0060/1937  
 0060/1425

030 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2007

014504 FT

014504 FT  
 0060/0000

2 0 01058 0 00 0145+00  
 LENGTH(AH 1937 BK 2686)

0050/1794  
 0050/1768

STRABAN  
 MOUNT PLEASANT T  
 018 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 1999

0050/0583  
 0050/0025

048 "DIA CIR PLASTIC  
 LEN=0032 INSTALLED UNKN  
 018 "DIA CIR PLASTIC  
 LEN=0037 INSTALLED UNKN

011818 FT

0050/0000  
 0040/2081

2 0 01058 0 00 0118+18  
 LOW DUTCH RD  
 (T424)

0040/2054  
 0040/1488

LENGTH(AH 2686 BK 2645)  
 BMSSEN 01/2005/0040/2071  
 2 0 01058 0 00 0091+73  
 WHITE RUN  
 BMSBG 01/2005/0040/2071  
 024 "DIA CIR PLASTIC  
 LEN=0042 INSTALLED UNKN


0040/0326  
 0040/0065

018 "DIA CIR PLASTIC  
 LEN=0043 INSTALLED 2006  
 030 "DIA CIR PLASTIC  
 LEN=0055 INSTALLED 2007

009173 FT

0040/0000

2 0 01058 0 00 0091+73  
 TALL OAK RD  
 (T487)  
 LENGTH(AH 2645 BK 3179)  
 030 "DIA CIR PLASTIC





EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 249  
COUNTY: ADAMS


DIR: B TOTAL LEN: 3.114 MI.  
LEFT MUN: MOUNT PLEASANT T

DIST: 08-1 SR: 2005  
RIGHT MUN: MOUNT PLEASANT T

Stationing	Notes	Object ID	Length	Material	Year
		0030/2857	0048	INSTALLED	2007
		0030/1962	0035	015"H 21"W ELLIP METAL INSTALLED	UNKN
		0030/1414	0030	015"DIA CIR PLASTIC INSTALLED	UNKN
		0030/1037	0030	015"H 21"W ELLIP METAL INSTALLED	UNKN
		0030/0297	0040	024"DIA CIR PLASTIC INSTALLED	2006
005994 FT		005994 FT	2 0 01058	0 00 0059+94	
		0030/0000		LENGTH(AH 3179 BK 2620) 018"DIA CIR PLASTIC	
		0020/2192	0035	INSTALLED	2006
		0020/0604			
UNKNOWN RD (PRDR)		0020/0551	0040	018"DIA CIR PLASTIC INSTALLED	UNKN
003374 FT		003374 FT	2 0 01058	0 00 0033+74	
				NC GRANITE STATION RD T. WHITE RUN STRUCTURE LENGTH 8 FT	
		0020/0000		BMSID 01/2005/0020/0000 LENGTH(AH 2620 BK 3374)	
		0010/2903	0055	018"DIA CIR PLASTIC INSTALLED	2007
		0010/1705	0039	015"DIA CIR PLASTIC INSTALLED	2007
BONNEAU HEIGHTS RD (PRDR)		0010/0913	0050	042"DIA CIR PLASTIC INSTALLED	2003
		0010/0849		RED BIRD LN (TWP)	
		0010/0746		MOUNT PLEASANT BONNEAUVILLE B	
000000 FT		000000 FT	2 0 01058	0 00 0000+00	
				NC PINE ST HANOVER ST (SRO116 SEG 0350/0000)	
		0010/0000		MFC BEGIN = D LENGTH(AH 3374 BK 0000)	

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 248  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 1.956 MI. DIST: 08-1 SR: 2004  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

WHITEHALL RD 010327 FT  
 (SR2002 SEG 0050/0476) 0040/2842



010327 FT WHITEHALL RD  
 0040/2842 (SR2002 SEG 0050/0476)  
 0040/2545 048"H 60"W CONC STRUCT  
 LEN=0028 INSTALLED UNKN  
  
 0040/1526 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED 2001  
  
 0040/0798 024 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2001  
 015 " DIA CIR PLASTIC  
 0040/0578 LEN=0060 INSTALLED 2001

DIR: B TOTAL LEN: 1.956 MI. DIST: 08-1 SR: 2004  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Stationing	Segment	Length	Material	Notes
007485 FT	0040/0576	007485 FT	024" DIA CIR PLASTIC	LOCUST LN (T442)
	0040/0463	007485 FT	LEN=0032 INSTALLED 2001	
	0040/0000		015" DIA CIR PLASTIC	PLUNKERT RD (T430)
	0030/2745		LEN=0060 INSTALLED UNKN	LENGTH(AH 2842 BK 2749)
	0030/1852		LEN=0031 INSTALLED UNKN	024"H 48"W ELLIP METAL
004736 FT	0030/0406	004736 FT	LEN=0036 INSTALLED 2001	
	0030/0017	004736 FT	LEN=0048 INSTALLED 2001	
	0030/0000		LEN=0070 INSTALLED 2014	048" DIA CIR PLASTIC
	0020/1817		LEN=0036 INSTALLED 2001	LENGTH(AH 2749 BK 2145)
	0020/1311		LEN=0031 INSTALLED UNKN	024" DIA CIR PLASTIC
002591 FT	0020/0385	002591 FT	LEN=0036 INSTALLED 2001	
	0020/0000		LENGTH(AH 2145 BK 2591)	BOWERS RD (T428)
	0010/2322		015" DIA CIR PLASTIC	
	0010/1711		LEN=0031 INSTALLED UNKN	
000000 FT	0010/0350	000000 FT	LEN=0025 INSTALLED UNKN	
	0010/0000		2 0 01078 0 00 0000+00	NC BU LK PLANT RD
	0010/0000		MFC BEGIN = E	HICKORY RD (SR2003 SEG 0040/0000)
	0010/0000		LENGTH(AH 2591 BK 0000)	

DIR: B TOTAL LEN: 2.997 MI. DIST: 08-1 SR: 2003  
 LEFT MUN: BONNEAUVILLE B RIGHT MUN: BONNEAUVILLE B

015822 FT

015822 FT INTER-AHD HICKORY AV  
 (BORO)  
 MAPLE ST  
 (SR2002 SEG 0010/2190)  
 0060/2384 WHITE BIRCH DR  
 (BORO)  
 0060/1994 SYCAMORE CT  
 (BORO)  
 0060/1748 BONNEAUVILLE  
 0060/1486 MOUNT PLEASANT T



013438 FT

0060/0309 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 013438 FT 2 0 01079 0 00 0135+17  
 5 0060/0000 LENGTH(AH 2384 BK 2074)

0050/1187 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED 2001

011364 FT

0050/0015 BMS EN 01/2003/0050/0000  
 011364 FT 2 0 01079 0 00 0113+98  
 LITTLES RUN  
 5 0050/0000 BMSBG 01/2003/0050/0000  
 LENGTH(AH 2074 BK 2497)

0040/1927 018 " DIA CIR PLASTIC  
 LEN=0026 INSTALLED UNKN

0040/1262 018 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2001

0040/0777 048 " DIA CIR PLASTIC  
 LEN=0025 INSTALLED UNKN

008867 FT

008867 FT 2 0 01079 0 00 0089+01

DIR: B TOTAL LEN: 2.997 MI. DIST: 08-1 SR: 2003  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

STRALEYS RD  
 (T439)

0030/0942

005699 FT


002491 FT

2 0 01079 0 00 0000+00 000000 FT  
 BALTIMORE PK  
 (SR0097 SEG 0130/1500) 0010/0000

	0040/0000	BULK PLANT RD (SR2004 SEG 0010/0000) LENGTH(AH 2497 BK 3168)
---	0030/1960	012 "DIA CIR PLASTIC LEN=0026 INSTALLED UNKN
---	0030/1093	038"H 60"W ELLIP CONC LEN=0040 INSTALLED 2018
---	0030/0849	MOUNT PLEASANT MOUNT JOY T
---	0030/0755	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2004
---	0030/0010	060"H 89"W ELLIP CONC LEN=0040 INSTALLED UNKN
---	005699 FT	2 0 01079 0 00 0056+99
---	0030/0000	LENGTH(AH 3168 BK 3208)
---	0020/2375	LORI LN (PRDR)
---	0020/2030	015 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
---	0020/0383	015 "DIA CIR PLASTIC LEN=0024 INSTALLED UNKN
---	002491 FT	2 0 01079 0 00 0024+91
---	0020/0000	LENGTH(AH 3208 BK 2491)
---	0010/1250	015 "DIA CIR PLASTIC LEN=0025 INSTALLED UNKN
---	0010/0726	048"H 72"W CONC STRUCT LEN=0045 INSTALLED UNKN
---	0010/0020	036 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN
---	000000 FT	NC HI CKORY RD BALTIMORE PK
---	000000 FT	(SR0097 SEG 0130/1500)
---	0010/0000	MFC BEGIN = E LENGTH(AH 2491 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 244  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 5.071 MI. DIST: 08-1 SR: 2002  
 LEFT MUN: LITTLESTOWN B RIGHT MUN: LITTLESTOWN B

026775 FT  
 QUEEN ST  
 (SR0097 SEG 0060/0000) 0090/2180  
 PRINCE ST



026775 FT  
 INTER-AHD COLUMBUS AV  
 (BORO)  
 QUEEN ST  
 0090/2180 (SR0097 SEG 0060/0000)  
 0090/2066 TO 0097/0060 SH  
 (CONN)

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT


PAGE NUMBER: 243  
COUNTY: ADAMS

DIR: B TOTAL LEN: 5.071 MI.  
LEFT MUN: LITTLESTOWN B

DIST: 08-1 SR: 2002  
RIGHT MUN: LITTLESTOWN B

(BORO)

0090/1639



024595 FT

0090/0790

033"H 49"W ELLIP METAL  
LEN=0046 INSTALLED UNKN  
018 " DIA CIR PLASTIC  
0090/0358 LEN=0045 INSTALLED UNKN  
038"H 57"W ELLIP METAL  
0090/0060 LEN=0064 INSTALLED UNKN  
0090/0014 BMSID 01/2002/0090/0000  
024595 FT 2 0 01013 0 00 0022+16  
BR. ALLOWAY C  
BMSBG 01/2002/0090/0000  
LITTLESTOWN  
UNION T  
5 0090/0000 LENGTH(AH 2180 BK 3983)

BASEHOAR SCHOOL RD  
(T449)

0080/1691

0080/2025

018 " DIA CIR PLASTIC  
LEN=0030 INSTALLED UNKN

LITTLESTOWN RD  
(SR2019 SEG 0010/0000)

0080/1512

0080/1630

015 " DIA CIR PLASTIC  
LEN=0042 INSTALLED 2001

020612 FT

0080/0315

T. ALLOWAY CK  
STRUCTURE LENGTH 13 FT  
0080/0000 BMSID 01/2002/0080/0269  
020612 FT 2 0 01013 0 00 0061+60  
5 0080/0000 LENGTH(AH 3983 BK 3706)  
015 " DIA CIR PLASTIC  
0070/3246 LEN=0036 INSTALLED 2001  
FEESER RD  
0070/2657 (T447)

0070/1793

018 " DIA CIR PLASTIC  
LEN=0035 INSTALLED UNKN

0070/0904

018 " DIA CIR PLASTIC  
LEN=0031 INSTALLED 2006

0070/0030

036 " DIA CIR PLASTIC  
LEN=0050 INSTALLED UNKN

0070/0014

033"H 48"W ELLIP METAL  
LEN=0042 INSTALLED UNKN


DIR: B TOTAL LEN: 5.071 MI. DIST: 08-1 SR: 2002  
 LEFT MUN: UNION T RIGHT MUN: UNION T

Stationing (Left)	Stationing (Right)	Description
016906 FT	016906 FT	2 0 01013 0 00 0098+66 UNION MOUNT PLEASANT T
	0070/0000	LENGTH(AH 3706 BK 2590)
	0060/2008	018 " DIA CIR PLASTIC LEN=0041 INSTALLED 2004
	0060/1150	018 " DIA CIR PLASTIC LEN=0041 INSTALLED 2004
014316 FT	014316 FT	2 0 01013 0 00 0124+56 036"H 72"W CONC STRUCT
	0060/0000	LENGTH(AH 2590 BK 1663) 015 " DIA CIR PLASTIC
	0050/1252	LEN=0035 INSTALLED 2006
	0050/0476	BULK PLANT RD (SR2004 SEG 0040/2842) 015 " DIA CIR PLASTIC
	0050/0445	LEN=0050 INSTALLED 2006
HONDA RD (SR2017 SEG 0010/0000)	0050/0417	
012653 FT	0050/0008	029"H 42"W ELLIP METAL LEN=0030 INSTALLED UNKN
	012653 FT	2 0 01013 0 00 0141+19
	0050/0000	LENGTH(AH 1663 BK 2407)
	0040/1490	015 " DIA CIR PLASTIC LEN=0030 INSTALLED 2006
	0040/1240	030 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
010246 FT	0040/0215	024 " DIA CIR PLASTIC LEN=0035 INSTALLED 2006
	010246 FT	2 0 01013 0 00 0165+26 LOCUST LN (T439)
	0040/0000	LENGTH(AH 2407 BK 3265)
	0030/2412	018 " DIA CIR PLASTIC LEN=0031 INSTALLED UNKN
	0030/1340	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 2006



DIR: B TOTAL LEN: 5.071 MI. DIST: 08-1 SR: 2002  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Left Side Data	Right Side Data
2 0 01013 0 00 0197+91 006981 FT STORM STORE RD (T428)	006981 FT 0030/0000
	0020/2813 0020/2378
	0020/1170 0020/0585 003883 FT
	0020/0000 0010/3550 0010/3346
CEDARFIELD DR (PRDR)	0010/3270
BONNIEFIELD DR (BORO)	0010/3024
HICKORY AV (BORO)	0010/2581
ELM AV (BORO)	0010/2190 0010/1351
	0010/0292 0010/0280 000000 FT
MAPLE ST (SR2001 SEG 0130/2054)	0010/0000



LENGTH(AH 3265 BK 3098)  
 018 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2006  
 ST LUKES RD  
 (T428)  
 024 "DIA CIR PLASTIC  
 LEN=0044 INSTALLED 2004  
 015 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2006  
 2 0 01013 0 00 0228+89  
 NC WHITEHALL RD  
 MOUNT PLEASANT  
 BONNEAUVILLE B  
 LENGTH(AH 3098 BK 3883)  
 018 "DIA CIR PLASTIC  
 LEN=0060 INSTALLED UNKN  
 024 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2004  
 015 "DIA CIRC METAL  
 LEN=0030 INSTALLED 2004  
 ASH DR  
 (BORO)  
 020"H 28"W ELLIP METAL  
 LEN=0031 INSTALLED UNKN  
 HICKORY RD  
 (SR2003 SEG 0060/2384)  
 020"H 28"W ELLIP METAL  
 LEN=0034 INSTALLED UNKN  
 018 "DIA CIRC METAL  
 LEN=0035 INSTALLED UNKN  
 2 0 01013 0 00 0268+11  
 NC MAPLE ST  
 LOCUST ST  
 (SR2001 SEG 0130/2054)  
 MFC BEGIN = D  
 LENGTH(AH 3883 BK 0000)



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 239  
COUNTY: ADAMS

DIR: B TOTAL LEN: 11.584 MI.  
LEFT MUN: MOUNT PLEASANT T

DIST: 08-1 SR: 2001  
RIGHT MUN: MOUNT PLEASANT T

Distance (FT)	Segment ID	Material / Length	Notes
056283	0230/0000	024" DIA CIRC METAL	LENGTH(AH 2402 BK 2479)
	0220/2479	024" DIA CIRC PLASTIC	LEN=0040 INSTALLED UNKN
	0220/1550	024" DIA CIRC PLASTIC	LEN=0040 INSTALLED UNKN
	0220/0868	018" DIA CIRC PLASTIC	LEN=0030 INSTALLED UNKN
056283	056283 FT	2 0 01003 0 03 0820+05	BON OX RD (T494)
	0220/0000	018" DIA CIRC METAL	LENGTH(AH 2479 BK 2960)
	0210/2504	018" DIA CIRC METAL	LEN=0035 INSTALLED 1998
	0210/1626	JACQUELINE DR (PRDR)	
053323	0210/0869	017" DIA CIRC PLASTIC	LEN=0030 INSTALLED UNKN
	0210/0524	030" DIA CIRC PLASTIC	LEN=0048 INSTALLED UNKN
	0210/0296	018" DIA CIRC PLASTIC	LEN=0035 INSTALLED UNKN
	053323 FT	2 0 01003 0 03 0790+24	
	0210/0000	018" H 24" W ELLIP METAL	LENGTH(AH 2960 BK 3010)
050313	050313 FT	2 0 01003 0 03 0760+14	
	0200/0000	018" H 24" W ELLIP METAL	LENGTH(AH 3010 BK 2484)
0190/1867	018" H 24" W ELLIP METAL	LEN=0040 INSTALLED UNKN	
0190/1205	CENTENNIAL RD (SR2006 SEG 0100/0000)		

DIR: B TOTAL LEN: 11.584 MI. DIST: 08-1 SR: 2001  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Location / Segment	Segment ID	Length (FT)	Material / Details
	0190/1159		040"H 56"W ELLIP CONC LEN=0040 INSTALLED UNKN
047829 FT	0190/0182		018"H 22"W ELLIP METAL LEN=0045 INSTALLED UNKN
	047829 FT		2 0 01003 0 03 0735+30
	0190/0000		LENGTH(AH 2484 BK 2422)
	0180/1574		018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
SEYMORE RD (T411)	0180/0359		" "
045407 FT	0180/0024		018 "DIA CIR PLASTIC LEN=0060 INSTALLED 2004
	045407 FT		2 0 01003 0 03 0711+08 BECK RD (T440)
	0180/0000		LENGTH(AH 2422 BK 2588)
KILPATRICK RD (SR2031 SEG 0010/0000)	0170/1421		018 "DIA CIR PLASTIC LEN=0055 INSTALLED 2004
TALL OAKS RD (T487)	0170/1190		" "
	0170/0667		" "
LC FOR TALL OAKS RD (CONN)	0170/0466		030 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
	0170/0278		018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
042819 FT	0170/0247		024 "DIA CIR PLASTIC LEN=0036 INSTALLED 1998
	0170/0011		BMSFN 01/2001/0170/0000 2 0 01003 0 04 0685+20 T. SWIFT RUN
	042819 FT		BMSBG 01/2001/0170/0000
	0170/0000		LENGTH(AH 2588 BK 3493)
	0160/2685		018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1998
	0160/2110		015 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	0160/1717		SPOOK LN (T485)

DIR: B TOTAL LEN: 11.584 MI. DIST: 08-1 SR: 2001  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

Stationing	Notes	Item	Description
039326 FT		0160/0837	013 " DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
		039326 FT	2 0 01003 0 03 0649+89
		0160/0000	LENGTH(AH 3493 BK 2627) 015 " DIA CIR PLASTIC
		0150/2241	LEN=0031 INSTALLED UNKN
036699 FT		0150/0485	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2017
		036699 FT	2 0 01003 0 03 0623+62
			NC BO N-OX RD MOUNT PLEASANT BONNEAUVILLE B
		0150/0000	LENGTH(AH 2627 BK 2042)
034657 FT		0140/0298	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		034657 FT	2 0 01003 0 03 0603+20
			HANOVER ST (SR0116 SEG 0360/0000)
			NC CEDAR ST INTER-BK HANOVER ST (SR0116 SEG 0360/0000)
034657 FT		0140/0000	LTH AH 002042 BK 000100
		034657 FT	7132/0000 LTH AH 000100 BK 002888
			INTER-AHD HANOVER ST (SR0116 SEG 0350/0482)
		0130/2888	015"H 21"W ELLIP METAL LEN=0063 INSTALLED UNKN
		0130/2865	CHURCH ST (BORO)
		0130/2620	
		0130/2282	030"H 52"W ELLIP METAL LEN=0045 INSTALLED UNKN
		0130/2054	MAPLE ST (SR2002 SEG 0010/0000)
		0130/2039	015"H 21"W ELLIP METAL LEN=0098 INSTALLED UNKN
		0130/1990	018 " DIA CIR PLASTIC LEN=0028 INSTALLED UNKN

HANOVER ST  
(SR0116 SEG 0350/0482) 0130/2888

JESSICA DR  
(BORO) 0130/2500

DIR: B TOTAL LEN: 11.584 MI. DIST: 08-1 SR: 2001  
 LEFT MUN: BONNEAUVILLE B RIGHT MUN: BONNEAUVILLE B

SUMMER DR  
 (BORO)

0130/0474




031769 FT




2 0 01003 0 03 0542+40 028651 FT  
 WHITE RUN RD  
 (T457)

0120/0000



2 0 01003 0 03 0506+09 025020 FT  
 WILLOW RD  
 (T421)

0110/0000



0130/0464 BONNEAUVILLE  
 MOUNT PLEASANT T  
 018 " DIA CIRC METAL  
 0130/0365 LEN=0040 INSTALLED UNKN  
 031769 FT 2 0 01003 0 03 0574+22  
 NC LOCUST ST  
 0130/0000 LENGTH(AH 2888 BK 3118)  
 COLONIAL DR  
 (PRDR)  
 0120/2671 019"H 23"W ELLIP METAL  
 0120/2343 LEN=0040 INSTALLED UNKN  
 HOMESTEAD DR  
 (TWP)  
 0120/1745 015 "DIA CIRC METAL  
 0120/1620 LEN=0035 INSTALLED UNKN


028651 FT

0120/0000 LENGTH(AH 3118 BK 3631)

0110/1416 015"H 19"W ELLIP METAL  
 0110/0833 LEN=0045 INSTALLED UNKN  
 BMSSEN 01/2001/0110/0825  
 2 0 01003 0 03 0514+74  
 TRIB TO WHITE RUN  
 0110/0825 BMSBG 01/2001/0110/0825

025020 FT MOUNT PLEASANT  
 MOUNT JOY T  
 0110/0000 LENGTH(AH 3631 BK 3157)  
 0100/3114 BMSSEN 01/2001/0100/3102  
 2 0 01003 0 03 0506+13  
 TRIB WHITE RUN  
 0100/3102 BMSBG 01/2001/0100/3102  
 024 "DIA CIRC CONCR  
 0100/3034 LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 11.584 MI. DIST: 08-1 SR: 2001  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T



021863 FT

2 0 01003 0 03 0443+13 018693 FT  
 BALTIMORE PK  
 (SR0097 SEG 0150/0608) 0090/0000  
 018693 FT

0100/2038 024 " DIA CIR PLASTIC  
 LEN=0045 INSTALLED UNKN

0100/0020 018 " DIA CIR PLASTIC  
 021863 FT LEN=0030 INSTALLED UNKN  
 2 0 01003 0 03 0474+83  
 STRALEY RD  
 (T439)

0100/0000 LENGTH(AH 3157 BK 3170)  
 030 " DIA CIR PLASTIC  
 0090/3086 LEN=0054 INSTALLED 2001

0090/1140 018 " DIA CIRC METAL  
 LEN=0035 INSTALLED 2003

0090/0133 015 " DIA CIRC METAL  
 LEN=0030 INSTALLED UNKN

0090/0030 018 " DIA CIRC METAL  
 LEN=0065 INSTALLED UNKN  
 NC TW TAVERNES RD  
 INTER-BK BALTIMORE PK  
 018693 FT (SR0097 SEG 0150/0608)  
 MFC BEGIN = D

0090/0000 LENGTH(AH 3170 BK 0100)  
 018693 FT  
 7084/0000 LENGTH(AH 0100 BK 2834)  
 INTER-AHD BARLOW-TWO TAVERNES RD  
 (T405)  
 ORPHANAGE RD  
 (SR2010 SEG 0010/0000)

0080/2834 018 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2002

0080/2793 018 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2000

0080/1494 SCHWARTZ RD  
 (T413)  
 030 " DIA CIR PLASTIC  
 0080/1306 LEN=0048 INSTALLED 2000

DIR: B TOTAL LEN: 11.584 MI. DIST: 08-1 SR: 2001  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

Segment ID	Start Station	End Station	Length (FT)	Material / Notes
				015 "DIA CIR PLASTIC LEN=0036 INSTALLED 2000
2 0 01003 0 02 0266+79	015859		015859	
ROCK CREEK FORD RD (T406)			0080/0000	015859 FT
				0080/0000 LENGTH(AH 2834 BK 2338) 018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2000
				0070/1961
				018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2000
			013521	
				0070/0570 013521 FT 2 0 01003 0 01 0239+91 0070/0000 LENGTH(AH 2338 BK 2330) 018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2000
				0060/2300 MOUNT JOY CUMBERLAND T
				0060/2072
				036 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
			011191	
				0060/0056 011191 FT 2 0 01003 0 01 0216+61 TANEYTOWN RD (SR0134 SEG 0060/0000) ARLOW-TWO TAVERNS RD TANEYTOWN RD (SR0134 SEG 0060/0000) LTH AH 002330 BK 000100
				0060/0000 011191 FT
TANEYTOWN RD (SR0134 SEG 0060/0813)			0050/1292	7052/0000 INTER-AHD TANEYTOWN RD (SR0134 SEG 0060/0813) 018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
				0050/1038 BMSSEN 01/2001/0050/0516 2 0 01003 0 00 0206+89 T. ROCK CK.
				0050/0516 BMSBG 01/2001/0050/0516 T. ROCK CK. STRUCTURE LENGTH 18 FT
				0050/0133 BMSID 01/2001/0050/0133
2 0 01003 0 00 0201+95	009899		009899	
CHAPEL RD (SR3004 SEG 0090/2788)			0050/0000	009899 FT
				0050/0000 LENGTH(AH 1292 BK 2945)



SENTZ RD  
(T405)

006954 FT

005591 FT

0020/3330

002261 FT


000000 FT

0040/2216	030 " DIA CIR PLASTIC LEN=0060 INSTALLED 2001
0040/0758	018 " DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
0040/0021	BMSEN 01/2001/0040/0000
006954 FT	2 0 01003 0 00 0172+26
	TRIB. ROCK CK
0040/0000	BMSBG 01/2001/0040/0000 LENGTH(AH 2945 BK 1363)
0030/0741	034"H 48"W ELLIP METAL LEN=0050 INSTALLED UNKN
005591 FT	2 0 01003 0 00 0158+36
0030/0000	LENGTH(AH 1363 BK 3330)
0020/2608	018"H 24"W ELLIP METAL LEN=0035 INSTALLED UNKN
0020/2157	018"H 24"W ELLIP METAL LEN=0035 INSTALLED 2003
0020/1767	018"H 24"W ELLIP METAL LEN=0035 INSTALLED UNKN
0020/1292	018"H 24"W ELLIP METAL LEN=0035 INSTALLED UNKN
0020/0906	018"H 24"W ELLIP METAL LEN=0035 INSTALLED UNKN
0020/0196	018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
002261 FT	2 0 01003 0 00 0125+13
0020/0000	LENGTH(AH 3330 BK 2261)
0010/2029	018 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0010/0893	030 " DIA CIR PLASTIC LEN=0046 INSTALLED 2001
000000 FT	2 0 01003 0 00 0102+52
	NC BA RLOW RD
	MASON DIXON RD
	(SR3002 SEG 0050/0000)
	MFC BEGIN = E
0010/0000	LENGTH(AH 2261 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 232  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .307 MI. DIST: 08-1 SR: 1023  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

001620 FT

000000 FT



001620 FT IDAVILLE-YORK SPRINGS R  
 0010/1620 (SR1020 SEG 0070/0000)  
 0010/0834 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0010/0224 015 "DIA CIR PLASTIC  
 LEN=0034 INSTALLED 2006  
 000000 FT 2 0 01004 1 00 0913+94  
 NC SHORT CUT RD  
 UPPER BERMUDIAN RD  
 (SR1016 SEG 0052/0000)  
 INTER-BK EAST UPPER BERMUDIAN RD  
 (SR1016 SEG 0052/0000)  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 1620 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 231  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: .041 MI. DIST: 08-1 SR: 1022  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T


000215 FT  
 000000 FT



000215 FT BMS EN 01/1022/0010/0000  
 INTER-AHD WOODSIDE RD  
 0010/0215 (T530)  
 000000 FT 1 0 01036 0 00 0869+10  
 NC WOODSIDE RD  
 INTER-BK WOODSIDE RD  
 (T530)  
 US 15 (NB)  
 BMSBG 01/1022/0010/0000  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 0215 BK 0000)

EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 230  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: B      TOTAL LEN: 1.620 MI.      DIST: 08-1      SR: 1021  
 LEFT MUN: HAMILTON T      RIGHT MUN: HAMILTON T

008553 FT



008553 FT	018 " DIA	CIRC CONCR
	LEN=0080	INSTALLED UNKN
	CARLISLE	PK
0030/2881	(SR0094	SEG 0120/0000)
	018 " DIA	CIRC METAL
0030/2847	LEN=0058	INSTALLED UNKN
	018 " DIA	CIR PLASTIC
0030/2071	LEN=0035	INSTALLED 2006
	018 " DIA	CIR PLASTIC
0030/1647	LEN=0035	INSTALLED 2006
	018 " DIA	CIR PLASTIC
0030/1518	LEN=0035	INSTALLED 2006

DIR: B TOTAL LEN: 1.620 MI. DIST: 08-1 SR: 1021  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

2 0 01047 0 00 0107+73 005672 FT  
 WALDHEIM RD  
 (T542) 0030/0000

COTTAGE DR  
 (PRDR) 0010/0341

000000 FT

000000 FT

---	0030/1298	018 " DIA CIR PLASTIC LEN=0035 INSTALLED 2006
---	0030/1128	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2006
---	0030/0780	030"H 00"W MULT PLSTIC LEN=0084 INSTALLED 2003
==	005672 FT	
---	0030/0000	LENGTH(AH 2881 BK 3237) 018 " DIA CIR PLASTIC
---	0020/3215	LEN=0040 INSTALLED 2006
---	0020/1987	015 " DIA CIR PLASTIC LEN=0036 INSTALLED 2003
==	0020/1886	THE SPANGLER RD (T540)
==	0020/0584	BOY SCOUT RD (TWP)
---	002435 FT	2 0 01047 0 00 0075+45 030 " DIA CIR PLASTIC LEN=0050 INSTALLED 2006
---	0020/0000	LENGTH(AH 3237 BK 2435) 018 " DIA CIR PLASTIC
---	0010/2100	LEN=0035 INSTALLED UNKN
---	0010/1713	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2006
==	0010/0341	
---	0010/0210	HAMILTON
---	0010/0201	READING T
---	000000 FT	BMSBN 01/1021/0010/0000 2 0 01023 0 00 0051+10
---	000000 FT	NC DICKS DAM RD INTER-BK DICKS DAM RD (T530)
---	000000 FT	CONEWAGO CK. BMSBG 01/1021/0010/0000
---	000000 FT	MFC BEGIN = E
---	0010/0000	LENGTH(AH 2435 BK 0100)
---	000000 FT	
---	7004/0000	LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 6.614 MI. DIST: 08-1 SR: 1020  
 LEFT MUN: YORK SPRINGS B RIGHT MUN: YORK SPRINGS B

034921 FT

034921 FT  
 INTER-AHD

TOWN HILL RD  
 (BORO)  
 MAIN ST

0152/3311 (SR0094 SEG 0280/1591)  
 018 "DIA CIRC CONCR  
 0152/3070 LEN=0045 INSTALLED UNKN  
 0152/2360 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0152/1630 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN

031610 FT


031610 FT 0 0 00000 0 00 0000+00

OAK HILL RD  
 (T607)  
 YORK SPRINGS  
 HUNTINGTON T

5 0152/0000 LENGTH(AH 3311 BK 2646)  
 018 "DIA CIR PLASTIC  
 0140/2219 LEN=0036 INSTALLED UNKN  
 0140/2074 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2004  
 0140/1899 018 "DIA CIRC METAL  
 LEN=0030 INSTALLED UNKN

0140/0498 015 "DIA CIR PLASTIC  
 LEN=0045 INSTALLED 2004  
 0140/0293 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2004  
 0140/0011 015 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 028964 FT 2 0 01047 0 01 0289+82


028964 FT



DIR: B TOTAL LEN: 6.614 MI. DIST: 08-1 SR: 1020  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

2 0 01047 0 01 0264+09 026391 FT  
 WHITE OAK TREE RD  
 (T594) 0130/0000

SLAYBAUGHTOWN RD  
 (SR1001 SEG 0010/0000) 0110/1369



DIR: B TOTAL LEN: 6.614 MI. DIST: 08-1 SR: 1020  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

Stationing	Description	Material	Length	Status	Year
0100/1545	015"H 21"W	ELLIP METAL	LEN=0005	INSTALLED	2004
0100/1112	018"DIA	CIRC METAL	LEN=0035	INSTALLED	UNKN
0100/0895	030"DIA	CIRC METAL	LEN=0045	INSTALLED	UNKN
0100/0368	030"DIA	CIRC METAL	LEN=0032	INSTALLED	UNKN
021006 FT	2 0 01047 0 00	0210+33	2 0 01047 0 00		
0100/0000		LENGTH(AH 2224 BK 2153)			
0090/1484	021"H 27"W	ELLIP METAL	LEN=0033	INSTALLED	UNKN
0090/0717	015"H 21"W	ELLIP METAL	LEN=0005	INSTALLED	2004
018853 FT	OXFORD RD				
(SR1003 SEG 0010/0000)	(T590)				
0090/0000		LENGTH(AH 2153 BK 1306)			
0080/1181		LC FOR OXFORD RD			
0080/0992	030"DIA	CIR PLASTIC	LEN=0045	INSTALLED	2002
0080/0850					
0080/0739	BMS EN 01/1020/0080/0717				
0080/0717	2 0 01047 0 00	0183+03			
0080/0634	T. BERMUDIAN				
017547 FT	BMSBG 01/1020/0080/0717				
0080/0000	018"DIA	CIR PLASTIC	LEN=0048	INSTALLED	2002
0070/3541	2 0 01047 0 00	0175+66			
0070/2707		LENGTH(AH 1306 BK 3661)			
0070/2363	017"H 13"W	ELLIP METAL	LEN=0030	INSTALLED	2002
0070/2034	044"H 72"W	ELLIP METAL	LEN=0033	INSTALLED	UNKN
0070/1820	015"DIA	CIRC METAL	LEN=0005	INSTALLED	2004
0070/1349	015"H 21"W	ELLIP METAL	LEN=0035	INSTALLED	2002
	015"H 21"W	ELLIP METAL	LEN=0005	INSTALLED	2004
	015"H 21"W	ELLIP METAL	LEN=0035	INSTALLED	2002
	015"H 21"W	ELLIP METAL	LEN=0005	INSTALLED	2004
	013"H 17"W	ELLIP METAL	LEN=0035	INSTALLED	2002



DIR: B TOTAL LEN: 6.614 MI. DIST: 08-1 SR: 1020  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

Stationing	Description	Notes
013886 FT		013886 FT 2 0 01047 0 00 0139+05 SHORT CUT RD (SR1023 SEG 0010/1620) LENGTH(AH 3661 BK 2030)
0070/0000		
011856 FT		0060/0013 BMSBN 01/1020/0060/0000 011856 FT 2 0 01047 0 00 0118+87 T. BERMUDIAN BMSBG 01/1020/0060/0000 LENGTH(AH 2030 BK 2653)
0060/0000		
TORWAY RD (T592)	0050/2102	
		0050/0865 013"H 17"W ELLIP METAL LEN=0030 INSTALLED 2002
EASTERN AL (TBC)	0050/0130 009203 FT	
		009203 FT 2 0 01047 0 00 0092+29 NC ID DAVILLE-YORK SPRINGS RD CARLISLE RD (SRO034 SEG 0270/0600) LENGTH(AH 2653 BK 1768)
0050/0000		
WESTERN AL (TBC)	0040/1537	
		0040/1373 BMSBN 01/1020/0040/1359 2 0 01047 0 00 0088+23 T. BERMUDIAN 0040/1359 BMSBG 01/1020/0040/1359
		0040/0349 018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2001 007435 FT 2 0 01047 0 00 0075+05 LENGTH(AH 1768 BK 1791)
007435 FT		
		0030/0551 020"H 28"W ELLIP METAL LEN=0030 INSTALLED 2001 005644 FT
2 0 01047 0 00 0056+70	005644 FT	
GEORGETOWN RD (T400)	0030/0000	
		0030/0000 LENGTH(AH 1791 BK 3561) 024 "DIA CIRC METAL

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 224  
COUNTY: ADAMS

DIR: B TOTAL LEN: 6.614 MI.  
LEFT MUN: HUNTINGTON T

DIST: 08-1 SR: 1020  
RIGHT MUN: HUNTINGTON T

STARNER STATION RD  
(T398)

0020/1092  
002083 FT

000000 FT

0020/3512	LEN=0034	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0020/3309	LEN=0030	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0020/3098	LEN=0036	INSTALLED 2001
029"H 42"W	ELLIP METAL	
0020/2934	LEN=0045	INSTALLED 2001
015 "DIA	CIR PLASTIC	
0020/2368	LEN=0036	INSTALLED 2001
018 "DIA	CIR PLASTIC	
0020/1879	LEN=0028	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0020/1774	LEN=0030	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0020/1389	LEN=0005	INSTALLED 2002
018 "DIA	CIR PLASTIC	
0020/1271	LEN=0005	INSTALLED 2002
0020/1092		
002083 FT	2 0 01047 0 00 0021+09	
	(AAR 593383R)#TRKS 01	
0020/0000	LENGTH(AH 3561 BK 2083)	
0010/1068	017"H 25"W	ELLIP METAL
	LEN=0029	INSTALLED UNKN
0010/1036	030"H 68"W	ELLIP METAL
	LEN=0043	INSTALLED UNKN
0010/0749	020"H 28"W	ELLIP METAL
	LEN=0045	INSTALLED 2001
0010/0738	HUNTINGTON	
	TYRONE T	
	GABLERS RD	
	(SR4003 SEG 0120/2239)	
0010/0737	PEACH GLEN-IDAVILLE RD	
	(SR4012 SEG 0100/2265)	
0010/0547	TYRONE	
	HUNTINGTON T	
0010/0537	042 "DIA	CIRC METAL
	LEN=0036	INSTALLED UNKN
0010/0404	015 "DIA	CIR PLASTIC
	LEN=0036	INSTALLED 2001
000000 FT	2 0 01047 0 00 0000+00	
	NC PEACH GLEN-IDAVILLE RD	
	INTER-BK CUMBERLAND CO	
	(CNTY)	
	MFC BEGIN = D	
0010/0000	LENGTH(AH 2083 BK 0000)	

DIR: B TOTAL LEN: 5.527 MI. DIST: 08-1 SR: 1019  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

	029184 FT		029184 FT	RT 194 N
			0130/2436	(SR0194 SEG 0300/0000)
			0130/1827	013"H 17"W ELLIP METAL LEN=0030 INSTALLED 1998
PINE RUN RET/COMMUNITY (PRDR)	0130/1676	==		
FROG POND HOLLOW RD (PRDR)	0130/1137	POI	0130/1137	(APRA) PINE RUN RET/COM 038"H 60"W ELLIP CONC
			0130/0808	LEN=0040 INSTALLED 2002 MUMMERTS CHURCH RD
		==	0130/0440	(T552) 036" DIA CIR PLASTIC
			0130/0031	LEN=0042 INSTALLED 1998
2 0 01003 0 08 1137+62	026748 FT		026748 FT	
KUHN FORDING RD (T552)	0130/0000	==	0130/0000	LENGTH(AH 2436 BK 1856)
			0120/0730	030" DIA CIR PLASTIC LEN=0016 INSTALLED 2007
	024892 FT		0120/0011	BMSBN 01/1019/0120/0000
			024892 FT	2 0 01003 0 08 1118+70 095"H 84"W CONC STRUCT
				LEN=0030 INSTALLED UNKN T. CONEWAGO
			0120/0000	BMSBG 01/1019/0120/0000 LENGTH(AH 1856 BK 2010)
WINDING LN (T550)	0110/1439	==		024" DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.527 MI. DIST: 08-1 SR: 1019  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

Stationing	Description	Material	Length	Installation
0110/1109		024" DIA CIR PLASTIC	LEN=0035	INSTALLED 2002
022882 FT				
022882 FT	LOCUST LN (T557)			
0110/0000		024" DIA CIR PLASTIC	LEN=0035	INSTALLED 2007
0100/2594		024" DIA CIR PLASTIC	LEN=0030	INSTALLED 2007
0100/1651	BROUGH RD (TWP)			
0100/1028				
019433 FT				
019433 FT				
0100/0000		018" DIA CIR PLASTIC	LEN=0040	INSTALLED 2006
0090/1312		036" DIA CIR PLASTIC	LEN=0028	INSTALLED UNKN
0090/0974		018" DIA CIR PLASTIC	LEN=0032	INSTALLED 2006
0090/0706				
016829 FT				
0090/0000				
0080/1610				
0080/1582				
0080/1131		018" DIA CIRC CONCR	LEN=0110	INSTALLED UNKN
0080/0734		018" DIA CIRC CONCR	LEN=0055	INSTALLED UNKN
014780 FT				
014780 FT				
0080/0000				
0070/2336		024" DIA CIR PLASTIC	LEN=0032	INSTALLED 1997

PEEPTOWN RD (TWP)

2 0 01003 0 07 1038+07  
 OLD MILL RD (T546)



Stationing	Description	Material	Length	Notes
0040/0634	HAMILTON OXFORD T	BMS EN 01/1019	0040/0365	
0040/0386	2 0 01003 0 06 0908+87	GINTERS RN		
0040/0365	BMS BG 01/1019	0040/0365		
003586 FT	2 0 01003 0 06 0905+21	LENGTH(AH 2968 BK 1548)		
0040/0000	015 " DIA CIRC METAL	LEN=0035	INSTALLED UNKN	
0030/1326	HAMP SHIRE DR	(PRDR)		
0030/0966	024 " DIA CIR PLASTIC	LEN=0035	INSTALLED 2006	
0030/0754	BILLERBECK ST (T503)	2 0 01003 0 06 0889+73		
0030/0374	LENGTH(AH 1548 BK 0988)			
002038 FT	0030/0000			
0020/0690	OXFORD NEW OXFORD B	015 " DIA CIRC METAL	LEN=0030	INSTALLED UNKN
0020/0690	0020/0602			
0020/0496	0020/0496			
0020/0429	001050 FT	2 0 01003 0 06 0879+85		
001050 FT	N BERLIN AV (BORO)	LENGTH(AH 0988 BK 1050)		
0020/0000	PETERS ST (BORO)	018 " DIA CIRC METAL	LEN=0001	INSTALLED UNKN
0010/0540	EAGLE ST (BORO)	018 " DIA CIRC METAL	LEN=0001	INSTALLED UNKN
0010/0472	NC BE			
0010/0282	CARLILSE ST (SR1015 SEG 0080/0619)			
0010/0027	MFC BEGIN = D			
000000 FT	000000 FT			
0010/0000	LENGTH(AH 1050 BK 0000)			


Stationing	Length	Notes
009916 FT	0090/1772	EAST BERLIN RD (SR0234 SEG 0500/0000)
	0090/0617	019"H 23"W ELLIP METAL LEN=0030 INSTALLED UNKN
	0090/0388	018" DIA CIRC CONCR LEN=0035 INSTALLED UNKN
2 0 01037 0 00 0213+58 008144 FT GREEN RIDGE RD (T547)	008144 FT	READING HAMILTON T
	0090/0000	LENGTH(AH 1772 BK 3390) 018" DIA CIRC CONCR
	0080/3038	LEN=0078 INSTALLED UNKN
	0080/2380	018" DIA CIRC CONCR LEN=0034 INSTALLED UNKN
	0080/1988	018" DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0080/1807	030" DIA CIRC CONCR LEN=0080 INSTALLED UNKN
	0080/1399	030" DIA CIRC CONCR LEN=0080 INSTALLED UNKN
PENTZ RD (T547)	0080/1070	
	0080/0683	015"H 21"W ELLIP METAL LEN=0040 INSTALLED UNKN
	0080/0346	018" DIA CIRC CONCR LEN=0042 INSTALLED UNKN
004754 FT	004754 FT	2 0 01037 0 00 0179+55 MARKEL RUN RD (T579) HAMILTON READING T
	0080/0000	LENGTH(AH 3390 BK 2560) 024" DIA CIRC CONCR
	0070/2422	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 1.878 MI. DIST: 08-1 SR: 1018  
 LEFT MUN: READING T RIGHT MUN: READING T

		0070/1430	018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0070/1245	018 " DIA CIRC CONCR LEN=0046 INSTALLED UNKN
		0070/0620	048 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0070/0310	018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
002194 FT		0070/0189	BMSSEN 01/1018/0070/0000
		002194 FT	2 0 01037 0 00 0153+95
			NC PE EEPYTOWN RD INTER-BK PEEPYTOWN RD (TWP) CONEWAGO BMSBG 01/1018/0070/0000
002194 FT	5	0070/0000	LENGTH(AH 2560 BK 3408)
002194 FT		002194 FT	
002194 FT		7060/0000	LENGTH(AH 3408 BK 2796)
002194 FT		002194 FT	
002194 FT		7050/0000	LENGTH(AH 2796 BK 1700)
002194 FT		002194 FT	
002194 FT		7040/0000	LENGTH(AH 1700 BK 2221)
002194 FT		002194 FT	
002194 FT		7030/0000	LENGTH(AH 2221 BK 3047)
002194 FT		002194 FT	
		7020/0000	LENGTH(AH 3047 BK 2194)
			INTER-AHD BROUGH RD (TWP)
		0010/2194	BERWICK T
		0010/1740	049"H 40"W CON BOX CUL LEN=0035 INSTALLED UNKN
		0010/1040	BERWICK ABBOTTSTOWN B
		0010/0334	024 " DIA CIR PLASTIC LEN=0055 INSTALLED UNKN
		0010/0261	031"H 52"W ELLIP CONC LEN=0035 INSTALLED UNKN
000000 FT		000000 FT	2 0 01037 0 00 0000+00
			NC BR OUGH RD WATER ST (BORO)
			INTER-BK QUEEN ST (SRO194 SEG 0260/0250)
		0010/0000	MFC BEGIN = E LENGTH(AH 2194 BK 0000)



020750 FT



020750 FT OXFORD RD  
 0090/2192 (SR1015 SEG 0230/0000)  
 018 " DIA CIR PLASTIC  
 0090/2162 LEN=0048 INSTALLED 1998  
 024 " DIA CIR PLASTIC  
 0090/1753 LEN=0030 INSTALLED UNKN

018558 FT

0090/0307 028 " DIA CIR PLASTIC  
 LEN=0035 INSTALLED 1998  
 018558 FT 2 0 01005 0 03 0825+77  
 5 0090/0000 LENGTH(AH 2192 BK 2651)  
 0080/1774 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED 1998  
 018 " DIA CIR PLASTIC  
 0080/1199 LEN=0030 INSTALLED 1998

020"H 28"W ELLIPTICAL\*

DIR: B TOTAL LEN: 3.930 MI. DIST: 08-1 SR: 1017  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

2 0 01005 0 03 0799+38 015907 FT  
 MILLAR RD  
 (T562) 0080/0000

0080/0284 LEN=0038 INSTALLED UNKN  
 STUDEBAKER LN  
 (T561)  
 TYRONE  
 STRABAN T  
 0080/0000 LENGTH(AH 2651 BK 1848)  
 018 " DIA CIRC CONCR  
 0070/1515 LEN=0044 INSTALLED UNKN

014059 FT

0070/0211 BRIDGE POSTED (TONS)  
 014059 FT 2 0 01005 0 03 0780+90  
 SGL 34 COMB 40  
 CONEWAGO CK.

0070/0000 BMSBG 01/1017/0070/0000  
 LENGTH(AH 1848 BK 2836)  
 036 " DIA CIRC CONCR

0060/2251 BMSBG 01/1017/0070/0000  
 0060/1672 BMSSEN 01/1017/0060/1643  
 2 0 01005 0 03 0769+13  
 TR. CONEWAGO

0060/1643 BMSBG 01/1017/0060/1643  
 018 " DIA CIRC CONCR

0060/1209 LEN=0050 INSTALLED UNKN  
 024 " DIA CIR PLASTIC

0060/0655 LEN=0040 INSTALLED UNKN

011223 FT

011223 FT 2 0 01005 0 03 0752+23  
 0060/0000 LENGTH(AH 2836 BK 2236)  
 018 "H 17 "W PIPE ARCH \*  
 0050/2150 LEN=0035 INSTALLED 1998

0050/0722 018 " DIA CIR PLASTIC  
 LEN=0036 INSTALLED 1998  
 024 " DIA CIR PLASTIC

008987 FT

0050/0352 LEN=0030 INSTALLED UNKN  
 008987 FT 2 0 01005 0 03 0729+87  
 0050/0000 LENGTH(AH 2236 BK 2003)  
 024 " DIA CIR PLASTIC

0040/1700 LEN=0035 INSTALLED 1998

WOODSIDE RD  
 (TWP )

0040/0334

0040/0667 021 "H 33 "W ELLIP CONC  
 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 3.930 MI. DIST: 08-1 SR: 1017  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Description	Material / Details
006984 FT	0040/0314	BMSEN 01/1017/0040/0283 2 0 01005 0 03 0712+82 BEAVERDAM CK
	0040/0283	BMSBG 01/1017/0040/0283 2 0 01005 0 03 0709+84 BEAVER RUN RD (T521)
	0040/0000	LENGTH(AH 2003 BK 2470)
	0030/1450	PINE TREE RD (T522)
	0030/1402	013 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
004514 FT	004514 FT	2 0 01005 0 03 0685+14
	0030/0000	LENGTH(AH 2470 BK 1575) 021"H 15"W PIPE ARCH *
	0020/1294	LEN=0035 INSTALLED 1998
	0020/0366	024 " DIA CIR PLASTIC LEN=0036 INSTALLED 1998
2 0 01005 0 03 0669+39 ZEPP RD (T413)	002939 FT	
	0020/0000	LENGTH(AH 1575 BK 2939) 024 " DIA CIR PLASTIC
	0010/2674	LEN=0017 INSTALLED 1998
PRESBYTERIAN CHURCH RD (T523)	0010/1718	
	0010/1416	036 " DIA CIR PLASTIC LEN=0030 INSTALLED 1996 036"H 20"W PIPE ARCH *
	0010/0865	LEN=0035 INSTALLED 1998 024"H 29"W ELLIPTICAL*
	0010/0390	LEN=0024 INSTALLED UNKN 018 " DIA CIR PLASTIC
	0010/0016	LEN=0040 INSTALLED UNKN
000000 FT	000000 FT	2 0 01005 0 03 0640+00 NC RE ED BRIDGE RD HUNTERSTOWN-HAMPTON RD (SR0394 SEG 0150/0000)
	INTER-BK	GRANITE STATION RD (T486)
SHRIVERS CORNER RD (SR0394 SEG 0150/0000)	0010/0000	MFC BEGIN = E LENGTH(AH 2939 BK 0000)


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 214  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 6.201 MI. DIST: 08-1 SR: 1016  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

032743 FT  
 OLD HARRISBURG RD  
 (SR3001 SEG 0410/1230) 0142/2091

032743 FT  
 INTER-AHD OXFORD RD  
 (T561)  
 0142/2091 OLD HARRISBURG RD  
 (SR3001 SEG 0410/1230)

030652 FT

0142/0201 021"H 15"W METAL ARCH  
 030652 FT LEN=0040 INSTALLED 2002  
 5 0142/0000 2 0 01004 0 03 0610+18  
 LENGTH(AH 2091 BK 3050)  
 0132/2575 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 0132/1528 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN



DIR: B TOTAL LEN: 6.201 MI. DIST: 08-1 SR: 1016  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

OXFORD RD  
 (T590)

027602 FT

027602 FT 2 0 01004 0 03 0640+68  
 HUNTINGTON  
 TYRONE T  
 0132/0000 LENGTH(AH 3050 BK 2671)

0122/0721 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 0122/0716 018 "DIA CIRC METAL  
 LEN=0084 INSTALLED UNKN

024931 FT

0122/0061 013"H 17"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 024931 FT 2 0 01004 0 03 0667+58  
 NC OXFORD RD

0122/0000

0122/0000 LENGTH(AH 2671 BK 2230)  
 0112/1884 028"H 41"W CONCR ARCH  
 LEN=0028 INSTALLED UNKN  
 0112/1331 029"H 42"W ELLIP CONC  
 LEN=0046 INSTALLED UNKN

0112/0684 015"H 21"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 0112/0243 028"H 48"W CONCR ARCH  
 LEN=0030 INSTALLED UNKN

022701 FT

022701 FT 2 0 01004 0 03 0689+73  
 EAST COMPANY FARM RD  
 (T567)  
 0112/0000 LENGTH(AH 2230 BK 2137)  
 0102/2117 015"H 21"W ELLIP METAL  
 LEN=0040 INSTALLED 2002  
 0102/2100 018 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN

020564 FT

0102/0597 018 "DIA CIR PLASTIC  
 LEN=0036 INSTALLED 2002  
 020564 FT 2 0 01004 0 03 0711+14  
 BULL VALLEY RD  
 (T539)  
 CRANBERRY RD

DIR: B TOTAL LEN: 6.201 MI. DIST: 08-1 SR: 1016  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

CRANBERRY RD  
 (SR1014 SEG 0050/0000) 0102/0000

0102/0000 (SR1014 SEG 0050/0000)  
 LENGTH(AH 2137 BK 2630)  
 017"H 13"W ELLIP METAL  
 0092/2542 LEN=0030 INSTALLED 2002  
 0092/2425 015 "DIA CIRC METAL  
 0092/1901 LEN=0026 INSTALLED UNKN  
 017"H 13"W ELLIP METAL  
 LEN=0030 INSTALLED 2002

017934 FT

0092/0601 015"H 21"W ELLIP METAL  
 LEN=0032 INSTALLED UNKN

LIMEROCK MILL RD  
 (T556)

0082/2348

017934 FT 2 0 01004 0 04 0737+53  
 072"H 00"W MULT METAL  
 LEN=0065 INSTALLED UNKN  
 0092/0000 LENGTH(AH 2630 BK 2863)  
 T. BERMUDIAN  
 0082/2850 STRUCTURE LENGTH 13 FT  
 BMSID 01/1016/0070/0000

015071 FT

0082/2266 018 "DIA CIR PLASTIC  
 LEN=0062 INSTALLED UNKN  
 0082/1968 013"H 17"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 0082/1338 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 0082/0993 018 "DIA CIRC METAL  
 LEN=0032 INSTALLED UNKN  
 0082/0918 018"H 24"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 0082/0462 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 0082/0163 013"H 17"W ELLIP METAL  
 LEN=0032 INSTALLED UNKN  
 015071 FT 2 0 01004 0 05 0767+73  
 FUNT RD  
 (T533)  
 0082/0000 LENGTH(AH 2863 BK 2039)  
 0072/1739 BMSSEN 01/1016/0080/0300  
 TYRONE  
 0072/1726 HUNTINGTON T  
 2 0 01004 0 06 0788+34  
 U. BERMUDIAN  
 0072/1712 BMSBG 01/1016/0080/0300  
 020"H 28"W ELLIPTICAL\*

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT


PAGE NUMBER: 211  
COUNTY: ADAMS

DIR: B TOTAL LEN: 6.201 MI.  
LEFT MUN: HUNTINGTON T

DIST: 08-1 SR: 1016  
RIGHT MUN: HUNTINGTON T

GROUND OAK CHURCH RD  
(T588)

0072/1046



0072/1070 LEN=0045 INSTALLED UNKN

0072/1044 015"H 21"W ELLIPTICAL\*  
LEN=0045 INSTALLED UNKN

0072/0511 015"H 21"W ELLIP METAL  
LEN=0030 INSTALLED UNKN

0072/0197 013"H 17"W ELLIP METAL  
LEN=0040 INSTALLED UNKN

013032 FT

013032 FT 2 0 01004 0 06 0788+34

NC UPPER BERMUDIAN RD

LOBAUGH RD

(T649)

0072/0000 LENGTH(AH 2039 BK 2881)

0062/2091 018" DIA CIR PLASTIC  
LEN=0040 INSTALLED 2006

0062/2003 018" DIA CIR PLASTIC  
LEN=0036 INSTALLED 2002

0062/1824 013"H 17"W ELLIP METAL  
LEN=0035 INSTALLED UNKN

0062/1360 013"H 17"W ELLIP METAL  
LEN=0035 INSTALLED UNKN

0062/0930 024"H 18"W ELLIP METAL  
LEN=0035 INSTALLED 2002

010151 FT

010151 FT 2 0 01004 0 06 0817+52

NC EAST UPPER BERMUDIAN RD

0062/0000 LENGTH(AH 2881 BK 3082)

0052/3027 020"H 28"W ELLIP METAL  
LEN=0038 INSTALLED UNKN

0052/2147 036" DIA CIRC METAL  
LEN=0030 INSTALLED UNKN

0052/1408 013"H 17"W ELLIP METAL  
LEN=0030 INSTALLED UNKN

0052/1044 021"H 15"W METAL ARCH  
LEN=0035 INSTALLED 2002

0052/0675 013"H 17"W ELLIP METAL  
LEN=0028 INSTALLED UNKN

0052/0129 020"H 28"W ELLIP METAL  
LEN=0035 INSTALLED UNKN

2 0 01004 0 06 0848+90 007069 FT

SHORT CUT RD

(SR1023 SEG 0010/0000) 0052/0000

007069 FT

NC UPPER BERMUDIAN RD

0052/0000 LENGTH(AH 3082 BK 2873)

0042/2379 024"H 35"W ELLIP METAL  
LEN=0043 INSTALLED UNKN

013"H 17"W ELLIP METAL

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 210  
COUNTY: ADAMS

DIR: B TOTAL LEN: 6.201 MI.  
LEFT MUN: HUNTINGTON T

DIST: 08-1 SR: 1016  
RIGHT MUN: HUNTINGTON T


GARDNERS STATION RD  
(T397)

0042/0705  
004196 FT

002235 FT

000645 FT

000000 FT



0042/2155 LEN=0030 INSTALLED UNKN

0042/1305 BMS EN 01/1016/0110/1587  
HUNTINGTON

0042/1246 TYRONE T  
2 0 01004 0 07 0878+16  
P3

0042/1207 BERMUDIAN CREEK  
BMSBG 01/1016/0110/1587

004196 FT 2 0 01004 0 07 0878+16  
KIME HATCHERY RD

0042/0000 LENGTH(AH 2873 BK 1961)  
024 " DIA CIR PLASTIC

0032/1814 LEN=0040 INSTALLED 2006  
015 " DIA CIR PLASTIC

0032/1338 LEN=0032 INSTALLED 2006  
015 " DIA CIR PLASTIC

0032/0787 LEN=0034 INSTALLED 2006  
015 " DIA CIRC METAL

0032/0301 LEN=0050 INSTALLED UNKN  
OLD CARLISLE RD

0032/0281 (SR4001 SEG 0100/0000)  
015 " DIA CIRC METAL

0032/0266 LEN=0055 INSTALLED UNKN  
002235 FT 2 0 01004 0 07 0895+93

0032/0000 LENGTH(AH 1961 BK 1590)  
048 " DIA CIRC CONCR

0022/0993 LEN=0040 INSTALLED 2001  
015 " DIA CIR PLASTIC

0022/0568 LEN=0040 INSTALLED 1998  
000645 FT 2 0 01004 0 07 0913+73

GARDNERS STATION RD  
(T397)

0022/0000 LENGTH(AH 1590 BK 0645)  
0012/0260 (AAR 593389G)#TRKS 02

000000 FT 2 0 01028 0 00 0094+12  
NC EAST UPPER BERMUDIAN RD

CARLISLE RD  
(SR0034 SEG 0260/0000)

INTER-BK RESERVOIR RD  
(T401)

MFC BEGIN = E

0012/0000 LENGTH(AH 0645 BK 0000)



EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 209  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

058755 FT



058755 FT  
INTER-AHD WHITE CHURCH RD  
(T568)

DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Description	Material	Length
0250/2225	BERLIN RD (SR0234 SEG 0400/0000)		
0250/1565	030 " DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0250/0429	015 "H 21 "W ELLIP METAL	LEN=0035	INSTALLED UNKN
056530 FT	2 0 01004 0 02 0512+55		
0250/0000	LENGTH(AH 2225 BK 2445)		
0240/0452	030 " DIA CIR PLASTIC	LEN=0060	INSTALLED UNKN
0240/0023	BMSEN 01/1015/0240/0000		
054085 FT	2 0 01004 0 02 0488+18		
0240/0000	TR. CONEWAGO BMSBG 01/1015/0240/0000 LENGTH(AH 2445 BK 2566)		
0230/1082	FIVE POINTS RD (T565)		
0230/0796			
051519 FT			
0230/0000	LENGTH(AH 2566 BK 2968)		
0220/2612	018 " DIA CIR PLASTIC	LEN=0027	INSTALLED UNKN
0220/1851	018 " DIA CIR PLASTIC	LEN=0038	INSTALLED UNKN
0220/1370	024 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2004
048551 FT			
0220/0000	2 0 01004 0 02 0432+82 W REYNOLDS RD (T571) LENGTH(AH 2968 BK 1458)		
	018 " DIA CIR PLASTIC		

DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

2 0 01004 0 02 0418+24 047093 FT  
 STUDEBAKER LN  
 (T561) 0210/0000

045212 FT

042949 FT

039731 FT

0210/0817	LEN=0035	INSTALLED UNKN
0210/0174	015 "DIA CIR PLASTIC	
047093 FT	LEN=0030	INSTALLED UNKN
0210/0000	LENGTH(AH 1458 BK 1881)	
	BAIR RD	
0200/1705	(T510)	
0200/1495	015 "DIA CIR PLASTIC	
	LEN=0030	INSTALLED UNKN
0200/0537	015 "DIA CIR PLASTIC	
045212 FT	LEN=0030	INSTALLED UNKN
0200/0000	2 0 01004 0 02 0399+43	
	LENGTH(AH 1881 BK 2263)	
0190/0688	018 "DIA CIR PLASTIC	
	LEN=0033	INSTALLED UNKN
042949 FT	2 0 01004 0 02 0376+80	
	OAK GROVE RD	
	(T560)	
0190/0000	LENGTH(AH 2263 BK 3218)	
0180/2828	018 "DIA CIR PLASTIC	
	LEN=0040	INSTALLED UNKN
0180/1453	015 "DIA CIR PLASTIC	
	LEN=0030	INSTALLED UNKN
0180/0020	018 "DIA CIR PLASTIC	
039731 FT	LEN=0036	INSTALLED UNKN
	2 0 01004 0 02 0344+62	
	PLUM RUN RD	
	(T558)	
0180/0000	LENGTH(AH 3218 BK 2848)	
0170/1985	TYRONE	
0170/1957	STRABAN T	
	BMSSEN 01/1015/0170/1834	
	2 0 01004 0 01 0334+48	
	CONEWAGO CREEK	

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 206  
COUNTY: ADAMS


DIR: B TOTAL LEN: 11.128 MI.  
LEFT MUN: STRABAN T

DIST: 08-1 SR: 1015  
RIGHT MUN: STRABAN T

036883 FT

034030 FT

030901 FT



0170/1834 BMSBG 01/1015/0170/1834  
SHARRER MILL RD  
0170/1728 (T491)  
0170/0951 042"H 66"W ELLIP METAL  
LEN=0040 INSTALLED UNKN  
SHARRER MILL RD  
0170/0531 (T491)  
018 " DIA CIRC METAL  
0170/0259 LEN=0054 INSTALLED UNKN  
036883 FT 2 0 01004 0 01 0316+01  
HUNTERSTOWN-HAMPTON RD  
(SR0394 SEG 0230/0000)  
STRABAN  
MOUNT PLEASANT T  
5 0170/0000 LENGTH(AH 2848 BK 2853)  
0160/2235 036 " DIA CIRC METAL  
LEN=0034 INSTALLED UNKN  
048 " DIA CIRC METAL  
0160/1825 LEN=0057 INSTALLED UNKN  
0160/0881 018 " DIA CIR PLASTIC  
LEN=0032 INSTALLED UNKN  
018 " DIA CIR PLASTIC  
0160/0377 LEN=0038 INSTALLED UNKN  
034030 FT 2 0 01004 0 01 0288+06  
5 0160/0000 LENGTH(AH 2853 BK 3129)  
CONEWAGO RD  
0150/3129 (T526)  
036"H 24"W ELLIPTICAL\*  
0150/2988 LEN=0044 INSTALLED UNKN  
0150/2205 018 " DIA CIRC METAL  
LEN=0048 INSTALLED 1999  
024 " DIA CIR PLASTIC  
0150/2022 LEN=0044 INSTALLED UNKN  
0150/0902 024"H 18"W ELLIP METAL  
LEN=0045 INSTALLED 1998  
018 " DIA CIRC METAL  
0150/0491 LEN=0035 INSTALLED UNKN  
0150/0085 BMSSEN 01/1015/0150/0000  
030901 FT 2 0 01004 0 01 0256+30  
SWIFT RUN  
BMSBG 01/1015/0150/0000  
5 0150/0000 LENGTH(AH 3129 BK 3207)  
015 " DIA CIR PLASTIC

DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

2 0 01004 0 01 0224+05 027694 FT  
 SPANGLER RD  
 (T525) 0140/0000

025450 FT

023803 FT

2 0 01004 0 01 0164+48 021691 FT  
 FLESHMAN MILL RD  
 (T482) 0100/0000

0140/2819	LEN=0057	INSTALLED UNKN
030 "DIA	CIR PLASTIC	
0140/2610	LEN=0055	INSTALLED UNKN
018 "DIA	CIR PLASTIC	
0140/2223	LEN=0045	INSTALLED UNKN
0140/0842	036 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
027694 FT	MOUNT PLEASANT	
	OXFORD T	
0140/0000	LENGTH(AH 3207 BK 2244)	
0130/1996	018 "DIA	CIR PLASTIC
	LEN=0043	INSTALLED UNKN
0130/1306	018 "DIA	CIR PLASTIC
	LEN=0056	INSTALLED UNKN
0130/0625	024 "DIA	CIR PLASTIC
	LEN=0034	INSTALLED UNKN
0130/0113	BMSEN 01/1015/0130/0000	
025450 FT	2 0 01004 0 01 0201+61	
	LIL CONEWAGO	
0130/0000	BMSBG 01/1015/0130/0000	
	LENGTH(AH 2244 BK 1647)	
0110/1455	024 "DIA	CIR PLASTIC
	LEN=0045	INSTALLED 1999
0110/0042	015 "DIA	CIR PLASTIC
	LEN=0038	INSTALLED UNKN
023803 FT	2 0 01004 0 01 0185+60	
0110/0000	LENGTH(AH 1647 BK 2112)	
	015"H 21"W	ELLIPTICAL*
0100/1712	LEN=0040	INSTALLED UNKN
0100/1308	030 "DIA	CIR PLASTIC
	LEN=0044	INSTALLED UNKN
0100/0586	024 "DIA	CIR PLASTIC
	LEN=0035	INSTALLED UNKN
0100/0464	700 RD	
	(T490)	
0100/0249	030 "DIA	CIR PLASTIC
	LEN=0048	INSTALLED 1999
021691 FT	OXFORD	
	NEW OXFORD B	
0100/0000	LENGTH(AH 2112 BK 2527)	


DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
 LEFT MUN: NEW OXFORD B RIGHT MUN: NEW OXFORD B

Street Name	Segment	Length (FT)	Notes
PIPER DR (T425)	0090/1799		0090/2385 036"H 54"W ELLIP METAL LEN=0040 INSTALLED UNKN KEVIN DR
			0090/1799 (TWP)
			0090/1302 034"H 53"W ELLIP CONC LEN=0016 INSTALLED 1999
DRUMMER DR (PRDR)	0090/0526		
	019164 FT		0090/0255 NEW OXFORD H.S. DR (PRDR) 019164 FT 2 0 01004 0 01 0139+21
			0090/0000 NC OXFORD RD LENGTH(AH 2527 BK 1447)
BEAVER ST (BORO)	0080/0926		0080/0977 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
BERLIN ST (BORO)	0080/0600		0080/0619 WEST BERLIN RD (SR1019 SEG 0010/0000)
			0080/0518 024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
			0080/0467 015 "DIA CIRC METAL LEN=0051 INSTALLED UNKN
W GOLDEN LN (BORO)	0080/0317		0080/0317 E GOLDEN LN (BORO)
	2 0 01004 0 01 0123+40 017717 FT		017717 FT NC CARLISLE ST
LINCOLN WY (SR0030 SEG 0463/0140)	0080/0000		0080/0000 NEW OXFORD-LINCOLN WY (BORO)
	017717 FT		0080/0000 LTH AH 001447 BK 000414
LTH AH 000414 BK 001570	7073/0000		7072/0000 LTH AH 000414 BK 001570 INTER-AHD LINCOLN WY WEST
LINCOLN WY WEST (SR0030 SEG 0462/0175)	0070/1570		0070/1570 (SR0030 SEG 0462/0175) NEW OXFORD-LINCOLN WY (BORO)
			0070/1260 HIGH ST (BORO)
			0070/0965 GEORGE ST (BORO)
GEORGE ST (BORO)	0070/0945		
PLEASANT ST (BORO)	0070/0485		0070/0729 (AAR 832132H)#TRKS 01
SUNSET AV (BORO)	0070/0186		
	016147 FT		016147 FT 1 1 06810 0 01 0284+74

DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
 LEFT MUN: NEW OXFORD B RIGHT MUN: NEW OXFORD B

Street Name	Stationing	Notes	Structure/Length	Material	Installation
	0070/0000	NEW OXFORD OXFORD T	LENGTH(AH 1570 BK 3122)		
	0060/2985	NEW OXFORD B			
	0060/2825	NEW OXFORD OXFORD T			
	0060/2463	024"H 72"W CONC STRUCT	LEN=0032		INSTALLED UNKN
BIRCH LN (T516)	0060/1749				
	0060/1384	WALNUT LN (T508)			
	0060/1322	024"H 36"W ELLIP CONC	LEN=0060		INSTALLED UNKN
	0060/0759	018" DIA CIRC METAL	LEN=0050		INSTALLED UNKN
	0060/0750	LOCUST LN (T510)			
OXFORD BL (TWP)	0060/0293 013025 FT				
	013025 FT	1 1 06810 0 01 0253+52	LENGTH(AH 3122 BK 1848)		
	0060/0000	036"H 36"W CON BOX CUL	LEN=0036		INSTALLED UNKN
FERN DR (T491)	0050/1285				
	0050/0760	BRICKYARD RD (T507)			
1 1 06810 0 00 0235+58 TO 2009/0080 SH (CONN) IRISHTOWN RD (SR2009 SEG 0080/2403)	011177 FT 0050/0000 0040/2832				
	0050/0000	LENGTH(AH 1848 BK 2968)			
	0040/2302	042"H 66"W ELLIP METAL	LEN=0055		INSTALLED UNKN
	0040/1731	018" DIA CIRC CONCR	LEN=0038		INSTALLED UNKN
	0040/1055	018" DIA CIRC CONCR	LEN=0039		INSTALLED UNKN
	0040/0785	BECKER RD (T496)			
	0040/0546	018" DIA CIRC CONCR	LEN=0038		INSTALLED UNKN
	0040/0217	018" DIA CIRC CONCR	LEN=0040		INSTALLED UNKN
008209 FT	008209 FT	2 0 01004 0 00 0088+30			

DIR: B TOTAL LEN: 11.128 MI. DIST: 08-1 SR: 1015  
 LEFT MUN: OXFORD T RIGHT MUN: OXFORD T



RED HILL RD  
 (T495)  
 S 0040/0000 LENGTH(AH 2968 BK 2752)

005457 FT  
 0030/0020 BMS EN 01/1015/0030/0000  
 005457 FT 2 0 01004 0 00 0059+46  
 T. CONEWAGO  
 S 0030/0000 BMSBG 01/1015/0030/0000  
 LENGTH(AH 2752 BK 2999)

VULCAN HANOVER QUARRY (PRDR)  
 0020/0064 (APRA) VULCAN HANOVER Q  
 002458 FT 2 0 01004 0 00 0029+26  
 (AAR 832125X)#TRKS 01

S 0020/0000 LENGTH(AH 2999 BK 0845)  
 017"H 39"W ELLIP CONC  
 0012/0795 LEN=0056 INSTALLED UNKN  
 024 "DIA CIRC METAL  
 0012/0755 LEN=0020 INSTALLED UNKN

YORK LINTEL & CAST STON (PRDR)  
 0012/0598 (APRA) YORK LINTEL & CA  
 001613 FT 2 0 01004 0 00 0020+43  
 NC HANOVER ST  
 HANOVER ST (T600)  
 0012/0000 S 0012/0000 LENGTH(AH 0845 BK 1613)

000000 FT 0 0 00000 0 00 0000+00  
 NC APPLER RD  
 CARLISLE PK  
 INTER-BK (SRO094 SEG 0030/0000)  
 GREEN SPRINGS RD  
 (SR2033 SEG 0010/0000)  
 MFC BEGIN = D  
 S 0002/0000 LENGTH(AH 1613 BK 0000)






DIR: B TOTAL LEN: 5.553 MI. DIST: 08-1 SR: 1014  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

Stationing	Notes	Object ID	Description
022438 FT	--- ---	0100/0040	035"H 24"W ELLIP METAL
		022438 FT	LEN=0050 INSTALLED 1999
			2 0 01011 0 02 0302+95
			FARM VIEW RD
			(T596)
	== ==	0100/0000	LENGTH(AH 1955 BK 2305)
			024 " DIA CIR PLASTIC
	--- ---	0090/2246	LEN=0045 INSTALLED 1999
			018 " DIA CIR PLASTIC
	--- ---	0090/2125	LEN=0035 INSTALLED UNKN
020133 FT		020133 FT	2 0 01011 0 01 0278+54
			ROLLING RD
			(T810)
	== ==	0090/0000	LENGTH(AH 2305 BK 3786)
			048 " DIA CIR PLASTIC
	--- ---	0080/3550	LEN=0040 INSTALLED UNKN
		0080/2351	BMS EN 01/1014/0080/2328
			2 0 01011 0 01 0267+15
			T. BERMUDIAN
		0080/2328	BMSBG 01/1014/0080/2328
016347 FT		016347 FT	2 0 01011 0 01 0240+68
		0080/0000	LENGTH(AH 3786 BK 2647)
			015"H 21"W ELLIP METAL
	--- ---	0070/2442	LEN=0034 INSTALLED UNKN
WHITE OAK TREE RD (T594)		0070/1459	
	== ==	0070/1317	BMS EN 01/1014/0070/1302
			2 0 01011 0 01 0227+23
			BOWERS RN
		0070/1302	BMSBG 01/1014/0070/1302

DIR: B TOTAL LEN: 5.553 MI. DIST: 08-1 SR: 1014  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

2 0 01011 0 01 0214+21 013700 FT  
 OXFORD RD  
 (T590) 0070/0000



NC CRANBERRY RD  
 013700 FT OXFORD RD  
 (T590)  
 S 0070/0000 LENGTH(AH 2647 BK 2366)  
 0060/2128 024 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED 1999

0060/0927 BMSBG 01/1014/0060/0932  
 2 0 01011 0 01 0190+52  
 T. BERMUDIAN  
 0060/0915 BMSBG 01/1014/0060/0932

011334 FT

011334 FT 2 0 01011 0 01 0190+52  
 NC ASPERS NORTH RD  
 OLD ZEIGLER MILL RD  
 (TWP)  
 S 0060/0000 LENGTH(AH 2366 BK 2011)

RBR

0050/1758 BMSBG 01/1014/0050/1701  
 HUNTINGTON  
 0050/1722 TYRONE T  
 2 0 01011 0 01 0187+71  
 P3

RBR

0050/1701 BMSBG 01/1014/0050/1701  
 BERMUDIAN CREEK  
 0050/1568 024 " DIA CIR PLASTIC  
 LEN=0050 INSTALLED 1999

009323 FT

009323 FT 2 0 01011 0 01 0170+65  
 UPPER BERMUDIAN RD  
 (SR1016 SEG 0102/0000)  
 018 " DIA CIR PLASTIC  
 LEN=0054 INSTALLED 1999  
 BULL VALLEY RD  
 (T539)

UPPER BERMUDIAN RD  
 (SR1016 SEG 0102/0000) 0050/0000

S 0050/0000 LENGTH(AH 2011 BK 2381)  
 0040/2359 018 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED 1999  
 0040/2240 013 "H 17 "W ELLIP METAL  
 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.553 MI. DIST: 08-1 SR: 1014  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Description	Material	Length	Status
006942 FT	0040/0745	024 " DIA CIR PLASTIC	LEN=0035	INSTALLED 1999
	0040/0374	018 " DIA CIR PLASTIC	LEN=0036	INSTALLED 1999
	006942 FT	2 0 01011 0 00 0145+01		
	0040/0000	LENGTH(AH 2381 BK 2305)		
	0030/2030	030 " DIA CIR PLASTIC	LEN=0034	INSTALLED UNKN
	0030/1773	015 " DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
	0030/1114	018 " DIA CIR PLASTIC	LEN=0028	INSTALLED UNKN
	0030/0240	024 " DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
	0030/0034	018 " DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
2 0 01011 0 00 0121+96 FUNT RD (T532)	004637 FT	FUNT RD		
	0030/0000	(T532)		
	0030/0000	LENGTH(AH 2305 BK 2183)		
	0020/1563	036 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
	0020/1356	018 " DIA CIR PLASTIC	LEN=0036	INSTALLED UNKN
	0020/0512	024 " DIA CIR PLASTIC	LEN=0037	INSTALLED 1999
	0020/0186	024 " DIA CIR PLASTIC	LEN=0048	INSTALLED 1999
002454 FT	002454 FT	2 0 01011 0 00 0100+13		
	0020/0000	LENGTH(AH 2183 BK 2454)		
	0010/2017	021"H 15"W ELLIP METAL	LEN=0045	INSTALLED 1999
	0010/1529	036 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
	0010/0951	021"H 15"W ELLIP METAL	LEN=0045	INSTALLED 1999
	0010/0948	TREE LN		
	0010/0555	(T345)	LEN=0032	INSTALLED UNKN
	000000 FT	NC CRANBERRY RD		
2 0 01011 0 00 0075+59 GETTYSBURG RD (SR4001 SEG 0050/1216)	000000 FT	GETTYSBURG RD		
	0010/0000	(SR4001 SEG 0050/1216)		
	0010/0000	MFC BEGIN = E		
	0010/0000	LENGTH(AH 2454 BK 0000)		

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 197  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS


DIR: B TOTAL LEN: 3.087 MI. DIST: 08-1 SR: 1013  
LEFT MUN: READING T RIGHT MUN: READING T

016298 FT

=>□<=

016298 FT FISH & GAME RD  
INTER-AHD (T626)  
0060/2324 BAKERS WATERING TROUGH  
(T531)

DIR: B TOTAL LEN: 3.087 MI. DIST: 08-1 SR: 1013  
 LEFT MUN: READING T RIGHT MUN: READING T



ANTHONY RD  
 (T617)


DIR: B TOTAL LEN: 3.087 MI. DIST: 08-1 SR: 1013  
 LEFT MUN: READING T RIGHT MUN: READING T

2 0 01045 0 00 0060+96 006096 FT  
 POSSUM HOLLOW RD  
 (T576) 0030/0000

BROUGH HILL RD  
 (T578) 0010/0900

003013 FT

000000 FT



006096 FT  
 0030/0000 LENGTH(AH 2742 BK 3083)  
 0020/2874 055"H 65"W CONC STRUCT  
 0020/2382 LEN=0024 INSTALLED UNKN  
 036 "DIA CIR PLASTIC  
 0020/1731 LEN=0040 INSTALLED 1996  
 018 "DIA CIR PLASTIC  
 0020/1085 LEN=0030 INSTALLED 1996  
 028"H 00"W MULT METAL  
 0020/0973 LEN=0045 INSTALLED 2004  
 GLADFELTER RD  
 (T653)  
 0020/0080 018 "DIA CIR PLASTIC  
 003013 FT LEN=0034 INSTALLED UNKN  
 0020/0000 2 0 01045 0 00 0030+83  
 LENGTH(AH 3083 BK 3013)  
 0010/1406 018 "DIA CIR PLASTIC  
 0010/1122 LEN=0040 INSTALLED UNKN  
 013"H 17"W ELLIP METAL  
 0010/0879 LEN=0030 INSTALLED UNKN  
 034"H 53"W ELLIP CONC  
 0010/0647 LEN=0072 INSTALLED UNKN  
 015 "DIA CIR PLASTIC  
 0010/0542 LEN=0035 INSTALLED 2005  
 018 "DIA CIR PLASTIC  
 0010/0445 LEN=0050 INSTALLED 2005  
 024"H 44"W ELLIP CONC  
 0010/0164 LEN=0020 INSTALLED UNKN  
 036 "DIA CIR PLASTIC  
 000000 FT 0010/0164 LEN=0050 INSTALLED UNKN  
 2 0 01045 0 00 0000+00  
 NC FISHER & GAME RD  
 EAST BERLIN RD  
 INTER-BK (SR0234 SEG 0540/1705)  
 KUHN FORDING RD  
 (T552)  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 3013 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 194  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS

DIR: B TOTAL LEN: 2.385 MI. DIST: 08-1 SR: 1012  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

012592 FT

012592 FT AH-YORK (66)  
 INTER-AHD LAKE MEADE RD  
 0050/2593 (SR4044 SEG 0010/0000)  
 015"H 21"W ELLIP METAL  
 0050/2253 LEN=0030 INSTALLED UNKN  
 018 "DIA CIR PLASTIC  
 0050/1878 LEN=0035 INSTALLED UNKN



009999 FT

0050/0219 018 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 009999 FT 2 0 01043 0 00 0100+12  
 5 0050/0000 LENGTH(AH 2593 BK 2148)  
 0040/1364 018 "DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 015 "DIA CIR PLASTIC



DIR: B TOTAL LEN: 2.385 MI. DIST: 08-1 SR: 1012  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Stationing	Description	Length	Material	Notes
007851 FT	0040/0950	0039	018" DIA CIR PLASTIC	INSTALLED UNKN
	0040/0435	0034	018" DIA CIR PLASTIC	INSTALLED UNKN
	007851 FT	2 0 01043 0 00 0078+55	BRAGGTOWN RD	(SR1007 SEG 0090/0000)
	0040/0000	2148	018"H 24"W ELLIP METAL	LENGTH(AH 2148 BK 2342)
	0030/2002	0030	018" DIA CIR PLASTIC	INSTALLED UNKN
005509 FT	0030/0624	0042	018" DIA CIR PLASTIC	INSTALLED 1997
	005509 FT	2 0 01043 0 00 0055+09		
	0030/0000	2342	024"H 18"W ELLIP METAL	LENGTH(AH 2342 BK 2355)
003154 FT	0020/0608	0032	024" DIA CIRC METAL	INSTALLED UNKN
	0020/0524	0040	024" DIA CIRC METAL	INSTALLED UNKN
	003154 FT	2 0 01043 0 00 0031+54		
	0020/0000	2355	015"H 21"W ELLIPTICAL*	LENGTH(AH 2355 BK 3154)
	0010/2958	0034	015"H 21"W ELLIP METAL	INSTALLED 1997
	0010/2345	0034	015"H 21"W ELLIP METAL	INSTALLED UNKN
	0010/1885	0035	024"H 35"W ELLIP METAL	INSTALLED UNKN
	0010/1056	0028	013"H 17"W ELLIP METAL	INSTALLED UNKN
	0010/0735	0035	013"H 17"W ELLIP METAL	INSTALLED UNKN
	0010/0164	0035	024"H 35"W ELLIPTICAL*	INSTALLED UNKN
000000 FT	000000 FT	2 0 01043 0 00 0000+00	NC LAKE MEADE RD	
			MUD RUN RD	
			(T613)	
	INTER-BK		LAKE MEADE RD	
			(SR1005 SEG 0150/0000)	
			MFC BEGIN = D	
	0010/0000	3154	015"H 21"W ELLIPTICAL*	LENGTH(AH 3154 BK 0000)

2 0 01043 0 00 0031+54  
 TWO CHURCHES RD  
 (T620)

LATIMORE VALLEY RD  
 (SR1005 SEG 0150/0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 192  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: .000 MI. DIST: 08-1 SR: 1011  
LEFT MUN: READING T RIGHT MUN: READING T

000000 FT




000000 FT  
7010/0000 LENGTH(AH 0664 BK 0000)

DIR: B TOTAL LEN: .630 MI. DIST: 08-1 SR: 1010  
 LEFT MUN: READING T RIGHT MUN: READING T

003326 FT

003326 FT  
 INTER-AHD LAKE MEADE RD  
 (SR1005 SEG 0100/0000)  
 GERMANY RD  
 0010/3326 (SR1005 SEG 0100/0000)  
 015"H 21"W ELLIP METAL  
 0010/2808 LEN=0035 INSTALLED UNKN  
 013"H 17"W ELLIP METAL  
 0010/2008 LEN=0035 INSTALLED UNKN  
 014"H 23"W ELLIP CONC  
 0010/1245 LEN=0040 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 0010/1112 LEN=0030 INSTALLED UNKN  
 024 " DIA CIR PLASTIC  
 0010/0175 LEN=0035 INSTALLED UNKN  
 000000 FT 2 0 01049 0 00 0091+90  
 NC LAKE MEADE RD  
 CARLISLE PK  
 INTER-BK (SR0094 SEG 0190/0782)  
 LAKE MEADE RD  
 (TWP )  
 MFC BEGIN = D  
 0010/0000 LENGTH(AH 3326 BK 0000)



000000 FT



DIR: B TOTAL LEN: 2.694 MI. DIST: 08-1 SR: 1009  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

GUN CLUB RD  
 (T580)


2 0 01042 0 00 0000+00 000000 FT  
 EAST BERLIN RD  
 (SR0234 SEG 0420/3605) 0010/0000

Distance (FT)	Symbol	Code	Description
007266	---	0040/0350	035"H 24"W PIPE ARCH * LEN=0040 INSTALLED 1999
0040/0000	==	0040/0000	2 0 01042 0 00 0072+80 GUN CLUB RD (SR1008 SEG 0010/0000) LENGTH(AH 2309 BK 2682)
	---	0030/1090	017"H 13"W ELLIP METAL LEN=0030 INSTALLED 2000
	---	0030/0921	013"H 17"W ELLIPTICAL* LEN=0028 INSTALLED UNKN
004584	^	0030/0009	BMS EN 01/1009/0030/0005
	^	0030/0000	2 0 01042 0 00 0045+96 TRIB. TO MUDDY RUN BMSBG 01/1009/0030/0005 LENGTH(AH 2682 BK 2120)
002464	---	0020/0578	015"H 21"W ELLIPTICAL* LEN=0026 INSTALLED UNKN
	---	0020/0000	2 0 01042 0 00 0024+64 LENGTH(AH 2120 BK 2464)
	---	0010/1932	018 "DIA CIR PLASTIC LEN=0024 INSTALLED UNKN
	==	0010/1417	FICKES SCHOOL RD (T582)
	---	0010/0926	013"H 17"W ELLIPTICAL* LEN=0026 INSTALLED UNKN
	---	0010/0051	018 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
		NC WE	IRMAN'S MILL RD EAST BERLIN RD (SR0234 SEG 0420/3605)
		INTER-BK	CASHMAN RD (T528)
	---	0010/0000	MFC BEGIN = E LENGTH(AH 2464 BK 0000)

EXTRACT DATE: 12/18/2023      ROADWAY MANAGEMENT SYSTEM      PAGE NUMBER: 188  
 PRINT DATE: 12/20/2023      SLD COUNTY/SR - ANNUAL PRINT      COUNTY: ADAMS  
 DIR: B      TOTAL LEN: 3.954 MI.      DIST: 08-1      SR: 1008  
 LEFT MUN: LATIMORE T      RIGHT MUN: LATIMORE T

LATIMORE VALLEY RD      020879 FT  
 (SR1005 SEG 0160/0641)      0080/2347

018532 FT



020879 FT LATIMORE VALLEY RD  
 0080/2347 (SR1005 SEG 0160/0641)

018532 FT 2 0 01050 0 01 0185+44  
 IRONSTONE RD  
 (T612)  
 0080/0000 LENGTH(AH 2347 BK 1361)

DIR: B TOTAL LEN: 3.954 MI. DIST: 08-1 SR: 1008  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

2 0 01050 0 01 0171+61 017171 FT  
 BATEMAN RD  
 (T628) 0070/0000

017171 FT	017171 FT	
0070/0000	0070/0000	LENGTH(AH 1361 BK 3592) 024 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
0060/3168	0060/3168	024 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0060/2565	0060/2565	024 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0060/2312	0060/2312	036 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0060/2066	0060/2066	030 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0060/1663	0060/1663	018 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
0060/0932	0060/0932	
013579 FT	013579 FT	2 0 01050 0 01 0135+69 LENGTH(AH 3592 BK 2528)
0060/0000	0060/0000	BALTIMORE RD (T610) 024 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
0050/1690	0050/1690	TOWNSHIP LINE RD (T611) LATIMORE
0050/1379	0050/1379	HUNTINGTON T 018 "DIA CIR PLASTIC LEN=0041 INSTALLED UNKN
0050/1072	0050/1072	015 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
0050/1061	0050/1061	011051 FT 2 0 01050 0 01 0110+41 NC QUAKER CHURCH RD CARLISLE PK (SRO094 SEG 0230/0000)
0050/0585	0050/0585	LENGTH(AH 2528 BK 3182) 015 "H 21 "W ELLIP METAL LEN=0060 INSTALLED 2002
0050/0025	0050/0025	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
011051 FT	011051 FT	018 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
0040/3132	0040/3132	
0040/2303	0040/2303	
0040/1197	0040/1197	

DIR: B TOTAL LEN: 3.954 MI. DIST: 08-1 SR: 1008  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

Stationing	Description	Material	Length	Notes
2 0 01050 0 00 0078+69 007869 FT	GREEN BRIAR RD	018 " DIA CIR PLASTIC	0040/0054	LEN=0028 INSTALLED UNKN
(T619)			007869 FT	
			0040/0000	LENGTH(AH 3182 BK 3115)
		018 " DIA CIR PLASTIC	0030/1982	LEN=0030 INSTALLED 2000
		015 " DIA CIR PLASTIC	0030/1318	LEN=0030 INSTALLED UNKN
		018 " DIA CIR PLASTIC	0030/0383	LEN=0028 INSTALLED UNKN
004754 FT	BUTTONWOOD RD	2 0 01050 0 00 0047+54	004754 FT	(T638)
			0030/0000	LENGTH(AH 3115 BK 2225)
		018 " DIA CIR PLASTIC	0020/1143	LEN=0035 INSTALLED UNKN
		018 " DIA CIR PLASTIC	0020/0750	LEN=0030 INSTALLED UNKN
002529 FT		2 0 01050 0 00 0025+29	002529 FT	LENGTH(AH 2225 BK 2529)
			0020/0000	
		MUD RUN RD	0010/1500	(T634)
		036 " DIA CIR PLASTIC	0010/1465	LEN=0040 INSTALLED UNKN
		015 "H 21" W ELLIPTICAL*	0010/0281	LEN=0028 INSTALLED UNKN
		024 " DIA CIR PLASTIC	0010/0020	LEN=0045 INSTALLED UNKN
	NC GUN CLUB RD			
	WIERMAN'S MILL RD			
	(SR1009 SEG 0040/0000)			
	INTER-BK			
	000000 FT			
2 0 01050 0 00 0000+00 000000 FT	WIERMAN'S MILL RD			
(SR1009 SEG 0040/0000)				
		0010/0000		
		MFC BEGIN = E		
		0010/0000		LENGTH(AH 2529 BK 0000)





DIR: N TOTAL LEN: 5.837 MI. DIST: 08-1 SR: 1007  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T


Stationing	Notes	Structure	Material	Length	Installation
023031 FT		0090/0027	018 "DIA CIR PLASTIC	LEN=0048	INSTALLED UNKN
		023031 FT	2 0 01008 0 03 0324+33		
			NC BRAGGTOWN RD		
			LAKE MEADE RD		
			(SR1012 SEG 0040/0000)		
		0090/0000	LENGTH(AH 2541 BK 2742)		
		0080/2703	018 "DIA CIRC METAL	LEN=0060	INSTALLED UNKN
		0080/1667	018 "DIA CIRC CONCR	LEN=0084	INSTALLED UNKN
		0080/0793	BMS EN 01/1007/0080/0692		
		0080/0741	LATIMORE READING T		
			2 0 01008 0 02 0303+39		
			MUD RUN		
		0080/0692	BMSBG 01/1007/0080/0692		
020289 FT		020289 FT	2 0 01008 0 02 0296+47		
		0080/0000	LENGTH(AH 2742 BK 3995)		
		0070/3347	NELL RD (T627)		
LAKE MEADE COMM (PRDR)		0070/2736			
LAKE MEADE COMM (PRDR)		0070/2611			
		0070/1682	021"H 15"W ELLIP METAL	LEN=0035	INSTALLED 2007
		0070/0544	024"H 68"W CONC STRUCT	LEN=0025	INSTALLED UNKN
		0070/0291	018 "DIA CIR PLASTIC	LEN=0034	INSTALLED 1998
2 0 01008 0 02 0256+52 016294 FT		016294 FT			
WOLF RD (T618)		0070/0000	LENGTH(AH 3995 BK 2675)		
		0060/1851	015 "DIA CIR PLASTIC	LEN=0073	INSTALLED 2007

DIR: N TOTAL LEN: 5.837 MI. DIST: 08-1 SR: 1007  
 LEFT MUN: READING T RIGHT MUN: READING T


013619 FT	0060/0577	030 " DIA CIR PLASTIC LEN=0030 INSTALLED 1998
	013619 FT	2 0 01008 0 02 0229+77 064"H 92"W ELLIP METAL LEN=0040 INSTALLED UNKN
	0060/0000	LENGTH(AH 2675 BK 2812)
	0050/2130	BAKER SCHOOL RD (TWP )
010807 FT	0050/0430	021"H 15"W METAL ARCH LEN=0033 INSTALLED 1998
	010807 FT	2 0 01008 0 02 0201+65 BAKERS WATERING TROUGH (T531)
	0050/0000	LENGTH(AH 2812 BK 3131)
	0040/3018	030"H 53"W ELLIP CONC LEN=0028 INSTALLED UNKN
	0040/2348	015 " DIA CIRC CONCR LEN=0026 INSTALLED UNKN
	0040/1822	030 " DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	0040/0908	036"H 60"W ELLIP CONC LEN=0028 INSTALLED UNKN
007676 FT	007676 FT	2 0 01008 0 01 0170+23
	0040/0000	LENGTH(AH 3131 BK 3687)
	0030/2998	ANTHONY RD (T617)
	0030/2897	BROUGH HILL RD (T578) 018 " DIA CIR PLASTIC LEN=0075 INSTALLED 1996
	0030/1281	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 2007
	0030/0513	021"H 15"W METAL ARCH LEN=0005 INSTALLED 2007

DIR: N TOTAL LEN: 5.837 MI. DIST: 08-1 SR: 1007  
 LEFT MUN: READING T RIGHT MUN: READING T

Stationing	Description	Notes
003989 FT	GERMANY RD (SR1005 SEG 0040/0000)	INTER-BK STONEY POINT RD (T529)
003989 FT	HEIDLERSBURG RD (SR0234 SEG 0490/0000)	INTER-AHD STONEY POINT RD (T529)
0020/3104	HEIDLERSBURG RD (SR0234 SEG 0490/0000)	013"H 17"W ELLIP METAL LENS=0032 INSTALLED UNKN
0020/1346	HAMPTON DR (TWP)	018" DIA CIR PLASTIC LENS=0035 INSTALLED 2007
000885 FT	DIANA DR (TWP)	036"H 60"W ELLIP CONC LENS=0040 INSTALLED UNKN
0010/0411	ENSOR AL (TWP)	FIRE HOUSE AL
000060 FT	MFC BEGIN = D	LENGTH(AH 0825 BK 0060)
000000 FT	CARLISLE PK (SR0094 SEG 0144/0172)	CARLISLE PK (SR0094 SEG 0144/0099)
0005/0000	READING-CARLISLE PK (TWP)	INTER-BK CARLISLE PK (SR0094 SEG 0144/0099)
0004/0000	MFC BEGIN = D	LENGTH(AH 0060 BK 0000)




DIR: B TOTAL LEN: 2.960 MI. DIST: 08-1 SR: 1006  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T



DIR: B TOTAL LEN: 2.960 MI. DIST: 08-1 SR: 1006  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Stationing	Description	Material	Length	Notes
007892 FT	0040/0703	030 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2007
	0040/0224	030 " DIA CIR PLASTIC	LEN=0030	INSTALLED 2007
	0040/0019	018 " DIA CIR PLASTIC	LEN=0033	INSTALLED UNKN
	007892 FT	2 0 01073 0 00 0078+87		RIDGE RD (T635)
	0040/0000		LENGTH(AH 2655 BK 1487)	
	0030/0768	018 " DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
	0030/0183	018 " DIA CIR PLASTIC	LEN=0028	INSTALLED UNKN
006405 FT	0063+76	2 0 01073 0 00 0063+76		COUNTY LINE RD (T642)
	0030/0000		LENGTH(AH 1487 BK 2968)	
	0020/2488	018 " DIA CIR PLASTIC	LEN=0036	INSTALLED UNKN
	0020/2117	018 " DIA CIR PLASTIC	LEN=0035	INSTALLED 2007
	0020/1120	024 " DIA CIR PLASTIC	LEN=0040	INSTALLED 2007
	0020/0545	018 " DIA CIR PLASTIC	LEN=0035	INSTALLED UNKN
003437 FT	0034+37	2 0 01073 0 00 0034+37		WRIGHT RD (T648)
	0020/0000		LENGTH(AH 2968 BK 3437)	
	0010/2714	030 " DIA CIR PLASTIC	LEN=0050	INSTALLED 2005
	0010/1384	030 " DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
	0010/0090		FOR SR 1005 AND 1006 (CONN)	
000000 FT	000000 FT	2 0 01073 0 00 0000+00		LATIMORE VALLEY RD (SR1005 SEG 0210/1744)
	0010/0000	NC BRAGGTOWN RD		MFC BEGIN = E
0010/0000	0010/0000		LENGTH(AH 3437 BK 0000)	

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T



SENECA DR  
(T638)

069225 FT

0300/0637

2 0 01009 0 01 0677+69 067810 FT  
 HOLLOW RD  
 (T615)

0300/0000

065502 FT

069225 FT AH-YORK (66)  
 INTER-AHD MOUNTAIN RD  
 (SR4040 SEG 0010/0000)  
 COUNTY LINE RD  
 (T642)  
 0300/1415 015"H 21"W ELLIP METAL  
 0300/1395 LEN=0045 INSTALLED UNKN

0300/0300 BMS EN 01/1005/0300/0271  
 2 0 01009 0 01 0680+33  
 LATIMORE CRK  
 0300/0271 BMSBG 01/1005/0300/0271  
 067810 FT

0300/0000 LENGTH(AH 1415 BK 2308)  
 027"H 35"W ELLIP METAL  
 0290/2250 LEN=0040 INSTALLED UNKN

0290/0722 013"H 17"W ELLIP METAL  
 LEN=0034 INSTALLED UNKN  
 0290/0644 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED 2005  
 0290/0477 013"H 17"W ELLIP METAL  
 LEN=0005 INSTALLED 2005  
 0290/0334 024 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 0290/0141 024 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 065502 FT 2 0 01009 0 01 0654+29  
 MYERS RD  
 (T633)

0290/0000 LENGTH(AH 2308 BK 2286)  
 036 " DIA CIRC METAL

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

BLACKBERRY SCHOOL RD  
 (T643) 0280/1640

2 0 01009 0 01 0631+43 063216 FT  
 LATIMORE RD  
 (SR1004 SEG 0080/1697) 0280/0000

062079 FT

MILL RD  
 (T603) 0260/0899

058893 FT

---	0280/2004	LEN=0078	INSTALLED UNKN
==			
---	0280/1217	015"H 21"W	ELLIP METAL
---		LEN=0035	INSTALLED 2001
---	0280/0693	036"H 48"W	CON BOX CUL
---		LEN=0038	INSTALLED UNKN
---	0280/0010	015"H 21"W	ELLIP METAL
---	063216 FT	LEN=0001	INSTALLED UNKN
==	5 0280/0000	MFC BEGIN = D	
---		LENGTH(AH 2286 BK 1137)	
---	0270/1135	015"H 21"W	ELLIP METAL
---		LEN=0001	INSTALLED UNKN
---	0270/0181	015"H 21"W	ELLIP METAL
---	062079 FT	LEN=0057	INSTALLED 2002
---		2 0 01009 0 01 0620+30	BROUGH RD
---		(T641)	
==	5 0270/0000	LENGTH(AH 1137 BK 3186)	
---	0260/1903	013"H 17"W	ELLIP METAL
---		LEN=0040	INSTALLED 2001
---	0260/1628	015 "DIA	CIR PLASTIC
---		LEN=0035	INSTALLED 2005
---	0260/0909	018 "DIA	CIR PLASTIC
---		LEN=0040	INSTALLED UNKN
==			
---	0260/0604	013"H 17"W	ELLIP METAL
---		LEN=0036	INSTALLED UNKN
---	0260/0097	018 "DIA	CIR PLASTIC
---	058893 FT	LEN=0040	INSTALLED UNKN
---		2 0 01009 0 01 0588+44	BUSHEY SCHOOL RD
---		(T639)	
==	5 0260/0000	LENGTH(AH 3186 BK 2921)	
---	0250/2056	021"H 33"W	ELLIP METAL
---		LEN=0035	INSTALLED UNKN
---	0250/1790	015"H 21"W	ELLIP METAL
---		LEN=0030	INSTALLED UNKN
---	0250/1470	020"H 28"W	ELLIP METAL
---		LEN=0035	INSTALLED 2001



DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

2 0 01009 0 01 0559+23 055972 FT  
 BONNERS HILL RD  
 (T634) 0250/0000

053692 FT

050431 FT

0250/0991	015"H 21"W ELLIP METAL
	LEN=0035 INSTALLED 2001
0250/0472	018" DIA CIR PLASTIC
	LEN=0037 INSTALLED 2005
0250/0180	024" DIA CIR PLASTIC
055972 FT	LEN=0040 INSTALLED 2005
5 0250/0000	LENGTH(AH 2921 BK 2280)
	018" DIA CIR PLASTIC
0240/2280	LEN=0072 INSTALLED 2005
	024" DIA CIR PLASTIC
0240/1999	LEN=0050 INSTALLED 2005
	024" DIA CIR PLASTIC
0240/1656	LEN=0040 INSTALLED 2005
	015"H 21"W ELLIP METAL
0240/1109	LEN=0005 INSTALLED 2005
0240/0020	BMS EN 01/1005/0240/0000
053692 FT	2 0 01009 0 01 0536+43
	T. LATIMORE C
5 0240/0000	BMSBG 01/1005/0240/0000
	LENGTH(AH 2280 BK 3261)
0230/2577	018" DIA CIR PLASTIC
	LEN=0040 INSTALLED 2005
0230/1975	024" DIA CIR PLASTIC
	LEN=0042 INSTALLED 2005
	015" DIA CIR PLASTIC
0230/1536	LEN=0040 INSTALLED 2005
0230/1025	BMS EN 01/1005/0230/0992
	2 0 01009 0 01 0513+85
	LATIMORE CK.
0230/0992	BMSBG 01/1005/0230/0992
	018" DIA CIR PLASTIC
0230/0705	LEN=0040 INSTALLED 2005
	018" DIA CIR PLASTIC
0230/0633	LEN=0040 INSTALLED 2005
	LATIMORE CREEK RD
0230/0389	(T617)
	042" DIA CIRC CONCR
0230/0130	LEN=0040 INSTALLED UNKN
050431 FT	2 0 01009 0 01 0505+30
	NC MOUNTAIN RD
	BLUE-GRAY HW
	(SRO015 SEG 0490/0000)
5 0230/0000	LENGTH(AH 3261 BK 1352)
	036" DIA CIR PLASTIC

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Station	Object ID	Description	Length	Material	Status	Year
	0220/0998		0036		INSTALLED	2000
049079 FT	0220/0038	024" DIA CIR PLASTIC	0108		INSTALLED	2000
	049079 FT	20 01009 0 01 0490+60				
		OLD ROUTE 15				
		(T630)				
	0220/0000	LENGTH(AH 1352 BK 2440)				
	0210/1756	026"H 48"W CON BOX CUL	0030		INSTALLED	UNKN
		BRAGGTOWN RD				
	0210/1744	(SR1006 SEG 0010/0000)				
	0210/1690	013"H 17"W ELLIP METAL	0030		INSTALLED	1999
		FOR SR 1005 AND 1006				
	0210/1648	(CONN)				
	0210/0979	015"H 21"W ELLIP METAL	0055		INSTALLED	UNKN
046639 FT	0210/0351	018" DIA CIR PLASTIC	0030		INSTALLED	UNKN
	046639 FT	20 01009 0 01 0466+20				
	0210/0000	LENGTH(AH 2440 BK 1616)				
		015"H 21"W ELLIP METAL				
	0200/1184	LEN=0005			INSTALLED	2003
	0200/1001	018" DIA CIR PLASTIC	0030		INSTALLED	2000
	0200/0930	024" DIA CIR PLASTIC	0040		INSTALLED	UNKN
	0200/0783	018" DIA CIR PLASTIC	0025		INSTALLED	UNKN
	0200/0600	024" DIA CIR PLASTIC	0040		INSTALLED	2000
045023 FT	045023 FT	20 01009 0 01 0450+05				
		015"H 17"W ELLIP METAL				
		LEN=0030			INSTALLED	2000
	0200/0000	LENGTH(AH 1616 BK 2594)				
		013"H 17"W ELLIP METAL				
	0190/2146	LEN=0035			INSTALLED	UNKN
		018" DIA CIR PLASTIC				
	0190/1853	LEN=0030			INSTALLED	2000
	0190/1211	015"H 21"W ELLIP METAL	0032		INSTALLED	UNKN
		043"H 60"W ELLIP CONC				
	0190/0939	LEN=0028			INSTALLED	UNKN

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

2 0 01009 0 01 0424+10 042429 FT  
 RIDGE RD  
 (T635) 0190/0000

038964 FT

036276 FT

0190/0569	018 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0190/0296	013"H 17"W ELLIP METAL LEN=0030 INSTALLED 2000
0190/0112	RIDGE RD (T635)
042429 FT	
0190/0000	LENGTH(AH 2594 BK 3465) 013"H 17"W ELLIP METAL
0180/3410	LEN=0040 INSTALLED 2000
0180/3097	015"H 21"W ELLIP METAL LEN=0030 INSTALLED UNKN
0180/2484	024 " DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0180/2159	015"H 21"W ELLIP METAL LEN=0025 INSTALLED UNKN
0180/1855	035 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0180/1061	013"H 17"W ELLIP METAL LEN=0024 INSTALLED UNKN
0180/0985	013"H 17"W ELLIP METAL LEN=0030 INSTALLED 2000
0180/0768	018 " DIA CIR PLASTIC LEN=0056 INSTALLED UNKN
0180/0683	018 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0180/0201	013"H 17"W ELLIP METAL LEN=0035 INSTALLED 2000
038964 FT	2 0 01009 0 01 0389+45
0180/0000	013"H 17"W ELLIP METAL LEN=0030 INSTALLED 2000
0170/2263	LENGTH(AH 3465 BK 2688) 018 " DIA CIRC METAL LEN=0008 INSTALLED 2006
0170/1441	PONDTOWN RD (T581)
0170/1361	015 " DIA CIRC CONCR LEN=0032 INSTALLED UNKN
0170/0291	015 " DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0170/0071	BMSSEN 01/1005/0170/0000
036276 FT	2 0 01009 0 01 0362+57
	BERMUDIAN CK
	BMSBG 01/1005/0170/0000

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

QUAKER CHURCH RD  
 (SR1008 SEG 0080/2347) 0160/0641

035426 FT


032909 FT

032079 FT

030010 FT

IRONSTONE RD  
 (T612)

0120/1097



S 0170/0000 LENGTH(AH 2688 BK 0850)

0160/0554 036 " DIA CIRC CONCR  
 LEN=0048 INSTALLED UNKN  
 0160/0420 024 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2017  
 035426 FT 2 0 01009 0 00 0353+70  
 BERMUDIAN CREEK RD  
 (T627)

S 0160/0000 LENGTH(AH 0850 BK 2517)

0150/0273 015"H 21"W ELLIP METAL  
 LEN=0042 INSTALLED UNKN  
 032909 FT 2 0 01009 0 00 0328+53  
 LAKE MEADE RD  
 (SR1012 SEG 0010/0000)  
 NC LA TIMORE VALLEY RD  
 MUD RUN RD  
 (T613)

S 0150/0000 LENGTH(AH 2517 BK 0830)

0140/0806 020"H 28"W ELLIP METAL  
 LEN=0072 INSTALLED UNKN  
 0140/0585 013"H 17"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 0140/0010 BMSBN 01/1005/0140/0000  
 032079 FT 2 0 01009 0 00 0320+22  
 T. MUD RUN  
 BMSBG 01/1005/0140/0000

S 0140/0000 LENGTH(AH 0830 BK 2069)

0130/1086 013"H 17"W ELLIP METAL  
 LEN=0034 INSTALLED UNKN

S 0130/0000 LENGTH(AH 2069 BK 2020)

0120/1736 013"H 17"W ELLIP METAL  
 LEN=0035 INSTALLED 2001  
 0120/1183 015 " DIA CIRC METAL  
 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Stationing	Structure ID	Structure Description	Material	Status
027990 FT	0120/0907	013"H 17"W ELLIP	METAL	LEN=0028 INSTALLED UNKN
	0120/0340	015"H 21"W ELLIP	METAL	LEN=0030 INSTALLED 1999
	027990 FT	2 0 01009 0 00	0279+38	
	0120/0000	LENGTH(AH 2020 BK 1988)		
026002 FT	0110/0576	014"H 23"W ELLIP	CONC	LEN=0030 INSTALLED UNKN
	0110/0065	BMSSEN 01/1005/0110/0000		
	026002 FT	2 0 01009 0 00	0259+50	
		MUD RUN		
		BMSBG 01/1005/0110/0000		
		LATIMORE T		
		READING T		
	0110/0000	LENGTH(AH 1988 BK 1880)		
	0100/1303	014"H 23"W ELLIP	CONC	LEN=0035 INSTALLED UNKN
024122 FT	0100/0442	013"H 27"W ELLIP	METAL	LEN=0035 INSTALLED 1999
	0100/0031	015 "DIA CIRC	METAL	LEN=0016 INSTALLED UNKN
	024122 FT	2 0 01009 0 00	0241+09	
		020"H 28"W ELLIP METAL		
		LEN=0030 INSTALLED UNKN		
LAKE MEADE RD (SR1010 SEG 0010/3326)	0100/0000	LENGTH(AH 1880 BK 2099)		
		MUD RUN RD		
	0090/1567	(T613)		
	0090/1223	042"H 47"W BOX	CULVERT	LEN=0030 INSTALLED UNKN
022023 FT	0090/0439	018 "DIA CIR	PLASTIC	LEN=0003 INSTALLED 2006
	022023 FT	2 0 01009 0 00	0220+10	
	0090/0000	LENGTH(AH 2099 BK 2156)		
	0080/1752	018 "DIA CIR	PLASTIC	LEN=0030 INSTALLED UNKN
	0080/0767	030 "DIA CIR	PLASTIC	LEN=0030 INSTALLED UNKN
2 0 01009 0 00 0198+54 019867 FT CHURCH RD	0080/0153	024 "DIA CIRC	METAL	LEN=0034 INSTALLED UNKN
	019867 FT			

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: READING T RIGHT MUN: READING T

Stationing	Notes	Structure Details
(T614) 0080/0000	==	5 0080/0000 LENGTH(AH 2156 BK 3424)
	---	0070/2145 014"H 23"W ELLIP CONC LEN=0032 INSTALLED 1999
	---	0070/1040 015"H 21"W ELLIP METAL LEN=0030 INSTALLED UNKN
016443 FT		016443 FT 2 0 01009 0 00 0164+30 BIG ROCK RD
	==	5 0070/0000 LENGTH(AH 3424 BK 2741) LC FOR BIG ROCK RD
	==	0060/2666 (CONN)
	---	0060/2500 018" DIA CIR PLASTIC LEN=0034 INSTALLED 2006
	---	0060/2225 018"H 24"W ELLIP METAL LEN=0030 INSTALLED UNKN
GERMANY CT (TWP)	==	
0060/1934	---	0060/1773 018" DIA CIR PLASTIC LEN=0033 INSTALLED 2006
	---	0060/0012 015"H 21"W ELLIP METAL LEN=0030 INSTALLED 2006
013702 FT	---	013702 FT 2 0 01009 0 00 0136+89 5 0060/0000 LENGTH(AH 2741 BK 2767)
	---	0050/1860 024"H 43"W CON BOX CUL LEN=0028 INSTALLED UNKN
	==	0050/1360 WOLF RD (T618)
BOBALONG RD (T618)	==	
0050/1333	---	0050/1307 021"H 15"W METAL ARCH LEN=0075 INSTALLED 1999
010935 FT	---	010935 FT 2 0 01009 0 00 0109+22 5 0050/0000 LENGTH(AH 2767 BK 2131) 018" DIA CIR PLASTIC

DIR: B TOTAL LEN: 13.111 MI. DIST: 08-1 SR: 1005  
 LEFT MUN: READING T RIGHT MUN: READING T

2 0 01009 0 00 0087+91 008804 FT  
 STONEY POINT RD  
 (T529) 0040/0000

0040/1787 LEN=0030 INSTALLED UNKN  
 024 "DIA CIR PLASTIC  
 0040/1327 LEN=0030 INSTALLED UNKN

008804 FT STONEY POINT RD  
 (SR1007 SEG 0030/0000)  
 0040/0000 LENGTH(AH 2131 BK 2663)

006141 FT

006141 FT 2 0 01009 0 00 0061+41  
 024 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED 2006  
 0030/0000 LENGTH(AH 2663 BK 2511)

0020/1346 013"H 17"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN

0020/0444 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 015 "DIA CIR PLASTIC

003630 FT


0020/0168 LEN=0035 INSTALLED 2006  
 003630 FT 2 0 01009 0 00 0036+30  
 POSSUM HOLLOW RD  
 (T576)  
 0020/0000 LENGTH(AH 2511 BK 3630)

2 0 01009 0 00 0000+00 000000 FT  
 EAST BERLIN RD  
 (SR0234 SEG 0540/0027) 0010/0000

NC GERMANY RD  
 EAST BERLIN RD  
 000000 FT (SR0234 SEG 0540/0027)  
 MFC BEGIN = D  
 0010/0000 LENGTH(AH 3630 BK 0000)

DIR: B TOTAL LEN: 3.244 MI. DIST: 08-1 SR: 1004  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

017129 FT



017129 FT MOUNTAIN RD  
 0080/1697 (SR1005 SEG 0280/0000)

0080/0680 015 " DIA CIR PLASTIC  
 LEN=0028 INSTALLED UNKN  
 030 " DIA CIR PLASTIC  
 0080/0322 LEN=0030 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 0080/0200 LEN=0035 INSTALLED UNKN  
 015432 FT 2 0 01012 0 00 0155+40

015432 FT

TOWN HILL RD  
 (T608)  
 5 0080/0000 LENGTH(AH 1697 BK 3027)  
 018 " DIA CIR PLASTIC  
 0070/2984 LEN=0090 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 0070/2835 LEN=0030 INSTALLED UNKN  
 042 " DIA CIR PLASTIC  
 0070/2752 LEN=0046 INSTALLED 1999

0070/1607 018 " DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN  
 024 " DIA CIR PLASTIC  
 0070/1355 LEN=0030 INSTALLED UNKN  
 0070/1078 BMSSEN 01/1004/0070/1069  
 2 0 01012 0 01 0136+25

T. LATIMORE  
 0070/1069 BMSBG 01/1004/0070/1069  
 018 " DIA CIR PLASTIC  
 0070/0676 LEN=0052 INSTALLED UNKN

FICKEL HILL RD  
 (T605)

0070/0538

0070/0525 042 " DIA CIR PLASTIC  
 LEN=0065 INSTALLED UNKN



DIR: B TOTAL LEN: 3.244 MI. DIST: 08-1 SR: 1004  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Segment	Start Station	End Station	Length (FT)	Item ID	Description
012405 FT	0070/0482	0070/0249	0040	018 " DIA	CIR PLASTIC INSTALLED UNKN
	0070/0249	0070/0249	0030	018 " DIA	CIR PLASTIC INSTALLED UNKN
	012405 FT	012405 FT	0000	2 0 01012	0 00 0125+56 STRAYER RD (T607)
	0070/0000	0060/1731	0000	5 0070/0000	LENGTH(AH 3027 BK 1767) 015"H 21"W ELLIP METAL
010638 FT	0060/1731	0060/1684	0030	018 " DIA	CIR PLASTIC INSTALLED 1997
	0060/1684	0060/0757	0035	018 " DIA	CIR PLASTIC INSTALLED UNKN
	0060/0757	0060/0331	0035	013"H 27"W	ELLIP METAL INSTALLED UNKN
	0060/0331	010638 FT	0040	018 " DIA	CIR PLASTIC INSTALLED UNKN
008660 FT	010638 FT	0060/0000	0030	2 0 01012	0 00 0107+21 042"H 72"W ELLIP CONC
	0060/0000	0050/0021	0030	5 0060/0000	LENGTH(AH 1767 BK 1978)
CARLISLE PK (SR0094 SEG 0330/0000)	0050/0021	0050/0000	0056	018"H 23"W	ELLIP METAL INSTALLED UNKN
	0050/0000	0040/1785	0000	2 0 01012	0 00 0087+43 CARLISLE PK (SR0094 SEG 0330/0000)
	0040/1785	0040/1344	0000	NC LA	TIMORE RD LATIMORE HUNTINGTON T
	0040/1344	0040/1100	0000	5 0050/0000	LENGTH(AH 1978 BK 2084) 018 " DIA CIR PLASTIC
	0040/1100	0040/0920	0000	0040/1785	LEN=0035 INSTALLED 1996
	0040/0920	0040/0545	0000	0040/1344	LEN=0035 INSTALLED 1997
	0040/0545	0040/0445	0000	0040/1100	LEN=0035 INSTALLED UNKN
	0040/0445	0040/0316	0000	0040/0920	LEN=0035 INSTALLED UNKN
	0040/0316		0000	0040/0545	LEN=0035 INSTALLED 1997
			0000	0040/0445	LEN=0035 INSTALLED UNKN
			0000	0040/0316	LEN=0030 INSTALLED UNKN
			0000	0040/0316	024 " DIA CIR PLASTIC INSTALLED UNKN

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 168  
COUNTY: ADAMS

DIR: B TOTAL LEN: 3.244 MI.  
LEFT MUN: HUNTINGTON T

DIST: 08-1 SR: 1004  
RIGHT MUN: HUNTINGTON T

Distance (FT)	Stationing	Description	Material	Length (FT)	Installation Date
006576	0040/0000	STILL HOUSE RD (T604)	048" DIA CIR PLASTIC	0040	1957
006576	0030/1893		024" DIA CIR PLASTIC	0035	1997
006576	0030/1040		018" DIA CIR PLASTIC	0035	1997
006576	0030/0629		018" DIA CIR PLASTIC	0035	1997
006576	0030/0127		BMSSEN 01/1004/0030/0000	0047	2007
004619	0030/0023		TRIB LATIMORE CREEK		
004619	004619		BMSBG 01/1004/0030/0000		
004619	0030/0000		018" DIA CIR PLASTIC	0040	1997
004619	0020/1731		024" DIA CIR PLASTIC	0046	1997
004619	0020/1291		018" DIA CIR PLASTIC	0040	1997
004619	0020/1033		042" DIA CIR PLASTIC	0035	1997
004619	0020/0781		018" DIA CIR PLASTIC	0040	1997
004619	0020/0483		018" DIA CIR PLASTIC	0045	1997
001894	0020/0294		2 0 01012 0 00 0018+94		
001894	001894		018" DIA CIR PLASTIC	0040	1997
001894	0020/0000		018" DIA CIR PLASTIC	0041	1997
001894	0010/1829		OXFORD RD		
001894	0010/1371		(SR1003 SEG 0050/1394)		
001894	0010/0978		018" DIA CIR PLASTIC	0040	1997
001894	0010/0734				
000000	000000		2 0 01012 0 00 0000+00		
000000	INTER-BK		GOODYEAR RD		
000000			GOODYEAR RD		
000000			(SR3010 SEG 0080/2319)		
000000			MFC BEGIN = E		
000000			BK-CUMBERLAND (21)		
000000	0010/0000		018" DIA CIR PLASTIC	0040	1997


EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 167  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 1.916 MI. DIST: 08-1 SR: 1003  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

ORCHARD VIEW RD  
(T593)

010119 FT

0050/1077

008725 FT



010119 FT  
 INTER-AHD OXFORD RD  
 (T590)  
 GOODYEAR RD  
 0050/1394 (SR1004 SEG 0010/0978)  
 0050/1370 018 " DIA CIR PLASTIC  
 LEN=0060 INSTALLED 2006  
 008725 FT 2 0 01065 0 00 0087+29  
 SNYDER RD

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 166  
COUNTY: ADAMS

DIR: B TOTAL LEN: 1.916 MI.  
LEFT MUN: HUNTINGTON T

DIST: 08-1 SR: 1003  
RIGHT MUN: HUNTINGTON T

2 0 01065 0 00 0060+17 006013 FT  
LABOR CAMP RD  
(T598) 0040/0000

004333 FT

002460 FT

000000 FT

IDAVILLE-YORK SPRINGS R  
(SR1020 SEG 0090/0000) 0010/0000




Diagram showing roadway segments and markers. The diagram consists of a vertical line representing the roadway, with various segments and markers indicated by horizontal bars and symbols. The segments are labeled with stationing and descriptions. The markers are labeled with stationing and descriptions. The segments are: 0050/0000 (SR1002 SEG 0010/0000), 0040/2682 (018" DIA CIR PLASTIC), 0040/2633 (LEN=0040 INSTALLED UNKN FOR SR 1002 AND 1003 (CONN)), 0040/1144 (018" DIA CIR PLASTIC), 0040/0817 (LEN=0032 INSTALLED UNKN), 006013 FT (018" DIA CIR PLASTIC), 0040/0000 (LEN=0030 INSTALLED UNKN), 0030/0288 (030" DIA CIR PLASTIC), 004333 FT (LEN=0050 INSTALLED UNKN), 0030/0000 (2 0 01065 0 00 0043+37 SLAYBAUGHTOWN RD (SR1001 SEG 0020/1877)), 0020/0618 (018" DIA CIR PLASTIC), 002460 FT (LEN=0030 INSTALLED UNKN), 0020/0000 (2 0 01065 0 00 0023+86), 0010/0078 (018" DIA CIR PLASTIC), 000000 FT (LEN=0098 INSTALLED UNKN), 000000 FT (2 0 01065 0 00 0000+00 IDAVILLE-YORK SPRINGS R (SR1020 SEG 0090/0000)), INTER-BK OXFORD RD (T590), 0010/0000 (MFC BEGIN = E), 0010/0000 (LEN=2460 BK 0000).

SR1002 SEG 0010/0000  
0050/0000 LENGTH(AH 1394 BK 2712)  
018" DIA CIR PLASTIC  
0040/2682 LEN=0040 INSTALLED UNKN  
FOR SR 1002 AND 1003  
0040/2633 (CONN)  
018" DIA CIR PLASTIC  
0040/1144 LEN=0032 INSTALLED UNKN  
018" DIA CIR PLASTIC  
0040/0817 LEN=0030 INSTALLED UNKN  
006013 FT  
0040/0000 LENGTH(AH 2712 BK 1680)  
030" DIA CIR PLASTIC  
0030/0288 LEN=0050 INSTALLED UNKN  
004333 FT 2 0 01065 0 00 0043+37  
SLAYBAUGHTOWN RD  
(SR1001 SEG 0020/1877)  
0030/0000 LENGTH(AH 1680 BK 1873)  
018" DIA CIR PLASTIC  
0020/0618 LEN=0030 INSTALLED UNKN  
002460 FT 2 0 01065 0 00 0023+86  
0020/0000 LENGTH(AH 1873 BK 2460)  
018" DIA CIR PLASTIC  
0010/0078 LEN=0098 INSTALLED UNKN  
000000 FT 2 0 01065 0 00 0000+00  
IDAVILLE-YORK SPRINGS R  
(SR1020 SEG 0090/0000)  
INTER-BK OXFORD RD  
(T590)  
MFC BEGIN = E  
0010/0000 LENGTH(AH 2460 BK 0000)

DIR: B TOTAL LEN: .910 MI. DIST: 08-1 SR: 1002  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T


SLAYBAUGHTOWN RD 004805 FT  
 (SR1001 SEG 0020/0000) 0020/2591

STILL HOUSE RD  
 (T604) 0020/1820

002214 FT

000000 FT

OXFORD RD  
 (SR1003 SEG 0050/0000) 0010/0000



004805 FT SLAYBAUGHTOWN RD  
 0020/2591 (SR1001 SEG 0020/0000)  
 0020/2544 FOR SR 1001 AND 1002  
 (CONN)  
 0020/2213 024 " DIA CIR PLASTIC  
 LEN=0034 INSTALLED UNKN


0020/0532 018 " DIA CIR PLASTIC  
 LEN=0050 INSTALLED 2007  
 002214 FT 2 0 01083 0 00 0024+84  
 0020/0000 LENGTH(AH 2591 BK 2214)

0010/0443 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 FOR SR 1002 AND 1003  
 (CONN)  
 0010/0087 2 0 01083 0 00 0048+01  
 000000 FT OXFORD RD  
 (SR1003 SEG 0050/0000)  
 NC SN YDER RD  
 MFC BEGIN = E  
 0010/0000 LENGTH(AH 2214 BK 0000)

DIR: B TOTAL LEN: .943 MI. DIST: 08-1 SR: 1001  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

004979 FT

003102 FT



004979 FT OXFORD RD  
 0020/1877 (SR1003 SEG 0030/0000)  
 018 "DIA CIR PLASTIC  
 0020/1818 LEN=0070 INSTALLED UNKN

0020/0827 060 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN

0020/0083 FOR SR 1001 AND 1002  
 (CONN)  
 018 "DIA CIR PLASTIC  
 0020/0010 LEN=0032 INSTALLED UNKN  
 003102 FT 2 0 01081 0 00 0018+41

5 0020/0000 SNYDER RD  
 (SR1002 SEG 0020/2591)  
 LENGTH(AH 1877 BK 3102)

0010/1543 018 "DIA CIR PLASTIC  
 LEN=0035 INSTALLED UNKN

0010/1512 043"H 68"W ELLIP CONC  
 LEN=0064 INSTALLED 2007

0010/1248 018 "DIA CIR PLASTIC  
 LEN=0044 INSTALLED 2007

0010/1200 015 "DIA CAST IRON  
 LEN=0025 INSTALLED UNKN

0010/0392 018 "DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2007

NC SLAYBAUGHTOWN RD  
 IDAVILLE-YORK SPRINGS R  
 000000 FT (SR1020 SEG 0110/1369)  
 MFC BEGIN = E  
 5 0010/0000 LENGTH(AH 3102 BK 0000)

2 0 01081 0 00 0049+68 000000 FT  
 IDAVILLE-YORK SPRINGS R  
 (SR1020 SEG 0110/1369) 0010/0000

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 163  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
LEFT MUN: READING T RIGHT MUN: READING T

CARLISLE PK  
(SR0094 SEG 0145/0166)  
READING-CARLISLE PK  
(TWP )

INTER-AHD

CHD


DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
 LEFT MUN: READING T RIGHT MUN: READING T

CARLISLE PK 070955 FT  
 (SR0094 SEG 0145/0166) 0285/0089

0 0 00000 0 00 0000+00 070866 FT  
 MFC BEGIN = D  
 LENGTH(AH 0089 BK 1537) 0285/0000

1 0 00620 0 02 0695+17 069329 FT  
 GOOSEVILLE RD  
 (T573) 0280/0000

TURKEY PIT RD  
 (T542) 0250/2146



070926 FT  
 INTER-AHD

0284/0060  
 070866 FT

0284/0000

0280/1401

0280/1113

069329 FT

0280/0000

0270/2463

0270/1154

0270/0000

0260/1842

0260/0322

064869 FT

0260/0000

0250/1937

CARLISLE PK  
 (SR0094 SEG 0145/0092)  
 READING-CARLISLE PK  
 (TWP)

CARLISLE PK  
 (SR0094 SEG 0145/0092)  
 0 0 00000 0 00 0000+00  
 MFC BEGIN = D

LENGTH(AH 0060 BK 1537)  
 VILLAGE AL  
 (TWP)  
 CHURCH AL  
 (TWP)

LENGTH(AH 1537 BK 2618)  
 048 " DIA CIRC CONCR  
 LEN=0036 INSTALLED UNKN

030 " DIA CAST IRON  
 LEN=0028 INSTALLED UNKN

1 0 00620 0 02 0669+35  
 LENGTH(AH 2618 BK 1842)  
 030 " DIA CAST IRON  
 LEN=0030 INSTALLED UNKN

014 " DIA CAST IRON  
 LEN=0030 INSTALLED UNKN  
 1 0 00620 0 02 0650+93  
 012 " DIA CIRC CONCR  
 LEN=0030 INSTALLED UNKN  
 TURKEY PIT RD  
 (T542)

LENGTH(AH 1842 BK 2158)

012 " DIA CAST IRON  
 LEN=0023 INSTALLED UNKN  
 014 " DIA CAST IRON



DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
 LEFT MUN: READING T RIGHT MUN: READING T

Stationing	Notes	Item	Length	Material	Status
		0250/1358	LEN=0031	018 " DIA CIR PLASTIC	INSTALLED UNKN
		0250/0671	LEN=0036	014 " DIA CAST IRON	INSTALLED 2002
062711 FT		062711 FT	1 0 00620	0 02 0629+35	
		0250/0000	LEN=0028	014 " DIA CAST IRON	INSTALLED UNKN
		0240/3244	LEN=0028	014 " DIA CAST IRON	INSTALLED UNKN
		0240/2287		DICKS DAM RD (T530)	
		0240/1403	LEN=0062	030 " DIA CIRC METAL	INSTALLED UNKN
GROUP MILL RD (T528)		0240/1382		GROUP MILL RD (T528)	
		0240/1314		BMSBG 01/0394/0240/1097	
		0240/1215		READING STRABAN T	
		0240/1160	1 0 00620	0 02 0607+60	
		0240/1097		CONEWAGO CK.	
		0240/0897	BMSBG 01/0394/0240/1097	BMSBG 01/0394/0240/0877	
		0240/0877	1 0 00620	0 02 0605+38	
		0240/0877		MILL RACE	
		0240/0451	LEN=0032	012 " DIA CAST IRON	INSTALLED UNKN
059437 FT		059437 FT	1 0 00620	0 02 0596+61	
		0240/0000		CONEWAGO RD (T526)	
		0230/2894	LENGTH(AH 3274 BK 3167)	017 "H 13 "W METAL ARCH	INSTALLED 1998
		0230/2002	LEN=0030	012 " DIA CAST IRON	INSTALLED UNKN
		0230/0940	LEN=0030	013 " DIA CAST IRON	INSTALLED UNKN
056270 FT		056270 FT	1 0 00620	0 02 0564+73	

DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Length	Material	Installation
0230/0000		OXFORD RD (SR1015 SEG 0170/0000)	
0220/1402	018" DIA	CIRC CONC	INSTALLED UNKN
0220/0762	015" DIA	CIR PLASTIC	INSTALLED 2001
0220/0010	015" DIA	CIRC METAL	INSTALLED UNKN
054828 FT	1 0 00620 0 02 0550+04	NEW CHESTER RD (T514)	
0220/0000	015" DIA	CAST IRON	INSTALLED UNKN
0210/3264	015" DIA	CIR PLASTIC	INSTALLED 2001
0210/2673	015" DIA	CIR PLASTIC	INSTALLED 2001
0210/2122	015" DIA	CIR PLASTIC	INSTALLED 2001
0210/1873	015" DIA	CIR PLASTIC	INSTALLED 2001
0210/1106	015" DIA	CIR PLASTIC	INSTALLED 2001
0210/0832	016" DIA	CAST IRON	INSTALLED UNKN
0210/0351	015" DIA	CIRC METAL	INSTALLED UNKN
0210/0025	015" DIA	CIRC METAL	INSTALLED UNKN
051429 FT	1 0 00620 0 02 0516+05		
0210/0000	016" DIA	CAST IRON	INSTALLED UNKN
0200/2172	012" DIA	CAST IRON	INSTALLED UNKN
0200/1334	015" DIA	CIR PLASTIC	INSTALLED 2001
0200/0870	012" DIA	CAST IRON	INSTALLED UNKN
0200/0111	012" DIA	CAST IRON	INSTALLED UNKN
048414 FT	1 0 00620 0 02 0485+90 048414 FT	BEAVER RUN RD (T521)	
0200/0000	017" H 13" W	METAL ARCH	INSTALLED 2001
0190/3714	017" H 13" W	METAL ARCH	INSTALLED 2001

DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T


Stationing	Length	Material	Notes
		024 " DIA CIR PLASTIC	LEN=0036 INSTALLED 2001
		0190/1693	
044674 FT		024 " DIA CIR PLASTIC	LEN=0036 INSTALLED 2001
		0190/0160	
		044674 FT	1 0 00620 0 02 0448+61
			SIBERT RD
			(T518)
		0190/0000	LENGTH(AH 3740 BK 2612)
		0180/1522	048 " DIA CIRC CONCR
			LEN=0042 INSTALLED UNKN
UNKNOWN RD (PRDR)	0180/0474		
		0180/0091	013"H 17"W ELLIP METAL
			LEN=0040 INSTALLED UNKN
042062 FT		042062 FT	1 0 00620 0 02 0422+49
			MILLHIMES RD
			(T516)
		0180/0000	LENGTH(AH 2612 BK 1674)
		0170/0104	041"H 76"W ELLIP METAL
			LEN=0038 INSTALLED UNKN
1 0 00620 0 02 0405+75	040388 FT	040388 FT	
PINE TREE RD			
(T522)		0170/0000	LENGTH(AH 1674 BK 2995)
		0160/0774	013"H 17"W ELLIP METAL
			LEN=0030 INSTALLED UNKN
		0160/0267	013"H 17"W ELLIP METAL
			LEN=0030 INSTALLED UNKN



DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

ZEPP RD  
 (T413)

0130/0000




0130/0000

(T513)  
 LENGTH(AH 3081 BK 2987)  
 RAMP F-3 RD  
 (SR8009 SEG 0750/0000)  
 RAMP F-2 RD  
 (SR8009 SEG 0010/0541)  
 01B "DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 0120/2570 BMSSEN 01/0394/0120/2435  
 0120/2567 1 0 00620 0 02 0280+19  
 US 15 (NB)  
 0120/2435 BMSBG 01/0394/0120/2435  
 01B "DIA CIRC CONCR  
 0120/2415 LEN=0039 INSTALLED UNKN  
 RAMP F-4 RD  
 (SR8009 SEG 0500/0627)  
 RAMP F-1 RD  
 (SR8009 SEG 0250/0000)

SANDOE RD  
 (T415)

0120/1822



0120/2245

024 "DIA CIRC METAL  
 LEN=0048 INSTALLED 1999  
 01B "DIA CIRC CONCR  
 0120/0260 LEN=0060 INSTALLED UNKN  
 025382 FT 1 0 00620 0 02 0255+85  
 OLD HARRISBURG RD  
 (SR3001 SEG 0300/0000)  
 0120/0000 LENGTH(AH 2987 BK 2968)

025382 FT

0120/0260  
 025382 FT

0110/1559 BMSSEN 01/0394/0110/1534  
 1 0 00620 0 02 0241+47  
 BR. ROCK CK.  
 0110/1534 BMSBG 01/0394/0110/1534

022414 FT

022414 FT

1 0 00620 0 02 0226+13  
 GOOD INTENT RD  
 (T508)  
 0110/0000 LENGTH(AH 2968 BK 1522)  
 015 "DIA CIRC METAL  
 0100/1377 LEN=0035 INSTALLED UNKN  
 01B "DIA CIR PLASTIC  
 0100/1199 LEN=0036 INSTALLED 1999



DIR: B TOTAL LEN: 13.438 MI. DIST: 08-1 SR: 394  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

BROOKSIDE LN  
 (TBC)

0060/0926

1 0 00620 0 00 0111+26 011149 FT  
 OLD CARLISLE RD  
 (T500)


0060/0000

BENDERS CHURCH RD  
 (T373)

0050/0000

008135 FT

006020 FT




ID	STRUCTURE	LENGTH	INSTALLATION
0060/0861	MILL RACE BMSID 01/0394/0060/0861	11 FT	
0060/0701	BMSEN 01/0394/0060/0526 1 0 00620 0 00 0116+32 P3		
0060/0526	CONEWAGO CREEK BMSBG 01/0394/0060/0526 012"H 10"W ELLIP CAST		LEN=0024 INSTALLED 1999
0060/0044		011149 FT	
0060/0000	LENGTH(AH 2041 BK 3014) 018 "DIA CAST IRON		LEN=0033 INSTALLED UNKN
0050/2694			048 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
0050/1835			015 "DIA CIRC METAL LEN=0039 INSTALLED UNKN
0050/1632			018 "DIA CAST IRON LEN=0033 INSTALLED UNKN
0050/1174			018 "DIA CAST IRON LEN=0028 INSTALLED UNKN
0050/0504		008135 FT	1 0 00620 0 00 0080+90 RAKE FACTORY RD (T373)
0050/0000	LENGTH(AH 3014 BK 2115) 016 "DIA CAST IRON		LEN=0034 INSTALLED UNKN
0040/1911			020 "DIA CAST IRON LEN=0032 INSTALLED UNKN
0040/1497	OAKSIDE COMMUNITY PARK (TWP)		
0040/1022	OAKSIDE COMMUNITY PARK (TWP)		
0040/0932			
006020 FT		006020 FT	1 0 00620 0 00 0059+95
0040/0000	LENGTH(AH 2115 BK 1899)		
0030/1241	021 "DIA CAST IRON LEN=0037 INSTALLED UNKN		





EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 153  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: EAST BERLIN B RIGHT MUN: EAST BERLIN B

146415 FT



UNKNOWN RD  
 (BORO)  
 FISSEL AL  
 (BORO)

0570/1593  
 0570/1189

146415 FT AH-YORK (66)  
 INTER-AHD BMSSEN 01/0234/0570/1985  
 0570/2192 EAST BERLIN RD  
 (SRO234 SEG 0010/0000)  
 2 0 66005 0 00 0000+00  
 BEAVER CREEK  
 0570/2080 BMSBG 01/0234/0570/1985  
 BEAVER ST  
 0570/2033 (BORO)  
 0570/1750 018" DIA CIRC CONCR  
 LEN=0037 INSTALLED UNKN

JACOBS ST

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 152  
COUNTY: ADAMS

DIR: B TOTAL LEN: 27.730 MI.  
LEFT MUN: EAST BERLIN B

DIST: 08-1 SR: 234  
RIGHT MUN: EAST BERLIN B

Stationing	Notes	Stationing	Notes
		0570/0771	(BORO) STONER AL
		0570/0293	(BORO)
144223 FT		0570/0036	018" DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		144223 FT	2 0 66005 0 00 0000+00 018" DIA CIRC CONCR LEN=0016 INSTALLED UNKN
			ABBOTTSTOWN ST (SR0194 SEG 0330/0000)
HARRISBURG ST (SR0194 SEG 0330/0000)	0570/0000	0570/0000	LENGTH(AH 2192 BK 2702) 018" DIA CIRC CONCR
		0560/2653	LEN=0040 INSTALLED UNKN WATER ST
		0560/2238	(BORO) THIRD ST
		0560/1924	(BORO) THIRD AL
		0560/1634	(BORO)
		0560/1596	018" DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0560/1339	015"H 21"W ELLIP METAL LEN=0047 INSTALLED UNKN
		0560/1334	FOURTH ST (BORO)
		0560/1288	012"H 21"W ELLIP METAL LEN=0042 INSTALLED UNKN
		0560/1036	FOURTH AL (BORO)
		0560/1034	012"H 21"W ELLIP METAL LEN=0043 INSTALLED UNKN
		0560/0740	FIFTH ST (BORO)
		0560/0456	015"H 21"W ELLIP METAL LEN=0040 INSTALLED UNKN
		0560/0450	FIFTH AL (BORO)
		0560/0415	015"H 24"W ELLIP METAL LEN=0040 INSTALLED UNKN
UNNAMED AL (BORO)	0560/0250 141521 FT	141521 FT	1 0 00399 0 00 0457+09 SECOND ST (BORO)
		0560/0000	LENGTH(AH 2702 BK 0833) 018" DIA CIRC METAL
		0550/0612	LEN=0045 INSTALLED UNKN NC KING ST
KING ST			SIXTH ST

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: EAST BERLIN B RIGHT MUN: EAST BERLIN B

Left Side Description	Left Side Stationing	Right Side Stationing	Right Side Description
(BORO)	0550/0541	0550/0541	(BORO)
		0550/0184	018" DIA CIRC METAL
		0550/0152	LEN=0018 INSTALLED UNKN
140688 FT		018" DIA CIRC METAL	
		140688 FT	LEN=0020 INSTALLED UNKN
			1 0 00399 0 00 0448+57
			EAST BERLIN
			READING T
		5 0550/0000	LENGTH(AH 0833 BK 2121)
		0540/2116	BMSSEN 01/0234/0540/1891
			1 0 00399 0 00 0446+51
			CONEWAGO
FISH AND GAME RD	0540/1705	0540/1891	BMSBG 01/0234/0540/1891
(SR1013 SEG 0010/0000)		0540/1705	KUHN FORDING RD
			(T352)
		0540/1574	036"H 72"W CON BOX CUL
			LEN=0040 INSTALLED UNKN
GERMANY RD	0540/0027		
(SR1005 SEG 0010/0000)	138567 FT	138567 FT	1 0 00399 0 00 0427+68
		5 0540/0000	LENGTH(AH 2121 BK 2971)
			018" DIA CIRC CONCR
		0530/2908	LEN=0054 INSTALLED UNKN
			024" DIA CIR PLASTIC
		0530/2186	LEN=0050 INSTALLED UNKN
			015" DIA CIRC CONCR
		0530/1122	LEN=0036 INSTALLED UNKN
			024" DIA CIRC CONCR
		0530/0745	LEN=0061 INSTALLED UNKN
			015" DIA CAST IRON
135596 FT		0530/0548	LEN=0046 INSTALLED UNKN
		135596 FT	1 0 00399 0 00 0398+26
			MARKLE RUN RD
			(T577)
		5 0530/0000	LENGTH(AH 2971 BK 1810)
			018" DIA CIRC CONCR
		0520/1317	LEN=0045 INSTALLED UNKN
133786 FT		133786 FT	1 0 00399 0 00 0380+37
		5 0520/0000	LENGTH(AH 1810 BK 2552)
			036"H 60"W CON BOX CUL

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: READING T RIGHT MUN: READING T

POSSOM HOLLOW RD  
 (T576)

0510/1714

0510/2482 LEN=0040 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 0510/2013 LEN=0040 INSTALLED UNKN

131234 FT

0510/0014 048"H 72"W CON BOX CUL  
 LEN=0037 INSTALLED UNKN  
 131234 FT 1 0 00399 0 00 0354+85  
 0510/0000 LENGTH(AH 2552 BK 2961)

HOOVER SCHOOL RD  
 (T542)

0500/0614

0500/2335 BMS EN 01/0234/0500/2311  
 1 0 00399 0 00 0347+96  
 T.CONEWAGO  
 0500/2320 BMSBG 01/0234/0500/2311

128273 FT

0500/1700 018 "DIA CIRC CONCR  
 LEN=0044 INSTALLED UNKN  
 0500/1174 018 "DIA CIRC CONCR  
 LEN=0052 INSTALLED UNKN

1 0 00399 0 00 0288+83 124635 FT  
 STONEY POINT RD  
 (T529) 0490/0000


0500/0559 BMS EN 01/0234/0500/0529  
 1 0 00399 0 00 0325+24  
 MARKEL RUN  
 0500/0529 BMSBG 01/0234/0500/0529  
 128273 FT 1 0 00399 0 00 0325+24  
 PEEPYTOWN RD  
 (SR1018 SEG 0090/1772)  
 0500/0000 LENGTH(AH 2961 BK 3638)

0490/1864 024 "DIA CIRC CONCR  
 LEN=0038 INSTALLED UNKN  
 0490/1306 015"H 21"W ELLIP CONC  
 LEN=0055 INSTALLED UNKN  
 KIMBERLY LN  
 (TWP )

124635 FT STONEY POINT RD  
 (SR1007 SEG 0020/3104)  
 0490/0000 LENGTH(AH 3638 BK 2316)

021 "DIA CIRC METAL

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: READING T RIGHT MUN: READING T



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 148  
COUNTY: ADAMS

DIR: B TOTAL LEN: 27.730 MI.  
LEFT MUN: READING T

DIST: 08-1 SR: 234  
RIGHT MUN: READING T

Stationing	Notes	Stationing	Notes
113743 FT		113743 FT	1 0 00399 0 00 0179+84 PLUM RUN BMSBG 01/0234/0450/0000 READING TYRONE T
		0450/0000	LENGTH(AH 2882 BK 2359)
		0440/1448	024 " DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0440/0556	018 " DIA CIR PLASTIC LEN=0047 INSTALLED UNKN
		0440/0406	030 " DIA CIRC CONCR LEN=0057 INSTALLED UNKN
111384 FT		111384 FT	1 0 00399 0 00 0156+11
		0440/0000	LENGTH(AH 2359 BK 2874)
		0430/2775	024 " DIA CIR PLASTIC LEN=0054 INSTALLED UNKN
		0430/2635	TYRONE READING T
		0430/2229	018 " DIA CIR PLASTIC LEN=0038 INSTALLED UNKN
		0430/1414	018 " DIA CIR PLASTIC LEN=0080 INSTALLED UNKN
LAKE MEADE RD (T532)		0430/1369	VAN CLEVE RD (T570) READING TYRONE T
		0430/1343	018 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
		0430/1324	TYRONE READING T
		0430/1122	018 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
		0430/1017	READING TYRONE T
		0430/0908	018 " DIA CIR PLASTIC LEN=0049 INSTALLED UNKN
		0430/0538	TYRONE HUNTINGTON T
		0430/0395	1 0 00399 0 00 0127+37
108510 FT		108510 FT	FIVE POINTS RD (T565)
		0430/0000	LENGTH(AH 2874 BK 3726)
WIERMANS MILL RD (SR1009 SEG 0010/0000)		0420/3605	CASHMAN RD (T565)
		0420/3602	015 " DIA CIR PLASTIC LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

Stationing	Description	Material	Length	Status
0420/3486		024 " DIA CIR PLASTIC	LEN=0045	INSTALLED UNKN
0420/2819		018 " DIA CIR PLASTIC	LEN=0048	INSTALLED UNKN
0420/1239		018 " DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
0420/0953	TYRONE T			
0420/0496		018 " DIA CIR PLASTIC	LEN=0048	INSTALLED UNKN
104784 FT				
104784 FT				
0420/0000			LENGTH(AH 3726 BK 3176)	
0410/1332		018 " DIA CIRC CONCR	LEN=0032	INSTALLED 2006
0410/0463		029 "H 45 "W ELLIP CONC	LEN=0040	INSTALLED 2006
101608 FT				
0410/0000			LENGTH(AH 3176 BK 1725)	
0400/1705		018 " DIA CIR PLASTIC	LEN=0052	INSTALLED UNKN
0400/0089		018 " DIA CIRC CONCR	LEN=0055	INSTALLED UNKN
099883 FT				
0400/0000			LENGTH(AH 1725 BK 1061)	
0390/0936		018 " DIA CIRC METAL	LEN=0044	INSTALLED UNKN
0390/0718		018 " DIA CIRC METAL	LEN=0065	INSTALLED UNKN
0390/0428			FROM 8007/0010 SH	
0390/0423			(CONN)	
		018 " DIA CIRC CONCR	LEN=0107	INSTALLED UNKN
				RAMP D RD

1 0 00399 0 00 0058+12 101608 FT  
 GUN CLUB RD  
 (T580) 0410/0000

1 0 00399 0 00 0040+87 099883 FT  
 WHITE CHURCH RD  
 (T568) 0400/0000





DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Stationing	Description	Length (FT)	Material	Notes
090917		090917	0360/0208	036 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN
			0360/0021	BMSSEN 01/0234/0360/0000
			090917	1 0 00342 5 00 0909+87 UNT TO CONEWAGO CREEK
			0360/0000	BMSBG 01/0234/0360/0000 LENGTH(AH 3382 BK 2714)
			0350/1308	030 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
			0350/1091	BMSSEN 01/0234/0350/1074 1 0 00342 5 00 0893+40
			0350/1074	T. CONEWAGO BMSBG 01/0234/0350/1074
088203	SCHOOL HOUSE RD (T532)	088203	0350/0000	088203 FT LENGTH(AH 2714 BK 2217) TWIN BRIDGES RD (T521)
			0340/2182	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
			0340/1704	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
			0340/1092	GAMELANDS RD (T520)
			0340/1042	
085986	E CHESTNUT HILL RD (T538)	085986	0340/0000	085986 FT LENGTH(AH 2217 BK 2323)
			0340/0000	
083663	W CHESTNUT HILL RD (T536)	083663	0330/0000	083663 FT TYRONE BUTLER T LENGTH(AH 2323 BK 1872)
			0320/1708	BMSSEN 01/0234/0320/1692 1 0 00342 5 00 0835+55
			0320/1692	T. OPOSSUM CK BMSBG 01/0234/0320/1692

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

CENTRE MILLS RD  
 (T530)

081791 FT

0320/0020 036 " DIA CIRC CONCR  
 081791 FT LEN=0051 INSTALLED UNKN  
 1 0 00342 5 00 0818+43  
 0320/0000 LENGTH(AH 1872 BK 2885)

0310/2276 018 " DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 0310/1885 018 " DIA CIRC CONCR  
 LEN=0039 INSTALLED UNKN  
 STONE JUG RD

0310/1291

0310/1291 (T529)  
 018 " DIA CIRC CONCR  
 0310/0730 LEN=0044 INSTALLED UNKN

RBR

078906 FT

0310/0105 BMS EN 01/0234/0310/0000  
 078906 FT 1 0 00342 5 00 0789+58  
 P3

RBR

0310/0000 OPOSSUM CREEK  
 BMSBG 01/0234/0310/0000  
 LENGTH(AH 2885 BK 2443)

0300/1754 018 " DIA CIRC CONCR  
 LEN=0055 INSTALLED UNKN  
 0300/1343 015 " DIA CIRC CONCR  
 LEN=0041 INSTALLED UNKN

076463 FT

0300/0244 024 " DIA CIRC CONCR  
 0300/0013 LEN=0053 INSTALLED UNKN  
 076463 FT BMS EN 01/0234/0300/0000  
 1 0 00342 5 00 0765+26  
 064" H 84" W CON BOX CUL  
 LEN=0023 INSTALLED UNKN  
 T. OPOSSUM CK

0300/0000 BMSBG 01/0234/0300/0000  
 LENGTH(AH 2443 BK 1744)  
 064" H 84" W CON BOX CUL

0290/1726 LEN=0025 INSTALLED UNKN  
 0290/1268 018 " DIA CIRC CONCR  
 LEN=0037 INSTALLED UNKN  
 0290/0990 018 " DIA CIRC CONCR  
 LEN=0050 INSTALLED UNKN  
 0290/0433 018 " DIA CIRC CONCR  
 LEN=0042 INSTALLED UNKN  
 0290/0023 018 " DIA CIRC CONCR  
 074719 FT LEN=0029 INSTALLED UNKN  
 OLD CARLISLE RD

1 0 00342 5 00 0748+01 074719 FT

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

OLD CARLISLE RD  
 (SR4001 SEG 0010/0000) 0290/0000

==  
 ---  
 [S] 0290/0000 (T500)  
 LENGTH(AH 1744 BK 2424)  
 018 " DIA CIRC CONCR  
 0280/2306 LEN=0060 INSTALLED UNKN

072295 FT

---  
 ---  
 0280/0726 018 " DIA CIRC CONCR  
 LEN=0042 INSTALLED UNKN  
 ---  
 0280/0095 018 " DIA CIRC CONCR  
 LEN=0060 INSTALLED UNKN  
 072295 FT 1 0 00342 5 00 0723+77  
 NC HE IDLERSBURG RD

GUERNSEY RD  
 (T534)

0270/2668

[S] 0280/0000 LENGTH(AH 2424 BK 3720)  
 034"H 53"W ELLIP CONC  
 ---  
 0270/3690 LEN=0120 INSTALLED UNKN  
 ---  
 0270/3226 018 " DIA CIRC CONCR  
 LEN=0068 INSTALLED UNKN  
 ---  
 0270/2895 018 " DIA CIRC CONCR  
 LEN=0053 INSTALLED UNKN  
 ---  
 0270/2685 018 " DIA CIRC CONCR  
 LEN=0062 INSTALLED UNKN

GVM, INC  
 (PRDR)

0270/0696

---  
 <--->  
 ---  
 [S] 0270/0896 T.OPOSSUM CK  
 STRUCTURE LENGTH 8 FT  
 BMSID 01/0234/0270/0912  
 048"H 84"W CON BOX CUL  
 LEN=0075 INSTALLED UNKN

068575 FT

POI  
 ---  
 0270/0696 (APRA) GVM, INC  
 BUTLER  
 BIGLERVILLE B  
 0270/0529 1 0 00342 5 00 0686+57  
 068575 FT  
 [S] 0270/0000 LENGTH(AH 3720 BK 1227)

067348 FT

==  
 ---  
 [S] 0260/0405 FIFTH ST  
 (PRDR)  
 067348 FT 1 0 00342 5 00 0674+30  
 ---  
 [S] 0260/0000 FOURTH ST  
 (BORO)  
 LENGTH(AH 1227 BK 2978)  
 ---  
 [S] 0250/2646 THIRD ST  
 (BORO)

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 142  
COUNTY: ADAMS

DIR: B TOTAL LEN: 27.730 MI.  
LEFT MUN: BIGLERVILLE B

DIST: 08-1 SR: 234  
RIGHT MUN: BIGLERVILLE B

ENT TO PAPER COMPANY  
(BORO)

UNKNOWN AL  
(BORO)  
UNNAMED AL  
(BORO)

FRANKLIN ST  
(BORO)

UNIVERSITY DR  
(BORO)

0250/2419

0250/1610


0250/1478

0250/0548

064370 FT

0240/0420

063333 FT



0250/2508 012 " DIA CAST IRON  
LEN=0029 INSTALLED UNKN  
0250/2492 (AAR 593408J) #TRKS 01  
0250/2471 012 " DIA CAST IRON  
LEN=0074 INSTALLED UNKN  
0250/2419 (APRA) TEMPLE-INLAND BO  
MUSSELMAN AV  
0250/1945 (BORO)  
036 " DIA CIRC METAL  
0250/1893 LEN=0029 INSTALLED UNKN  
0250/1327 UNNAMED AL  
(BORO)  
0250/1148 018 " DIA CIRC CONCR  
LEN=0047 INSTALLED UNKN  
MAIN ST  
(SR0034 SEG 0130/1822)  
0250/1129 MFC BEGIN = C  
UNNAMED AL  
(BORO)  
0250/0923 012 " DIA CAST IRON  
0250/0916 LEN=0028 INSTALLED UNKN  
PENN ST  
(BORO)  
0250/0729 FRANKLIN ST  
(BORO)  
0250/0532 024 " DIA CAST IRON  
0250/0393 LEN=0029 INSTALLED UNKN  
HIGH ST  
(BORO)  
0250/0338 UNNAMED AL  
(BORO)  
0250/0137 (BORO)  
064370 FT 1 0 00342 5 00 0644+52  
5 0250/0000 LENGTH(AH 2978 BK 1037)  
0240/0133 018 " DIA CIR PLASTIC  
063333 FT LEN=0039 INSTALLED UNKN  
1 0 00342 5 00 0634+15  
HANOVER ST  
(SR0394 SEG 0010/0000)  
NC YORK ST

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 141  
COUNTY: ADAMS

DIR: B TOTAL LEN: 27.730 MI.  
LEFT MUN: BIGLERVILLE B

DIST: 08-1 SR: 234  
RIGHT MUN: BIGLERVILLE B

Stationing	Notes	Stationing	Notes
		0240/0000	BIGLERVILLE
		0230/0914	BUTLER T
			LENGTH(AH 1037 BK 1009)
			BMSSEN 01/0234/0230/0899
			1 0 00342 5 00 0632+98
			T. CONEWAGO
		0230/0899	BMSBG 01/0234/0230/0899
			HILL CREST DR
		0230/0800	(T321)
062324 FT		062324 FT	1 0 00342 5 00 0623+99
			BEECHERSTOWN RD
			(TWP)
		0230/0000	LENGTH(AH 1009 BK 2192)
		0220/1776	015 "DIA CIR PLASTIC
			LEN=0040 INSTALLED UNKN
		0220/1222	036 "H 58 "W ELLIP METAL
			LEN=0057 INSTALLED UNKN
		0220/0862	015 "DIA CIRC METAL
			LEN=0038 INSTALLED UNKN
		0220/0727	018 "DIA CIR PLASTIC
			LEN=0041 INSTALLED 1998
			018 "DIA CIRC METAL
		0220/0041	LEN=0001 INSTALLED 2000
1 0 00342 5 00 0601+93 060132 FT		060132 FT	
YELLOW HILL RD			
(T379)			
		0220/0000	
			LENGTH(AH 2192 BK 2786)
		0210/2542	BMSSEN 01/0234/0210/2527
			1 0 00342 5 00 0599+43
			T. CONEWAGO
		0210/2527	BMSBG 01/0234/0210/2527
			012 "H 18 "W ELLIP METAL
		0210/2426	LEN=0048 INSTALLED UNKN
			013 "H 17 "W ELLIPTICAL*
		0210/2181	LEN=0035 INSTALLED 1998
		0210/1754	BMSSEN 01/0234/0210/1740
			1 0 00342 5 00 0591+47
			T. CONEWAGO
		0210/1740	BMSBG 01/0234/0210/1740
			048 "DIA CIR PLASTIC
		0210/0547	LEN=0055 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/0243	LEN=0048 INSTALLED 1998
1 0 00342 5 00 0574+07 057346 FT		057346 FT	
HECKENLUBER RD			
(T369)			
		0210/0000	LENGTH(AH 2786 BK 2315)

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

Station	Description	Material	Length	Year
0200/2107	015" DIA	CIR PLASTIC	LEN=0037	1999
0200/1617	015" DIA	CIR PLASTIC	LEN=0040	1999
0200/1063	015" DIA	CIR PLASTIC	LEN=0041	1999
055031 FT	055031 FT	1 0 00342 5 00	0550+94	
0200/0000	LENGTH(AH 2315 BK 2924)	018" DIA	CIR PLASTIC	
0190/2739	018" DIA	CIR PLASTIC	LEN=0036	1997
0190/2441	018" DIA	CIR PLASTIC	LEN=0034	UNKN
0190/1365	BMS EN 01/0234/0190/1347	1 0 00342 5 00	0535+17	
0190/1347	TR. CONEWAGO	BMSBG 01/0234/0190/1347		
0190/0964	NC ARENDSVILLE RD	018" DIA	CIR PLASTIC	
0190/0797	LEN=0048	INSTALLED	1999	
0190/0707	015"H 21"W	ELLIP METAL	LEN=0030	INSTALLED UNKN
0190/0492	BMS EN 01/0234/0190/0480	1 0 00342 5 00	0526+54	
0190/0480	T. CONEWAGO	BMSBG 01/0234/0190/0480		
0190/0093	BMS EN 01/0234/0190/0000			
052107 FT	052107 FT	1 0 00342 5 00	0521+70	
0190/0000	NC MA IN ST	CONEWAGO CREEK	BMSBG 01/0234/0190/0000	
0180/1840	BUTLER	ARENDSVILLE B	LENGTH(AH 2924 BK 2367)	
0180/1641	GLENWOOD DR	(BORO)		
0180/1373	UNNAMED AL	(BORO)		
0180/1100	UNNAMED AL	(BORO)		
0180/0817	UNNAMED AL	(BORO)		

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: ARENDSVILLE B RIGHT MUN: ARENDSVILLE B

Segment ID	Description	Length	Material / Notes
UNNAMED AL (BORO)	PEARL ST	0180/0681	
UNNAMED AL (BORO)		0180/0505	GETTYSBURG ST (SR3017 SEG 0160/1169)
UNNAMED AL (BORO)		0180/0371	
UNKNOWN AL (BORO)		0180/0190	
		049740 FT	1 0 00342 5 01 0498+04 HIGH ST (SR3011 SEG 0210/2419) LENGTH(AH 2367 BK 3206)
UNKNOWN AL (BORO)		0170/3006	
		0170/2794	015"H 18"W ELLIP METAL LEN=0028 INSTALLED UNKN
		0170/2423	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
			NC HIGH ST
QUEEN ST (BORO)		0170/1704	
		0170/1654	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0170/0153	026"H 36"W ELLIP CONC LEN=0037 INSTALLED UNKN
1 0 00342 5 00 0465+99 046534 FT	BRYSONIA RD (SR4008 SEG 0010/0000)	0170/0000	046534 FT LENGTH(AH 3206 BK 2631) 018 "DIA CIRC METAL
		0160/2372	LEN=0040 INSTALLED UNKN
		0160/2335	ARENDSVILLE FRANKLIN T
		0160/0850	BOYERS NURSERY RD (T309)
		0160/0746	BMSBN 01/0234/0160/0734 1 0 00342 5 00 0446+94 T. CONEWAGO
		0160/0734	BMSBG 01/0234/0160/0734 018 "DIA CIRC METAL
		0160/0200	LEN=0056 INSTALLED UNKN
		0160/0129	BRIDGEPORT RD (T366)

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Notes	Material/Spec	Quantity
043903 FT		BMS EN 01/0234/0160/0000	1 0 00342 5 00 0439+73
		CONEWAGO CR	
		BMSBG 01/0234/0160/0000	
		FRANKLIN	
		MENALLEN T	
	5	0160/0000	LENGTH(AH 2631 BK 3881)
		0150/3682	015 "DIA CIRC METAL LEN=0042 INSTALLED UNKN
FAIRGROUND RD (T369)			
0150/2636			
		018 "DIA CIRC METAL	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC METAL	LEN=0050 INSTALLED UNKN
		036"H 84"W CONC STRUCT	LEN=0030 INSTALLED UNKN
		0150/0994	BMS EN 01/0234/0150/0985 1 0 00342 5 00 0410+61
		0150/0985	T.CONEWAGO BMSBG 01/0234/0150/0985
		0150/0792	WINDING RD (T362)
EXCELSIOR RD (T371)			
0150/0170			
040022 FT		BMS EN 01/0234/0150/0000	1 0 00342 5 00 0400+82
		T.CONEWAGO	
		BMSBG 01/0234/0150/0000	
	5	0150/0000	LENGTH(AH 3881 BK 2491)
		0140/1680	018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
		0140/1415	012"H 21"W ELLIP METAL LEN=0038 INSTALLED UNKN
037531 FT			
	5	037531 FT	1 0 00342 5 00 0377+68
		0140/0000	LENGTH(AH 2491 BK 3333)
		0130/2771	018 "DIA CIR PLASTIC LEN=0041 INSTALLED UNKN
		0130/2445	018 "DIA CIR PLASTIC LEN=0031 INSTALLED UNKN



DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

NAWAKWA RD 034198 FT  
 (SR4015 SEG 0010/0000) 0130/0000


SHIPPENSBURG RD  
 (SR4010 SEG 0010/0000) 0120/1640

031532 FT

028825 FT

0130/1788	018" DIA	CIR PLASTIC
	LEN=0031	INSTALLED UNKN
0130/1282	015" DIA	CIR PLASTIC
	LEN=0036	INSTALLED UNKN
0130/0885	018" DIA	CIR PLASTIC
	LEN=0034	INSTALLED UNKN
0130/0668	018" DIA	CIR PLASTIC
	LEN=0032	INSTALLED UNKN
034198 FT	1 0 00342 5 00	0344+35
	NC NARROWS RD	
0130/0000	LENGTH(AH 3333 BK 2666)	
	018" DIA	CIR PLASTIC
0120/2627	LEN=0072	INSTALLED 2023
	RBR	
0120/2407	BMS EN 01/0234/0120/2343	
	MENALLEN	
0120/2368	FRANKLIN T	
	1 0 00342 5 00	0339+10
	P3	
	CONEWAGO CREEK	
0120/2343	BMSBG 01/0234/0120/2343	
	RBR	
031532 FT	1 0 00342 5 00	0315+67
0120/0000	LENGTH(AH 2666 BK 2707)	
	018"H 24"W	ELLIP METAL
0110/2384	LEN=0034	INSTALLED UNKN
	015"H 21"W	ELLIP METAL
0110/1593	LEN=0035	INSTALLED UNKN
	024"H 28"W	ELLIP METAL
0110/0490	LEN=0035	INSTALLED UNKN
0110/0202	BMS EN 01/0234/0110/0130	
	1 0 00342 5 00	0289+94
	CONEWAGO CREEK	
0110/0141	BMSBG 01/0234/0110/0130	
028825 FT	1 0 00342 5 00	0288+53
	BOTTOM RD	
	(T363)	
0110/0000	LENGTH(AH 2707 BK 2811)	

DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T



026014 FT

026014 FT 1 0 00342 5 00 0260+14  
 0100/0000 LENGTH(AH 2811 BK 2244)

1 0 00342 5 00 0237+70 023770 FT  
 GUN CLUB RD  
 (T365)  
 MOUNTAIN RD  
 (T353)

0090/0000

0090/0000 LENGTH(AH 2244 BK 3797)  
 0080/3235 015" DIA CIR PLASTIC  
 0080/2992 015" DIA CIR PLASTIC  
 LEN=0031 INSTALLED UNKN  
 LEN=0036 INSTALLED 1998

019973 FT

0080/0114 015"H 21"W ELLIP METAL  
 019973 FT LEN=0030 INSTALLED UNKN  
 0080/0000 1 0 00342 5 00 0199+73  
 LENGTH(AH 3797 BK 3093)  
 0070/2566 018" DIA CIR PLASTIC  
 LEN=0031 INSTALLED UNKN

PINE TREE RD

0070/0828 021"H 15"W ELLIP METAL  
 LEN=0040 INSTALLED 1998



DIR: B TOTAL LEN: 27.730 MI. DIST: 08-1 SR: 234  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T


007410 FT	0040/0518	018 " DIA CIR PLASTIC
	007410 FT	LEN=0030 INSTALLED UNKN
	0040/0000	1 0 00342 5 00 0074+10
		LENGTH(AH 2569 BK 2483)
	0030/2372	018 " DIA CIR PLASTIC
		LEN=0030 INSTALLED 1997
	0030/1986	015 " DIA CIR PLASTIC
		LEN=0003 INSTALLED UNKN
	0030/1108	015 " DIA CIR PLASTIC
		LEN=0030 INSTALLED 2006
	0030/0536	020 " H 28 " W ELLIP METAL
		LEN=0035 INSTALLED 1997
004927 FT	0030/0102	018 " DIA CIR PLASTIC
	004927 FT	LEN=0034 INSTALLED UNKN
	0030/0000	1 0 00342 5 00 0049+27
		LENGTH(AH 2483 BK 2160)
	0020/1853	015 " DIA CIR PLASTIC
		LEN=0035 INSTALLED 1997
	0020/0833	015 " DIA CIR PLASTIC
		LEN=0030 INSTALLED 2004
	0020/0498	018 " DIA CIR PLASTIC
		LEN=0028 INSTALLED UNKN
002767 FT	002767 FT	1 0 00342 5 00 0027+67
	0020/0000	LENGTH(AH 2160 BK 2767)
		015 " H 21 " W ELLIP METAL
	0010/2547	LEN=0028 INSTALLED 1997
	0010/0336	CHURCH RD
		(T311)
	0010/0323	024 " DIA CIRC METAL
		LEN=0051 INSTALLED UNKN
000000 FT	000000 FT	1 0 00342 5 00 0000+00
		NC BU CHANAN VALLEY RD
		CHAMBERSBURG RD
		(SR0030 SEG 0060/0000)
	INTER-BK	OLD ROUTE 30
		(TWP )
		MFC BEGIN = D
	0010/0000	LENGTH(AH 2767 BK 0000)

DIR: B TOTAL LEN: 8.868 MI. DIST: 08-1 SR: 233  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Stationing (Left)	Stationing (Right)	Description
046821 FT	046821 FT	AH-CUMBERLAND (21)
	INTER-AHD	PINE GROVE RD
	0190/1793	(SRO233 SEG 0010/0000)
		015"H 21"W ELLIP METAL
	0190/1440	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0190/1112	LEN=0034 INSTALLED UNKN
		013"H 17"W ELLIP METAL
	0190/0261	LEN=0035 INSTALLED UNKN
045028 FT	045028 FT	2 0 01076 0 00 0451+50
	0190/0000	LENGTH(AH 1793 BK 2216)
		015"H 21"W ELLIP METAL
	0180/1941	LEN=0050 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0180/1458	LEN=0040 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0180/0865	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0180/0454	LEN=0030 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0180/0066	LEN=0040 INSTALLED UNKN
042812 FT	042812 FT	2 0 01076 0 00 0428+54
	0180/0000	LENGTH(AH 2216 BK 2836)
		015"H 21"W ELLIP METAL
	0170/2472	LEN=0035 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0170/2111	LEN=0041 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0170/1739	LEN=0040 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0170/1333	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0170/0735	LEN=0035 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0170/0360	LEN=0036 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0170/0136	LEN=0041 INSTALLED UNKN
039976 FT	039976 FT	2 0 01076 0 00 0400+18
	0170/0000	LENGTH(AH 2836 BK 2467)
		015"H 21"W ELLIP METAL
	0160/2248	LEN=0034 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0160/1416	LEN=0040 INSTALLED UNKN
		029"H 42"W ELLIP METAL
	0160/1236	LEN=0035 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0160/0619	LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 8.868 MI. DIST: 08-1 SR: 233  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T


037509 FT



0160/0149  
 037509 FT  
 0160/0000  
 0150/1611  
 0150/1319  
 0150/1117

015 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 2 0 01076 0 00 0375+51  
 LENGTH(AH 2467 BK 1929)  
 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 LEN=0032 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN


035580 FT



0150/0280  
 0150/0035  
 035580 FT  
 0150/0000  
 0140/1760  
 0140/1645  
 0140/1621  
 0140/1140  
 0140/0826  
 0140/0371  
 0140/0028  
 033668 FT

015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 018"H 24"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 2 0 01076 0 00 0356+22  
 LENGTH(AH 1929 BK 1912)  
 018 " DIA CIR PLASTIC  
 LEN=0039 INSTALLED UNKN  
 018 " DIA CAST IRON  
 LEN=0040 INSTALLED UNKN  
 047"H 71"W ELLIP METAL  
 LEN=0048 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 LEN=0032 INSTALLED UNKN  
 024 " DIA CIR PLASTIC  
 LEN=0054 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 LEN=0050 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED 2005

033668 FT



0140/0000  
 0130/3564  
 0130/2945  
 0130/2553  
 0130/2285  
 0130/1748  
 0130/1361

SHIPPENSBURG RD  
 (SR4009 SEG 0040/0000)  
 LENGTH(AH 1912 BK 3642)  
 015"H 21"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 LEN=0040 INSTALLED UNKN  
 018 " DIA CIR PLASTIC  
 LEN=0030 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 015"H 21"W ELLIP METAL  
 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 8.868 MI. DIST: 08-1 SR: 233  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

Distance (FT)	Start Point	End Point	Material	Length (FT)	Notes
030026	0130	0374	015" DIA CIR PLASTIC	0040	INSTALLED UNKN
	030026	FT	2 0 01076	0 00	0301+16
	0130	0000	LENGTH(AH 3642 BK 2478)		
027548	0120	2385	015" DIA CIR PLASTIC	0040	INSTALLED UNKN
	0120	1280	018" DIA CIR PLASTIC	0030	INSTALLED UNKN
	0120	0700	013"H 17"W ELLIP METAL	0040	INSTALLED UNKN
025516	0120	0246	015"H 21"W ELLIP METAL	0041	INSTALLED UNKN
	027548	FT	2 0 01076	0 00	0276+38
	0120	0000	MENALLEN FRANKLIN T		LENGTH(AH 2478 BK 2032)
	0110	1621	018" DIA CIR PLASTIC	0034	INSTALLED UNKN
	0110	1310	018" DIA CIR PLASTIC	0040	INSTALLED UNKN
	0110	0895	015"H 21"W ELLIP METAL	0040	INSTALLED UNKN
	0110	0366	034"H 53"W CONCR ARCH	0040	INSTALLED UNKN
	0110	0157	018" DIA CIR PLASTIC	0030	INSTALLED UNKN
	025516	FT	2 0 01076	0 00	0256+06
	0110	0000	MILTONBERGER RD (T368)		LENGTH(AH 2032 BK 2954)
022562	0100	2918	018" DIA CIR PLASTIC	0040	INSTALLED UNKN
	0100	2712	018" DIA CIR PLASTIC	0030	INSTALLED UNKN
	0100	2088	018" DIA CIR PLASTIC	0030	INSTALLED UNKN
	0100	1868	018" DIA CIR PLASTIC	0035	INSTALLED UNKN
	0100	1564	018" DIA CIR PLASTIC	0040	INSTALLED UNKN
	0100	1240	018" DIA CIR PLASTIC	0041	INSTALLED UNKN
	0100	0240	018" DIA CIR PLASTIC	0035	INSTALLED UNKN
	022562	FT	2 0 01076	0 00	0226+52

DIR: B TOTAL LEN: 8.868 MI. DIST: 08-1 SR: 233  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Description	Material	Length	Status
0100/0000	LENGTH(AH 2954 BK 2506)	015" DIA CIR PLASTIC	0040	INSTALLED UNKN
0090/2222		015" DIA CIR PLASTIC	0035	INSTALLED UNKN
0090/1214		024" DIA CIR PLASTIC	0034	INSTALLED UNKN
0090/1101		015"H 21"W ELLIP METAL	0032	INSTALLED UNKN
020056 FT	020056 FT	2 0 01076 0 00 0201+46		
0090/0000	LENGTH(AH 2506 BK 2491)	015"H 21"W ELLIP METAL	0030	INSTALLED UNKN
0080/2373		015"H 21"W ELLIP METAL	0035	INSTALLED UNKN
0080/2070		015"H 21"W ELLIP METAL	0030	INSTALLED UNKN
0080/1768		015"H 21"W ELLIP METAL	0035	INSTALLED UNKN
0080/1217		015"H 21"W ELLIP METAL	0035	INSTALLED UNKN
0080/0916		024" DIA CIR PLASTIC	0046	INSTALLED UNKN
017565 FT	017565 FT	2 0 01076 0 00 0176+55		
0080/0000	LENGTH(AH 2491 BK 3008)	018" DIA CIR PLASTIC	0030	INSTALLED 1997
0070/2732		015"H 21"W ELLIP METAL	0036	INSTALLED UNKN
0070/2132		015"H 21"W ELLIP METAL	0030	INSTALLED UNKN
0070/1951		021"H 15"W ELLIP METAL	0030	INSTALLED 1997
0070/1711		030" DIA CIR PLASTIC	0036	INSTALLED UNKN
0070/1563	LC FOR UNKNOWN RD (CONN)			
0070/1393	UNKNOWN RD (PRDR)			
0070/1180		015" DIA CIR PLASTIC	0030	INSTALLED 1997
0070/0428		015"H 21"W ELLIP METAL	0035	INSTALLED UNKN
014557 FT	014557 FT	2 0 01076 0 00 0146+47		



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 129  
COUNTY: ADAMS

DIR: B TOTAL LEN: 8.868 MI.  
LEFT MUN: FRANKLIN T

DIST: 08-1 SR: 233  
RIGHT MUN: FRANKLIN T

		0070/0000	LENGTH(AH 3008 BK 3047)
		0060/2672	018 "DIA CIR PLASTIC
		0060/2210	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			LEN=0030 INSTALLED 1997
		0060/1583	042"H 29"W METAL ARCH
			LEN=0033 INSTALLED 1997
		0060/1196	013"H 17"W ELLIP METAL
			LEN=0062 INSTALLED 1997
		0060/0781	013"H 17"W ELLIP METAL
			LEN=0037 INSTALLED 1997
		0060/0080	BMS EN 01/0233/0060/0062
			2 0 01076 0 00 0116+62
			CONOCOCHEQU
		0060/0062	BMSBG 01/0233/0060/0062
011510 FT		011510 FT	2 0 01076 0 00 0116+00
		0060/0000	LENGTH(AH 3047 BK 1302)
		0050/0849	BMS EN 01/0233/0050/0832
			2 0 01076 0 00 0111+36
			BIRCH RUN
		0050/0832	BMSBG 01/0233/0050/0832
			015"H 21"W ELLIP METAL
		0050/0506	LEN=0033 INSTALLED UNKN
			021"H 15"W ELLIP METAL
		0050/0264	LEN=0043 INSTALLED 1997
010208 FT		010208 FT	2 0 01076 0 00 0103+04
		0050/0000	LENGTH(AH 1302 BK 2663)
			018 "DIA CIR PLASTIC
		0040/2545	LEN=0033 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/2093	LEN=0039 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/1606	LEN=0036 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0040/1239	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0040/0650	LEN=0040 INSTALLED UNKN
			013 "DIA CIR PLASTIC
		0040/0191	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0040/0045	LEN=0035 INSTALLED UNKN
007545 FT		007545 FT	2 0 01076 0 00 0075+45
		0040/0000	LENGTH(AH 2663 BK 3507)
			018 "DIA CIR PLASTIC
		0030/3194	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0030/2690	LEN=0039 INSTALLED UNKN
			030 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 8.868 MI. DIST: 08-1 SR: 233  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

MILES BURN RD  
 (PARK)

0030/0914

004038 FT

QUARRY GAP RD  
 (PARK)

0020/0377  
 001367 FT

000000 FT

0030/2439	LEN=0054	INSTALLED	1997
	015" DIA	CIR PLASTIC	
0030/2165	LEN=0038	INSTALLED	UNKN
	015" DIA	CIR PLASTIC	
0030/1587	LEN=0038	INSTALLED	UNKN
	012" DIA	CIR PLASTIC	
0030/1434	LEN=0042	INSTALLED	UNKN
	021" DIA	CIR PLASTIC	
0030/0978	LEN=0036	INSTALLED	1997
	018" DIA	CIR PLASTIC	
0030/0577	LEN=0040	INSTALLED	UNKN
	018" DIA	CIR PLASTIC	
0030/0294	LEN=0035	INSTALLED	UNKN
004038 FT	2 0 01076	0 00 0040+38	
0030/0000	LENGTH(AH	3507 BK 2671)	
	018" DIA	CIR PLASTIC	
0020/2652	LEN=0058	INSTALLED	UNKN
	018" DIA	CIR PLASTIC	
0020/1776	LEN=0041	INSTALLED	UNKN
	036" DIA	CIR PLASTIC	
0020/1627	LEN=0029	INSTALLED	1997
	018" DIA	CIR PLASTIC	
0020/1536	LEN=0041	INSTALLED	UNKN
	015"H 21"W	ELLIP METAL	
0020/0799	LEN=0045	INSTALLED	UNKN
	015"H 21"W	ELLIP METAL	
0020/0398	LEN=0046	INSTALLED	UNKN
	2 0 01076	0 00 0013+67	
001367 FT	048"H 60"W	CONC STRUCT	
	LEN=0013	INSTALLED	UNKN
0020/0000	LENGTH(AH	2671 BK 1367)	
0010/1087	BMSSEN 01/0233/0010/1065		
	0 0 00000	0 00 0000+00	
	CONOCOCH. CR		
0010/1065	BMSBG 01/0233/0010/1065		
	000000 FT	2 0 01076	0 00 0000+00
	INTER-BK	ROCKY MOUNTAIN RD	
		(SR0233 SEG 0220/1824)	
		MFC BEGIN = D	
		BK-FRANKLIN	(28)
0010/0000	LENGTH(AH	1367 BK 0000)	



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 126  
COUNTY: ADAMS

DIR: B TOTAL LEN: 15.646 MI.  
LEFT MUN: EAST BERLIN B

DIST: 08-1 SR: 194  
RIGHT MUN: EAST BERLIN B

076949 FT

074763 FT

==	==	0320/1996	LOCUST ST (BORO)
---	---	0320/1830	018 " DIA CIRC CONCR LEN=0001 INSTALLED UNKN LONG AL
==	==	0320/1762	(BORO)
---	---	0320/1541	018 " DIA CIRC CONCR LEN=0046 INSTALLED UNKN WALNUT ST
==	==	0320/1488	(BORO)
==	==	0320/1228	SUNDAY AL (BORO)
	==	0320/0953	PARK AV (BORO)
---	---	0320/0727	024 " DIA CIRC CONCR LEN=0037 INSTALLED UNKN 018 " DIA CIRC METAL
---	---	0320/0615	LEN=0095 INSTALLED UNKN
		076949 FT	1 0 00190 0 01 0311+67 NC AB
			BOTTSTOWN ST BOYER DR (BORO)
			EAST BERLIN HAMILTON T
---	==	5 0320/0000	LENGTH(AH 2504 BK 2186) 018 " DIA CIRC CONCR
---	---	0310/2122	LEN=0073 INSTALLED UNKN 018 " DIA CIRC CONCR
---	---	0310/2021	LEN=0034 INSTALLED UNKN 018 " DIA CIRC CONCR
---	---	0310/1542	LEN=0041 INSTALLED UNKN BEAVER ST
	==	0310/1518	(T650)
---	---	0310/1438	018 " DIA CIRC CONCR LEN=0041 INSTALLED UNKN 015 " DIA CIRC CONCR
---	---	0310/1076	LEN=0032 INSTALLED UNKN
		074763 FT	1 0 00190 0 01 0290+48
		5 0310/0000	LENGTH(AH 2186 BK 2300) PRIMROSE LN (TWP )
00	00	0300/2300	

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

Stationing	Length	Material	Notes
0+000 to 0+030	0300/0207	012" DIA CIRC CONCR	INSTALLED UNKN
0+030 to 0+072	072463 FT		
0+072 to 0+105	0300/0000	LENGTH(AH 2300 BK 3170)	
0+105 to 0+130	0290/3106	013" DIA CIRC METAL	INSTALLED UNKN
0+130 to 0+171	0290/2100	018" DIA CIRC CONCR	INSTALLED UNKN
0+171 to 0+210	0290/1716	012" DIA CIRC CONCR	INSTALLED UNKN
0+210 to 0+252	0290/1152	012" DIA CIRC CONCR	INSTALLED UNKN
0+252 to 0+297	0290/0978	024" DIA CIRC CONCR	INSTALLED UNKN
0+297 to 0+310	069293 FT		
0+310 to 0+335	0290/0000	LENGTH(AH 3170 BK 2609)	
0+335 to 0+352	0280/1630	HOME RD (T552)	
0+352 to 0+395	0280/0550	024" DIA CIRC CONCR	INSTALLED UNKN
0+395 to 0+428	066684 FT		
0+428 to 0+457	0280/0000	LENGTH(AH 2609 BK 2822)	
0+457 to 0+496	0270/2747	018" DIA CIRC CONCR	INSTALLED UNKN
0+496 to 0+535	0270/2306	018" DIA CIRC CONCR	INSTALLED UNKN
0+535 to 0+551	0270/1819	PROTECTOR RD (T551)	
0+551 to 0+578	0270/1278	BMS EN 01/0194/0270/1261	
0+578 to 0+611	0270/1261	T. BEAVER CK. BMSBG 01/0194/0270/1261	
0+611 to 0+639	063862 FT		
0+639 to 0+669	063862 FT		

1 0 00190 0 01 0267+01 072463 FT  
 PINE RUN RD  
 (SR1019 SEG 0130/2436) 0300/0000

MUMMERTS CHURCH RD  
 (T552) 0280/1346

1 0 00190 0 01 0208+91 066684 FT  
 LOCUST LN  
 (T557) 0280/0000


DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

SHORT CUT RD  
 (T549) 0270/0000

BROUGH RD  
 (SR1018 SEG 0010/0000) 0260/0250

1 0 00190 0 01 0148+17 060652 FT  
 KING ST  
 (SR0030 SEG 0553/0056) 0260/0000  
 060652 FT  
 LTH AH 000131 BK 002756 7243/0000

KING ST  
 (SR0030 SEG 0552/0067) 0240/2756



HAMILTON  
 BERWICK T  
 LENGTH(AH 2822 BK 3210)

0260/1785 018 " DIA CIRC CONCR  
 LEN=0036 INSTALLED UNKN  
 BERWICK  
 0260/1214 ABBOTTSTOWN B  
 013"H 17"W ELLIP METAL  
 0260/0968 LEN=0034 INSTALLED UNKN  
 040"H 36"W CONCR ARCH  
 0260/0794 LEN=0032 INSTALLED UNKN  
 WATER ST  
 (BORO)  
 0260/0250 ABBOTTSTWN-ABBOTTSTOWN  
 (BORO)  
 060652 FT  
 INTER-BK KING ST  
 (SR0030 SEG 0553/0056)  
 LTH AH 003210 BK 000131

0260/0000 060652 FT  
 7242/0000 LTH AH 000131 BK 002756  
 INTER-AHD KING ST  
 (SR0030 SEG 0552/0067)  
 ABBOTTSTWN-ABBOTTSTOWN  
 (BORO)  
 0240/2756 FLEET ST  
 (BORO)  
 0240/2564 (BORO)  
 GERMAN ST  
 (BORO)  
 NC QUEEN ST

0240/1717 BMSBN 01/0194/0240/1689  
 1 0 00190 0 01 0136+97  
 P3  
 UNT TO BEAVER CREEK  
 0240/1689 BMSBG 01/0194/0240/1689  
 TOWN CR  
 (BORO)  
 0240/1403 ABBOTTSTOWN  
 0240/1311 BERWICK T

0240/0460 024 " DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 018"H 24"W ELLIP METAL  
 0240/0436 LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: BERWICK T RIGHT MUN: BERWICK T

LC TO BEAVER CRK RD  
 (CONN)  
 SUNRISE DR  
 (PRDR)

0240/0328  
 0240/0209  
 057896 FT



0240/0209 (APRA) BEAVER CREEK MHP  
 057896 FT 1 0 00190 0 00 0119+85  
 0240/0000 LENGTH(AH 2756 BK 2254)  
 018 "DIA CIRC CONCR  
 0230/1709 LEN=0040 INSTALLED UNKN  
 018 "DIA CIRC METAL  
 0230/1679 LEN=0046 INSTALLED UNKN



0230/0921 PINE COURT DR  
 (T517)  
 024 "DIA CIR PLASTIC  
 0230/0398 LEN=0040 INSTALLED UNKN  
 0230/0022 BMSSEN 01/0194/0230/0001  
 055642 FT 1 0 00190 0 00 0097+21



0230/0000 BMSBG 01/0194/0230/0001  
 LENGTH(AH 2254 BK 1660)



RACE TRACK RD  
 (T505)

0220/1535



0220/0222 030 "DIA CIRC CONCR  
 053982 FT LEN=0048 INSTALLED UNKN  
 1 0 00190 0 00 0080+71  
 0220/0000 LENGTH(AH 1660 BK 2424)



MILL RACE RD  
 (T706)

0210/2130




0210/2090 024 "DIA CIR PLASTIC  
 LEN=0060 INSTALLED 2017  
 0210/1921 030 "DIA CIR PLASTIC  
 LEN=0060 INSTALLED 2017



MILL RACE RD  
 (T706)


0210/1131



0210/1248 034 "H 51 "W ELLIP METAL  
 LEN=0046 INSTALLED UNKN



0210/0954 MAPLE GROVE RD  
 (SR2033 SEG 0060/0000)  
 0210/0826 015 "DIA CIRC METAL  
 LEN=0040 INSTALLED UNKN  
 0210/0822 018 "DIA CIRC CONCR  
 LEN=0048 INSTALLED UNKN  
 0210/0510 013 "H 17 "W ELLIP METAL  
 LEN=0040 INSTALLED UNKN  
 0210/0506 019 "H 30 "W ELLIP CONC  
 LEN=0040 INSTALLED UNKN







DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

Stationing	Length	Material	Notes
0180/1510	024"	DIA CIRC CONCR	LEN=0048 INSTALLED UNKN
0180/0790	018"	DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
0180/0506	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0180/0224	018"	DIA CIRC CONCR	LEN=0041 INSTALLED UNKN
043466 FT	1 0 00230	0 00 0289+80	043466 FT LENGTH(AH 2450 BK 1668)
0180/0000	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0170/1640	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0170/1254	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0170/1029	018"	DIA CIRC CONCR	LEN=0044 INSTALLED UNKN
0170/0815	PLEASANT VIEW DR	(TS30)	
0170/0322	018"	DIA CIRC CONCR	LEN=0044 INSTALLED UNKN
MT PLEASANT RD (SR2006 SEG 0240/0000)	0170/0303	NARROW DR (SR2006 SEG 0240/0000)	
041798 FT	018"	DIA CIRC CONCR	LEN=0044 INSTALLED UNKN
0170/0281	1 0 00230	0 00 0273+12	041798 FT LENGTH(AH 1668 BK 1906)
0170/0000	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0160/1534	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0160/1304	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0160/0906	018"	DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
0160/0606	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
039892 FT	1 0 00230	0 00 0254+06	039892 FT 072"H 72"W CON BOX CUL
0160/0000	LEN=0046	INSTALLED UNKN	LENGTH(AH 1906 BK 2904)
0150/2633	018"	DIA CIRC CONCR	LEN=0038 INSTALLED UNKN
0150/2416	018"	DIA CIRC CONCR	LEN=0038 INSTALLED UNKN
0150/2170	018"	DIA CIRC CONCR	LEN=0038 INSTALLED UNKN
0150/1890	018"	DIA CIRC CONCR	LEN=0038 INSTALLED UNKN
	024"	DIA CIRC CONCR	

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

Segment / Description	Stationing	Length	Material / Notes
	0150/1342	LEN=0058	INSTALLED UNKN
	0150/0925	LEN=0104	018 "DIA CIRC CONCR INSTALLED UNKN
036988 FT	0150/0247	LEN=0040	018 "DIA CIRC CONCR INSTALLED UNKN
	036988 FT	1 0 00230 0 00 0225+02	
	0150/0000	LENGTH(AH 2904 BK 2662)	018 "DIA CIRC CONCR
	0140/2654	LEN=0040	INSTALLED UNKN
	0140/2340	LEN=0040	018 "DIA CIRC CONCR INSTALLED UNKN
	0140/2009	LEN=0042	018 "DIA CIRC CONCR INSTALLED UNKN
RACE HORSE RD (SR2021 SEG 0010/0000)	0140/1951		
	0140/0986	LEN=0036	018 "DIA CIRC CONCR INSTALLED UNKN
	0140/0788	LEN=0048	018 "DIA CIRC CONCR INSTALLED UNKN
	0140/0779		SCHRIVER SCHOOL RD (PRDR)
034326 FT	0140/0070	BMS EN 01/0194/0140/0000	
	034326 FT	1 0 00230 0 00 0198+39	
			S. BR. CONEWAGO
			BMSBG 01/0194/0140/0000
			CONEWAGO UNION T
	0140/0000	LENGTH(AH 2662 BK 3381)	018 "DIA CIRC CONCR
	0130/2878	LEN=0038	INSTALLED UNKN
	0130/2520	LEN=0038	018 "DIA CIRC CONCR INSTALLED UNKN
	0130/1945	LEN=0200	048 "DIA CIRC CONCR INSTALLED UNKN
SELL STATION RD (SR2016 SEG 0070/0573)	0130/0946		
	0130/0619		T. CONEWAGO STRUCTURE LENGTH 11 FT
030945 FT	030945 FT	BMSID 01/0194/0130/0637	
		1 0 00230 0 00 0164+31	
			SHEPPARD RD (T461)
	0130/0000	LENGTH(AH 3381 BK 2697)	

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: UNION T RIGHT MUN: UNION T

Stationing	Length	Material	Notes
0120/1940	018"	DIA CIRC CONCR	LEN=0060 INSTALLED UNKN
0120/1774	018"	DIA CIRC CONCR	INSTALLED UNKN
0120/1285	018"	DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
0120/0890	018"	DIA CIRC CONCR	LEN=0048 INSTALLED UNKN
028248 FT	1 0 00230	0 00 0137+54	BOLLINGER RD (SR2027 SEG 0050/3606)
0120/0000	0110/3834	BMSSEN 01/0194/0110/3807	LENGTH(AH 2697 BK 3889)
0110/3807	0110/3807	BMSBG 01/0194/0110/3807	T. CONEWAGO
0110/3082	018"	DIA CIRC CONCR	LEN=0044 INSTALLED UNKN
0110/2865	018"	DIA CIRC CONCR	LEN=0045 INSTALLED UNKN
0110/2321	024"	DIA CIRC CONCR	LEN=0088 INSTALLED UNKN
0110/1865	018"	DIA CIRC METAL	LEN=0065 INSTALLED UNKN
024359 FT	0110/0559	024"	DIA CIRC CONCR LEN=0084 INSTALLED UNKN
0110/0000	0110/0000	0110/0000	LENGTH(AH 3889 BK 2389)
0100/2265	0100/2265	024"	DIA CIRC CONCR LEN=0045 INSTALLED UNKN
CHRIST CHURCH RD (SR2023 SEG 0010/0000)	0100/1896	0100/1896	
0100/1423	018"	DIA CIRC CONCR	LEN=0056 INSTALLED UNKN
0100/1320	018"	DIA CIRC CONCR	LEN=0058 INSTALLED UNKN
0100/1235	018"	DIA CIRC CONCR	MEHRING RD (T452)
0100/0733	018"	DIA CIRC CONCR	LEN=0038 INSTALLED UNKN
021970 FT	0100/0491	018"	DIA CIRC CONCR LEN=0042 INSTALLED UNKN
0100/0000	0100/0000	0100/0000	LENGTH(AH 2389 BK 3455)

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: UNION T RIGHT MUN: UNION T

Left Side	Right Side	Notes
	0090/3103	MUMMERT DR (T481)
BASEHOAR SCHOOL RD (T449)	0090/2086	
	0090/1876	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	0090/1802	MUMMERT DR (T481)
	0090/1386	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0090/1140	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
	018515 FT	018515 FT 1 0 00230 0 00 0040+37 NC HANOVER PK UNION LITTLESTOWN B
GLENWYN DR (BORO)	0080/0585	5 0090/0000 LENGTH(AH 3455 BK 0959)
GLENWYN DR (BORO)	0080/0406	
1 0 00230 0 00 0030+78	0080/0281	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
OCKER AV (BORO)	017556 FT	5 0080/0000 LENGTH(AH 0959 BK 3078)
	0080/0000	TALBOT ST (BORO)
BYERS AL (BORO)	0070/2999	
	0070/2718	
	0070/2684	RENNER AV (BORO)
	0070/2229	UNNAMED AL (BORO)
UNNAMED AL (BORO)	0070/2141	
	0070/1733	WALNUT ST (BORO)
WALNUT AL (BORO)	0070/1720	
	0070/1438	PARK AV (BORO)
	0070/1337	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
	0070/1155	STANSBURY AL (BORO)

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: LITTLESTOWN B RIGHT MUN: LITTLESTOWN B

COMMUNITY CENTER PL  
 (BORO)

0070/0585  
 014478 FT

PATRICK AV  
 (BORO)

0060/1333

JAMES AV  
 (BORO)

0060/1029

RITA MARIE AV  
 (BORO)

0060/0223

012557 FT

PENNSYLVANIA AV  
 (BORO)

0050/1960

==	==	0070/0876	BASEHOAR AL (BORO)
==	==	0070/0731	MAPLE AV (BORO)
==	==	0070/0310	SELLS AL (BORO)
==	==	014478 FT	1 0 00230 0 00 0000+00 QUEEN ST (SR0097 SEG 0040/2985)
==	==	0070/0000	LENGTH(AH 3078 BK 1921) UNNAMED AL (BORO)
==	==	0060/1617	015" DIA CIRC CONCR LEN=0035 INSTALLED UNKN
---	---	0060/1536	UNNAMED AL (BORO)
---	---	0060/1514	015" DIA CIRC CONCR LEN=0035 INSTALLED UNKN
---	---	0060/1360	CHURCH ST (BORO)
---	---	0060/1333	015" DIA CIRC CONCR LEN=0035 INSTALLED UNKN
---	---	0060/1052	JAMES AV (BORO)
---	---	0060/1041	015" DIA CIRC CONCR LEN=0035 INSTALLED UNKN
---	---	0060/0769	FOUNDRY AL (BORO)
---	---	0060/0610	018" DIA CIRC CONCR LEN=0030 INSTALLED UNKN
---	---	0060/0529	HARNER AL (BORO)
---	---	0060/0313	LAST AL (BORO)
---	---	0060/0190	RITA MARIE AV (BORO)
---	---	0060/0185	015"H 02"W METAL UNKWN LEN=1000 INSTALLED UNKN
---	---	012557 FT	1 1 00111 0 00 0125+29 EASY ST (BORO)
---	---	0060/0000	LENGTH(AH 1921 BK 2160) 015"H 21"W ELLIP METAL


DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: LITTLESTOWN B RIGHT MUN: LITTLESTOWN B

Street Name	Segment ID	Length	Material	Notes
DELAWARE AV (BORO)	0050/1881	LEN=0037	015"H 21"W ELLIP METAL	INSTALLED UNKN
	0050/1680	LEN=0012	015"H 21"W ELLIP METAL	INSTALLED UNKN
	0050/1592			
	0050/1370	LEN=0036	015"H 21"W ELLIP CONC	INSTALLED UNKN
	0050/1230	LEN=0240	015"H 21"W ELLIP METAL	INSTALLED UNKN
MARYLAND AV (BORO)	0050/1227		COLUMBUS AV (BORO)	
	0050/1220	LEN=0036	018 "DIA CIRC CONCR	INSTALLED UNKN
	0050/0928		018 "DIA CIRC CONCR	
COLORADO AV (BORO)	0050/0923	LEN=0035	018 "DIA CIRC CONCR	INSTALLED UNKN
	0050/0634			
MYRTLE ST (BORO)	0050/0631	LEN=0036	018 "DIA CIRC METAL	INSTALLED UNKN
	0050/0480	LEN=0036	015"H 21"W ELLIP METAL	INSTALLED UNKN
	0050/0286			
ST JOHN'S RD (T433)	010397 FT		015"H 21"W ELLIP METAL	INSTALLED UNKN
	0050/0000		1 1 00111 0 00 0103+69 NC KING ST ST JOHN'S RD ET (TWP) LITTLESTOWN GERMANY T	
FISH & GAME RD (SR2012 SEG 0080/2368)	0050/0000		LENGTH(AH 2160 BK 3235)	
	0040/2093	LEN=0056	014"H 23"W ELLIP CONC	INSTALLED UNKN
	0040/1929		LITTONIAN DR (T425)	
	0040/1572		019"H 30"W ELLIP CONC	INSTALLED UNKN
	0040/1527	LEN=0048	019"H 30"W ELLIP CONC	INSTALLED UNKN
	0040/1358	LEN=0048	019"H 30"W ELLIP CONC	INSTALLED UNKN
	0040/0516	LEN=0054	019"H 30"W ELLIP CONC	INSTALLED UNKN

DIR: B TOTAL LEN: 15.646 MI. DIST: 08-1 SR: 194  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

Stationing	Description	Length	Material	Status
007162 FT		0040/0008	LEN=0054	INSTALLED UNKN
		007162 FT	1 1 00111 0 00 0071+38	
		0040/0000	LENGTH(AH 3235 BK 1768)	
			019"H 30"W ELLIP CONC	
		0030/1479	LEN=0056	INSTALLED UNKN
			024"DIA CIR PLASTIC	
		0030/0990	LEN=0060	INSTALLED UNKN
			018"DIA CIRC CONCR	
		0030/0714	LEN=0058	INSTALLED UNKN
			018"DIA CIRC CONCR	
		0030/0512	LEN=0052	INSTALLED UNKN
			018"DIA CIRC METAL	
		0030/0047	LEN=0042	INSTALLED UNKN
			ULRICKTOWN RD	
		0030/0024	(T436)	
1 1 00111 0 00 0053+85 005394 FT	GETTYSBURG RD (T434)	0030/0000		
		0030/0000	LENGTH(AH 1768 BK 2971)	
			024"DIA CIRC CONCR	
		0020/2919	LEN=0035	INSTALLED UNKN
			014"H 23"W ELLIP CONC	
		0020/0891	LEN=0037	INSTALLED UNKN
			015"DIA CIRC CONCR	
		0020/0038	LEN=0030	INSTALLED UNKN
		002423 FT	GEORGETOWN RD	
			(SR2014 SEG 0110/0000)	
		0020/0000	LENGTH(AH 2971 BK 2423)	
		0010/1149	BMS EN 01/0194/0010/1138	
			1 1 03412 0 00 0011+70	
			T. PINEY CRK.	
		0010/1138	BMSBG 01/0194/0010/1138	
			018"DIA CIR PLASTIC	
		0010/0492	LEN=0035	INSTALLED UNKN
		000000 FT	1 1 03412 0 00 0000+00	
			NC FR FREDERICK PK	
			INTER-BK MARYLAND STATE LINE	
			(STBD)	
			MFC BEGIN = C	
		0010/0000	LENGTH(AH 2423 BK 0000)	

DIR: B TOTAL LEN: 7.463 MI. DIST: 08-1 SR: 134  
 LEFT MUN: GETTYSBURG B RIGHT MUN: GETTYSBURG B





DIR: B TOTAL LEN: 7.463 MI. DIST: 08-1 SR: 134  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Notes	Object ID	Description
031041 FT	--- ---	0130/0316	019"H 30"W ELLIP CONC
		031041 FT	LEN=0030 INSTALLED 2015
		5 0130/0000	1 0 00375 0 01 0310+43
			LENGTH(AH 3304 BK 2549)
			024 "DIA CIR PLASTIC
	--- ---	0120/1978	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
	--- ---	0120/0832	LEN=0047 INSTALLED UNKN
	==	0120/0819	BLACKSMITH SHOP RD (T416)
WHEATFIELD RD (PARK)			
0120/0748	==		
028492 FT		028492 FT	1 0 00375 0 01 0284+94
			SACHS RD (T417)
		5 0120/0000	LENGTH(AH 2549 BK 3008)
			015 "DIA CIRC CONCR
	--- ---	0110/3008	LEN=0031 INSTALLED UNKN
	--- ---	0110/2515	036 "DIA CIRC CONCR
			LEN=0037 INSTALLED UNKN
	--- ---	0110/1665	036 "DIA CIRC CONCR
			LEN=0058 INSTALLED UNKN
	--- ---	0110/0890	030 "DIA CIRC CONCR
			LEN=0036 INSTALLED UNKN
1 0 00375 0 00 0254+86		025484 FT	025484 FT HOWE AV (PARK)
WRIGHT AV (PARK)			
0110/0000	==	5 0110/0000	LENGTH(AH 3008 BK 1711)
			018 "DIA CIRC CONCR
	--- ---	0100/1711	LEN=0042 INSTALLED UNKN
			036 "DIA CIRC CONCR
	--- ---	0100/0618	LEN=0045 INSTALLED UNKN
023773 FT		023773 FT	1 0 00375 0 00 0237+75
		5 0100/0000	LENGTH(AH 1711 BK 1782)
			018 "DIA CAST IRON
		0090/1395	LEN=0090 INSTALLED UNKN
		0090/1356	(APRA) ROUND TOP CAMPGR

POI

KNIGHT RD

DIR: B TOTAL LEN: 7.463 MI. DIST: 08-1 SR: 134  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Description	Stationing	Description
(T411)	0090/1339	0090/1122	RAMP B-4 RD (SR8015 SEG 0500/0452)
RAMP B-1 RD (SR8015 SEG 0250/0000) TO 8002/0250 SH (CONN)	0090/1088	0090/0917	BMSEN 01/0134/0090/0773 1 0 00375 0 00 0227+66 US 15 (NB)
	0090/1025	0090/0773	BMSBG 01/0134/0090/0773 012 "DIA CIRC CONCR
		0090/0736	LEN=0042 INSTALLED UNKN TO 8002/0750 SH
		0090/0653	(CONN)
		0090/0598	RAMP B-3 RD (SR8015 SEG 0750/0000)
		0090/0559	RAMP B-2 RD (SR8015 SEG 0010/0538)
		0090/0486	SOLOMON RD (T412)
021991 FT		021991 FT	1 0 00375 0 00 0219+93
		0090/0000	LENGTH(AH 1782 BK 1924)
		0080/1290	024"H 00"W MULT CONCR LEN=0046 INSTALLED UNKN
		0080/0982	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		0080/0689	024 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
020067 FT		020067 FT	1 0 00375 0 00 0200+46
		0080/0000	LENGTH(AH 1924 BK 2700)
		0070/2320	024 "DIA CAST IRON LEN=0048 INSTALLED UNKN
		0070/1536	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0070/1014	BMSEN 01/0134/0070/0978 1 0 00375 0 00 0183+29
		0070/0978	PLUM RUN BMSBG 01/0134/0070/0978
		0070/0013	015 "DIA CIRC CONCR LEN=0001 INSTALLED UNKN
1 0 00375 0 00 0173+46 BARLOW GREENMOUNT RD (SR3006 SEG 0040/2957)	017367 FT	017367 FT	
	0070/0000	0070/0000	LENGTH(AH 2700 BK 2667)


DIR: B TOTAL LEN: 7.463 MI. DIST: 08-1 SR: 134  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

BARLOW RD  
 (SR2001 SEG 0050/1292) 0060/0813

014700 FT

1 0 00375 0 00 0116+18 011632 FT  
 BENNER RD  
 (T443) 0050/0000

008423 FT



0060/0983 018 "DIA CIRC CONCR  
 LEN=0041 INSTALLED UNKN

0060/0689 BMSBG 01/0134/0060/0559  
 CUMBERLAND

0060/0621 MOUNT JOY T  
 1 0 00375 0 00 0152+48

0060/0559 BMSBG 01/0134/0060/0559  
 014700 FT 1 0 00375 0 00 0146+87

024 "DIA CIRC CONCR  
 LEN=0024 INSTALLED UNKN

BARLOW-TWO TAVERNS RD  
 (SR2001 SEG 0060/0000)

5 0060/0000 LENGTH(AH 2667 BK 3068)  
 015 "DIA CIRC CONCR

0050/2740 LEN=0049 INSTALLED UNKN

015 "DIA CIRC CONCR  
 0050/2276 LEN=0040 INSTALLED UNKN

015 "DIA CIRC CONCR  
 0050/1651 LEN=0045 INSTALLED UNKN

015 "DIA CIRC CONCR  
 0050/1224 LEN=0039 INSTALLED UNKN

018 "DIA CIRC CONCR  
 0050/0802 LEN=0036 INSTALLED UNKN

015 "DIA CIRC CONCR  
 0050/0175 LEN=0050 INSTALLED UNKN

011632 FT SCHWARTZ RD  
 (T413)

5 0050/0000 LENGTH(AH 3068 BK 3209)

024 "DIA CIRC CONCR  
 0040/2398 LEN=0046 INSTALLED UNKN

015 "DIA CIRC CONCR  
 0040/2101 LEN=0039 INSTALLED UNKN

018 "DIA CIRC CONCR  
 0040/0842 LEN=0122 INSTALLED UNKN

0040/0017 BMSBG 01/0134/0040/0000  
 008423 FT 1 0 00375 0 00 0084+09

T. ROCK CK.

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT


PAGE NUMBER: 110  
COUNTY: ADAMS

DIR: B TOTAL LEN: 7.463 MI.  
LEFT MUN: MOUNT JOY T

DIST: 08-1 SR: 134  
RIGHT MUN: MOUNT JOY T

Stationing	Description	Material	Length	Notes
004963 FT	0040/0000	BMSBG 01/0134/0040/0000	3209	LENGTH(AH 3209 BK 3460)
	0030/2967	015 " DIA CIRC CONCR	0035	INSTALLED UNKN
	0030/2558	018 " DIA CIRC CONCR	0043	INSTALLED UNKN
	0030/2113	024 " DIA CAST IRON	0110	INSTALLED UNKN
	0030/1612	015 " DIA CIRC CONCR	0038	INSTALLED UNKN
	0030/0875	015 " DIA CIRC CONCR	0037	INSTALLED UNKN
	0030/0377	018 " DIA CIRC CONCR	0060	INSTALLED UNKN
	004963 FT	1 0 00375 0 00 0049+62		YINGLING RD (T410)
	0030/0000	BMSBG 01/0134/0040/0000	3460	LENGTH(AH 3460 BK 2246)
	0020/1389	030 " DIA CIRC CONCR	0062	INSTALLED UNKN
	0020/0762	015 " DIA CIRC CONCR	0048	INSTALLED UNKN
002717 FT	0020/0017	BMSEN 01/0134/0020/0000	2717	1 0 00375 0 00 0027+16
	002717 FT	T. ROCK CK.		
	0020/0000	BMSBG 01/0134/0020/0000	2246	LENGTH(AH 2246 BK 2717)
	0010/1591	024 " DIA CIR PLASTIC	0060	INSTALLED UNKN
MASON DIXON RD (SR3002 SEG 0090/2097)	0010/1564	SPANGLER SCHOOL RD (T409)		
	0010/1494	036 " DIA CIRC CONCR	0106	INSTALLED UNKN
	0010/0980	015 " DIA CIRC CONCR	0043	INSTALLED UNKN
	0010/0255	024 " DIA CIR PLASTIC	0048	INSTALLED 2000
000000 FT	000000 FT	1 0 00375 0 00 0000+00		NC TA NEYTOWN RD
		INTER-BK MARYLAND STATE LINE (STBD)		
	0010/0000	MFC BEGIN = D	2717	LENGTH(AH 2717 BK 0000)

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T






DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: CONEWAGO T RIGHT MUN: CONEWAGO T

Location	Stationing	Notes
	0460/1509	018 " DIA CIRC CONCR LEN=0052 INSTALLED UNKN
	0460/0913	018 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	119563 FT	1 0 00231 0 00 0549+79 RACE HORSE RD (SR2021 SEG 0050/1886)
SUNDAY DR (T460)	0450/1941	5 0460/0000 LENGTH(AH 3389 BK 1972) 0450/1941
	0450/1446	018 " DIA CIRC CONCR LEN=0060 INSTALLED UNKN
EASTON WY (TWP )	0450/0653	
	0450/0473	018 " DIA CIRC CONCR LEN=0034 INSTALLED UNKN
	117591 FT	1 0 00231 0 00 0530+11 5 0450/0000 LENGTH(AH 1972 BK 2485)
	0440/2240	018 " DIA CIRC CONCR LEN=0042 INSTALLED UNKN
	0440/1965	WATER DR (TWP )
	0440/1820	018 " DIA CIRC CONCR LEN=0034 INSTALLED UNKN
	0440/1069	018 " DIA CIRC CONCR LEN=0052 INSTALLED UNKN
	115106 FT	0440/0148 BMS EN 01/0116/0440/0000 1 0 00231 0 00 0505+26 115106 FT S. BR. CONEWAGO CREEK 5 0440/0000 BMSBG 01/0116/0440/0000 CONEWAGO UNION T LENGTH(AH 2485 BK 2684)
CONEWAGO MOUNT PLEASANT T	0440/0000	
GEISELMAN RD (T478) MOUNT PLEASANT UNION T	0430/1934	
	0430/1823	018 " DIA CIRC CONCR LEN=0051 INSTALLED UNKN

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: UNION T RIGHT MUN: UNION T

1 0 00231 0 00 0478+42 112422 FT  
 BENDER RD  
 (T464)  
 LITTLESTOWN RD  
 (SR2019 SEG 0060/1692) 0430/0000



112422 FT  
 LITTLESTOWN RD  
 (SR2019 SEG 0060/1692)  
 LENGTH(AH 2684 BK 3336)  
 0430/0000  
 024 "DIA CIRC CONCR  
 LEN=0062 INSTALLED UNKN  
 0420/2082  
 T. CONEWAGO  
 STRUCTURE LENGTH 23 FT  
 BMSID 01/0116/0420/1141  
 0420/1115  
 109086 FT  
 1 0 00231 0 00 0445+06  
 UNION  
 MOUNT PLEASANT T  
 LENGTH(AH 3336 BK 2588)  
 024 "DIA CIRC CONCR  
 LEN=0052 INSTALLED UNKN  
 0410/2528  
 024 "DIA CIRC CONCR  
 LEN=0044 INSTALLED UNKN  
 0410/1690  
 018 "DIA CIRC CONCR  
 LEN=0050 INSTALLED UNKN  
 0410/0684  
 106498 FT  
 1 0 00231 0 00 0419+18  
 HONDA RD  
 (SR2017 SEG 0040/0000)  
 LENGTH(AH 2588 BK 3674)  
 0410/0000  
 018 "DIA CIRC CONCR  
 LEN=0042 INSTALLED UNKN  
 0400/1457  
 102824 FT  
 0400/0015 BMSEN 01/0116/0400/0000  
 1 0 00231 0 00 0382+53

109086 FT

106498 FT

102824 FT



DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

STORMS STORE RD  
(T428)


0390/0021  
099807 FT

MOUNT PLEASANT  
BONNEAUVILLE B

0360/2545

PIN OAK DR  
(BORO)

0360/2133



VALLEY BROOK  
BMSBG 01/0116/0400/0000  
LENGTH(AH 3674 BK 3017)

0390/1725 018 "DIA CIRC CONCR  
LEN=0032 INSTALLED UNKN

099807 FT 1 0 00231 0 00 0352+03  
STORMS STORE RD  
(T428)

0390/0000 LENGTH(AH 3017 BK 2757)  
0380/2250 015 "DIA CIRC CONCR  
LEN=0035 INSTALLED UNKN

0380/1066 024"H 24"W CON BOX CUL  
LEN=0035 INSTALLED UNKN

097050 FT 097050 FT 1 0 00231 0 00 0324+46  
0380/0000 LENGTH(AH 2757 BK 2217)

0370/0453 018 "DIA CIRC CONCR  
LEN=0036 INSTALLED UNKN  
094833 FT 1 0 00231 0 00 0302+29

0370/0000 MOUNT PLEASANT  
BONNEAUVILLE B  
LENGTH(AH 2217 BK 3501)  
0360/3462 015 "DIA CIRC CONCR  
LEN=0036 INSTALLED UNKN

0360/2530 HICKORY AV  
(BORO)

0360/1567 018 "DIA CIRC CONCR  
LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: BONNEAUVILLE B RIGHT MUN: BONNEAUVILLE B

1 0 00231 0 00 0267+48 091332 FT  
 CEDAR ST  
 (SR2001 SEG 0140/0000) 0360/0000

1 0 00231 0 00 0258+89 090422 FT  
 PINE ST  
 (SR2005 SEG 0010/0000) 0350/0000

BONNEAUVILLE  
 MOUNT PLEASANT T 0330/1257

088452 FT

086325 FT

==	0360/1456	ELM AV (BORO)
---	0360/0820	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
---	0360/0109 091332 FT	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
==	5 0360/0000	LENGTH(AH 3501 BK 0910) MAPLE ST
==	0350/0482	(SR2001 SEG 0130/2888) 048 "DIA CAST IRON
---	0350/0445 090422 FT	LEN=0037 INSTALLED UNKN
==	5 0350/0000	LENGTH(AH 0910 BK 1970)
---	0340/1134	048"H 38"W CON BOX CUL LEN=0050 INSTALLED UNKN
==	0340/1088	SUNSET DR (BORO)
---	0340/0643	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
---	0340/0367 088452 FT	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
==	5 0340/0000	1 0 00231 0 00 0239+21 WALNUT LN (TWP ) LENGTH(AH 1970 BK 2127)
---	0330/1495	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
---	0330/0992	BMS EN 01/0116/0330/0976 0 0 00000 0 00 0000+00 CHICKEN RUN
---	0330/0976	BMSBG 01/0116/0330/0976
---	0330/0929	019"H 30"W ELLIP CONC LEN=0050 INSTALLED UNKN
==	0330/0890	WHEATLAND DR (T495)
---	0330/0026 086325 FT	018 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN
---		1 0 00231 0 00 0217+94 BONNEAUVILLE MOUNT PLEASANT T




DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

1 0 00231 0 00 0118+92 076401 FT  
 HOFFMAN RD  
 (T479) 0290/0000

ROCKY GROVE RD  
 (T414) 0280/0500

072978 FT





DIR: B TOTAL LEN: 25.060 MI.  
 LEFT MUN: GETTYSBURG B


DIST: 08-1 SR: 116  
 RIGHT MUN: GETTYSBURG B

0 0 00000 0 00 0000+00 064514 FT  
 YORK ST  
 (SR0030 SEG 0280/1189) 0248/0000  
 064514 FT

CHAMBERSBURG ST  
 (SR0030 SEG 0272/0085) 0244/0380  
 064134 FT

UNNAMED AL  
 (BORO) 0240/0656

REYNOLDS ST  
 (BORO) 0240/0400  
 061567 FT



INTER-BK YORK ST  
 (SR0030 SEG 0280/1189)  
 0248/0000 LTH AH 001199 BK 000100  
 064514 FT  
 7246/0000 LTH AH 000100 BK 000380  
 INTER-AHD YORK ST  
 (SR0030 SEG 0272/0085)  
 0244/0380 GETTYSBURG-YORK ST  
 (BORO)  
 0244/0217 ZERFING AL  
 (BORO)  
 064134 FT 1 0 00042 0 02 0643+06  
 E MIDDLE ST  
 (BORO)  
 NC BALTIMORE ST  
 BALTIMORE ST  
 (SR3001 SEG 0190/2045)  
 0244/0000 LENGTH(AH 0380 BK 2567)  
 WASHINGTON ST  
 (BORO)  
 0240/1938  
 0240/1470 015"H 21"W ELLIP METAL  
 LEN=0003 INSTALLED UNKN  
 FRANKLIN ST  
 (BORO)  
 0240/1468  
 WEST ST  
 (BORO)  
 0240/1001  
 0240/0817 015"H 21"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 UNNAMED AL  
 (BORO)  
 0240/0808  
 0240/0498 BMS EN 01/0116/0240/0482  
 1 0 00044 0 03 0891+45  
 STEVENS RUN  
 0240/0482 BMSBG 01/0116/0240/0482  
 061567 FT 1 0 00044 0 03 0886+59  
 HOWARD AV  
 (BORO)  
 0240/0000 LENGTH(AH 2567 BK 1093)  
 RIDGE AV  
 (BORO)  
 0230/0850 BORO AL

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: GETTYSBURG B RIGHT MUN: GETTYSBURG B

Location	Segment ID	Length	Material	Notes
HAY ST (BORO)	0230/0534	060474 FT	018" DIA CIRC METAL	0230/0560 (BORO)
SEMINARY RIDGE (BORO)	0230/0000		018" DIA CIRC CONCR	0230/0443 (BORO) 060474 FT NC W MIDDLE ST CONFEDERATE AV (BORO)
REYNOLDS AV (PARK)	0220/0085	057706 FT	018" DIA CIRC CONCR	0220/2126 GETTYSBURG CUMBERLAND T WOODCREST DR (TWP) 0220/2036 (TWP) 0220/1870 LEN=0040 INSTALLED UNKN 0220/1790 LEN=0056 INSTALLED UNKN 0220/1383 (T350) 0220/0854 036" DIA CAST IRON LEN=0042 INSTALLED UNKN 0220/0527 REDDING LN (TWP) 0220/0451 LEN=0044 INSTALLED UNKN
OLD MILL RD (T337) PA DOT 8-1 (GOVT)	0210/1528		018" DIA CIR PLASTIC	057706 FT 1 0 00044 0 03 0848+83 WINDBRIAR LN (TWP)
PA DOT 8-1 (GOVT)	0210/0871		024" DIA CIRC CONCR	0220/0000 LENGTH(AH 2768 BK 1836)
	0210/1290		024" DIA CIRC CONCR	
	0210/1083		018" DIA CIRC CONCR	
	0210/1080		018" DIA CIRC CONCR	
	0210/0930		018" DIA CIRC CONCR	
	0210/0871		018" DIA CIRC CONCR	
	0210/0693		018" DIA CIRC CONCR	

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Notes	Material	Length
055870 FT		018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN 018 " DIA CIR PLASTIC LEN=0047 INSTALLED UNKN	
		BMSSEN 01/0116/0210/0000 1 0 00044 0 03 0830+47 WILLOUGHBY RUN BMSBG 01/0116/0210/0000	
		5 0210/0000 LENGTH(AH 1836 BK 2819)	
PARK AV (T336)	0200/2060		
VICTORY LN (PRDR)	0200/1490		
		0200/1860 WILLOUGHBY RUN RD (T351)	
		0200/0846 018 " DIA CAST IRON LEN=0029 INSTALLED UNKN 0200/0667 BMSSEN 01/0116/0200/0650 1 0 00044 0 03 0808+08 T. WILLOUGHBY 0200/0650 BMSBG 01/0116/0200/0650 MEDIA DR 0200/0252 (TWP) 053051 FT 1 0 00044 0 02 0801+58 5 0200/0000 LENGTH(AH 2819 BK 2302)	
SUNSHINE AV (TWP)	0190/2162		
FAIRPLAY RD (T339)	0190/1353		
		0190/1723 030 " DIA CIRC CONCR LEN=0076 INSTALLED UNKN	
		0190/0566 024 " DIA CIRC CONCR LEN=0070 INSTALLED UNKN 018 " DIA CIRC CONCR LEN=0064 INSTALLED UNKN	
1 0 00044 0 02 0778+48 050749 FT BREAMS HILL RD (T335)	0190/0000		
		5 0190/0000 LENGTH(AH 2302 BK 2130) 018 " DIA CIRC CONCR LEN=0063 INSTALLED UNKN	
		0180/1685	
		0180/0654 018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN 018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN	
BREAMS HILL RD		0180/0413	



DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Notes	Stationing	Notes
(T335) 0180/0045 048619 FT		048619 FT	1 0 00044 0 02 0757+41 BLACKHORSE TAVERN RD (T334)
BLACKHORSE TAVERN RD (T334) 0170/1646		5 0180/0000	LENGTH(AH 2130 BK 1769)
		0170/1564	BMSEN 01/0116/0170/1405 CUMBERLAND
		0170/1486	HIGHLAND T 1 0 00044 0 02 0753+77 MARSH CK.
		0170/1405	BMSBG 01/0116/0170/1405
		046850 FT	
		5 046850 FT	1 0 00044 0 02 0739+72 LENGTH(AH 1769 BK 2762)
		0170/0000	012 "DIA CAST IRON LEN=0030 INSTALLED UNKN
		0160/2482	018 "DIA CIRC METAL LEN=0037 INSTALLED UNKN
		0160/2201	
KNOXLYN ORRTANNA RD (SR3020 SEG 0100/2862) 0160/2191		0160/1691	015 "DIA CAST IRON LEN=0032 INSTALLED UNKN
		0160/0954	018 "DIA CAST IRON LEN=0030 INSTALLED UNKN
		0160/0811	030 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0160/0633	018 "DIA CAST IRON LEN=0033 INSTALLED UNKN
		0160/0404	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0160/0036	BMSEN 01/0116/0160/0000
044088 FT		044088 FT	1 0 00044 0 02 0712+27 T. MARSH CK.
		5 0160/0000	BMSBG 01/0116/0160/0000 LENGTH(AH 2762 BK 3483)
		0150/2786	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0150/2500	BMSEN 01/0116/0150/2461 1 0 00044 0 02 0701+95 T. MARSH CK.
		0150/2461	BMSBG 01/0116/0150/2461
		0150/1767	018 "DIA CAST IRON LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: HIGHLAND T RIGHT MUN: HIGHLAND T

Stationing	Material	Quantity	Notes
0150/1434	018" DIA CAST IRON	LEN=0034	INSTALLED UNKN
0150/0859	018" DIA CAST IRON	LEN=0031	INSTALLED UNKN
040605 FT			
040605 FT	1 0 00044	0 02 0677+56	KNORR RD
0150/0000	LENGTH(AH 3483 BK 1814)		
0140/1175	015" DIA CIRC CONCR	LEN=0034	INSTALLED UNKN
0140/0821	018" DIA CIRC CONCR	LEN=0034	INSTALLED UNKN
038791 FT			
0140/0122	018" DIA CAST IRON	LEN=0034	INSTALLED UNKN
038791 FT	1 0 00044	0 02 0659+44	
0140/0000	LENGTH(AH 1814 BK 2483)		
0130/2235	018" DIA CAST IRON	LEN=0037	INSTALLED UNKN
0130/1965	018" DIA CIRC CONCR	LEN=0034	INSTALLED UNKN
0130/1633	012" DIA CAST IRON	LEN=0030	INSTALLED UNKN
0130/1324	018" DIA CIR PLASTIC	LEN=0040	INSTALLED UNKN
0130/1288	CAMP GETTYSBURG RD		(SR3013 SEG 0060/0000)
0130/1231	018" DIA CIR PLASTIC	LEN=0030	INSTALLED UNKN
0130/1072	015" DIA CAST IRON	LEN=0030	INSTALLED UNKN
0130/1049	WEIKERT RD		(T320)
0130/0994	018" DIA CIR PLASTIC	LEN=0036	INSTALLED UNKN
036308 FT			
0130/0286	018" DIA CAST IRON	LEN=0030	INSTALLED UNKN
036308 FT	1 0 00044	0 02 0634+38	
0130/0000	LENGTH(AH 2483 BK 3903)		
0120/3471	015" DIA CAST IRON	LEN=0030	INSTALLED UNKN
0120/3027	018" DIA CIRC CONCR	LEN=0030	INSTALLED UNKN
0120/2481	015" DIA CAST IRON	LEN=0033	INSTALLED UNKN
CARR HILL RD			

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: HIGHLAND T RIGHT MUN: HIGHLAND T

Stationing	Notes	Material	Length
(T332) 0120/1702	==		
	0120/1237	024 " DIA CAST IRON LEN=0030	INSTALLED UNKN
	0120/0125	018 " DIA CIR PLASTIC LEN=0030	INSTALLED UNKN
1 0 00044 0 02 0595+22 032405 FT COLD SPRINGS RD (T307)	0120/0000	5 0120/0000	LENGTH(AH 3903 BK 3809)
	0110/2881	012 " DIA CIR PLASTIC LEN=0032	INSTALLED UNKN
	0110/1576	018 " DIA CAST IRON LEN=0030	INSTALLED UNKN
	0110/1195	015 " DIA CAST IRON LEN=0043	INSTALLED UNKN
	0110/0604	024 " DIA CIRC METAL LEN=0035	INSTALLED UNKN
HUFFMANTOWN LN (PRDR)	0110/0596	==	
	028596 FT	RBR	
	0110/0047	BMSEN 01/0116/0110/0000 1 0 00044 0 02 0557+13 P3 MUDDY RUN BMSBG 01/0116/0110/0000 HIGHLAND HAMILTONBAN T	
	0110/0000	5 0110/0000	LENGTH(AH 3809 BK 2760)
	0100/0670	015 " DIA CAST IRON LEN=0038	INSTALLED UNKN
	0100/0350	015 " DIA CIRC CONCR LEN=0034	INSTALLED UNKN
025836 FT	025836 FT	1 0 00044 0 02 0529+53 BULLFROG RD (T321)	
BULLFROG RD (T321)	0100/0000	5 0100/0000	LENGTH(AH 2760 BK 3376)

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: HAMILTONBAN T RIGHT MUN: HAMILTONBAN T

Location / Description	Segment ID	Length / Notes	Material / Details
	0090/2146		018 " DIA CIRC METAL LEN=0031 INSTALLED UNKN
	0090/1882		024 " DIA CIRC METAL LEN=0030 INSTALLED UNKN
FOR SR 0116 AND 3011 (CONN)	0090/1073		
CARROLLS TRACT RD (SR3011 SEG 0010/0000)	0090/0965		018 " DIA CIRC METAL LEN=0034 INSTALLED UNKN HAMILTONBAN FAIRFIELD B
	0090/0950		024 " DIA CIRC METAL LEN=0051 INSTALLED UNKN
	0090/0623		BMSEN 01/0116/0090/056B 1 0 00044 0 01 0501+38 MIDDLE CK.
HAMILTONBAN FAIRFIELD B	0090/0493		BMSBG 01/0116/0090/056B
	022460 FT		NC FAIRFIELD RD UNNAMED AL (BORO)
BORO AL (BORO)	0080/3110		1 0 00044 0 01 0495+70 CENTENNIAL ST (BORO)
	0080/2825		LENGTH(AH 3376 BK 3152)
FOURTH AV (BORO)	0080/2583		THIRD AV (BORO) WATER ST (SR3010 SEG 0010/0000)
BORO AL (BORO) MILLER ST (SR3016 SEG 0070/1493)	0080/2297		012"H 00"W **UNKNOWN** LEN=0035 INSTALLED UNKN
	0080/1977		MILLER ST (BORO)
	0080/1829		024 " DIA CIRC METAL LEN=0030 INSTALLED UNKN
	0080/1810		BMSEN 01/0116/0080/179B 1 0 00044 0 01 0480+66 T. SPRING RUN
	0080/1798		BMSBG 01/0116/0080/179B SPRING ST (BORO)
	0080/1757		033"H 51"W ELLIP METAL

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 93  
COUNTY: ADAMS

DIR: B TOTAL LEN: 25.060 MI.  
LEFT MUN: FAIRFIELD B

DIST: 08-1 SR: 116  
RIGHT MUN: FAIRFIELD B

STEVENS ST  
(BORO)

0080/0196  
019308 FT

BEECHWOOD DR  
(TWP)

0070/0866

1 0 00044 0 01 0451+05 017966 FT  
IRON SPRINGS RD  
(SR3014 SEG 0120/3099) 0070/0000

DELANY TR  
(TWP)


0060/0653

1 0 00044 0 01 0422+30 015060 FT

---	0080/1719	LEN=0060	INSTALLED	UNKN
---	0080/1556	LEN=0035	INSTALLED	UNKN
==	0080/1420	BALDER ST (BORO)		
==	0080/1116	J H KANE AV (BORO)		
==	0080/0936	SEVENTH AV (BORO)		
==	0080/0780	EIGHTH AV (BORO)		
---	0080/0564	012 "DIA CIRC METAL LEN=0035	INSTALLED	UNKN
==	0080/0515	MCGINLEY DR (SR3007 SEG 0120/1443)		
==	019308 FT	1 0 00044 0 01 0464+08 NC MAIN ST FAIRFIELD HAMILTONBAN T		
---	5 0080/0000	LENGTH(AH 3152 BK 1342) 013"H 17"W ELLIP METAL		
---	0070/1294	LEN=0030	INSTALLED	UNKN
---	0070/1264	018"H 00"W MULT CONCR LEN=0042	INSTALLED	UNKN
==	017966 FT	HAMILTONBAN CARROLL VALLEY B		
==	5 0070/0000	LENGTH(AH 1342 BK 2906) 018"H 30"W ELLIP CONC		
---	0060/2500	LEN=0032	INSTALLED	UNKN
==	0060/2215	MCGLAUGHLIN LN (PRDR)		
---	0060/1930	015"H 21"W ELLIP CONC LEN=0065	INSTALLED	UNKN
---	0060/1928	015"H 21"W ELLIP CONC LEN=0030	INSTALLED	UNKN
---	0060/1096	018 "DIA CIRC CONCR LEN=0030	INSTALLED	UNKN
==	0060/0262	015"H 21"W ELLIP CONC LEN=0030	INSTALLED	UNKN
==	0060/0126	BLUE GILL TR (BORO)		
==	015060 FT			


DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: CARROLL VALLEY B RIGHT MUN: CARROLL VALLEY B

JACKS MOUNTAIN RD  
 (SR3021 SEG 0060/2050) 0060/0000




0060/0000 MFC BEGIN = B  
 LENGTH(AH 2906 BK 3779)  
 018 "DIA CIRC CONCR  
 0050/3671 LEN=0040 INSTALLED UNKN  
 0050/2904 SKI RUN TR  
 (BORO)

SANDERS RD  
 (BORO) 0050/0960  
 MCCLEAF LN  
 (PRDR) 0050/0608  
 1 0 00044 0 01 0383+72 011281 FT  
 VALLEY VIEW TR  
 (BORO) 0050/0000




0050/0967 SANDERS RD  
 (BORO)  
 011281 FT  
 0050/0000 LENGTH(AH 3779 BK 2974)  
 015 "DIA CAST IRON  
 0040/2446 LEN=0030 INSTALLED UNKN




0040/1686 SPRINGS RUN  
 STRUCTURE LENGTH 22 FT  
 BMSID 01/0116/0040/1686  
 018 "DIA CIRC CONCR  
 0040/1550 LEN=0032 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 0040/1482 LEN=0033 INSTALLED UNKN

008307 FT



0040/0095 BMSEN 01/0116/0040/0001  
 008307 FT 1 0 00044 0 01 0354+76  
 TOMS CREEK  
 BMSBG 01/0116/0040/0001  
 0040/0000 LENGTH(AH 2974 BK 2917)

SPRING TR  
 (BORO) 0030/2401



0030/2005 018 "DIA CIRC CONCR  
 LEN=0036 INSTALLED UNKN  
 0030/1989 018 "DIA CIRC CONCR  
 LEN=0030 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 0030/1561 LEN=0030 INSTALLED UNKN


HILLTOP TR  
 (BORO) 0030/1541

DIR: B TOTAL LEN: 25.060 MI. DIST: 08-1 SR: 116  
 LEFT MUN: CARROLL VALLEY B RIGHT MUN: CARROLL VALLEY B

Location	Segment ID	Length	Material	Status
FAWN TR (BORO)	0030/1130	0030/1234	024" DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
DEER TR (BORO)	0030/0308	0030/0465	018" DIA CIRC CONCR	LEN=0036 INSTALLED UNKN
1 0 00044 0 01 0325+37 SKYLARK TR (BORO)	005390 FT	0030/0182	042"H 60"W ELLIP CONC	LEN=0060 INSTALLED UNKN
	0030/0000	0020/2171	018" DIA CIRC CONCR	LEN=0050 INSTALLED UNKN
STINE TR (BORO)	0020/1981	0020/1996	024" DIA CIRC CONCR	LEN=0035 INSTALLED UNKN
		0020/1611	018" DIA CIRC CONCR	LEN=0030 INSTALLED UNKN
		0020/1259	015" DIA CIRC CONCR	LEN=0035 INSTALLED UNKN
		0020/0955	024" DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
002807 FT		0020/0511	024" DIA CIRC CONCR	LEN=0036 INSTALLED UNKN
		0010/2602	018" DIA CIRC CONCR	LEN=0035 INSTALLED UNKN
		0010/2257	024" DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
		0010/1380	018" DIA CIRC CONCR	LEN=0030 INSTALLED UNKN
		0010/0755	024" DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
		0010/0307	BMSSEN 01/0116/0010/0227	1 0 00044 0 01 0273+81
000000 FT		0010/0227	MINEY BR.	BMSBG 01/0116/0010/0227
		000000 FT	NC FA	1 0 00044 0 00 0260+06
		0010/0000	IRFIELD RD	WAYNESBORO PK
			(SR0016 SEG 0090/0000)	MFC BEGIN = C
		0010/0000	LENGTH(AH 2807 BK 0000)	

DIR: B TOTAL LEN: 9.362 MI. DIST: 08-1 SR: 97  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

	049414 FT		049432 FT	
BMSEN 01/0097/0190/0000			7200/0000	LTH AH 000100 BK 000143
BALTIMORE RD	INTER-AHD			BMSEN 01/0097/0190/0000
(SR2035 SEG 0010/0000)	0191/0143		0190/0143	BALTIMORE PK
1 0 00042 0 00 0492+97	049271 FT		049289 FT	(SR2035 SEG 0010/0000)
US 15 (NB)				1 0 00042 0 00 0492+97
BMSBG 01/0097/0190/0000				US 15 (NB)
LENGTH(AH 0143 BK 0543)	0191/0000		0190/0000	BMSBG 01/0097/0190/0000
RAMP C-3 RD				LENGTH(AH 0143 BK 0561)
(SR8003 SEG 0010/0627)				RAMP C-3 RD
RAMP C-4 RD				(SR8003 SEG 0010/0627)
(SR8003 SEG 0750/0000)				RAMP C-4 RD
	0185/0432		0184/0440	(SR8003 SEG 0750/0000)
			0184/0382	TO 8003/0750 SH
FROM 8003/0010 SH	0185/0367		048728 FT	(CONN)
(CONN)				1 0 00042 0 00 0478+06
1 0 00042 0 00 0478+06	048728 FT			HERITAGE DR
HERITAGE DR				(PRDR)
(PRDR)				
MFC BEGIN = B				MFC BEGIN = B
LENGTH(AH 0543 BK 3070)	0185/0000		0184/0000	LENGTH(AH 0561 BK 3070)
THE OUTLET				
(PRDR)	0180/2611		0180/2611	WHITE RD
			0180/2275	(T422)
			0180/2140	018 " DIA CIRC CONCR
			0180/2133	LEN=0030 INSTALLED UNKN
				BMSEN 01/0097/0180/2084
				0 0 00000 0 00 0000+00
				WHITE RUN
			0180/2084	BMSBG 01/0097/0180/2084
			0180/1176	018 " DIA CIRC CONCR
				LEN=0065 INSTALLED UNKN
			0180/0485	018 " DIA CIRC CONCR
			045658 FT	LEN=0050 INSTALLED UNKN
1 0 00042 0 00 0456+50	045658 FT			
WHITE CHURCH RD				LENGTH(AH 3070 BK 2677)
(T412)	0180/0000			018 " DIA CIRC CONCR






DIR: B TOTAL LEN: 9.362 MI. DIST: 08-1 SR: 97  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

042981 FT

040026 FT

0170/2641	LEN=0070	INSTALLED UNKN
0170/1862	018 " DIA CIRC CONCR LEN=0055	INSTALLED UNKN
0170/1445	018 " DIA CIRC CONCR LEN=0078	INSTALLED UNKN
0170/0951	018 " DIA CIRC CONCR LEN=0042	INSTALLED UNKN
0170/0025	015"H 15"W UNKN CONC LEN=0025	INSTALLED UNKN
042981 FT	1 0 00042 0 01 0429+73 LOW DUTCH RD (T424)	
0170/0000	LENGTH(AH 2677 BK 2955) 030 " DIA CIRC CONCR	
0160/2720	LEN=0072	INSTALLED UNKN
0160/2383	024 " DIA CIRC CONCR LEN=0068	INSTALLED UNKN
0160/1784	(APRA) THE AMISH BARNYA THE AMISH BARNYARD (PRDR)	
0160/1637	042 " DIA CIRC CONCR LEN=0068	INSTALLED UNKN
0160/0956	072 " DIA CIRC CONCR LEN=0086	INSTALLED UNKN
040026 FT	1 0 00042 0 01 0400+18	
0160/0000	LENGTH(AH 2955 BK 3768) 018 " DIA CIRC CONCR	
0150/3637	LEN=0060	INSTALLED UNKN
0150/3390	024 " DIA CIRC CONCR LEN=0078	INSTALLED UNKN
0150/2612	018 " DIA CIRC CONCR LEN=0045	INSTALLED UNKN
0150/1764	042 " DIA CIRC CONCR LEN=0060	INSTALLED UNKN
0150/0990	042 " DIA CIRC CONCR LEN=0066	INSTALLED UNKN
0150/0618	015"H 21"W ELLIP METAL LEN=0048	INSTALLED UNKN
0150/0608	TWO TAVERNS RD (SR2001 SEG 0090/0000)	
0150/0380	BMSSEN 01/0097/0150/0338	




DIR: B TOTAL LEN: 9.362 MI. DIST: 08-1 SR: 97  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

BARLOW-TWO TAVERNS RD  
 (T405) 0150/0261  
 1 0 00042 0 01 0362+50 036258 FT  
 HOFFMAN HOME RD  
 (SR2029 SEG 0080/0965) 0150/0000

LC FOR SPLMAN KLINGER R  
 (CONN) 0130/0780  
 SPELLMAN KLINGER RD  
 (T426) 0130/0696

CALIFORNIA RD  
 (T448) 0130/0000



EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 87  
COUNTY: ADAMS

DIR: B TOTAL LEN: 9.362 MI.  
LEFT MUN: MOUNT JOY T

DIST: 08-1 SR: 97  
RIGHT MUN: MOUNT JOY T

Station	Length	Notes
	0120/2990	LEN=0045 INSTALLED UNKN
	0120/0707	024 " DIA CIRC CONCR LEN=0068 INSTALLED UNKN
	0120/0456	018 " DIA CIRC CONCR LEN=0062 INSTALLED UNKN
027543 FT	0120/0021	BMSSEN 01/0097/0120/0000
	027543 FT	1 0 00042 0 01 0275+49 PLUM CREEK
	0120/0000	BMSBG 01/0097/0120/0000 LENGTH(AH 3204 BK 2481)
MUD COLLEGE RD (T431)	0110/2250	042 " DIA CIRC CONCR LEN=0063 INSTALLED UNKN
	0110/2060	
	0110/1369	024 " DIA CIRC CONCR LEN=0052 INSTALLED UNKN
	0110/1340	PLUNKERT RD (T430)
	0110/0988	024 " DIA CIRC CONCR LEN=0056 INSTALLED UNKN
025062 FT	025062 FT	1 0 00042 0 01 0250+55
	0110/0000	LENGTH(AH 2481 BK 2300)
	0100/1386	024 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
MILLER RD (T432)	0100/0968	
	0100/0309	BMSSEN 01/0097/0100/0240 MOUNT JOY
	0100/0265	GERMANY T 1 0 00042 0 01 0229+95 P3
	0100/0240	ALLOWAY CREEK BMSBG 01/0097/0100/0240
1 0 00042 0 01 0227+55 022762 FT GETTYSBURG RD (T434)	022762 FT	
	0100/0000	LENGTH(AH 2300 BK 2774) 030 " DIA CIRC CONCR

DIR: B TOTAL LEN: 9.362 MI. DIST: 08-1 SR: 97  
 LEFT MUN: GERMANY T RIGHT MUN: GERMANY T

Stationing	Description	Length	Material	Status
0090/2602		0066	048" DIA CIRC CONCR	INSTALLED UNKN
0090/2162		0060	030" DIA CIRC CONCR	INSTALLED UNKN
0090/1627		0056		INSTALLED UNKN
0090/0120		0055	018" DIA CIRC CONCR	INSTALLED UNKN
019988 FT		019988 FT	1 0 00042 0 01 0199+50	
0090/0000			FEESER RD (T442)	
0080/0844		0054	018" DIA CIRC CONCR	INSTALLED UNKN
0080/0457		0055	024" DIA CIRC CONCR	INSTALLED UNKN
0080/0275		0060	018" DIA CIRC CONCR	INSTALLED UNKN
018723 FT		018723 FT		
0080/0000			LENGTH(AH 1265 BK 3418)	
0070/2860		0086	054" DIA CIRC CONCR	INSTALLED UNKN
0070/1403		0095	072"H 72"W CON BOX CUL	INSTALLED UNKN
0070/1214			DREW LN (PRDR)	
0070/0599		015305 FT		
015305 FT		015305 FT	1 0 00042 0 01 0152+67	
0070/0000			NC BA LTIMORE PK LOCUST DR (T421)	
0070/0000			GERMANY UNION T	
0060/0540		0060	LENGTH(AH 3418 BK 1171)	
0060/0149		0057	048"H 72"W CON BOX CUL	INSTALLED UNKN
0060/0090		0057	018" DIA CIRC CONCR	INSTALLED UNKN
			FROM 2002/0090 SH (CONN)	

1 0 00042 0 01 0186+85 018723 FT  
 ST JOHNS RD  
 (T433) 0080/0000

KENSINGTON DR  
 (T427) 0070/0599  
 015305 FT

GERMANY  
 LITTLESTOWN B 0070/0000

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 85  
COUNTY: ADAMS

DIR: B TOTAL LEN: 9.362 MI.  
LEFT MUN: LITTLESTOWN B

DIST: 08-1 SR: 97  
RIGHT MUN: LITTLESTOWN B

Street Name	Stationing	Material	Length	Notes
COLUMBUS AV (BORO)	014134 FT	0060/0051	014134 FT	018 " DIA CIR PLASTIC LEN=0138 INSTALLED UNKN 1 0 00042 0 01 0140+71 WHITEHALL RD (SR2002 SEG 0090/2180) UNION LITTLESTOWN B
	0060/0000	0060/0000		LENGTH(AH 1171 BK 2697) CARROLL ST (BORO)
		0050/2436		024 " DIA CIRC CONCR LEN=0039 INSTALLED UNKN
		0050/2000		024 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN
		0050/1867		024 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN
		0050/1800		024 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN WINDSOR ST (BORO)
		0050/1797		024 " DIA CIRC CONCR LEN=0033 INSTALLED UNKN
		0050/1669		NEWARK ST (BORO)
		0050/1380		018 " DIA CIRC CONCR LEN=0033 INSTALLED UNKN
		0050/1338		
MARVIN ST (BORO)	0050/1060			MYRTLE ST (BORO)
		0050/0684		018 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN
		0050/0647		018 " DIA CIRC CONCR LEN=0033 INSTALLED UNKN
	011437 FT	0050/0322	011437 FT	1 0 00042 0 01 0114+41 LOCUST ST (BORO)
		0050/0000		LENGTH(AH 2697 BK 3312) 018 " DIA CIRC CONCR LEN=0033 INSTALLED UNKN KING ST (SR0194 SEG 0070/0000)
UNNAMED AL (BORO)		0040/3268		018 " DIA CIRC CONCR LEN=0018 INSTALLED UNKN CHARLES ST (BORO)
		0040/2985		DERN AL (BORO)
		0040/2966		
		0040/2697		
	0040/2594			018 " DIA CIRC CONCR

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 84  
COUNTY: ADAMS

DIR: B TOTAL LEN: 9.362 MI.  
LEFT MUN: LITTLESTOWN B

DIST: 08-1 SR: 97  
RIGHT MUN: LITTLESTOWN B

CEMETERY ST  
(BORO)

0040/2225

CRYSTAL SPRING LN  
(BORO)

0040/1822

BOYER ST  
(BORO)

0040/1462

COLUMBUS AV  
(BORO)

0040/1018

008125 FT

---	0040/2427	LEN=0033	INSTALLED	UNKN
==	0040/2414	LUMBER ST		
==	0040/2313	(BORO)		
==	0040/2225	UNNAMED AL		
---	0040/2193	(BORO)		
---	0040/1946	018 "DIA CIRC CONCR		
---	0040/1935	LEN=0033 INSTALLED UNKN		
---	0040/1935	018 "DIA CIRC CONCR		
---	0040/1935	LEN=0030 INSTALLED UNKN		
---	0040/1935	MONARCH ST		
---	0040/1935	(BORO)		
---	0040/1650	UNNAMED AL		
---	0040/1650	(BORO)		
---	0040/1476	018 "DIA CIRC CONCR		
---	0040/1476	LEN=0033 INSTALLED UNKN		
---	0040/1473	BOYER ST		
---	0040/1473	(BORO)		
---	0040/1462	UNNAMED AL		
---	0040/1462	(BORO)		
---	0040/1203	018 "DIA CIRC CONCR		
---	0040/1203	LEN=0030 INSTALLED UNKN		
---	0040/1035	LAKEVIEW DR		
---	0040/1035	(BORO)		
---	0040/1018	018 "DIA CIRC CONCR		
---	0040/1018	LEN=0030 INSTALLED UNKN		
---	0040/0735	BITTLE AL		
---	0040/0735	(BORO)		
---	0040/0454	018 "H 24 "W ELLIP CONC		
---	0040/0440	LEN=0035 INSTALLED UNKN		
---	0040/0440	MILLER AL		
---	0040/0315	(BORO)		
---	0040/0315	MILL AV		
---	0040/0129	(BORO)		
---	0040/0110	024 "DIA CIRC CONCR		
---	0040/0110	LEN=0030 INSTALLED UNKN		
---	0040/0021	BMSBN 01/0097/0040/0000		
---	008125 FT	1 0 00042 0 00 0081+29		
---	008125 FT	NC QU		
---	0040/0000	QUEEN ST		
---	0040/0000	PINEY CK.		
---	0040/0000	BMSBG 01/0097/0040/0000		
---	0040/0000	LENGTH(AH 3312 BK 2550)		
---	0030/2245	KINDIG RD		
---	0030/2245	(T448)		
---	0030/2245	LITTLESTOWN		

DIR: B TOTAL LEN: 9.362 MI. DIST: 08-1 SR: 97  
 LEFT MUN: LITTLESTOWN B RIGHT MUN: LITTLESTOWN B

BITTLE RD  
 (T446)


0030/1715

005575 FT

003075 FT

GEORGETOWN RD  
 (SR2014 SEG 0160/2608) 0010/1070

000000 FT



0030/2223 GERMANY T


005575 FT 1 0 00042 0 00 0055+00  
 0030/0000 LENGTH(AH 2550 BK 2500)  
 018 "DIA CIRC CONCR  
 0020/2017 LEN=0048 INSTALLED 2006  
 MAYERS BL  
 (PRDR)  
 0020/1892 058"H 91"W ELLIP CONCR  
 0020/1423 LEN=0048 INSTALLED 2006  
 024 "DIA CIRC CONCR  
 0020/0364 LEN=0048 INSTALLED 2006  
 003075 FT 1 0 00042 0 00 0030+71  
 BOLLINGER RD  
 (SR2027 SEG 0010/0000)  
 0020/0000 LENGTH(AH 2500 BK 3075)  
 0010/0534 BMSBN 01/0097/0010/0524  
 042"H 84"W CON BOX CUL  
 0010/0533 LEN=0035 INSTALLED UNKN  
 1 0 00042 0 00 0005+30  
 T. PINEY CK.  
 0010/0524 BMSBG 01/0097/0010/0524  
 MATHIAS RD  
 (T435)  
 0010/0431 024 "DIA CIRC CONCR  
 0010/0408 LEN=0040 INSTALLED UNKN  
 0010/0348 BMSBN 01/0097/0010/0333  
 1 0 00042 0 00 0003+39  
 PINEY CK.  
 0010/0333 BMSBG 01/0097/0010/0333  
 000000 FT 1 0 00042 0 00 0000+00  
 NC BA LTIMORE PK  
 INTER-BK MARYLAND STATE LINE  
 (STBD)  
 MFC BEGIN = B  
 0010/0000 LENGTH(AH 3075 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 82  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

095685 FT

095692 FT AH-CUMBERLAND (21)  
 INTER-AHD BALTIMORE PK  
 0350/2258 (SR0094 SEG 0010/0000)

1 0 00342 4 02 0933+62 093427 FT  
 MEALS RD  
 (T604) 0350/0000




0350/0056 018 " DIA CIRC METAL  
 093434 FT LEN=0034 INSTALLED UNKN  
 FICKEL HILL RD  
 (T605)  
 0350/0000 LENGTH(AH 2258 BK 2353)  
 0340/1399 015 " DIA CIRC CONCR  
 LEN=0035 INSTALLED UNKN  
 0340/0557 024 " DIA CIR PLASTIC  
 LEN=0045 INSTALLED UNKN  
 0340/0487 018"H 28"W ELLIPTICAL\*  
 LEN=0039 INSTALLED UNKN



DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

091074 FT

091081 FT 1 0 00342 4 02 0910+15  
 0340/0000 LENGTH(AH 2353 BK 3263)



0330/1679 018"H 28"W ELLIP METAL  
 LEN=0030 INSTALLED UNKN  
 0330/1627 020"H 28"W ELLIP METAL  
 LEN=0044 INSTALLED UNKN  
 0330/1065 015"H 21"W ELLIP METAL  
 LEN=0036 INSTALLED UNKN  
 0330/0229 022"H 28"W ELLIP METAL  
 LEN=0035 INSTALLED UNKN  
 LATIMORE RD  
 (SR1004 SEG 0050/0000)  
 087818 FT LATIMORE  
 HUNTINGTON T  
 0330/0000 LENGTH(AH 3263 BK 2668)  
 024 " DIA CIR PLASTIC  
 0320/2549 LEN=0050 INSTALLED UNKN  
 015 " DIA CIR PLASTIC  
 0320/1960 LEN=0041 INSTALLED UNKN  
 018"H 24"W ELLIP METAL  
 0320/1558 LEN=0035 INSTALLED UNKN

1 0 00342 4 02 0877+52 087811 FT  
 GOODYEAR RD  
 (SR1004 SEG 0050/0000) 0330/0000

CHERRY HILL RD  
 (T595) 0320/1407

0320/0600 MEADOW VIEW RD  
 (T532)  
 0320/0017 BMSSEN 01/0094/0320/0000  
 085150 FT 1 0 00342 4 02 0850+74  
 T. LATIMORE  
 BMSBG 01/0094/0320/0000  
 0320/0000 LENGTH(AH 2668 BK 1695)

1 0 00342 4 02 0833+87 083448 FT  
 WHITE OAK TREE RD  
 (T594) 0310/0000

083455 FT CLOVERDALE RD  
 (T603)  
 0310/0000 LENGTH(AH 1695 BK 3286)  
 0300/2641 BMSSEN 01/0094/0300/2621  
 0 0 00000 0 00 0000+00  
 T. LATIMORE  
 0300/2621 BMSBG 01/0094/0300/2621

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

Stationing	Right of Way	Structure	Material	Status
0300/1467	018" DIA	CIRC METAL	LEN=0029	INSTALLED UNKN
080162 FT	080169 FT	1 0 00342 4 02	0801+01	
	0300/0000	LENGTH(AH 3286 BK 2674)		
	0290/1548	034"H 00"W	MULT CONCR	LEN=0043 INSTALLED UNKN
	0290/1273	015" DIA	CIR PLASTIC	LEN=0028 INSTALLED UNKN
	0290/0781	018" DIA	CIR PLASTIC	LEN=0035 INSTALLED UNKN
	0290/0604	024" DIA	CIR PLASTIC	LEN=0034 INSTALLED UNKN
077488 FT	0290/0517	HUNTINGTON YORK SPRINGS B		
	077495 FT	1 0 00342 4 02	0773+93	
	0290/0000	LENGTH(AH 2674 BK 2272)		
	0280/2075	034"H 53"W	ELLIP CONC	LEN=0030 INSTALLED UNKN
IDAVILLE-YORK SPRINGS R (SR1020 SEG 0152/3311)	0280/1591	TOWN HILL RD (BORO)		
	0280/0624	018"H 00"W	MULT METAL	LEN=0039 INSTALLED UNKN
		NC CARLISLE PK		
K AL (BORO)	0280/0264			
1 0 00342 4 02 0751+53	075216 FT			
ATLANTIC AV (BORO)	0280/0000			
	0270/2231			
H ST (BORO)	0270/2216			
	0270/1900	012"H 18"W	ELLIP METAL	LEN=0036 INSTALLED UNKN
SOUTH G AL (BORO)	0270/1731			
	0270/1482	018"H 00"W	MULT METAL	LEN=0042 INSTALLED UNKN
	0270/1235	SAWMILL RD (BORO)		
HIGH ST (BORO)	0270/1185			
UNNAMED AL				

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: YORK SPRINGS B RIGHT MUN: YORK SPRINGS B

(BORO)		0270/1046	==		
PRIVATE DR		0270/0747	==		
(PRDR)					
SOUTH D AL		0270/0640	==	0270/0650	NORTH D ST
(BORO)					(BORO)
		072827 FT	---	0270/0398	036 " DIA CIRC CONCR
				072834 FT	LEN=0035 INSTALLED UNKN
					1 0 00342 4 02 0727+64
					HARRISBURG ST
WILLOW ST		0270/0000	==	0270/0000	(BORO)
(SR1014 SEG 0120/2625)					LENGTH(AH 2389 BK 1361)
SOUTH B AL		0260/1173	==	0260/1173	NORTH B ST
(BORO)					(BORO)
				0260/1091	024"H 24"W CON BOX CUL
					LEN=0035 INSTALLED UNKN
				0260/0765	034"H 53"W ELLIP METAL
					LEN=0040 INSTALLED UNKN
A ST		0260/0711	==		
(BORO)					
				0260/0565	STATE ST
					(SR3001 SEG 0470/0640)
				0260/0564	015 " DIA CIR PLASTIC
					LEN=0109 INSTALLED UNKN
				0260/0366	018 " DIA CIRC CONCR
					LEN=0047 INSTALLED UNKN
				0260/0159	036 " DIA CIRC CONCR
		071466 FT	---	071473 FT	LEN=0080 INSTALLED UNKN
					1 0 00342 4 02 0713+99
					NC MAIN ST
					MFC BEGIN = C
					YORK SPRINGS
					HUNTINGTON T
				0260/0000	LENGTH(AH 1361 BK 1695)
				0250/1539	FROM 8008/0510 SH
					(CONN)
030 " DIA CIRC CONCR		0251/1382	---		
LEN=0100 INSTALLED UNKN					
RAMP B RD					
(SR8011 SEG 0510/0000)					
RAMP B RD		0251/1322	==		
(SR8011 SEG 0500/0830)					
HUNTINGTON		0251/1319	---		
LATIMORE T					
				0250/1310	RAMP B RD
					(SR8011 SEG 0510/0000)
					RAMP B RD
					(SR8011 SEG 0500/0830)

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN 0251/1226		0250/1248	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
			TO 8008/0500 SH (CONN) HUNTINGTON LATIMORE T
018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN 0251/1018		0250/1097	
		0250/1032	
US 15 OP ID 01/0015/0440/0000 0251/0862		0250/0981	018 "DIA CIRC CONCR LEN=0069 INSTALLED UNKN
T. BERMUDIAN		0250/0856	US 15 OP ID 01/0015/0440/0000
STRUCTURE LENGTH 16 FT		0250/0855	T. BERMUDIAN
BMSID 01/0094/0250/1261 0251/0857		0250/0701	STRUCTURE LENGTH 16 FT BMSID 01/0094/0250/1261
			018 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0251/0701		0250/0581	FROM 8008/0750 SH (CONN)
018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN 0251/0460		0250/0438	018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN
RAMP A RD (SR8011 SEG 0750/0000)			RAMP A RD (SR8011 SEG 0750/0000)
RAMP A RD (SR8011 SEG 0760/0737) 0251/0401		0250/0393	RAMP A RD (SR8011 SEG 0760/0737)
		0250/0352	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN 0251/0340			
		0250/0190	TO 8008/0760 SH (CONN)
1 0 00342 4 01 0697+04 069771 FT		069778 FT	1 0 00342 4 01 0697+04
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 1695 BK 2981) 0251/0000		0250/0000	LENGTH(AH 1695 BK 2981)
		0240/2628	024 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN
		0240/1838	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0240/1145	015 "DIA CIRC CONCR LEN=0059 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Stationing	Notes	Stationing	Notes
066790 FT		0240/0505	LEN=0064 INSTALLED UNKN
		0240/0082	BMSEN 01/0094/0240/0000
		066797 FT	1 0 00342 4 01 0667+23
			BERMUDIAN CK
			BMSBG 01/0094/0240/0000
		0240/0000	LENGTH(AH 2981 BK 1885)
			LATIMORE
		0230/1725	HUNTINGTON T
			015 "DIA CIRC CONCR
		0230/1515	LEN=0045 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0230/0731	LEN=0060 INSTALLED UNKN
		064912 FT	QUAKER CHURCH RD
			(SR1008 SEG 0050/0000)
1 0 00342 4 01 0648+41 064905 FT		0230/0000	LENGTH(AH 1885 BK 3273)
GUN CLUB RD			
(SR1008 SEG 0050/0000)			
		0220/1400	BMSEN 01/0094/0220/1380
			0 0 00000 0 00 0000+00
			BR MUD RUN
		0220/1380	BMSBG 01/0094/0220/1380
			024 "DIA CIRC CONCR
		0220/0334	LEN=0046 INSTALLED UNKN
061632 FT		061639 FT	1 0 00342 4 01 0614+93
		0220/0000	LENGTH(AH 3273 BK 3426)
			018 "DIA CIRC CONCR
		0210/1956	LEN=0113 INSTALLED UNKN
			BERMUDIAN SPRINGS DR
		0210/1933	(PRDR)
			024 "DIA CIRC CONCR
		0210/1658	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0210/0925	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0210/0463	LEN=0048 INSTALLED UNKN
058206 FT		058213 FT	1 0 00342 4 01 0581+29
			BALTIMORE RD

FICKES SCHOOL RD  
(T582)

0210/0971

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 76  
COUNTY: ADAMS

DIR: N TOTAL LEN: 18.123 MI.  
LEFT MUN: HUNTINGTON T

DIST: 08-1 SR: 94  
RIGHT MUN: HUNTINGTON T

BUTTONWOOD RD  
(T638)

0200/0784

056220 FT

LAKE MEADE RD  
(T532)

0190/0769

054596 FT

051119 FT

==	5	0210/0000	(T610) LENGTH(AH 3426 BK 1986) 030"H 42"W ELLIP METAL LEN=0061 INSTALLED UNKN
---		0200/1909	024 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
---		0200/0835	018 "DIA CIRC CONCR LEN=0068 INSTALLED UNKN
==		0200/0766	BMS EN 01/0094/0200/0000 1 0 00342 4 01 0561+43 MUD RUN BMSBG 01/0094/0200/0000 HUNTINGTON READING T
---		0200/0023	0200/0000 LENGTH(AH 1986 BK 1624)
---	5	0200/0000	LAKE MEADE RD (SR1010 SEG 0010/0000)
==		0190/0782	018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN
---		0190/0723	1 0 00342 4 01 0545+40 5 0190/0000 LENGTH(AH 1624 BK 3477)
---		0180/2623	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
---		0180/2181	024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
---		0180/1806	015 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
---		0180/1398	015 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
---		0180/0919	015 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN
---		0180/0457	015 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
---		051126 FT	1 0 00342 4 01 0510+63
---	5	0180/0000	LENGTH(AH 3477 BK 3540) 015 "DIA CIR UNKNOWN
---		0170/3058	LEN=0045 INSTALLED UNKN
---		0170/2672	015 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN
---			ROUND HILL RD

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: READING T RIGHT MUN: READING T

Location / Segment	Segment ID	Length (FT)	Material / Notes
ROUND HILL RD (T615)	0170/2264		
	0170/2347		(T615)
	0170/1067		024 " DIA CIRC CONCR LEN=0046 INSTALLED UNKN
	047579 FT		
	047586 FT		1 0 00342 4 01 0475+23
	0170/0000		LENGTH(AH 3540 BK 3054) 024 " DIA CIRC CONCR
	0160/3019		LEN=0045 INSTALLED UNKN
	0160/2201		018 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	0160/1696		018 " DIA CIRC CONCR LEN=0055 INSTALLED UNKN
	0160/0823		024 " DIA CIRC CONCR LEN=0046 INSTALLED UNKN
	0160/0507		015 " DIA CIRC CONCR LEN=0004 INSTALLED UNKN
1 0 00342 4 01 0444+48 044525 FT EAST BERLIN RD (SR0234 SEG 0470/0000)	044532 FT		EAST BERLIN RD (SR0234 SEG 0470/0000)
	0160/0000		LENGTH(AH 3054 BK 3711)
	0150/2952		030 " DIA CIRC CONCR LEN=0049 INSTALLED UNKN
	0150/2879		018 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	0150/1683		UNNAMED RD (PRDR)
	0150/1589		018 " DIA CIRC CONCR LEN=0056 INSTALLED UNKN
	0150/0931		036 " DIA CIRC METAL LEN=0052 INSTALLED UNKN
	0150/0498		018 " DIA CIRC CONCR LEN=0042 INSTALLED UNKN
VILLAGE AL (TWP)	0150/0421		
	0150/0289		012 " DIA CAST IRON LEN=0048 INSTALLED UNKN
CEMETERY AL (TWP)	0150/0178		FIRE HOUSE AL (TWP)
	040814 FT		040821 FT
	0150/0178		1 0 00342 4 01 0406+15

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: READING T RIGHT MUN: READING T

FOR SR 0094N TO 0094S  
 (CONN)  
 READING-CARLISLE PK  
 (TWP )

0145/0204

READING-CARLISLE PK  
 (TWP )  
 HUNTERSTOWN HAMPTON RD  
 (SR0394 SEG 0285/0089)

0145/0166

HUNTERSTOWN HAMPTON RD  
 (SR0394 SEG 0285/0060)  
 (SR0394 SEG 0284/0060)  
 READING-CARLISLE PK  
 (TWP )  
 FOR SR 0094S TO 0094N  
 (CONN)

0145/0092

0 0 00000 0 00 0000+00 040534 FT  
 MFC BEGIN = B  
 LENGTH(AH 0280 BK 2314)

0145/0000

POSTAL AL  
 (TWP )

0140/2127


REEVER AL  
 (TWP )

0140/1844

GORDON AL  
 (TWP )  
 VILLAGE AL  
 (TWP )

0140/1562

0140/1278



0150/0000 MFC BEGIN = B  
 LENGTH(AH 3711 BK 0280)

FOR SR 0094N TO 0094S  
 (CONN)  
 READING-CARLISLE PK  
 (TWP )  
 STONEY POINT DR  
 (SR1007 SEG 0005/0000)

0144/0172

STONEY POINT RD  
 (SR1007 SEG 0004/0000)  
 READING-CARLISLE PK  
 (TWP )

0144/0099

READING-CARLISLE PK  
 (TWP )  
 FOR SR 0094S TO 0094N  
 (CONN)  
 0 0 00000 0 00 0000+00  
 MFC BEGIN = B  
 LENGTH(AH 0280 BK 2314)  
 FIREMANS AL  
 (TWP )

0144/0062  
 040541 FT

0144/0000

0140/2141

0140/1859 BALL FIELD AL  
 (TWP )

0140/1571 HAMPTON SCHOOL AL  
 (TWP )

0140/1278 FIRE HOUSE AL  
 (TWP )  
 030 " DIA CIRC CONCR



DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: READING T RIGHT MUN: READING T

Stationing	Notes	Object ID	Description
038220 FT		0140/0828	LEN=0043 INSTALLED UNKN
		038227 FT	1 0 00342 4 01 0381+98 FAWN AV (TWP)
		0140/0000	LENGTH(AH 2314 BK 3895)
		0130/2898	018 " DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0130/2568	018 " DIA CIRC METAL LEN=0040 INSTALLED UNKN
		0130/2554	BROWNS DAM RD (T720)
		0130/1786	STOCKHAMS VILLAGE MHP D (PRDR)
		0130/1741	BMSSEN 01/0094/0130/1748 1 0 00342 4 01 0360+28 TR. CONEWAGO
		0130/1727	BMSBG 01/0094/0130/1748
		0130/1669	030 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0130/1479	018 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
034325 FT		0130/0523	018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		034332 FT	1 0 00342 4 01 0343+03 STAUB RD (T579)
		0130/0000	LENGTH(AH 3895 BK 3156)
		0120/2923	BMSSEN 01/0094/0120/2740 READING HAMILTON T
		0120/2816	1 0 00342 4 01 0338+61 CONEWAGO CK.
		0120/2740	BMSBG 01/0094/0120/2740
		0120/1279	018 " DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0120/0758	018 " DIA CIRC CONCR LEN=0039 INSTALLED UNKN
		0120/0323	018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
031169 FT		031176 FT	1 0 00342 4 01 0311+31 015 " DIA CIRC METAL

TURKEY PIT RD  
(T542)

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

Segment	Start Station	End Station	Length	Material	Status
DICKS DAM RD (SR1021 SEG 0030/2881)	0120/0000	0120/0038	0038 FT	018" DIA CIRC CONCR	INSTALLED UNKN
	0110/3130	0110/3130	0004 FT	018" DIA CIRC CONCR	INSTALLED UNKN
	0110/1963	0110/1963	0054 FT	018" DIA CIRC CONCR	INSTALLED UNKN
	0110/1166	0110/1166	0063 FT	040" DIA CIRC CONCR	INSTALLED UNKN
	0110/1020	0110/1020	0000 FT	GREEN RIDGE RD (T577)	
1 0 00342 4 01 0279+84 SEVEN HUNDRED RD (T523)	028035 FT	028042 FT	0007 FT		
	0110/0000	0110/0000	0000 FT	015" DIA CIRC CONCR	INSTALLED UNKN
	0100/3367	0100/3367	0000 FT	036" H 34" W CON BOX CUL	INSTALLED UNKN
	0100/3068	0100/3068	0000 FT	036" H 34" W CON BOX CUL	INSTALLED UNKN
	0100/1931	0100/1931	0000 FT	CEDAR RD (TWP )	
	0100/1735	0100/1735	0000 FT	015" DIA CIRC CONCR	INSTALLED UNKN
	0100/0015	0100/0015	0000 FT	048" DIA CIRC METAL	INSTALLED UNKN
1 0 00342 4 00 0244+98 GUN CLUB RD (T493)	024549 FT	024556 FT	0007 FT		
	0100/0000	0100/0000	0000 FT	015" DIA CIRC CONCR	INSTALLED UNKN
	0090/2088	0090/2088	0000 FT	018" H 25" W ELLIP CONC	INSTALLED UNKN
	0090/2060	0090/2060	0000 FT	PINE RUN RD (SR1019 SEG 0060/0000)	
BERLIN RD (SR1019 SEG 0050/2508)	0090/1674	0090/1674	0000 FT		
	0090/1387	0090/1387	0000 FT	048" DIA CIRC CONCR	INSTALLED UNKN
	0090/0880	0090/0880	0000 FT	FOREST DR (T529)	

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: HAMILTON T RIGHT MUN: HAMILTON T

Stationing	Right of Way	Structure	Material	Length	Notes
021144 FT	0090/0375	018" DIA CIRC CONCR	LEN=0044	INSTALLED UNKN	
	021151 FT	1 0 00342 4 00	0210+93		
	0090/0000		LENGTH(AH 3405 BK 3473)		
	0080/1401	018" DIA CIRC CONCR	LEN=0045	INSTALLED UNKN	
	0080/1048	036" DIA CIRC CONCR	LEN=0035	INSTALLED UNKN	
017671 FT	017678 FT	1 0 00342 4 00	0176+20		
		YORK RD			
		(SR0030 SEG 0500/0896)			
HAMILTON OXFORD T PERRY SQ (PRDR)	0080/0000	HAMILTON BERWICK T	0080/0000	LENGTH(AH 3473 BK 2833)	
	0070/2521				
	0070/2193	024" DIA CIRC CONCR	LEN=0165	INSTALLED UNKN	
	0070/1940	LITTLE AV			
ADAMS AV (PRDR)	0070/1855	(TWP)			
	0070/1395	PROGRESS AV			
	0070/1286	(PRDR)			
	0070/1160	030" DIA CIRC METAL	LEN=0040	INSTALLED UNKN	
	0070/0676	038" H 60" W ELLIP CONC	LEN=0048	INSTALLED UNKN	
VILLAGE DR (PRDR)	0070/0676	ENTERPRISE DR			
	0070/0489	(PRDR)			
1 0 00342 4 00 0147+74	014838 FT	018" DIA CIRC METAL	LEN=0045	INSTALLED UNKN	
BRICKYARD RD (T507)	0070/0000	014845 FT			
	0070/0000		LENGTH(AH 2833 BK 1884)		
	0060/0962	018" DIA CIRC METAL	LEN=0048	INSTALLED UNKN	
	0060/0378	015" DIA CIRC CONCR	LEN=0044	INSTALLED UNKN	
1 0 00342 4 00 0128+90	012954 FT	012961 FT			

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: OXFORD T RIGHT MUN: BERWICK T

RED HILL RD  
 (T495)

0060/0000

==

0060/0000 LENGTH(AH 1884 BK 2613)

==

0050/1944 RACE TRACK RD  
 (T505)  
 030 " DIA CIRC CONCR  
 LEN=0066 INSTALLED UNKN

---

---

---

---

0050/1916 024 " DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 0050/1097 015 " DIA CIRC CONCR  
 LEN=0035 INSTALLED UNKN  
 0050/0527 018 " DIA CIRC CONCR  
 LEN=0041 INSTALLED UNKN  
 0050/0322 010348 FT  
 010341 FT

1 0 00342 4 00 0102+77 010341 FT  
 SHANK RD  
 (T501)

0050/0000

==

0050/0000 LENGTH(AH 2613 BK 2321)

---

008020 FT

0040/0670 036 " DIA CIRC CONCR  
 LEN=0039 INSTALLED UNKN

008027 FT 1 0 00342 4 00 0079+56  
 MUNICIPAL RD  
 (T509)

==

0040/0000 LENGTH(AH 2321 BK 2898)  
 018 " DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 0030/2375 015 " DIA CIRC CONCR  
 LEN=0037 INSTALLED UNKN  
 0030/2358

---

---

POE

1 0 00342 4 00 0050+58 005122 FT  
 APPLER RD  
 (SR1015 SEG 0002/0000) 0030/0000

0030/0000

==

0030/0169 (APRA) QUARRY ENTRANCE  
 QUARRY ENTRANCE  
 (PRDR)  
 030 " DIA CIRC CONCR  
 LEN=0050 INSTALLED UNKN  
 0030/0115 GREEN SPRINGS RD  
 005129 FT (SR2033 SEG 0010/0000)

---

---

---

---

0030/0000 LENGTH(AH 2898 BK 1457)  
 030 " DIA CIRC CONCR  
 LEN=0056 INSTALLED UNKN

DIR: N TOTAL LEN: 18.123 MI. DIST: 08-1 SR: 94  
 LEFT MUN: OXFORD T RIGHT MUN: BERWICK T

1 0 00342 4 00 0033+09 003665 FT  
 HANOVER ST  
 (T600) 0020/0000

HERSHEY HEIGHTS RD  
 (T499) 0015/1895

TRIB TO S.BR OF CONEWAG  
 STRUCTURE LENGTH 13 FT  
 BMSID 01/0094/0014/1687 0015/1687


TRIB TO S.BR OF CONEWAG  
 STRUCTURE LENGTH 13 FT  
 BMSID 01/0094/0014/1425 0015/1425

OXFORD  
 CONEWAGO T 0015/1374  
 (APRA) CRANE WERKS COMP  
 CRANE WERKS COMPANY  
 (PRDR) 0015/1145

JACOBS RD  
 (TWP) 0015/0994

WILSON AV  
 (TWP) 0015/0231


0 0 00000 0 00 0000+00 000000 FT  
 NC CARLISLE PK  
 CARLISE ST INTER-BK  
 (SRO094 SEG 0191/1627)  
 MFC BEGIN = B  
 LENGTH(AH 3665 BK 0000) 0015/0000



MFC BEGIN = B  
 LENGTH(AH 1457 BK 3672)  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 HERSHEY HEIGHTS RD  
 (T499)  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 TRIB TO S.BR OF CONEWAG  
 STRUCTURE LENGTH 13 FT  
 BMSID 01/0094/0014/1687  
 BERWICK  
 CONEWAGO T  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 TRIB TO S.BR OF CONEWAG  
 STRUCTURE LENGTH 13 FT  
 BMSID 01/0094/0014/1425  
 (APRA) CRANE WERKS COMP  
 CRANE WERKS COMPANY  
 (PRDR)  
 018 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 JACOBS RD  
 (TWP)  
 018 "DIA CIRC CONCR  
 LEN=0021 INSTALLED UNKN  
 WILSON AV  
 (TWP)  
 0 0 00000 0 00 0000+00  
 NC CARLISLE PK  
 INTER-BK  
 (SRO094 SEG 0190/1627)  
 MFC BEGIN = B  
 BK-YORK (66)  
 LENGTH(AH 3672 BK 0000)

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 68  
 PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
 DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

075637 FT



073339 FT

075637 FT	AH-CUMBERLAND	(21)
INTER-AHD	CARLISLE RD	
0280/2298	(SR0034 SEG 0010/0000)	
	015 "DIA CIRC CONCR	
0280/2020	LEN=0030	INSTALLED UNKN
	036 "DIA CIRC CONCR	
0280/1264	LEN=0032	INSTALLED UNKN
	015 "DIA CIRC CONCR	
0280/0596	LEN=0030	INSTALLED UNKN
	030 "DIA CIRC CONCR	
0280/0147	LEN=0034	INSTALLED UNKN
073339 FT	1 0 00041 0 02 0755+56	
5 0280/0000	LENGTH(AH 2298 BK 3098)	
	015 "DIA CIRC CONCR	
0270/2847	LEN=0030	INSTALLED UNKN


DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

WESTERN AL  
 (TWP )

0270/1374

PEACH GLEN-IDAVILLE RD  
 (SR1020 SEG 0050/0000)

0270/0600



070241 FT

1 0 00041 0 02 0694+03 067202 FT  
 RESERVOIR RD  
 (T651) 0260/0000

DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

---	0250/2683	LEN=0033	INSTALLED	UNKN
---	0250/2347	LEN=0086	INSTALLED	UNKN
---	0250/2026	LEN=0030	INSTALLED	UNKN
---	0250/1704	LEN=0033	INSTALLED	UNKN
---	0250/1287	LEN=0032	INSTALLED	UNKN
---	0250/0774	LEN=0048	INSTALLED	UNKN
==	0250/0508	GARDNERS STATION RD		
---	0250/0043	(T397)		
---	063933 FT	TYRONE		
	0250/0000	MENALLEN T		
==	0240/3053	LENGTH(AH 3269 BK 3222)		
---	0240/3043	BMSBG 01/0034/0240/3043		
---	0240/2269	018 "DIA CIRC CONCR		
---	0240/2119	LEN=0033 INSTALLED UNKN		
==	0240/2111	POND RD		
---	0240/1943	(T398)		
---	0240/1487	015 "DIA CIRC CONCR		
---	0240/0878	LEN=0030 INSTALLED UNKN		
---	0240/0288	015 "DIA CIRC CONCR		
060711 FT	060711 FT	LEN=0032 INSTALLED UNKN		
---	0240/0000	1 0 00041 0 02 0660+46		
---	0230/3203	T. OPOSSUM CK		
---	0230/3012	BMSBG 01/0034/0240/3043		
---	0230/2603	018 "DIA CIRC CONCR		
---	0230/2167	LEN=0031 INSTALLED UNKN		
---		015 "DIA CIRC CONCR		
---		LEN=0040 INSTALLED UNKN		
---		015 "DIA CIRC CONCR		
---		LEN=0033 INSTALLED UNKN		
---		048"H 48"W CON BOX CUL		
---		LEN=0031 INSTALLED UNKN		

1 0 00041 0 02 0662+40 063933 FT  
 CLINES CHURCH RD  
 (T400) 0250/0000



DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

CLINES CHURCH RD  
 (T394)

0230/0192

057062 FT

GABLERS RD  
 (SR4003 SEG 0050/0000)

0230/0000

BRAEBURN DR  
 (TWP)

0210/0694

052547 FT

0230/1735	015 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
0230/1237	015 " DIA	CIRC CONCR
	LEN=0045	INSTALLED UNKN
0230/0641	018 " DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
0230/0332	015 " DIA	CIRC CONCR
	LEN=0030	INSTALLED UNKN
0230/0189	018 " DIA	CIRC CONCR
	LEN=0049	INSTALLED UNKN
057062 FT	1 0 00041	0 02 0593+50
	CENTER MILLS RD	
	(SR4003 SEG 0050/0000)	
0230/0000	LENGTH(AH 3649	BK 2653)
	036 "H 72 "W	CONC STRUCT
0220/2653	LEN=0124	INSTALLED UNKN
0220/1375	036 " DIA	CIRC CONCR
	LEN=0040	INSTALLED UNKN
	RBR	
0220/0825	BMS EN 01/0034/0220/0745	
	1 0 00041	0 02 0574+56
	P3	
	OPOSSUM CREEK	
0220/0745	BMSBG 01/0034/0220/0745	
	036 "H 54 "W	CON BOX CUL
0220/0342	LEN=0042	INSTALLED UNKN
054409 FT	1 0 00041	0 02 0567+06
	ASPERS-BENDERSVILLE RD	
	(SR4006 SEG 0120/0000)	
0220/0000	LENGTH(AH 2653	BK 1862)
	015 " DIA	CIRC CONCR
0210/1332	LEN=0032	INSTALLED UNKN
	015 " DIA	CIRC CONCR
0210/1005	LEN=0030	INSTALLED UNKN
	015 " DIA	CIRC CONCR
0210/0739	LEN=0035	INSTALLED UNKN
0210/0599	015 " DIA	CIRC CONCR
	LEN=0036	INSTALLED UNKN
	030 " DIA	CIRC CONCR
0210/0253	LEN=0035	INSTALLED UNKN
052547 FT	1 0 00041	0 02 0548+53



DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: MENALLEN T RIGHT MUN: MENALLEN T

QUAKER VALLEY RD  
 (SR4004 SEG 0070/3222) 0180/1173

043869 FT

041633 FT

YELLOW HILL RD  
 (T379)

0160/3768

0180/2120	024 " DIA CIRC CONCR LEN=0044 INSTALLED UNKN
0180/2090	ORCHARD LN (T541)
0180/1735	024 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN
0180/1190	024 " DIA CIRC CONCR LEN=0052 INSTALLED UNKN
0180/0873	BMS EN 01/0034/0180/0849 1 0 00041 0 02 0470+10 QUAKER RUN
0180/0849	BMSBG 01/0034/0180/0849
043869 FT	1 0 00041 0 02 0461+49
0180/0000	015 " DIA CIRC METAL LEN=0043 INSTALLED UNKN MENALLEN BUTLER T LENGTH(AH 3208 BK 2236)
0170/1456	024 " DIA CIRC CONCR LEN=0052 INSTALLED UNKN
0170/1060	015 " DIA CIRC METAL LEN=0035 INSTALLED UNKN
0170/0892	BMS EN 01/0034/0170/0882 1 0 00041 0 02 0447+88 T. QUAKER RUN
0170/0882	BMSBG 01/0034/0170/0882
041633 FT	1 0 00041 0 02 0439+16 WEST GUERNSEY RD (TBC)
0170/0000	LENGTH(AH 2236 BK 3792)
0160/2839	018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
0160/2515	024 " DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0160/1185	030 " DIA CIRC CONCR LEN=0032 INSTALLED UNKN
	015 " DIA CIRC METAL

DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

1 0 00041 0 02 0401+28 037841 FT  
 UNIVERSITY DR  
 (T375)

CEMETERY RD  
 (BORO)

0150/0244  
 035505 FT

032880 FT

0160/0400	LEN=0032	INSTALLED UNKN
037841 FT		
0160/0000	LENGTH(AH 3792 BK 2336)	
0150/1697	032 " DIA CIRC CONCR	LEN=0048 INSTALLED UNKN
0150/1585	018 " DIA CIR PLASTIC	LEN=0030 INSTALLED UNKN
	NC CA CARLISLE RD	
	BUTLER	
0150/1474	BIGLERVILLE B	
0150/0603	018 " DIA CIRC CONCR	LEN=0050 INSTALLED UNKN
0150/0244	018 " DIA CIRC CONCR	LEN=0050 INSTALLED UNKN
035505 FT	1 0 00041 0 02 0380+02	
0150/0000	LENGTH(AH 2336 BK 2625)	
	UNNAMED AL	
0130/2305	(BORO)	
	UNNAMED AL	
0130/2005	(BORO)	
	YORK ST	
	(SR0234 SEG 0250/1129)	
0130/1822	018 " DIA CIRC METAL	LEN=0030 INSTALLED UNKN
0130/1793	UNNAMED AL	
0130/1664	(BORO)	
0130/1515	UNNAMED AL	
0130/1377	(BORO)	
	HANOVER ST	
	(SR0394 SEG 0020/0000)	
0130/1083	BMS EN 01/0034/0130/0847	
0130/0856	1 0 00041 0 02 0360+04	
	T. CONEWAGO	
0130/0847	BMSBG 01/0034/0130/0847	
0130/0689	018 " DIA CIRC CONCR	LEN=0055 INSTALLED UNKN
032880 FT	1 0 00041 0 02 0351+60	
	018 " DIA CIRC CONCR	LEN=0042 INSTALLED UNKN
	NC MA IN ST	
	BIGLERVILLE	
	BUTLER T	

DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: BIGLERVILLE B RIGHT MUN: BIGLERVILLE B

			5	0130/0000	LENGTH(AH 2625 BK 2507)
				0120/1729	BMSEN 01/0034/0120/1718 1 0 00041 0 02 0343+80 T.CONEWAGO CK
				0120/1718	BMSBG 01/0034/0120/1718
				0120/0763	BMSEN 01/0034/0120/0750 1 0 00041 0 02 0334+26 T.CONEWAGO
				0120/0750	BMSBG 01/0034/0120/0750
	030373 FT			030373 FT	1 0 00041 0 02 0326+75
			5	0120/0000	LENGTH(AH 2507 BK 3045)
				0110/2356	015 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
				0110/1533	018 "DIA CIRC METAL LEN=0250 INSTALLED UNKN
WINDING BROOK RD (T377)	0110/1022	==		0110/0823	BMSEN 01/0034/0110/0813 1 0 00041 0 02 0304+25 T.CONEWAGO
				0110/0813	BMSBG 01/0034/0110/0813 RAKE FACTORY RD
				0110/0722	(T373)
ZEIGLER MILL RD (T372)	0110/0700	==			T.CONEWAGO STRUCTURE LENGTH 14 FT
				0110/0267	BMSID 01/0034/0110/0267 048"H 00"W MULT CONCR LEN=0140 INSTALLED UNKN
				0110/0195	BMSEN 01/0034/0110/0000
	027328 FT			0110/0092	1 0 00041 0 02 0295+98 CONEWAGO CK
			5	0110/0000	LENGTH(AH 3045 BK 3405)
				0100/2463	024 "DIA CIRC CONCR LEN=0039 INSTALLED UNKN
				0100/1765	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
				0100/1399	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: BUTLER T RIGHT MUN: BUTLER T

Stationing	Structure Type	Material	Length	Notes
023923 FT	0100/0596	030" DIA CIRC CONCR	LEN=0054	INSTALLED UNKN
	023923 FT	1 0 00041 0 02	0260+96	
	0100/0000	LENGTH(AH 3405 BK 3221)		
	0090/2517	024" DIA CIRC CONCR	LEN=0051	INSTALLED UNKN
020702 FT	0090/0024	016"H 48"W CON BOX CUL	LEN=0038	INSTALLED UNKN
	020702 FT	1 0 00041 0 02	0228+75	
		GOLDENVILLE RD (T501)		
	0090/0000	LENGTH(AH 3221 BK 3315)		
	0080/2445	ANCHOR ESTATE MOBILE HO (PRDR)		
	0080/1922	015"H 21"W ELLIP METAL	LEN=0050	INSTALLED UNKN
	0080/1490	BMSSEN 01/0034/0080/1480	1 0 00041 0 02	0210+40
		WILLOUGHBY R		
	0080/1480	BMSBG 01/0034/0080/1480		
	0080/0732	(AAR 593416B)#TRKS 01		
017387 FT	017387 FT	1 0 00041 0 02	0195+60	
		BUTLER CUMBERLAND T		
	0080/0000	LENGTH(AH 3315 BK 1730)		
	0070/1562	015" DIA CAST IRON	LEN=0049	INSTALLED UNKN
	0070/1085	024" DIA CIRC METAL	LEN=0050	INSTALLED 1996
		WHITE OAK TR (PRDR)		
	0070/1038			
	015657 FT			
0177+13 015657 FT	0070/0000	LENGTH(AH 1730 BK 3797)		
HERRS RIDGE RD (T338)		018" DIA CIRC METAL	LEN=0064	INSTALLED UNKN
	0060/3288			


DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Street Name	Segment ID	Length	Material	Status
	0060/2905		018 " DIA CIRC METAL	INSTALLED UNKN
LONGVIEW BL (TWP)	0060/2199		024 " DIA CIRC METAL	INSTALLED UNKN
	0060/1970		018 " DIA CIR PLASTIC	INSTALLED UNKN
	0060/1402		030 " DIA CIRC CONCR	INSTALLED UNKN
MEADOW DR (TWP)	0060/0206		018 " DIA CIRC METAL	INSTALLED UNKN
	011860 FT			
	0060/0013		BMSBG 01/0034/0060/0000	
	011860 FT		1 0 00041 0 01 0139+69	
	0060/0000		T. ROCK CREEK	
	0050/2663		BMSBG 01/0034/0060/0000	
NORTH AV (T809)	0050/2257		LENGTH(AH 3797 BK 3143)	
			MISTY RIDGE RD	
			(TWP)	
	0050/1293		018 " DIA CIR PLASTIC	INSTALLED UNKN
SOUTH AV (T811)	0050/1198		LEN=0053	INSTALLED UNKN
	0050/0813		PALACE DR	
	0050/0474		(TWP)	
	0050/0051		018 " DIA CIR PLASTIC	INSTALLED UNKN
1 0 00041 0 01 0108+72 008717 FT			LEN=0055	INSTALLED UNKN
BOYDS SCHOOL RD (T341)	0050/0000		018 " DIA CIRC METAL	INSTALLED UNKN
	0040/2809		LEN=0300	INSTALLED UNKN
	0040/1977		058 " H 91 " W ELLIP CONC	INSTALLED UNKN
	0040/1178		LEN=0064	INSTALLED UNKN
	0040/0926		LENGTH(AH 3143 BK 2864)	
			BOYDS SCHOOL RD	
			(T341)	
			036 " DIA CIRC METAL	INSTALLED UNKN
			LEN=0060	INSTALLED UNKN
			018 " DIA CIRC METAL	INSTALLED UNKN
			LEN=0050	INSTALLED UNKN
			024 " DIA CIR PLASTIC	INSTALLED 1996
			LEN=0060	INSTALLED 1996
			036 " DIA CIRC CONCR	

DIR: B TOTAL LEN: 14.325 MI. DIST: 08-1 SR: 34  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Stationing	Notes	Stationing	Notes
005853 FT	0040/0186 LEN=0040 INSTALLED UNKN 005853 FT 1 0 00041 0 01 0080+08 S 0040/0000 LENGTH(AH 2864 BK 2208) APPLE AV == (TWP ) == 0030/1950 MAPLE AV == 0030/1603 (T341) == 0030/1250 CEDAR AV (T345)	003645 FT	003645 FT 1 0 00041 0 01 0058+51 TABLE ROCK RD (SR3019 SEG 0010/0000) S 0030/0000 LENGTH(AH 2208 BK 2662) 048 " DIA CAST IRON 0020/2643 LEN=0044 INSTALLED UNKN
CUMBERLAND GETTYSBURG B	0020/1229	0020/1426	021"H 24"W ELLIP METAL LEN=0040 INSTALLED UNKN HOWARD AV == (GOVT) == 0020/1276
000983 FT	0020/0026 029"H 48"W CON BOX CUL LEN=0046 INSTALLED UNKN 000983 FT 1 0 00041 0 00 0031+78 NC BI GLERVILLE RD CUMBERLAND GETTYSBURG B S 0020/0000 LENGTH(AH 2662 BK 0983) 024 " DIA CIRC METAL 0010/0474 LEN=0101 INSTALLED UNKN BROADWAY ST == (BORO) == 0010/0443	000000 FT	000000 FT 1 0 00041 0 00 0021+95 NC CA RYLISLE ST LINCOLN AV (SR3001 SEG 0210/0000) INTER-BK CARLISLE ST (SR3001 SEG 0210/0000) MFC BEGIN = C S 0010/0000 LENGTH(AH 0983 BK 0000)
LINCOLN AV (SR3017 SEG 0010/0000)	0010/0000		





EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 56  
COUNTY: ADAMS

DIR: B TOTAL LEN: 28.424 MI.  
LEFT MUN: ABBOTTSTOWN B

DIST: 08-1 SR: 30  
RIGHT MUN: ABBOTTSTOWN B

Location	Segment ID	Length (FT)	Material	Status	Notes
	0550/0497		036 " DIA	CIRC CONCR	LEN=0001 INSTALLED UNKN
	0550/0496		036 " DIA	CIRC CONCR	LEN=0040 INSTALLED UNKN
147906 FT	0550/0290	147873 FT	UPPER AL		(BORO)
	0550/0000		1 0 00126 0 01 0727+17		ST JAMES ST (BORO)
	0540/3008		018 " DIA	CIRC CONCR	LENGTH(AH 0848 BK 3041)
	0540/2753		JACOB AL		LEN=0040 INSTALLED UNKN (BORO)
PLEASANT ST (BORO)	0540/2479		018 " DIA	CIRC CONCR	LEN=0043 INSTALLED UNKN
	0540/2426		CLINTON AL		(BORO)
	0540/2175		ABBOTT ST		(BORO)
	0540/1889		GEORGE ST		(BORO)
	0540/1602		018 " DIA	CIRC CONCR	LEN=0040 INSTALLED UNKN
	0540/1599		JACKSON ST		(BORO)
	0540/1223		018 " DIA	CIRC CONCR	LEN=0040 INSTALLED UNKN
CLATYON HOME SALES INC (PRDR)	0540/0745		018 " DIA	CIRC CONCR	LEN=0040 INSTALLED UNKN
	0540/0200	144865 FT	(APRA) CLATYON HOME SAL		1 0 00126 0 01 0697+86
	0540/0200		NC KING ST		KINNEMAN RD (BORO)
	0540/0000		ABBOTTSTOWN		BERWICK T
WOODS RD (T506)	0530/2336		015 " DIA	CIRC CONCR	LENGTH(AH 3041 BK 2433)
	0530/2108		024 " DIA	CIRC CONCR	LEN=0001 INSTALLED UNKN
	0530/1706		024 " DIA	CIRC CONCR	LEN=0001 INSTALLED UNKN
	0530/1101		024 " DIA	CIRC CONCR	LEN=0091 INSTALLED UNKN
	0530/0872		024 " DIA	CIRC CONCR	LEN=0010 INSTALLED UNKN


DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: BERWICK T RIGHT MUN: BERWICK T

Distance (FT)	Structure ID	Description
142432	0530/0419	BRIDGEVIEW ESTATE (PRDR)
142399	0530/0000	1 0 00126 0 01 0673+18 PINE RUN STRUCTURE LENGTH 12 FT BMSID 01/0030/0530/0000 LENGTH(AH 2433 BK 2578) 024 "DIA CIRC CONCR LEN=0007 INSTALLED UNKN
139854	0520/0028	024 "DIA CIRC CONCR LEN=0073 INSTALLED UNKN
139821	0520/0000	1 0 00126 0 01 0647+74 BAIR RD (T504) LENGTH(AH 2578 BK 3482) 024 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
	0510/3408	BERWICK
	0510/3349	HAMILTON T
	0510/3230	000"H 00"W **UNKNOWN** LEN=0001 INSTALLED UNKN
	0510/2802	BR.PINE RUN STRUCTURE LENGTH 10 FT BMSID 01/0030/0510/2722
	0510/0904	STANLEY DR (PRDR) T.PINE RUN STRUCTURE LENGTH 10 FT BMSID 01/0030/0510/0661
136372	0510/0026	HAMILTON BERWICK T 1 0 00126 0 01 0613+18 LENGTH(AH 3482 BK 1785) 018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
	0510/0000	CARLISLE PK (SR0094 SEG 0080/0000)
	0500/1463	

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: BERWICK T RIGHT MUN: BERWICK T

Stationing	Length	Material	Notes
134587 FT	0500/0896	BERWICK HAMILTON T	
	0500/0497	018" DIA CIRC METAL	LEN=0001 INSTALLED UNKN
	0500/0248	HAMILTON OXFORD T	
	134554 FT	1 0 00126 0 01 0594+84	VILLAGE DR (PRDR)
	0500/0000	LENGTH(AH 1785 BK 2298)	
	0490/1349	024" DIA CAST IRON	LEN=0058 INSTALLED UNKN
	0490/0988	024" DIA CAST IRON	LEN=0062 INSTALLED UNKN
1 0 00126 0 01 0570+99	132289 FT		
OAK DR (T520)	0490/0000		LENGTH(AH 2298 BK 2974)
WALKER DR (T505)	0480/2077		
	0480/1293	LINCOLN ST (T531)	
	0480/1075	036"H 72"W CON BOX CUL	LEN=0056 INSTALLED UNKN
BILLERBECK ST (T503)	0480/0778		
	0480/0644	024" DIA CIRC CONCR	LEN=0065 INSTALLED UNKN
129315 FT	0480/0022	OXFORD NEW OXFORD B	
	129282 FT	1 0 00126 0 01 0542+12	NC YORK RD COMMERCE ST (BORO)
	0480/0000	LENGTH(AH 2974 BK 2094)	
	0470/1692	024" DIA CAST IRON	LEN=0001 INSTALLED UNKN
	0470/1619	PFEIFFER LN (BORO)	
	0470/0976	COLLEGE ST (BORO)	

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: NEW OXFORD B RIGHT MUN: NEW OXFORD B



FOR SR 0030E TO 0030W 0  
 (CONN)  
 NEW OXFORD-LINCOLN WY  
 (BORO)

NEW OXFORD-LINCOLN WY  
 (BORO)  
 CARLISLE ST  
 (SR1015 SEG 0080/0000) 0463/0140  
 0 0 00000 0 00 0000+00 126905 FT  
 NC LINCOLN HWY WEST  
 NEW OXFORD-LINCOLN WY  
 (BORO)  
 FOR SR 0030W TO 0030E 0  
 (CONN)  
 MFC BEGIN = B  
 LENGTH(AH 0316 BK 2631) 0463/0000

LEMON ST  
 (BORO) 0460/1911  
 ORANGE ST  
 (BORO) 0460/1860

TRACY AV  
 (BORO) 0460/0710

0470/0762 BERLIN AV  
 (BORO)  
 0470/0551 CHURCH ST  
 (BORO)  
 0470/0337 PETERS ST  
 (BORO)  
 127221 FT 127188 FT  
 1 0 00126 0 01 0524+56  
 MFC BEGIN = B  
 5 0470/0000 LENGTH(AH 2094 BK 0293)

FOR SR 0030E TO 0030W 0  
 (CONN)  
 NEW OXFORD-LICOLN WY  
 (BORO) 0462/0293  
 NEW OXFORD-LINCOLN WY  
 (BORO)  
 HANOVER ST  
 (SR1015 SEG 0070/1570) 0462/0175

126895 FT 0 0 00000 0 00 0000+00  
 NEW OXFORD-LINCOLN WY  
 (BORO)  
 FOR SR 0030W TO 0030E 0  
 (CONN)  
 MFC BEGIN = B  
 5 0462/0000 LENGTH(AH 0293 BK 2631)

0460/2340 BOLTON ST  
 (BORO)  
 0460/2104 MIDDLE ST  
 (BORO)

0460/1773 (AAR 832135D) #TRKS 01  
 REBERT ST  
 (BORO)  
 0460/1620 WATER ST  
 (BORO)  
 0460/1480 FLORIN ST  
 (BORO)  
 0460/0947 (BORO)

KOHLER MILL RD

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: NEW OXFORD B RIGHT MUN: NEW OXFORD B

Stationing	Notes	Stationing	Notes
124274 FT		0460/0375 (BORO)	
		124264 FT	1 0 00126 0 01 0491+95
			NC LINCOLN WAY WEST
			NEW OXFORD
			OXFORD T
		0460/0000	LENGTH(AH 2631 BK 3180)
			018 "DIA CAST IRON
		0450/2270	LEN=0047 INSTALLED UNKN
			ERIN CT
PLAINVILLE FARM RD (PRDR)	0450/1723	0450/1723	(PRDR)
		0450/0795	BMS EN 01/0030/0450/0687
			NC LINCOLN WY WEST
			OXFORD
		0450/0747	MOUNT PLEASANT T
			1 0 00126 0 01 0466+53
			S. BR. CONWAGO
		0450/0687	BMSBG 01/0030/0450/0687
		0450/0026	018 "DIA CIRC CONCR
		121084 FT	LEN=0053 INSTALLED UNKN
			1 0 00126 0 01 0459+93
			BON-OX RD
		0450/0000	(SR2001 SEG 0230/2402)
			LENGTH(AH 3180 BK 3104)
BRICKCRAFTERS RD (SR2015 SEG 0010/0000)	0440/2134	0440/2008	018 "DIA CIRC CONCR
			LEN=0052 INSTALLED UNKN
		0440/1407	018 "DIA CIRC CONCR
			LEN=0055 INSTALLED UNKN
		0440/0811	018 "DIA CAST IRON
			LEN=0048 INSTALLED UNKN
		0440/0782	018 "DIA CIRC CONCR
			LEN=0045 INSTALLED UNKN
1 0 00126 0 01 0428+76	117990 FT	117980 FT	
FLESHMAN MILL RD (T493)	0440/0000	0440/0000	LENGTH(AH 3104 BK 2250)
			FLESHMAN MILL RD
		0430/2207	(T496)
LAKE LN (PRDR)	0430/1912	0430/1912	(APRA) NEW OXFORD MOBIL
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: MOUNT PLEASANT T RIGHT MUN: MOUNT PLEASANT T

ANTIQUE LN  
 (PRDR)

0430/1579

115740 FT

1 0 00126 0 01 0383+20 113434 FT  
 SWIFT RUN RD  
 (T515)

0420/0000

110578 FT

0430/1830	LEN=0001	INSTALLED UNKN
0430/1345	018 "DIA CIRC CONCR LEN=0066	INSTALLED UNKN
0430/0357	019"H 30"W ELLIP CONC LEN=0060	INSTALLED UNKN
115730 FT	1 0 00126 0 01 0406+26	
0430/0000	LENGTH(AH 2250 BK 2306)	
0420/1591	021 "DIA CIRC CONCR LEN=0054	INSTALLED UNKN
0420/0742	BMSSEN 01/0030/0420/0723 1 0 00126 0 01 0390+58	
0420/0723	BRUSH RUN BMSBG 01/0030/0420/0723	
0420/0459	018 "DIA CIRC CONCR LEN=0065	INSTALLED UNKN
113424 FT		
0420/0000	LENGTH(AH 2306 BK 2856)	
0410/2226	018 "DIA CIRC CONCR LEN=0062	INSTALLED UNKN
0410/1005	KILPATRICK RD (SR2031 SEG 0040/2940)	
0410/0902	018 "DIA CIRC CONCR LEN=0049	INSTALLED UNKN
0410/0630	036"H 48"W CON BOX CUL LEN=0038	INSTALLED UNKN
0410/0516	018 "DIA CIRC CONCR LEN=0066	INSTALLED UNKN
0410/0042	BMSSEN 01/0030/0410/0000	
0410/0028	MOUNT PLEASANT STRABANT	
110568 FT	1 0 00126 0 01 0354+77	
0410/0000	SWIFT RUN BMSBG 01/0030/0410/0000	
0400/1692	LENGTH(AH 2856 BK 2215) 018 "DIA CIRC CONCR LEN=0072	INSTALLED UNKN
0400/0877	018 "DIA CIRC CONCR LEN=0062	INSTALLED UNKN

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Stationing	Length	Notes	Material	Length	Notes
1 0 00126 0 01 0332+49	108363 FT	NEW CHESTER RD (T514)	0400/0200	108353 FT	019"H 30"W ELLIP CONC LEN=0062 INSTALLED UNKN
	0400/0000		0400/0000		LENGTH(AH 2215 BK 3538) 018 "DIA CIRC CONCR
			0390/3172		LEN=0057 INSTALLED UNKN
			0390/2969		018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN
			0390/2437		018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN
			0390/1433		024"H 48"W CONC STRUCT LEN=0043 INSTALLED UNKN
	104825 FT		104815 FT		1 0 00126 0 01 0297+11
			0390/0000		LENGTH(AH 3538 BK 3643) 018 "DIA CIRC CONCR
COLEMAN RD (SR2006 SEG 0040/1207)	0380/3430		0380/3552		LEN=0047 INSTALLED UNKN
			0380/3230		060 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN
			0380/3156		CENTENNIAL RD (SR2006 SEG 0050/0000)
			0380/2085		LOW DUTCH RD (T424)
CAREY LN (PRDR)	0380/1906		0380/1731		060 "DIA CIRC CONCR LEN=0071 INSTALLED UNKN
	101182 FT		0380/0543		015 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN
			101172 FT		1 0 00126 0 00 0260+68
			0380/0000		LENGTH(AH 3643 BK 3290)
			0370/1425		018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN



DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T


1 0 00126 0 00 0227+78 097892 FT  
 GRANITE STATION RD  
 (T486) 0370/0000

1 0 00126 0 00 0206+72 095723 FT  
 MOOSE RD  
 (T480) 0360/0000

1 0 00126 0 00 0182+48 093299 FT  
 FLICKINGER RD  
 (T512) 0350/0000

SHENANGO OF PENNA INC.  
 (PRDR) 0340/2469

089694 FT



0370/0784 BMSEN 01/0030/0370/0774  
 1 0 00126 0 00 0235+37  
 BR.WHITE RUN  
 0370/0774 BMSBG 01/0030/0370/0774  
 097882 FT GRANITE STATION RD  
 (SR2005 SEG 0060/1937)  
 0370/0000 LENGTH(AH 3290 BK 2169)  
 017"H 30"W ELLIP CONC  
 0360/2138 LEN=0065 INSTALLED UNKN  
 0360/0404 018 "DIA CIRC CONCR  
 095713 FT LEN=0065 INSTALLED UNKN  
 0360/0000 LENGTH(AH 2169 BK 2424)  
 HOFFMAN RD  
 0350/1987 (T479)  
 093289 FT  
 0350/0000 LENGTH(AH 2424 BK 3605)  
 018 "DIA CIRC CONCR  
 0340/3164 LEN=0068 INSTALLED UNKN  
 018 "DIA CIRC CONCR  
 0340/2953 LEN=0066 INSTALLED UNKN  
 0340/2469 (APRA) SHENANGO OF PENN  
 0340/1559 036 "DIA CIRC CONCR  
 LEN=0081 INSTALLED UNKN  
 0340/0709 CALVARY FIELD RD  
 (T483)  
 089684 FT 1 0 00126 0 00 0153+82  
 MFC BEGIN = B  
 0340/0000 LENGTH(AH 3605 BK 0931)

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

0 0 00000 0 00 0000+00 088763 FT  
 SMITH RD  
 (T509)  
 GATEWAY BL  
 (PRDR)

LENGTH(AH 0931 BK 3221) 0333/0000

RAMP E-2 RD (OUTER LOOP  
 (SR8005 SEG 0010/1184) 0321/1845

RAMP E-3 RD  
 (SR8005 SEG 0750/0000) 0321/1637

018 "DIA CIRC CONCR  
 LEN=0045 INSTALLED UNKN 0321/1455  
 BMS EN 01/0030/0320/0867 0321/1333  
 1 0 00126 0 00 0116+36

US 15 (NB)  
 BMSBG 01/0030/0320/0867 0321/1202

018 "DIA CIRC CONCR  
 LEN=0001 INSTALLED UNKN 0321/1023

018 "DIA CIRC CONCR  
 LEN=0001 INSTALLED UNKN 0321/0868

RAMP E-4 RD (INNER LOOP  
 (SR8005 SEG 0510/0000) 0321/0820


RAMP E-4 RD (OUTER LOOP  
 (SR8005 SEG 0500/1085) 0321/0702

FROM 8005/0500 SH  
 (CONN) 0321/0570

018 "DIA CIRC CONCR  
 LEN=0116 INSTALLED UNKN 0321/0347  
 1 0 00126 0 00 0107+96 085542 FT

MFC BEGIN = B  
 LENGTH(AH 3221 BK 3436) 0321/0000

SHEALER RD  
 (TWP) 0310/3101



088753 FT 0 0 00000 0 00 0000+00  
 SMITH RD  
 (T509)  
 GATEWAY BL  
 (PRDR)

LENGTH(AH 0931 BK 3205)  
 LC TO GATEWAY BL  
 (CONN) 0332/0000  
 0320/3083

FROM 8005/0010 SH  
 (CONN) 0320/1991  
 RAMP E-2 RD (OUTER LOOP  
 (SR8005 SEG 0010/1184) 0320/1845

RAMP E-2 RD (INNER LOOP  
 (SR8005 SEG 0020/0000) 0320/1710

BMS EN 01/0030/0320/0867 0320/1320  
 1 0 00126 0 00 0116+36

US 15 (NB)  
 BMSBG 01/0030/0320/0867 0320/1189

RAMP E-1 RD  
 (SR8005 SEG 0250/0000) 0320/0705  
 RAMP E-4 RD (OUTER LOOP  
 (SR8005 SEG 0500/1085) 0320/0702

1 0 00126 0 00 0108+24  
 MFC BEGIN = B  
 LENGTH(AH 3205 BK 3436)  
 CAMP LETTERMAN DR  
 (PRDR) 085548 FT 0320/0000

0310/3101

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

WAL MART DR  
 (PRDR)


0310/2513

HUNTERSTOWN RD  
 (SR3003 SEG 0010/0000)

0300/1291

082106 FT

078667 FT



0310/3053 036 " DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 PEBBLES PZ  
 (PRDR)

0310/2513 018 " DIA CIRC CONCR  
 LEN=0058 INSTALLED UNKN

0310/2488 024 " DIA CIRC CONCR  
 LEN=0063 INSTALLED UNKN

0310/1839 024 " DIA CIRC CONCR  
 LEN=0088 INSTALLED UNKN

0310/1530 T. ROCK CK.  
 STRUCTURE LENGTH 10 FT  
 BMSID 01/0030/0310/0787  
 NATURAL SPRINGS RD  
 (PRDR)

0310/0787 0310/0231  
 082112 FT 1 0 00126 0 00 0070+49  
 0310/0000 LENGTH(AH 3436 BK 3439)

0300/2062 UNNAMED RD  
 (PRDR)  
 WET WEATHER  
 STRUCTURE LENGTH 10 FT  
 BMSID 01/0030/0300/1812

0300/1812 UNNAMED RD  
 (PRDR)


0300/1231 BMSEN 01/0030/0300/0000  
 078673 FT 1 0 00126 0 00 0035+78  
 P3  
 NC YORK RD  
 ROCK CREEK  
 BMSBG 01/0030/0300/0000  
 STRABAN  
 GETTYSBURG B

0300/0000 LENGTH(AH 3439 BK 1262)

0290/1080 01B " DIA CIRC CONCR  
 LEN=0037 INSTALLED UNKN

0290/0849 01B " DIA CIRC CONCR  
 LEN=0040 INSTALLED UNKN  
 SIXTH ST

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: GETTYSBURG B RIGHT MUN: GETTYSBURG B



077405 FT

075115 FT

FOR SR 0030E TO 0030W 0  
 (CONN)  
 GETTYSBURG-YORK ST  
 (BORO)

0273/0150

GETTYSBURG-YORK ST  
 (BORO)  
 CARLISLE ST  
 (SR3001 SEG 0200/0000) 0273/0078  
 0 0 00000 0 00 0000+00 074965 FT  
 GETTYSBURG-YORK ST  
 (BORO)  
 FOR SR 0030W TO 0030E 0  
 (CONN)  
 MFC BEGIN = B  
 LENGTH(AH 0150 BK 2239) 0273/0000

5

0290/0666 (BORO)  
 018" DIA CIRC CONCR  
 0290/0644 LEN=0035 INSTALLED UNKN  
 FIFTH ST  
 0290/0342 (BORO)  
 077411 FT 1 0 00126 0 00 0023+48  
 FOURTH ST  
 (BORO)  
 5 0290/0000 LENGTH(AH 1262 BK 2290)  
 THIRD ST  
 0280/1638 (BORO)  
 HANOVER ST  
 (SRO116 SEG 0248/0000)  
 0280/1189 LIBERTY ST  
 (BORO)  
 0280/0845 020"H 32"W CON BOX CUL  
 LEN=0036 INSTALLED UNKN  
 STRATTON ST  
 0280/0565 (BORO)  
 075121 FT 1 0 00126 0 00 0000+00  
 NC YORK ST  
 5 0280/0000 MFC BEGIN = B  
 LENGTH(AH 2290 BK 0156)  
 FOR SR 0030E TO 0030W 0  
 (CONN)  
 GETTYSBURG-YORK ST  
 0272/0156 (BORO)  
 GETTYSBURG-YORK ST  
 (BORO)  
 BALTIMORE ST  
 0272/0085 (SRO116 SEG 0244/0380)  
 074965 FT 0 0 00000 0 00 0000+00  
 GETTYSBURG-YORK ST  
 (BORO)  
 FOR SR 0030W TO 0030E 0  
 (CONN)  
 MFC BEGIN = B  
 5 0272/0000 LENGTH(AH 0156 BK 2239)  
 0270/1758 012"H 17"W ELLIP METAL  
 LEN=0046 INSTALLED UNKN  
 WASHINGTON ST  
 (BORO)  
 0270/1679

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 45  
COUNTY: ADAMS

DIR: B TOTAL LEN: 28.424 MI.  
LEFT MUN: GETTYSBURG B

DIST: 08-1 SR: 30  
RIGHT MUN: GETTYSBURG B

RACE HORSE AL  
(BORO)

0270/0362

072726 FT

U.S. PARK RD  
(PARK)

0250/1698

0270/1273	018 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN FRANKLIN ST (BORO)
0270/1207	WEST ST (BORO)
0270/0738	SPRINGS AV (BORO)
0270/0601	NC CHAMBERSBURG ST BMSBN 01/0030/0270/0588 1 0 00043 1 01 0725+44
0270/0588	STEVENS RUN BMSBG 01/0030/0270/0588
0270/0092	018 " DIA CIRC METAL LEN=0032 INSTALLED UNKN
0270/0058	024 " DIA CIRC METAL LEN=0039 INSTALLED UNKN REYNOLDS ST (BORO)
0270/0052	0270/0052
072726 FT	072726 FT
0270/0000	1 0 00043 0 01 0719+15 SEMINARY AV (BORO)
0260/1895	LENGTH (AH 2239 BK 2329) HOWARD AV (BORO)
0260/1816	ELM ST (BORO)
0260/1237	HAY ST (BORO)
0260/0432	SEMINARY RIDGE RD (PARK)
070397 FT	070397 FT
0260/0000	1 0 00043 0 01 0696+51 NC BU FORD AV GETTYSBURG CUMBERLAND T
0250/1504	LENGTH (AH 2329 BK 1913)
0250/0937	024 "H 38 "W ELLIP CONC LEN=0044 INSTALLED UNKN REYNOLDS AV (PARK)
0250/0540	024 " DIA CIRC CONCR LEN=0047 INSTALLED UNKN




DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

BELMONT RD  
 (T348)

0220/0411  
 059087 FT

056768 FT

1 0 00043 0 01 0527+74 053544 FT  
 CROOKED CREEK RD  
 (T310) 0200/0000



DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Stationing	Segment	Start	End	Length	Width	Material	Status	Notes
050801	FT	050801	0500+31	190	43	CONCR	INSTALLED	018 DIA CIRC
		0180	0000	2563	46	CONCR	UNKN	LEN=0046
		0180	0891	0891	39	CONCR	UNKN	LEN=0039
047509	FT	047509	0475+14	180	43	CONCR	INSTALLED	024 DIA CIRC
		0170	1168	1168	39	CONCR	UNKN	LEN=0039
		0170	0899	0899	44	CONCR	UNKN	LEN=0044
		0170	0832	0832	32	CONCR	UNKN	LEN=0032
046336	FT	046336	0463+41	170	43	CONCR	INSTALLED	018 DIA CIRC
		0160	2434	2434	45	CONCR	UNKN	LEN=0045
		0160	1961	1961	84	CONCR	UNKN	LEN=0084
		0160	1945	1945	84	CONCR	UNKN	LEN=0084
		0160	1886	1886	20	METAL	UNKN	LEN=0020
		0160	1307	1307	90	CONCR	UNKN	LEN=0090
		0160	0815	0815	90	CONCR	UNKN	LEN=0090
043504	FT	043504	0435+09	160	43	CONCR	INSTALLED	024 DIA CIRC
		0150	1283	1283	90	CONCR	UNKN	LEN=0090
		0150	0400	0400	90	CONCR	UNKN	LEN=0090
041635	FT	041635	0416+40	150	43	CONCR	INSTALLED	024 DIA CIRC
		0150	0000	0000	869	CONCR	UNKN	LEN=1869



DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

Location	Segment ID	Length	Material	Status	Notes
	0140/3118	0072	018" DIA CIRC CONCR	INSTALLED UNKN	
	0140/2527	0064	024" DIA CIRC CONCR	INSTALLED UNKN	
FLOHRS CHURCH RD (T356)	0140/1147	0071	018" DIA CIRC CONCR	INSTALLED UNKN	
	0140/1141		FLOHRS CHURCH RD (T356)		
	0140/0649	0083	018" DIA CIRC CONCR	INSTALLED UNKN	
	0140/0563		NATIONAL ENERGY (PRDR)		
038004 FT	0140/0187	0001	018" DIA CIRC CONCR	INSTALLED UNKN	
	038004 FT	1 0 00043	0 00 0380+09		
	0140/0000		LENGTH(AH 3631 BK 2903)		
	0130/2468	0077	018" DIA CIRC CONCR	INSTALLED UNKN	
	0130/1476	0077	018" DIA CIRC CONCR	INSTALLED UNKN	
HILLTOWN RD (T355)	0130/0287	0067	018" DIA CIRC CONCR	INSTALLED UNKN	
	0130/0014	0075	018" DIA CIRC CONCR	INSTALLED UNKN	
035101 FT	035101 FT	1 0 00043	0 00 0351+06		
	0130/0000		HILLTOWN RD (T355)		
	0120/1798	0065	018" DIA CIRC CONCR	INSTALLED UNKN	
	0120/0865	0075	018" DIA CIRC CONCR	INSTALLED UNKN	
TO 3011/0150 SH (CONN)	0120/0120		FROM 3011/0144 SH (CONN)		
	0120/0076	0060	018" DIA CIRC CONCR	INSTALLED UNKN	HIGH RD

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

1 0 00043 0 00 0326+80 032675 FT  
 CASHTOWN RD  
 (SR3011 SEG 0150/0000) 0120/0000


FROM 3011/0150 SH  
 (CONN) 0110/3433

SHORT CUT RD  
 (T357) 0110/1298

029113 FT


GITTINS DR  
 (PRDR) 0100/0932

025595 FT



032675 FT (SR3011 SEG 0150/0000)  
 0120/0000 LENGTH(AH 2426 BK 3562)  
 018 "DIA CIRC CONCR  
 0110/3530 LEN=0105 INSTALLED UNKN  
 TO 3011/0144 SH  
 0110/3433 (CONN)  
 018 "DIA CIRC CONCR  
 0110/3330 LEN=0068 INSTALLED UNKN  
 0110/1264 024 "DIA CIRC CONCR  
 LEN=0072 INSTALLED UNKN  
 0110/0290 BMSEN 01/0030/0110/0266  
 1 0 00043 0 00 0294+02  
 MARSH CREEK  
 0110/0266 BMSBG 01/0030/0110/0266  
 029113 FT 1 0 00043 0 00 0291+48  
 0110/0000 LENGTH(AH 3562 BK 3518)  
 024 "DIA CIRC CONCR  
 0100/3161 LEN=0070 INSTALLED UNKN  
 0100/2514 018 "DIA CIRC CONCR  
 LEN=0090 INSTALLED UNKN  
 0100/2069 018 "DIA CIRC CONCR  
 LEN=0100 INSTALLED UNKN  
 0100/1337 024 "DIA CIRC CONCR  
 LEN=0070 INSTALLED UNKN  
 0100/1030 018 "DIA CIRC CONCR  
 LEN=0086 INSTALLED UNKN  
 0100/0869 036 "DIA CIRC CONCR  
 LEN=0075 INSTALLED UNKN  
 0100/0503 018 "DIA CIRC CONCR  
 LEN=0068 INSTALLED UNKN  
 036 "DIA CIRC CONCR  
 0100/0187 LEN=0070 INSTALLED UNKN  
 025595 FT 1 0 00043 0 00 0255+91  
 TWIN RUN RD  
 (T673)  
 0100/0000 LENGTH(AH 3518 BK 2635)

DIR: B TOTAL LEN: 28.424 MI. DIST: 08-1 SR: 30  
 LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T



0090/2567 024 "DIA CIRC CONCR  
 LEN=0125 INSTALLED UNKN  
 0090/1903 SPIGOT VALLEY RD  
 (T674)  
 0090/1605 024 "DIA CIRC CONCR  
 LEN=0059 INSTALLED UNKN  
 0090/0970 018 "DIA CIRC CONCR  
 LEN=0075 INSTALLED UNKN  
 0090/0328 036 "DIA CIRC CONCR  
 LEN=0104 INSTALLED UNKN  
 022960 FT 1 0 00043 0 00 0229+56  
 0090/0000 LENGTH(AH 2635 BK 3395)

019565 FT 1 0 00043 0 00 0195+61  
 0080/0000 LENGTH(AH 3395 BK 3503)

0070/2518 018 "DIA CIRC CONCR  
 LEN=0050 INSTALLED UNKN  
 0070/2028 018 "DIA CIRC CONCR  
 LEN=0001 INSTALLED UNKN

016062 FT 1 0 00043 0 00 0160+58  
 0070/0000 LENGTH(AH 3503 BK 3465)

0060/2063 024 "DIA CIRC CONCR  
 LEN=0099 INSTALLED UNKN

OAK DR  
 (PRDR)

0060/3223




EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 37  
COUNTY: ADAMS

DIR: B TOTAL LEN: 28.424 MI.  
LEFT MUN: FRANKLIN T

DIST: 08-1 SR: 30  
RIGHT MUN: FRANKLIN T



004603 FT

NEWMANS CK  
0030/1525 BMSBG 01/0030/0030/1488  
018 " DIA CIRC CONCR  
0030/0931 LEN=0047 INSTALLED UNKN  
060 " DIA CIRC CONCR  
0030/0552 LEN=0052 INSTALLED UNKN  
015 " DIA CIRC CONCR  
0030/0523 LEN=0042 INSTALLED UNKN  
018 " DIA CIRC CONCR  
0030/0420 LEN=0067 INSTALLED UNKN  
030 " DIA CIRC CONCR  
0030/0040 LEN=0055 INSTALLED UNKN  
004603 FT 1 0 00043 0 00 0046+37  
5 0030/0000 LENGTH(AH 1739 BK 2676)  
036 " DIA CIRC CONCR  
0020/2391 LEN=0065 INSTALLED UNKN  
018 " DIA CIRC CONCR  
0020/2019 LEN=0053 INSTALLED UNKN  
018 " DIA CIR PLASTIC  
0020/1712 LEN=0246 INSTALLED 2014  
018 " DIA CIRC CONCR  
0020/1400 LEN=0069 INSTALLED UNKN

001927 FT

024 " DIA CIRC CONCR  
0020/0359 LEN=0093 INSTALLED UNKN  
036 " DIA CIRC CONCR  
0020/0131 LEN=0100 INSTALLED UNKN  
001927 FT 1 0 00043 0 00 0020+32  
5 0020/0000 LENGTH(AH 2676 BK 1927)

OLD ROUTE 30 ET  
(T301)

0010/1927

018 " DIA CIRC CONCR  
0010/0748 LEN=0094 INSTALLED UNKN  
GOLF COURSE RD  
0010/0710 (SR4011 SEG 0010/1665)

FORESTRY RD  
(T649)  
PINEY VIEW RD  
(T649)

0010/0549

048 " DIA CIRC CONCR  
0010/0174 LEN=0095 INSTALLED UNKN  
000000 FT 1 0 00043 0 00 0000+00  
NC CHAMBERSBURG RD  
INTER-BK LINCOLN HW  
(SR0030 SEG 0600/3850)  
MFC BEGIN = B  
BK-FRANKLIN (28)  
5 0010/0000 LENGTH(AH 1927 BK 0000)

000000 FT

EXTRACT DATE: 12/18/2023 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 36  
PRINT DATE: 12/20/2023 SLD COUNTY/SR - ANNUAL PRINT COUNTY: ADAMS  
DIR: B TOTAL LEN: 6.454 MI. DIST: 08-1 SR: 16  
LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T

034075 FT



034075 FT  
INTER-AHD MARYLAND STATE LINE  
0110/1800 (STBD)  
018 " DIA CIRC CONCR

DIR: B TOTAL LEN: 6.454 MI. DIST: 08-1 SR: 16  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T

1 0 00044 7 00 0018+56 032275 FT  
 ORCHARD RD  
 (T313) 0110/0000

029442 FT

STEELMAN MARKER RD  
 (T311) 0090/2614

LIBERTY

0110/1778	LEN=0036	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0110/1521	LEN=0044	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0110/1104	LEN=0046	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0110/0813	LEN=0046	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0110/0162	LEN=0050	INSTALLED UNKN
032275 FT		
0110/0000	LENGTH(AH 1800 BK 2833)	
	018 "DIA	CIR PLASTIC
0100/2668	LEN=0060	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0100/2650	LEN=0070	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0100/1818	LEN=0040	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0100/1493	LEN=0044	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0100/1240	LEN=0062	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0100/0978	LEN=0074	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0100/0628	LEN=0070	INSTALLED UNKN
	018 "DIA	CIRC CONCR
029442 FT		
0100/0000	LENGTH(AH 2833 BK 3595)	
	024"H 24"W	**UNKNOWN**
0090/3595	LEN=0001	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0090/3275	LEN=0048	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0090/3033	LEN=0048	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0090/2786	LEN=0044	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0090/2595	LEN=0042	INSTALLED UNKN
	018 "DIA	CIRC CONCR
0090/2340	LEN=0046	INSTALLED UNKN
0090/1996	BMSSEN 01/0016/0090/1855	
	1 0 00044 7 00 0061+99	
	TOM'S CREEK	
0090/1855	BMSBG 01/0016/0090/1855	

DIR: B TOTAL LEN: 6.454 MI. DIST: 08-1 SR: 16  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T


CARROLL VALLEY B 0090/1674

1 0 00044 7 00 0082+25 025847 FT  
 FAIRFIELD RD  
 (SR0116 SEG 0010/0000) 0090/0000

OLD WAYNESBORO RD  
 (T302) 0070/1819

OLD WAYNESBORO RD  
 (T302) 0070/1178  
 LIBERTY 0070/1166  
 CARROLL VALLEY B

VALLEY TR  
 (BORO) 0070/1019



0090/1365 LIBERTY  
 CARROLL VALLEY B  
 RANCH TR  
 (T310)  
 0090/1333 024 " DIA CIRC CONCR  
 0090/1292 LEN=0078 INSTALLED UNKN

0090/0149 GINGELL RD  
 025847 FT (T315)

0090/0000 LENGTH(AH 3595 BK 2875)  
 018 " DIA CIRC CONCR  
 0080/2666 LEN=0034 INSTALLED UNKN  
 0080/2337 BMSSEN 01/0016/0080/2287  
 1 0 00044 0 00 0253+45  
 MINEY BRANCH  
 0080/2287 BMSBG 01/0016/0080/2287

0080/0923 018 " DIA CIRC CONCR  
 LEN=0064 INSTALLED UNKN

0080/0097 CARROLL VALLEY  
 LIBERTY T  
 0080/0007 018 " DIA CIRC CONCR  
 022972 FT LEN=0090 INSTALLED UNKN  
 0080/0000 1 0 00044 0 00 0231+31  
 LENGTH(AH 2875 BK 3001)  
 0070/2856 027"H 43"W ELLIP METAL  
 LEN=0051 INSTALLED UNKN

0070/1931 018 " DIA CIRC CONCR  
 LEN=0090 INSTALLED UNKN

0070/1526 030 " DIA CIRC CONCR  
 LEN=0120 INSTALLED UNKN


0070/1052 030 " DIA CIRC CONCR  
 LEN=0108 INSTALLED UNKN



DIR: B TOTAL LEN: 6.454 MI. DIST: 08-1 SR: 16  
 LEFT MUN: CARROLL VALLEY B RIGHT MUN: LIBERTY T

CARROLL VALLEY  
 LIBERTY T

0070/0086  
 019971 FT



019971 FT 1 0 00044 0 00 0199+98  
 0070/0000 LENGTH(AH 3001 BK 3584)  
 024 "DIA CIRC CONCR  
 0060/3180 LEN=0050 INSTALLED UNKN

LIBERTY  
 CARROLL VALLEY B

0060/3137

0060/2883 018 "DIA CIRC CONCR  
 LEN=0050 INSTALLED UNKN

AUTUMN TR  
 (BORO)  
 CARROLL VALLEY  
 LIBERTY T

0060/2841  
 0060/2797

0060/2018 024 "DIA CIRC CONCR  
 LEN=0060 INSTALLED UNKN  
 0060/1872 030 "DIA CIRC CONCR  
 LEN=0050 INSTALLED UNKN  
 0060/1510 018 "DIA CIRC CONCR  
 LEN=0024 INSTALLED UNKN  
 0060/1209 024 "DIA CIRC CONCR  
 LEN=0062 INSTALLED UNKN  
 0060/0645 018 "DIA CIRC CONCR  
 LEN=0086 INSTALLED UNKN  
 COVE HOLLOW RD  
 (TWP )  
 0060/0610 018 "DIA CIRC CONCR  
 LEN=0054 INSTALLED UNKN

LIBERTY  
 CARROLL VALLEY B

0060/0095

0060/0082 060"H 72"W CON BOX CUL  
 LEN=0054 INSTALLED UNKN  
 016387 FT

1 0 00044 0 00 0164+14  
 OLD WAYNESBORO PK  
 (T302)

016387 FT  
 0060/0000

0060/0000 LENGTH(AH 3584 BK 3123)

CARROLL VALLEY  
 LIBERTY T

0050/1425

0050/1797 024"H 36"W CONC STRUCT  
 LEN=0056 INSTALLED UNKN

0050/1036 MINEY BR.  
 STRUCTURE LENGTH 37 FT  
 BMSID 01/0016/0050/1000  
 WASTE TREATMENT PLANT  
 0050/0491 (PRDR)

DIR: B TOTAL LEN: 6.454 MI. DIST: 08-1 SR: 16  
 LEFT MUN: LIBERTY T RIGHT MUN: LIBERTY T

Stationing	Description	Structure Details
013264 FT		013264 FT 1 0 00044 0 00 0133+13 S 0050/0000 LENGTH(AH 3123 BK 3278) LIBERTY
		0040/3228 HAMILTONBAN T 024"H 36"W CONC STRUCT LEN=0048 INSTALLED UNKN
JACK'S MOUNTAIN RD (SR3021 SEG 0010/0000)	0040/3055	0040/3194 024"H 36"W CONC STRUCT LEN=0040 INSTALLED UNKN
		0040/2760 024"H 36"W CONC STRUCT LEN=0040 INSTALLED UNKN
OLD WAYNESBORO RD (T809)	0040/1740	0040/1613 024"H 36"W CONC STRUCT LEN=0060 INSTALLED UNKN 0040/1087 018"H 36"W CONC STRUCT LEN=0054 INSTALLED UNKN
		0040/0459 018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
009986 FT		S 009986 FT 1 0 00044 0 00 0099+99 S 0040/0000 LENGTH(AH 3278 BK 2757) 018 "DIA CIRC CONCR
		0030/2683 LEN=0068 INSTALLED UNKN 024 "DIA CIRC CONCR 0030/2310 LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR 0030/2140 LEN=0066 INSTALLED UNKN 0030/1975 BMSSEN 01/0016/0030/1941 1 0 00044 0 00 0091+83 MINEY BR.
		0030/1941 BMSBG 01/0016/0030/1941
OLD WAYNESBORO RD (T809)	0030/1913	0030/1719 024 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 024 "DIA CIRC CONCR 0030/1143 LEN=0064 INSTALLED UNKN
		0030/0483 HARBAUGH VALLEY RD (SR3009 SEG 0040/0000) 024 "DIA CIRC CONCR 0030/0473 LEN=0080 INSTALLED UNKN
		HAMILTONBAN LIBERTY T
007229 FT		0030/0056 007229 FT 1 0 00044 0 00 0072+42 048 "DIA CIRC METAL LEN=0056 INSTALLED UNKN
		S 0030/0000 LENGTH(AH 2757 BK 3502)

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 31  
COUNTY: ADAMS

DIR: B TOTAL LEN: 6.454 MI.  
LEFT MUN: LIBERTY T

DIST: 08-1 SR: 16  
RIGHT MUN: LIBERTY T

003727 FT

000000 FT

0020/3460	048 " DIA CIRC ALUMIN LEN=0054 INSTALLED UNKN
0020/2828	LIBERTY HAMILTONBAN T
0020/2801	060"H 72"W CON BOX CUL LEN=0070 INSTALLED UNKN
0020/2628	048 " DIA CIRC METAL LEN=0068 INSTALLED UNKN
0020/1565	024 " DIA CIRC CONCR LEN=0060 INSTALLED UNKN
0020/1194	024 " DIA CIRC CONCR LEN=0046 INSTALLED UNKN
0020/1035	024 " DIA CIRC CONCR LEN=0054 INSTALLED UNKN
0020/0662	024 " DIA CIRC CONCR LEN=0076 INSTALLED UNKN
0020/0412	024 " DIA CIRC CONCR LEN=0058 INSTALLED UNKN
0020/0202	HAMILTONBAN LIBERTY T
003727 FT	1 0 00044 0 00 0037+27
0020/0000	MINEY BR. STRUCTURE LENGTH 20 FT BMSID 01/0016/0020/0000 LENGTH(AH 3502 BK 3727)
0010/3341	018 " DIA CIRC CONCR LEN=0064 INSTALLED UNKN
0010/2993	036 " DIA CIRC CONCR LEN=0098 INSTALLED UNKN
0010/1938	024 "H 36 "W CONC STRUCT LEN=0088 INSTALLED UNKN
0010/1706	024 " DIA CIRC CONCR LEN=0098 INSTALLED UNKN
0010/1330	024 " DIA CIRC CONCR LEN=0126 INSTALLED UNKN
0010/0781	024 " DIA CIRC CONCR LEN=0084 INSTALLED UNKN
000000 FT	1 0 00044 0 00 0000+00
INTER-BK	NC WA YNESBORO PK BUCHANAN TR (SRO016 SEG 0710/2758) MFC BEGIN = C BK-FRANKLIN (28)
0010/0000	LENGTH(AH 3727 BK 0000)

Stationing	Description	Length	Material	Status
0501/2092	AH-YORK (66) 140252 FT INTER-AHD	140094 FT	BLUE-GRAY HW	INTER-AHD
0501/1306	018 "DIA CIRC CONCR	0500/2206	BLUE-GRAY HW	(SR0015 SEG 0010/0000) COUNTY LINE RD (T642)
0501/0908	LEN=0059 INSTALLED UNKN	0500/1449	018 "DIA CIRC CONCR	LEN=0057 INSTALLED UNKN
0491/1758	018 "DIA CIRC CONCR	0500/1035	018 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN
0491/1321	LEN=0057 INSTALLED UNKN	0500/0519	018 "DIA CIRC CONCR	LEN=0063 INSTALLED UNKN
0491/0860	LEN=0054 INSTALLED UNKN	0500/0058	018 "DIA CIRC CONCR	LEN=0060 INSTALLED UNKN
	1 0 00123 0 01 0835+00 138160 FT	137888 FT	1 0 00123 0 01 0833+88	LENGTH(AH 2206 BK 1694)
	LENGTH(AH 2092 BK 1806) 0501/0000	0500/0000		
	018 "DIA CIRC CONCR	0490/1307	018 "DIA CIRC CONCR	LEN=0056 INSTALLED UNKN
	LEN=0040 INSTALLED UNKN	0490/0867	018 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

MILEPOST	026.00	0491/0500							
018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN		0491/0073			0490/0081	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN			
1 0 00123 0 01 0816+94 136354 FT MOUNTAIN RD (SR1005 SEG 0230/0000) LATIMORE VALLEY RD (SR1005 SEG 0230/0000) LENGTH(AH 1806 BK 2117)		0491/0000			0490/0032 136194 FT	MILEPOST 026.00 1 0 00123 0 01 0816+94 MOUNTAIN RD (SR1005 SEG 0230/0000) LATIMORE VALLEY RD (SR1005 SEG 0230/0000) LENGTH(AH 1694 BK 2118)			
BMSEN 01/0015/0480/1592 0481/1681 1 0 00123 0 01 0811+14 LATIMORE CK. BMSBG 01/0015/0480/1592 0481/1565		0481/1681			0480/1681 0480/1637	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN BMSEN 01/0015/0480/1592 1 0 00123 0 01 0795+19 LATIMORE CK. BMSBG 01/0015/0480/1592			
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN		0481/0893			0480/1521	015 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN			
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN		0481/0763			0480/1423	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN			
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN		0481/0375			0480/0912	018 "DIA CIRC CONCR LEN=0069 INSTALLED UNKN			
1 0 00123 0 01 0795+23 134237 FT LENGTH(AH 2117 BK 2056)		0481/0000			0480/0783	018 "DIA CIRC CONCR LEN=0071 INSTALLED UNKN 030 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN			
030 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN		0471/1921			0480/0382	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN			
					0470/2015	024 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN			
					0470/1981				
					0470/1615				
024 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN		0471/0631			0470/0666				
1 0 00123 0 01 0775+03 132181 FT					132009 FT	1 0 00123 0 01 0775+03			

EXTRACT DATE: 12/18/2023  
PRINT DATE: 12/20/2023

ROADWAY MANAGEMENT SYSTEM  
SLD COUNTY/SR - ANNUAL PRINT

PAGE NUMBER: 28  
COUNTY: ADAMS

DIR: N TOTAL LEN: 26.563 MI.  
LEFT MUN: LATIMORE T

DIST: 08-1 SR: 15  
RIGHT MUN: LATIMORE T

Stationing	Material	Length	Notes	Stationing	Material	Length	Notes
BONNERS HILL RD (T634) BONNERS HILL RD (T634) LENGTH(AH 2056 BK 2482) 0471/0000	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN	0461/2377		0470/0000 0460/2438	BONNERS HILL RD (T634) BONNERS HILL RD (T634) LENGTH(AH 2067 BK 2473) MILEPOST 025.00		
MILEPOST 025.00 0461/1642				0460/2357	018 "DIA CIRC CONCR LEN=0067 INSTALLED UNKN		
036 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN 0461/1346				0460/1600	015 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN		
018 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN 0461/0454				0460/1334	033 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN		
018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN 0461/0055				0460/1287	015 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN		
1 0 00123 0 01 0750+35 129699 FT OLD RTE 15 (T630) LENGTH(AH 2482 BK 1734) 0461/0000				0460/0903	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN		
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0451/1191				0460/0455	018 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN		
015 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN 0451/0790				0460/0064	018 "DIA CIRC CONCR LEN=0039 INSTALLED UNKN		
060 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN 0451/0671				129536 FT	1 0 00123 0 01 0750+35 OLD RTE 15 (T630) LENGTH(AH 2473 BK 1707)		
BMS EN 01/0015/0450/0000 0451/0023 1 0 00123 0 01 0733+23 127965 FT T.LATIMORE				0450/1174	018 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN		
				0450/0597	060 "DIA CIRC CONCR LEN=0096 INSTALLED UNKN		
				0450/0469	015 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN		
				0450/0227	018 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN		
				0450/0023	BMS EN 01/0015/0450/0000 1 0 00123 0 01 0733+23 T.LATIMORE		
				127829 FT			

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: LATIMORE T RIGHT MUN: LATIMORE T

Segment ID	Description	Start Station	End Station	Length (ft)	Material	Status
BMSBG 01/0015/0450/0000	LENGTH(AH 1734 BK 3345)	0451/0000	0450/0000			
018 " DIA	CIRC CONCR	0441/3117	0440/3370			INSTALLED UNKN
015 " DIA	CIRC METAL	0441/2939	0440/3172			INSTALLED UNKN
024 " DIA	CIRC CONCR	0441/2641	0440/2859			INSTALLED UNKN
018 " DIA	CIRC METAL	0441/2610	0440/2634			INSTALLED UNKN
RIDGE RD (T635)		0441/2269	0440/2302			INSTALLED UNKN
018 " DIA	CIRC CONCR	0441/1866	0440/2241			INSTALLED UNKN
MILEPOST	024.00					
OP ID 01/0015/0441/149B	CANTILEVER MONOTUB	0441/1365				
015 " DIA	CIRC METAL	0441/1319				
018 " DIA	CIRC CONCR	0441/0832	0440/0858			INSTALLED UNKN
RAMP B RD (OUTER LOOP)	(SR8011 SEG 0500/0000)	0441/0826				
018 " DIA	CIRC CONCR	0441/0485				
RAMP B RD (INNER LOOP)	(SR8011 SEG 0510/0737)	0441/0465				
015 " DIA	CIRC METAL	0440/0467				INSTALLED UNKN
RAMP A RD (INNER LOOP)	(SR8011 SEG 0760/0000)	0440/0441				
015 " DIA	CIRC METAL	0440/0190				INSTALLED UNKN
LATIMORE HUNTINGTON T		0440/0178				
BMSBG 01/0015/0440/0000	LENGTH(AH 1707 BK 3376)	0441/0136	0440/0136			
1 0 00123 0 01 0699+57	124620 FT					
PA 94 (NB)						
BMSBG 01/0015/0440/0000	LENGTH(AH 1707 BK 3376)	0441/0136	0440/0136			
LATIMORE						
				124453 FT		
					1 0 00123 0 01 0699+57	
					PA 94 (NB)	







DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

LEN=0090	INSTALLED UNKN	0401/1615	----	0400/1393	018 "DIA CIRC CONCR	LEN=0062	INSTALLED UNKN
018 "DIA CIRC CONCR			----				
LEN=0069	INSTALLED UNKN	0401/1373	----	0400/1059	036 "DIA CIRC CONCR	LEN=0093	INSTALLED UNKN
036 "DIA CIRC CONCR			----				
LEN=0089	INSTALLED UNKN	0401/1019	----	0400/0585	018 "DIA CIRC CONCR	LEN=0064	INSTALLED UNKN
018 "DIA CIRC CONCR			----				
LEN=0090	INSTALLED UNKN	0401/0572	----	0400/0278		MILEPOST	022.00
MILEPOST	022.00	0401/0518	□				
			□	0400/0213	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
			□				
018 "DIA CIRC CONCR			----	114800 FT	1 0 01036 0 00	1148+41	
LEN=0090	INSTALLED UNKN	0401/0204	----				
1 0 01036 0 00	1148+41	114959 FT					
WIERMANS MIL							
OP ID 01/1009/0060/1361				0400/0000	OP ID 01/1009/0060/1361		
LENGTH(AH 2123 BK 2965)		0401/0000	=====		LENGTH(AH 2347 BK 2663)		
018 "DIA CIRC CONCR			=====				
LEN=0080	INSTALLED UNKN	0391/2665	----	0390/2373	018 "DIA CIRC CONCR	LEN=0065	INSTALLED UNKN
018 "DIA CIRC CONCR			----				
LEN=0087	INSTALLED UNKN	0391/2377	----	0390/2084	018 "DIA CIRC CONCR	LEN=0066	INSTALLED UNKN
018 "DIA CIRC CONCR			----				
			----	0390/1798	018 "DIA CIRC CONCR	LEN=0072	INSTALLED UNKN
			----				
			----	0390/1231	024 "DIA CIRC CONCR	LEN=0105	INSTALLED UNKN
			----				
BMS EN 01/0015/0391/1269		0391/1378	=====	0390/1089	BMS EN 01/0015/0390/0985		
1 0 01036 0 00	1133+23				1 0 01036 0 00	1133+25	
BERMUDIAN CR					BERMUDIAN CR		
BMSBG 01/0015/0391/1269		0391/1269	=====	0390/0985	BMSBG 01/0015/0390/0985		
018 "DIA CIRC CONCR			=====				
LEN=0088	INSTALLED UNKN	0391/0861	----	0390/0754	018 "DIA CIRC CONCR	LEN=0090	INSTALLED UNKN
018 "DIA CIRC CONCR			----				
			----	0390/0626	018 "DIA CIRC CONCR	LEN=0095	INSTALLED UNKN
			----				
			----	0390/0367	018 "DIA CIRC CONCR	LEN=0098	INSTALLED UNKN
			----				
066 "DIA CIRC CONCR			----	112137 FT	1 0 01036 0 00	1121+76	
LEN=0120	INSTALLED UNKN	0391/0087	----				
1 0 01036 0 00	1119+58	111994 FT					

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

LENGTH(AH 2965 BK 3451)	0391/0000	0390/0000	LENGTH(AH 2663 BK 3434)
018 "DIA CIRC CONCR		0380/3432	018 "DIA CIRC CONCR
LEN=0105 INSTALLED UNKN			LEN=0093 INSTALLED UNKN
		0380/3363	066 "DIA CIRC CONCR
			LEN=0117 INSTALLED UNKN
		0380/2954	018 "DIA CIRC CONCR
			LEN=0080 INSTALLED UNKN
		0380/2648	018 "DIA CIRC CONCR
			LEN=0079 INSTALLED UNKN
024 "DIA CIRC CONCR			
LEN=0105 INSTALLED UNKN		0380/2151	MILEPOST 021.00
			018 "DIA CIRC CONCR
		0380/1960	LEN=0095 INSTALLED UNKN
MILEPOST 021.00			
		0380/1612	018 "DIA CIRC CONCR
			LEN=0082 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0075 INSTALLED UNKN		0380/1303	018 "DIA CIRC CONCR
024 "DIA CIRC CONCR			LEN=0098 INSTALLED UNKN
LEN=0082 INSTALLED UNKN		0380/1024	024 "DIA CIRC CONCR
			LEN=0114 INSTALLED UNKN
		0380/0591	018 "DIA CIRC CONCR
			LEN=0103 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0085 INSTALLED UNKN		0380/0256	018 "DIA CIRC CONCR
			LEN=0104 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0079 INSTALLED UNKN			
1 0 01036 0 00 1085+07 108543 FT			
054 "DIA CIRC CONCR		108703 FT	1 0 01036 0 00 1086+77
LEN=0145 INSTALLED UNKN		0380/0000	LENGTH(AH 3434 BK 3841)
LENGTH(AH 3451 BK 3653)			054 "DIA CIRC CONCR
		0370/3697	LEN=0168 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0087 INSTALLED UNKN		0370/3307	018 "DIA CIRC CONCR
			LEN=0086 INSTALLED UNKN
024 "DIA CIRC CONCR			
LEN=0099 INSTALLED UNKN		0370/2954	024 "DIA CIRC CONCR
			LEN=0095 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0087 INSTALLED UNKN			
			018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: HUNTINGTON T RIGHT MUN: HUNTINGTON T

018 "DIA CIRC CONCR LEN=0089 INSTALLED UNKN	0371/2249	0370/2565	LEN=0090	INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN	0371/1756	0370/2134	018 "DIA CIRC CONCR LEN=0089	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN	0371/1449	0370/1637	024 "DIA CIRC CONCR LEN=0106	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	0371/1147			
018 "DIA CIRC CONCR LEN=0081 INSTALLED UNKN	0371/0776			
		0370/0744	018 "DIA CIRC CONCR LEN=0145	INSTALLED UNKN
		0370/0712	MILEPOST	020.00
MILEPOST 020.00	0371/0027			
018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN	0371/0025			
1 0 01036 0 00 1048+54 104890 FT		104862 FT	1 0 01036 0 00 1049+58	
HUNTINGTON TYRONE T			HUNTINGTON TYRONE T	
LENGTH(AH 3653 BK 2647)	0371/0000	0370/0000	LENGTH(AH 3841 BK 2529)	
		0360/2528	018 "DIA CIRC CONCR LEN=0023	INSTALLED UNKN
		0360/2505	018 "DIA CIRC CONCR LEN=0063	INSTALLED UNKN
		0360/2185	018 "DIA CIRC CONCR LEN=0093	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN	0361/2335			
RAMP C RD (SR8007 SEG 0500/0000)	0361/2041			
024 "DIA CIRC CONCR LEN=0116 INSTALLED UNKN	0361/1984	0360/1803	RAMP D RD (SR8007 SEG 0750/0700)	
		0360/1746	024 "DIA CIRC CONCR LEN=0109	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	0361/1691			
		0360/1490	018 "DIA CIRC CONCR LEN=0076	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0074 INSTALLED UNKN	0361/1350			
		0360/1120	018 "DIA CIRC CONCR LEN=0075	INSTALLED UNKN
E BERLIN RD.			E BERLIN RD.	
OP ID 01/0234/0390/0000	0361/1215	0360/1034	OP ID 01/0234/0390/0000	

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

018 "DIA CIRC CONCR LEN=0079 INSTALLED UNKN	0361/0771	---	---	0360/0785	018 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0109 INSTALLED UNKN	0361/0333	---	---	0360/0714	018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0109 INSTALLED UNKN	0361/0333	---	---	0360/0467	018 "DIA CIRC CONCR LEN=0086 INSTALLED UNKN
RAMP B RD (SR8007 SEG 0250/0696)	0361/0195	==	==	0360/0277	RAMP A RD (SR8007 SEG 0010/0000)
042 "DIA CIRC CONCR LEN=0170 INSTALLED UNKN	0361/0175	---	---		
1 0 01036 0 00 1021+81 102243 FT LENGTH(AH 2647 BK 3356)	0361/0000	---	---	0360/0081	042 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN
				102333 FT	1 0 01036 0 00 1024+29
				0360/0000	LENGTH(AH 2529 BK 3252)
				0350/3252	042 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	0351/2982	---	---		
018 "DIA CIRC CONCR LEN=0079 INSTALLED UNKN	0351/2638	---	---	0350/2387	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN	0351/2297	---	---		
018 "DIA CIRC CONCR LEN=0079 INSTALLED UNKN	0351/1954	---	---	0350/2057	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
MILEPOST 019.00	0351/1769	---	---		
024 "DIA CIRC CONCR LEN=0089 INSTALLED UNKN	0351/1645	---	---	0350/1720	018 "DIA CIRC CONCR LEN=0079 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN	0351/1198	---	---	0350/1247	024 "DIA CIRC CONCR LEN=0111 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN	0351/0880	---	---		
				0350/0813	018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN
				0350/0491	018 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN

036"H 74"W ELLIP METAL

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Segment ID	Material	Length (AH)	Length (BK)	Start Station	End Station	Notes
0351/0211	018 "DIA CIRC CONCR	3356	2857	0988+68	098887	INSTALLED UNKN
0350/0170	018 "DIA CIRC CONCR	3252	3114	099081	0992+49	INSTALLED UNKN
0350/0157	018 "DIA CIRC CONCR					INSTALLED UNKN
0350/0000	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/2387	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/2057	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/1963	018 "DIA CIRC CONCR	11		0340/1799	0341/1720	STRUCTURE LENGTH 11 FT BMSID 01/0015/0340/1799
0341/1720	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/1157	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/0812	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/0467	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/0127	018 "DIA CIRC CONCR					INSTALLED UNKN
0341/0000	018 "DIA CIRC CONCR	2857	2941	0960+11	096030	INSTALLED UNKN
0331/2807	018 "DIA CIRC CONCR					INSTALLED UNKN
0331/2455	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/2391	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/1865	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/1806	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/1429	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/1086	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/1071	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/0743	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/0729	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/0406	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/0051	018 "DIA CIRC CONCR					INSTALLED UNKN
0340/0000	018 "DIA CIRC CONCR	3114	2578	095967	0961+01	INSTALLED UNKN
0330/2304	018 "DIA CIRC CONCR					INSTALLED UNKN

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: TYRONE T RIGHT MUN: TYRONE T

Segment ID	Material	Length	Stationing	Notes	Stationing	Material	Length	Stationing	Notes
024	"DIA CIRC CONCR	LEN=0102	INSTALLED UNKN	0331/2106	0330/1952	018 "DIA CIRC CONCR	LEN=0108	INSTALLED UNKN	
					0330/1625	MILEPOST	018.00		
					0330/1603	024 "DIA CIRC CONCR	LEN=0107	INSTALLED UNKN	
					0330/1312	018 "DIA CIRC CONCR	LEN=0089	INSTALLED UNKN	
BMSSEN	01/0015/0331/1440	0331/1607		0330/1142	BMSSEN	01/0015/0330/0975			
TYRONE					TYRONE				
BUTLER T		0331/1524		0330/1037	BUTLER T				
1 0 01036 0 00 0944+87					1 0 01036 0 00 0944+03				
CONEWAGO CK.					CONEWAGO				
BMSBG	01/0015/0331/1440	0331/1440		0330/0975	BMSBG	01/0015/0330/0975			
MILEPOST	018.00	0331/1231							
018	"DIA CIRC CONCR	LEN=0080	INSTALLED UNKN	0331/0788					
					0330/0703	018 "DIA CIRC CONCR	LEN=0102	INSTALLED UNKN	
					0330/0402	018 "DIA CIRC CONCR	LEN=0103	INSTALLED UNKN	
018	"DIA CIRC CONCR	LEN=0077	INSTALLED UNKN	0331/0306					
BUTLER									
STRABAN T		0331/0124							
066	"DIA CIRC CONCR	LEN=0103	INSTALLED UNKN	0331/0006					
1 0 01036 0 00 0930+70		093089 FT			093389 FT	1 0 01036 0 00 0934+13			
LENGTH(AH 2941 BK 2914)		0331/0000		0330/0000	LENGTH(AH 2578 BK 3390)				
					0320/3270	018 "DIA CIRC CONCR	LEN=0094	INSTALLED UNKN	
					0320/3055	066 "DIA CIRC CONCR	LEN=0141	INSTALLED UNKN	
					0320/2899	018 "DIA CIRC CONCR	LEN=0076	INSTALLED UNKN	
					0320/2610	018 "DIA CIRC CONCR	LEN=0078	INSTALLED UNKN	
018	"DIA CIRC CONCR	LEN=0078	INSTALLED UNKN	0321/2543					
					0320/2265	018 "DIA CIRC CONCR	LEN=0078	INSTALLED UNKN	
018	"DIA CIRC CONCR	LEN=0076	INSTALLED UNKN	0321/2198					
					0320/2070	BUTLER			
					0320/1850	STRABAN T			
024	"DIA CIRC CONCR	LEN=0084	INSTALLED UNKN	0321/1737		024 "DIA CIRC CONCR	LEN=0096	INSTALLED UNKN	

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

018 "DIA CIRC CONCR LEN=0086 INSTALLED UNKN 0321/1405	0320/1528	018 "DIA CIRC CONCR LEN=0097 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0321/0502	0320/0654	024 "DIA CIRC CONCR LEN=0124 INSTALLED UNKN
1 0 01036 0 00 0901+56 090175 FT LENGTH(AH 2914 BK 3246) 0321/0000	0320/0456	018 "DIA CIRC CONCR LEN=0097 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN 0311/3204	0320/0066	018 "DIA CIRC CONCR LEN=0067 INSTALLED UNKN
MILEPOST 017.00 0311/3167	089999 FT 1 0 01036 0 00 0900+66	0320/0000 LENGTH(AH 3390 BK 3209)
018 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN 0311/2979	0310/3025	018 "DIA CIRC CONCR LEN=0091 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN 0311/2350	0310/2675	018 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN
	0310/2510	MILEPOST 017.00
048 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0311/1551	0310/2374	024 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN
	0310/2123	018 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN
T. CONEWAGO STRUCTURE LENGTH 16 FT BMSID 01/0015/0310/1310	0310/1848	018 "DIA CIRC CONCR LEN=0093 INSTALLED UNKN
	0310/1563	048 "DIA CIRC CONCR LEN=0104 INSTALLED UNKN
	0310/1390	018 "DIA CIRC CONCR LEN=0084 INSTALLED UNKN
	0310/1310	T. CONEWAGO STRUCTURE LENGTH 16 FT BMSID 01/0015/0310/1310
018 "DIA CIRC CONCR LEN=0074 INSTALLED UNKN 0311/0952	0310/1002	018 "DIA CIRC CONCR LEN=0073 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN 0311/0600	0310/0634	018 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN



DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Segment ID	Material	Length (ft)	Stationing	Notes
024 "DIA CIRC CONCR	LEN=0085	0310/0366	024 "DIA CIRC CONCR	INSTALLED UNKN
024 "DIA CIRC CONCR	LEN=0103	0311/0248	024 "DIA CIRC CONCR	INSTALLED UNKN
1 0 01036 0 00 0869+10 086929 FT		086790 FT	1 0 01036 0 00 0869+10	
WOODSIDE RD.			WOODSIDE RD.	
OP ID 01/1022/0010/0000		0310/0000	OP ID 01/1022/0010/0000	
LENGTH(AH 3246 BK 2428)			LENGTH(AH 3209 BK 2088)	
024 "DIA CIRC CONCR	LEN=0091	0301/2330	024 "DIA CIRC CONCR	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0099	0301/1981	018 "DIA CIRC CONCR	INSTALLED UNKN
028 "DIA CIRC CONCR	LEN=0093	0301/1131	018 "DIA CIRC CONCR	INSTALLED UNKN
024 "DIA CIRC CONCR	LEN=0084	0301/0302	018 "DIA CIRC CONCR	INSTALLED UNKN
1 0 01036 0 00 0844+99 084501 FT		0300/1048	018 "DIA CIRC CONCR	INSTALLED UNKN
LENGTH(AH 2428 BK 2087)		0300/0800	024 "DIA CIRC CONCR	INSTALLED UNKN
024 "DIA CIRC CONCR	LEN=0084	0291/1394	018 "DIA CIRC CONCR	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0086	0291/1055	024 "DIA CIRC CONCR	INSTALLED UNKN
MILEPOST 016.00		0290/1386	018 "DIA CIRC CONCR	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0076	0291/0689	018 "DIA CIRC CONCR	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0077	0291/0354	018 "DIA CIRC CONCR	INSTALLED UNKN
1 0 01036 0 00 0824+12 082414 FT		0290/1015	MILEPOST 016.00	
LENGTH(AH 2087 BK 3196)		0290/0718	018 "DIA CIRC CONCR	INSTALLED UNKN
024 "DIA CIRC CONCR	LEN=0084	0301/0302	018 "DIA CIRC CONCR	INSTALLED UNKN
1 0 01036 0 00 0844+99 084501 FT		0290/0328	018 "DIA CIRC CONCR	INSTALLED UNKN
LENGTH(AH 2428 BK 2087)		083005 FT	1 0 01036 0 00 0828+52	
024 "DIA CIRC CONCR	LEN=0084	0291/1394	LENGTH(AH 1697 BK 3896)	
018 "DIA CIRC CONCR	LEN=0086	0291/1055	018 "DIA CIRC CONCR	INSTALLED UNKN
MILEPOST 016.00		0290/1386	018 "DIA CIRC CONCR	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0076	0291/0689	018 "DIA CIRC CONCR	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0077	0291/0354	018 "DIA CIRC CONCR	INSTALLED UNKN
1 0 01036 0 00 0824+12 082414 FT		0290/0718	018 "DIA CIRC CONCR	INSTALLED UNKN
LENGTH(AH 2087 BK 3196)		0290/0000	018 "DIA CIRC CONCR	INSTALLED UNKN

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Item Description	Stationing	Item Description	Stationing
018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	0281/3196	0280/3547 LEN=0078 INSTALLED UNKN 018 "DIA CIRC CONCR	
084"H 84"W CON BOX CUL LEN=0071 INSTALLED UNKN	0281/2756	0280/3280 LEN=0076 INSTALLED UNKN	
EMERGENCY CROSSOVER (CONN)	0281/2161	0280/2749 084"H 84"W CON BOX CUL LEN=0073 INSTALLED UNKN	
018 "DIA CIRC CONCR LEN=0087 INSTALLED UNKN	0281/2121	0280/2465 018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN	
018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	0281/1924	0280/2142 EMERGENCY CROSSOVER (CONN)	
		0280/2093 018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	
		0280/1791 018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	
		0280/1416 018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	
018 "DIA CIRC CONCR LEN=0099 INSTALLED UNKN	0281/0972	0280/1018 018 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN	
018 "DIA CIRC CONCR LEN=0099 INSTALLED UNKN	0281/0363	0280/0716 018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	
1 0 01036 0 00 0792+11 079218 FT LENGTH(AH 3196 BK 3864)	0281/0000	0280/0326 018 "DIA CIRC CONCR LEN=0101 INSTALLED UNKN	
048 "DIA CIRC CONCR LEN=0096 INSTALLED UNKN	0271/3660	0280/0016 018 "DIA CIRC CONCR LEN=0096 INSTALLED UNKN	
		079109 FT 1 0 01036 0 00 0789+95	
MILEPOST 015.00	0271/3126	0280/0000 LENGTH(AH 3896 BK 3846)	
RAMP F-4 RD (SR8009 SEG 0500/0000)	0271/2935	0270/3626 048 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN	
		0270/3500 MILEPOST 015.00	
		0270/2965 RAMP F-3 RD (SR8009 SEG 0750/0629)	
		0270/2910 024 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	
		0270/2897 018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN	



DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Item ID	Description	Stationing	Length	Material	Status	Notes
018	"DIA CIRC CONCR	0251/1989	0098	INSTALLED UNKN		
018	"DIA CIRC CONCR	0251/1040	0092	INSTALLED UNKN		
018	"DIA CIRC CONCR	0251/0591	0084	INSTALLED UNKN		
CAVC	848	0251/0227M				
018	"DIA CIRC CONCR	0251/0141	0104	INSTALLED UNKN		
1 0	01036 0 00 0694+49 069451 FT	0251/0000				
	LENGTH(AH 3606 BK 3993)					
BR. ROCK CK.	STRUCTURE LENGTH 23 FT	0241/3817				
BMSID	01/0015/0240/3671					
018	"DIA CIRC CONCR	0241/3657	0110	INSTALLED UNKN		
018	"DIA CIRC CONCR	0241/3205	0114	INSTALLED UNKN		
EMERGENCY CROSSOVER	(CONN)	0241/2972				
018	"DIA CIRC CONCR	0241/2811	0114	INSTALLED UNKN		
		0240/2760				MILEPOST 013.00
		0240/2752				018 "DIA CIRC CONCR
030	"DIA CIRC CONCR	0241/2462	0115	INSTALLED UNKN		
030	"DIA CIRC CONCR	0240/2340	0098	INSTALLED UNKN		
018	"DIA CIRC CONCR	0240/2006	0087	INSTALLED UNKN		
018	"DIA CIRC CONCR					



DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN 0221/0069		0220/0076 LEN=0068 INSTALLED UNKN
1 0 01036 0 00 0608+27 060829 FT		060838 FT 1 0 01036 0 00 0604+00
YORK ROAD		YORK ROAD
OP ID 01/0030/0320/0867		OP ID 01/0030/0320/0867
LENGTH(AH 2020 BK 3424) 0221/0000		LENGTH(AH 2013 BK 3371) 0220/0000
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0211/3036		
RAMP E-1 RD (SR8005 SEG 0250/0893) 0211/2588		0210/2902 RAMP E-2 RD (INNER) (SR8005 SEG 0020/0958)
024 "DIA CIRC CONCR LEN=0083 INSTALLED UNKN 0211/2510		
		0210/2492 018 "DIA CIRC CONCR LEN=0059 INSTALLED UNKN
		RAMP E-2 RD (OUTER) (SR8005 SEG 0010/0000) 0210/2403
		036 "DIA CIRC CONCR LEN=0138 INSTALLED UNKN 0210/2391
		018 "DIA CIRC CONCR LEN=0123 INSTALLED UNKN 0210/1993
018 "DIA CIRC CONCR LEN=0131 INSTALLED UNKN 0211/1671		
036 "DIA CIRC CONCR LEN=0151 INSTALLED UNKN 0211/1377		
		0210/1195 030 "DIA CIRC CONCR LEN=0149 INSTALLED UNKN
MILEPOST 011.00 0211/1011		
018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN 0211/0765		
1 0 01036 0 00 0574+05 057405 FT		0210/0430 MILEPOST 011.00 057467 FT 1 0 01036 0 00 0574+05
T. ROCK CK. STRUCTURE LENGTH 14 FT		B. ROCK CREEK STRUCTURE LENGTH 12 FT
BMSID 01/0015/0211/0000		BMSID 01/0015/0210/0000
LENGTH(AH 3424 BK 2361) 0211/0000		LENGTH(AH 3371 BK 2452) 0210/0000
042 "DIA CIRC CONCR LEN=0152 INSTALLED UNKN 0201/2154		
		0200/2027 042 "DIA CIRC CONCR LEN=0142 INSTALLED UNKN
		0200/1033 030 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0132 INSTALLED UNKN 0201/1083		
EMERGENCY CROSSOVER (CONN) 0201/0982		0200/0906 EMERGENCY CROSSOVER (CONN)

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

042 "DIA CIRC CONCR LEN=0103 INSTALLED UNKN 0201/0468	0200/0427	042 "DIA CIRC CONCR LEN=0137 INSTALLED UNKN
042 "DIA CIRC CONCR LEN=0124 INSTALLED UNKN 0201/0019 1 0 01036 0 00 0548+87 055044 FT LENGTH(AH 2361 BK 2198) 0201/0000	055015 FT 0200/0000	1 0 01036 0 00 0548+87 LENGTH(AH 2452 BK 2211) 042 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0110 INSTALLED UNKN 0191/1968 018 "DIA CIRC CONCR LEN=0127 INSTALLED UNKN 0191/1408	0190/2166	018 "DIA CIRC CONCR LEN=0126 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0047 INSTALLED UNKN 0191/0983 RAMP D-2 RD (SR8013 SEG 0500/0000) 0191/0976	0190/1363	018 "DIA CIRC CONCR LEN=0081 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0153 INSTALLED UNKN 0191/0523	0190/0788	RAMP D-4 RD (SR8013 SEG 0750/0826)
018 "DIA CIRC CONCR LEN=0081 INSTALLED UNKN 0191/0108 BMSEN 01/0015/0191/0000 0191/0043 1 0 01036 0 00 0528+53 052846 FT HANOVER RD. BMSBG 01/0015/0191/0000 LENGTH(AH 2198 BK 2767) 0191/0000	0190/0123 0190/0043 052804 FT 0190/0000 0180/2693	018 "DIA CIRC CONCR LEN=0081 INSTALLED UNKN BMSEN 01/0015/0190/0000 1 0 01036 0 00 0528+53 HANOVER RD BMSBG 01/0015/0190/0000 LENGTH(AH 2211 BK 2697) MILEPOST 010.00
018 "DIA CIRC CONCR LEN=0133 INSTALLED UNKN 0181/2413 042 "DIA CIRC CONCR LEN=0188 INSTALLED UNKN 0181/2248	0180/2202	042 "DIA CIRC CONCR LEN=0164 INSTALLED UNKN
RAMP D-1 RD (SR8013 SEG 0250/0816) 0181/2056	0180/2048	RAMP D-3 RD (SR8013 SEG 0010/0000)
030 "DIA CIRC CONCR LEN=0168 INSTALLED UNKN 0181/1514	0180/1444	030 "DIA CIRC CONCR LEN=0131 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0073 INSTALLED UNKN 0181/1152		

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: STRABAN T RIGHT MUN: STRABAN T

Segment ID	Material	Length (ft)	Stationing	Notes	Segment ID	Material	Length (ft)	Stationing	Notes
018	"DIA CIRC CONCR	0054	INSTALLED UNKN	0181/0700	0180/0726	018 "DIA CIRC CONCR	0062	INSTALLED UNKN	
STRABAN						STRABAN			
MOUNT JOY T				0181/0175	0180/0175	MOUNT JOY T			
1 0 01036 0 00 0500+83 050079 FT					0180/0006	018 "DIA CIRC CONCR	0056	INSTALLED UNKN	
LENGTH(AH 2767 BK 3360) 0181/0000					050107 FT	1 0 01036 0 00 0499+97			
					0180/0000	LENGTH(AH 2697 BK 3476)			
018 "DIA CIRC CONCR					0170/3476	018 "DIA CIRC CONCR	0069	INSTALLED UNKN	
LEN=0068 INSTALLED UNKN				0171/3360					
018 "DIA CIRC CONCR					0170/3050	024 "DIA CIRC CONCR	0136	INSTALLED UNKN	
LEN=0145 INSTALLED UNKN				0171/2869					
018 "DIA CIRC CONCR					0170/2077	018 "DIA CIRC CONCR	0097	INSTALLED UNKN	
LEN=0097 INSTALLED UNKN				0171/1994					
018 "DIA CIRC CONCR					0170/1627	018 "DIA CIRC CONCR	0115	INSTALLED UNKN	
LEN=0092 INSTALLED UNKN				0171/1574					
MILEPOST 009.00				0171/1137	0170/1213	018 "DIA CIRC CONCR	0145	INSTALLED UNKN	
018 "DIA CIRC CONCR									
LEN=0124 INSTALLED UNKN				0171/1136	0170/0889	MILEPOST 009.00			
018 "DIA CIRC CONCR									
LEN=0098 INSTALLED UNKN				0171/0578	0170/0626	021 "DIA CIRC CONCR	0125	INSTALLED UNKN	
1 0 01036 0 00 0467+23 046719 FT									
LENGTH(AH 3360 BK 3696) 0171/0000					046631 FT	1 0 01036 0 00 0465+41			
					0170/0000	LENGTH(AH 3476 BK 3714)			
024 "DIA CIRC CONCR					0160/3367	024 "DIA CIRC CONCR	0126	INSTALLED UNKN	
LEN=0105 INSTALLED UNKN				0161/3336					
EMERGENCY CROSSOVER					0160/2689	EMERGENCY CROSSOVER			
(CONN)				0161/2670		(CONN)			
018 "DIA CIRC CONCR									
LEN=0081 INSTALLED UNKN				0161/2510					
					0160/2503	018 "DIA CIRC CONCR	0090	INSTALLED UNKN	



DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

018 "DIA CIRC CONCR LEN=0097 INSTALLED UNKN 0161/2036	---	0160/2025	018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0161/1586	---	0160/1585	018 "DIA CIRC CONCR LEN=0110 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0105 INSTALLED UNKN 0161/1062	---	0160/1043	018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN 0161/0713 RAMP C-2 RD (SR8003 SEG 0500/0000) 0161/0650	==	0160/0580	RAMP C-4 RD (SR8003 SEG 0750/0584)
018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN 0161/0435	---	0160/0406	018 "DIA CIRC CONCR LEN=0074 INSTALLED UNKN
	---	0160/0368	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
	---	0160/0070	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0161/0053 1 0 01036 0 00 0430+27 043023 FT BALTIMORE PK	---	042917 FT	1 0 01036 0 00 0430+41 BALTIMORE PK
OP ID 01/0097/0190/0000 LENGTH(AH 3696 BK 3280) 0161/0000	==	0160/0000	OP ID 01/0097/0190/0000 LENGTH(AH 3714 BK 3254)
018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0151/2988	---	0150/3003	018 "DIA CIRC CONCR LEN=0071 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0151/2608	---	0150/2723	018 "DIA CIRC CONCR LEN=0061 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0083 INSTALLED UNKN 0151/2580	---	0150/2593	RAMP C-3 RD (SR8003 SEG 0010/0000)
RAMP C-1 RD (SR8003 SEG 0250/0745) MOUNT JOY CUMBERLAND T 0151/2557	==	0150/2577	MILEPOST 008.00
	---	0150/2555	018 "DIA CIRC CONCR LEN=0093 INSTALLED UNKN

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: MOUNT JOY T RIGHT MUN: MOUNT JOY T

Item ID	Description	Start Station	End Station	Length	Material	Notes
018	"DIA CIRC CONCR	0151/2497	0151/2040	0100	INSTALLED UNKN	
018	"DIA CIRC CONCR	0151/1591	0150/2038	0103	INSTALLED UNKN	
018	"DIA CIRC CONCR	0151/1068	0150/1580	0054	INSTALLED UNKN	
018	"DIA CIRC CONCR	0151/0612	0150/1045	0055	INSTALLED UNKN	
BMS	SEN 01/0015/0151/0000	0151/0154	0150/0542	0397+34	039743 FT	
BMS	SBG 01/0015/0151/0000	0151/0000	0150/0203	3280	1465	
018	"DIA CIRC CONCR	0141/0906	0150/0156	0054	INSTALLED UNKN	
018	"DIA CIRC CONCR	0141/0555	0150/0156	0054	INSTALLED UNKN	
1 0	01036 0 00 0382+44	038278 FT	0150/0000	1465	3038	
018	"DIA CIRC CONCR	0131/2846	0140/0409	0054	INSTALLED UNKN	
018	"DIA CIRC CONCR	0131/1890	0140/0000	0054	INSTALLED UNKN	
MILEPOST	007.00	0131/1720	0130/2809	11	FT	
018	"DIA CIRC CONCR	0131/1589	0130/2576	0054	INSTALLED UNKN	
OP ID	01/2020/0010/0000	0131/1324	0130/1825	0130/2809	0130/2809	
OP ID	01/2020/0010/0000	0131/1324	0130/1630	0130/2576	0130/2576	
OP ID	01/2020/0010/0000	0131/1324	0130/1316	0130/2576	0130/2576	
018	"DIA CIRC CONCR	0130/1316	0130/1316	0065	INSTALLED UNKN	

018 "DIA CIRC CONCR  
 LEN=0083 INSTALLED UNKN

024 "DIA CIRC CONCR  
 LEN=0105 INSTALLED UNKN

018 "DIA CIRC CONCR  
 LEN=0066 INSTALLED UNKN

018 "DIA CIRC CONCR  
 LEN=0068 INSTALLED UNKN

MOUNT JOY  
 CUMBERLAND T

BMS SEN 01/0015/0150/0000  
 1 0 01036 0 00 0397+33  
 039663 FT

ROCK CREEK  
 BMSBG 01/0015/0150/0000  
 LENGTH(AH 3254 BK 1523)

018 "DIA CIRC CONCR  
 LEN=0079 INSTALLED UNKN

1 0 01036 0 00 0379+84  
 038140 FT

LENGTH(AH 1523 BK 3005)  
 T ROCK CREEK  
 STRUCTURE LENGTH 11 FT

BMSID 01/0015/0130/2809  
 018 "DIA CIRC CONCR  
 LEN=0124 INSTALLED UNKN

MILEPOST 007.00

018 "DIA CIRC CONCR  
 LEN=0065 INSTALLED UNKN

SACH'S RD  
 OP ID 01/2020/0020/0000

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN 0131/1275	---								
044"H 72"W ELLIP CONC LEN=0067 INSTALLED UNKN 0131/1033	---								
						0130/1006	048"H 75"W ELLIP CONC LEN=0117 INSTALLED UNKN		
						0130/0056	054 "DIA CIRC CONCR LEN=0135 INSTALLED UNKN		
054 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0131/0038	---								
1 0 01036 0 00 0352+06 035240 FT LENGTH(AH 3038 BK 3694) 0131/0000	---					035135 FT 0130/0000	1 0 01036 0 00 0349+97 LENGTH(AH 3005 BK 3766)		
						0120/3137	018 "DIA CIRC CONCR LEN=0105 INSTALLED UNKN		
018 "DIA CIRC CONCR LEN=0091 INSTALLED UNKN 0121/3011	---								
						0120/1689	024 "DIA CIRC CONCR LEN=0130 INSTALLED UNKN		
036 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN 0121/1605	---								
						0120/1294	018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN		
						0120/0791	018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN		
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0121/0759	---								
RAMP B-4 RD (SR8015 SEG 0500/0000) 0121/0545	==					0120/0572	RAMP B-3 RD (SR8015 SEG 0750/0664)		
						0120/0542	018 "DIA CIRC CONCR LEN=0005 INSTALLED UNKN		
018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN 0121/0507	---								
MILEPOST 006.00 0121/0134	□					0120/0311	MILEPOST 006.00		
018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN 0121/0094	---					0120/0095	018 "DIA CIRC CONCR LEN=0086 INSTALLED UNKN		
1 0 01036 0 00 0315+12 031546 FT TANEYTOWN RD	---					031369 FT	1 0 01036 0 00 0313+78 TANEYTOWN RD		
OP ID 01/0134/0090/0773 LENGTH(AH 3694 BK 2279) 0121/0000	---					0120/0000	OP ID 01/0134/0090/0773 LENGTH(AH 3766 BK 2245) 020"H 24"W ELLIP CONC		

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

018 "DIA CIRC CONCR LEN=0069 INSTALLED UNKN 0111/2091	0110/2107	LEN=0213	INSTALLED UNKN
048 "DIA CIRC CONCR LEN=0186 INSTALLED UNKN 0111/1963 RAMP B-1 RD (SR8015 SEG 0250/0586) 0111/1797	0110/1988	048 "DIA CIRC CONCR LEN=0051	INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0110 INSTALLED UNKN 0111/1399	0110/1644	RAMP B-2 RD (SR8015 SEG 0010/0000)	
024 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN 0111/1226	0110/1449	018 "DIA CIRC CONCR LEN=0134	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0079 INSTALLED UNKN 0111/0881	0110/1290	024 "DIA CIRC CONCR LEN=0127	INSTALLED UNKN
1 0 01036 0 00 0292+58 029267 FT LENGTH(AH 2279 BK 3172) 0111/0000	0110/0894	024 "DIA CIRC CONCR LEN=0118	INSTALLED UNKN
PLUM RUN STRUCTURE LENGTH 22 FT BMSID 01/0015/0100/1849 0101/1850	029124 FT 0110/0000	1 0 01036 0 00 0290+16 LENGTH(AH 2245 BK 3028)	
024 "DIA CIRC CONCR LEN=0081 INSTALLED UNKN 0101/1820	0100/2692	024 "DIA CIRC CONCR LEN=0103	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0079 INSTALLED UNKN 0101/1482	0100/2087	018 "DIA CIRC CONCR LEN=0100	INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN 0101/1095	0100/1849	PLUM RUN STRUCTURE LENGTH 22 FT BMSID 01/0015/0100/1849	
024 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0101/0540	0100/1787	018 "DIA CIRC CONCR LEN=0150	INSTALLED UNKN
	0100/1252	018 "DIA CIRC CONCR LEN=0067	INSTALLED UNKN
	0100/0903	018 "DIA CIRC CONCR LEN=0067	INSTALLED UNKN
	0100/0490	018 "DIA CIRC CONCR LEN=0080	INSTALLED UNKN

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

MILEPOST	005.00	0101/0305				0100/0304	MILEPOST	005.00
018 "DIA CIRC CONCR	LEN=0058	INSTALLED UNKN	0101/0240					
1 0 01036 0 00 0260+86	026095 FT					018 "DIA CIRC CONCR	LEN=0040	INSTALLED UNKN
LENGTH(AH 3172 BK 3907)	0101/0000					1 0 01036 0 00 0259+88	0259+88	
						LENGTH(AH 3028 BK 3897)		
						024 "DIA CIRC CONCR	LEN=0107	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0058	INSTALLED UNKN	0091/3096			0090/3398		
018 "DIA CIRC CONCR	LEN=0058	INSTALLED UNKN	0091/2593			0090/2902	018 "DIA CIRC METAL	LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0054	INSTALLED UNKN	0091/1640			0090/2452	018 "DIA CIRC CONCR	LEN=0062 INSTALLED UNKN
024 "DIA CIRC CONCR	LEN=0130	INSTALLED UNKN	0091/1068			0090/1347	018 "DIA CIRC CONCR	LEN=0095 INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0124	INSTALLED UNKN	0091/0766			0090/0873	018 "DIA CIRC CONCR	LEN=0105 INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0067	INSTALLED UNKN	0091/0293					
018 "DIA CIRC CONCR	LEN=0046	INSTALLED UNKN	0091/0089					
1 0 01036 0 00 0221+79	022188 FT					022199 FT	1 0 01036 0 00 0222+54	0222+54
BARLOW RD							BARLOW-GR'MT	
OP ID 01/3006/0020/1436						OP ID 01/3006/0020/1612		
LENGTH(AH 3907 BK 2598)	0091/0000					LENGTH(AH 3897 BK 2626)		
						018 "DIA CIRC CONCR	LEN=0078	INSTALLED UNKN
						018 "DIA CIRC CONCR	LEN=0398	INSTALLED UNKN
018 "DIA CIRC CONCR	LEN=0082	INSTALLED UNKN	0081/2296			0080/2590		
030 "DIA CIRC CONCR	LEN=0120	INSTALLED UNKN	0081/1939			0080/2541		
						0080/1901	015"H 22"W ELLIP CONC	LEN=0098 INSTALLED UNKN
						0080/1547	MILEPOST	004.00
MILEPOST	004.00	0081/1530						
054 "DIA CIRC CONCR	LEN=0129	INSTALLED UNKN	0081/1164					

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

		0080/1140	054 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN
		0080/0246	018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN 0081/0230 1 0 01036 0 00 0195+64 019590 FT LENGTH(AH 2598 BK 2463) 0081/0000		019573 FT 0080/0000	1 0 01036 0 00 0194+72 LENGTH(AH 2626 BK 2455) 018 "DIA CIRC CONCR LEN=0081 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN 0071/2266		0070/2269	036 "DIA CIRC CONCR LEN=0097 INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0105 INSTALLED UNKN 0071/1848 018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0071/1291 T.MARSH CK. STRUCTURE LENGTH 16 FT BMSID 01/0015/0070/0986		0070/1895 0070/1031	T.MARSH CK. STRUCTURE LENGTH 16 FT BMSID 01/0015/0070/0986 018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 0071/0843 EMERGENCY CROSSOVER (CONN) 0071/0787		0070/0842 0070/0778	EMERGENCY CROSSOVER (CONN) 018 "DIA CIRC CONCR LEN=0093 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0071/0290 1 0 01036 0 00 0171+01 017127 FT LENGTH(AH 2463 BK 2845) 0071/0000		0070/0290 017118 FT 0070/0000	1 0 01036 0 00 0170+17 LENGTH(AH 2455 BK 2876) 018 "DIA CIRC CONCR LEN=0109 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0061/2638		0060/2688	
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0061/1737 MILEPOST 003.00 0061/1558		0060/1786 0060/1660	018 "DIA CIRC CONCR LEN=0084 INSTALLED UNKN MILEPOST 003.00
024 "DIA CIRC METAL LEN=0128 INSTALLED UNKN 0061/1265		0060/1289	018 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN
018 "DIA CIRC CONCR		0060/0810	018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: CUMBERLAND T RIGHT MUN: CUMBERLAND T

Item Description	Length	Stationing	Notes
LEN=0076 INSTALLED UNKN	0061/0761		
018 "DIA CIRC CONCR	LEN=0076	INSTALLED UNKN	
LEN=0076 INSTALLED UNKN	0061/0412		
018 "DIA CIRC CONCR	LEN=0074	INSTALLED UNKN	
1 0 01036 0 00 0142+56	014282 FT		
MARSH CRK RD			
OP ID 01/3004/0030/0668			
LENGTH(AH 2845 BK 2331)	0061/0000		
018 "DIA CIRC CONCR	LEN=0078	INSTALLED UNKN	
024 "DIA CIRC CONCR	LEN=0077	INSTALLED UNKN	
0051/2000			
0051/1608			
0050/1130			
0050/0622			
CUMBERLAND FREEDOM T	0051/0380		
BMSSEN 01/0015/0051/0000	0051/0150		
1 0 01036 0 00 0119+07	011951 FT		
MARSH CK.			
BMSBG 01/0015/0051/0000	0051/0000		
LENGTH(AH 2331 BK 2764)	0051/0000		
EMERGENCY CROSSOVER (CONN)	0041/2510		
018 "DIA CIRC CONCR	LEN=0076	INSTALLED UNKN	
0041/2287			
MILEPOST 002.00	0041/1373		
RAMP A-4 RD (SR8001 SEG 0500/0000)	0041/0806		
0040/0683			
036"H 58"W ELLIP METAL	LEN=0135	INSTALLED UNKN	
RAMP A-3 RD (SR8001 SEG 0750/0746)	0040/0542		
0040/0475			
036"H 58"W ELLIP CONC	LEN=0076	INSTALLED UNKN	
0041/0432			
0040/0188			
018 "DIA CIRC CONCR	LEN=0108	INSTALLED UNKN	

DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

Item ID	Description	Length (AH/BK)	Material	Status	Stationing
LEN=0097	INSTALLED UNKN	0041/0131			
1 0 01036 0 00 0091+05	009187 FT				
OP ID 01/3001/0040/0030	EMMITSBRG RD				
LENGTH(AH 2764 BK 2837)	0041/0000				
018 "DIA CIRC CONCR	LEN=0064	INSTALLED UNKN			0031/2419
RAMP A-1 RD	(SR8001 SEG 0250/0811)				0031/2401
018 "DIA CIRC CONCR	LEN=0100	INSTALLED UNKN			0031/1868
027 "H 43 "W ELLIP METAL	LEN=0114	INSTALLED UNKN			0031/1574
018 "DIA CIRC CONCR	LEN=0089	INSTALLED UNKN			0031/0817
018 "DIA CIRC CONCR	LEN=0102	INSTALLED UNKN			0031/0307
BMSSEN 01/0015/0031/0000	0031/0101				
1 0 01036 0 00 0063+20	006350 FT				
MIDDLE CREEK	BMSBG 01/0015/0031/0000				
LENGTH(AH 2837 BK 3473)	0031/0000				
018 "DIA CIRC METAL	LEN=0040	INSTALLED UNKN			0021/2848
MILEPOST	001.00				0021/2403
030 "DIA CIRC CONCR	LEN=0088	INSTALLED UNKN			0021/1795
018 "DIA CIRC CONCR	LEN=0080	INSTALLED UNKN			0021/0844
0040/0109	009013 FT				
018 "DIA CIRC METAL	LEN=0002	INSTALLED UNKN			
1 0 01036 0 00 0089+61					
EMMITSBRG RD	OP ID 01/3001/0040/0030				
LENGTH(AH 2859 BK 2718)					
0040/0000					
0030/1983					
RAMP A-2 RD	(SR8001 SEG 0010/0000)				
0030/1619					
018 "H 43 "W ELLIP METAL	LEN=0115	INSTALLED UNKN			
0030/0169					
0030/0103					
006295 FT					
018 "DIA CIRC CONCR	LEN=0105	INSTALLED UNKN			
BMSSEN 01/0015/0030/0000					
1 0 01036 0 00 0069+92					
MIDDLE CREEK	BMSBG 01/0015/0030/0000				
LENGTH(AH 2718 BK 2731)					
024 "DIA CIRC METAL	LEN=0040	INSTALLED UNKN			
0020/2660					
018 "DIA CIRC CONCR	LEN=0108	INSTALLED UNKN			
0020/2154					
MILEPOST	001.00				
018 "DIA CIRC CONCR	LEN=0107	INSTALLED UNKN			
030 "DIA CIRC CONCR	LEN=0105	INSTALLED UNKN			
0020/1780					
0020/1536					
0020/1081					
018 "DIA CIRC CONCR	LEN=0105	INSTALLED UNKN			
0020/0636					



DIR: N TOTAL LEN: 26.563 MI. DIST: 08-1 SR: 15  
 LEFT MUN: FREEDOM T RIGHT MUN: FREEDOM T

Item ID	Description	Length (AH)	Length (BK)	Notes	Stationing	Item ID	Description	Length (AH)	Length (BK)	Notes	Stationing
018	"DIA CIRC CONCR	0083		INSTALLED UNKN	0021/0418	018	"DIA CIRC CONCR	0100		INSTALLED UNKN	
1 0	01036 0 00 0028+77	002877		FT		1 0	01036 0 00 0035+64	003564		FT	
	LENGTH(AH 3473 BK 2877)	0021/0000					LENGTH(AH 2731 BK 3564)	0020/0000			
018	"DIA CIRC CONCR	0089		INSTALLED UNKN	0011/2852	018	"DIA CIRC CONCR	0050		INSTALLED UNKN	
018	"DIA CIRC CONCR	0070		INSTALLED UNKN	0011/2353	018	"DIA CIRC CONCR	0105		INSTALLED UNKN	
018	"DIA CIRC CONCR	0079		INSTALLED UNKN	0011/2079	018	"DIA CIRC CONCR	0040		INSTALLED UNKN	
OP ID	BOYLE RD	01/3042/0010/0000			0011/2010	OP ID	BOYLE RD	01/3042/0010/0000			0011/1994
CAVC	803				0011/1936M	CAVC	803				M0010/1923
024"	H 24"W CON BOX CUL	0074		INSTALLED UNKN	0011/1727	018	"DIA CIRC CONCR	0078		INSTALLED UNKN	
018	"DIA CIRC CONCR	0079		INSTALLED UNKN	0011/1401	018	"DIA CIRC CONCR	0085		INSTALLED UNKN	
018	"DIA CIRC CONCR	0100		INSTALLED UNKN	0011/0751	018	"DIA CIRC CONCR	0095		INSTALLED UNKN	
018	"DIA CIRC CONCR	0089		INSTALLED UNKN	0011/0480	019	"DIA CIRC CONCR	0076		INSTALLED UNKN	
018	"DIA CIRC CONCR	0040		INSTALLED UNKN	0011/0052						
1 0	01036 0 00 0000+00	000000		FT		1 0	01036 0 00 0000+00	000000		FT	
	EMERGENCY CROSSOVER						EMERGENCY CROSSOVER				
	(CONN)						(CONN)				
	NC BLUE-GRAY HW						NC BLUE-GRAY HW				
	MARYLAND STATE LINE				INTER-BK		NC BLUE-GRAY HW				
	(STBD)						TR 0015 MD				
	MFC BEGIN = B						(TBC)				
	MILEPOST	000.00					MFC BEGIN = B				
	LENGTH(AH 2877 BK 0000)	0011/0000					LENGTH(AH 3564 BK 0000)	0010/0000			